

**Clause 4.2.2 WCDMA Transmitter maximum output power**


Band	UL Channel	UL Frequency (MHz)	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
WCDMA Band1	9612	1922.4	22.98	20.3	25.7	PASS
WCDMA Band1	9750	1950	22.89	20.3	25.7	PASS
WCDMA Band1	9888	1977.6	22.88	20.3	25.7	PASS
WCDMA Band8	2712	882.4	22.83	20.3	25.7	PASS
WCDMA Band8	2788	897.6	22.63	20.3	25.7	PASS
WCDMA Band8	2863	912.6	22.49	20.3	25.7	PASS

**Clause 4.2.3 WCDMA Transmitter spectrum emission mask**


Band	UL Channel	UL Frequency (MHz)	Range	SEM Margin (dBc)	Verdict
WCDMA Band1	9612	1922.4	AB	-14.29	PASS
WCDMA Band1	9612	1922.4	BC	-14.58	PASS
WCDMA Band1	9612	1922.4	CD	-12.31	PASS
WCDMA Band1	9612	1922.4	EF	-12.47	PASS
WCDMA Band1	9612	1922.4	FE	-12.05	PASS
WCDMA Band1	9612	1922.4	DC	-12.35	PASS
WCDMA Band1	9612	1922.4	CB	-14.54	PASS
WCDMA Band1	9612	1922.4	BA	-14.26	PASS
WCDMA Band1	9750	1950	AB	-14.71	PASS
WCDMA Band1	9750	1950	BC	-14.98	PASS
WCDMA Band1	9750	1950	CD	-12.78	PASS
WCDMA Band1	9750	1950	EF	-13.50	PASS
WCDMA Band1	9750	1950	FE	-12.53	PASS
WCDMA Band1	9750	1950	DC	-12.81	PASS
WCDMA Band1	9750	1950	CB	-14.64	PASS
WCDMA Band1	9750	1950	BA	-14.39	PASS
WCDMA Band1	9888	1977.6	AB	-13.84	PASS
WCDMA Band1	9888	1977.6	BC	-14.08	PASS
WCDMA Band1	9888	1977.6	CD	-13.72	PASS
WCDMA Band1	9888	1977.6	EF	-14.06	PASS
WCDMA Band1	9888	1977.6	FE	-14.42	PASS
WCDMA Band1	9888	1977.6	DC	-13.93	PASS
WCDMA Band1	9888	1977.6	CB	-14.24	PASS
WCDMA Band1	9888	1977.6	BA	-14.00	PASS
WCDMA Band8	2712	882.4	AB	-16.93	PASS
WCDMA Band8	2712	882.4	BC	-17.07	PASS
WCDMA Band8	2712	882.4	CD	-10.30	PASS
WCDMA Band8	2712	882.4	EF	-9.95	PASS
WCDMA Band8	2712	882.4	FE	-11.10	PASS
WCDMA Band8	2712	882.4	DC	-10.90	PASS
WCDMA Band8	2712	882.4	CB	-14.69	PASS
WCDMA Band8	2712	882.4	BA	-14.53	PASS

WCDMA Band8	2788	897.6	AB	-15.33	PASS
WCDMA Band8	2788	897.6	BC	-15.51	PASS
WCDMA Band8	2788	897.6	CD	-8.24	PASS
WCDMA Band8	2788	897.6	EF	-8.04	PASS
WCDMA Band8	2788	897.6	FE	-9.39	PASS
WCDMA Band8	2788	897.6	DC	-9.56	PASS
WCDMA Band8	2788	897.6	CB	-16.03	PASS
WCDMA Band8	2788	897.6	BA	-15.84	PASS
WCDMA Band8	2863	912.6	AB	-15.38	PASS
WCDMA Band8	2863	912.6	BC	-15.61	PASS
WCDMA Band8	2863	912.6	CD	-14.09	PASS
WCDMA Band8	2863	912.6	EF	-13.69	PASS
WCDMA Band8	2863	912.6	FE	-15.55	PASS
WCDMA Band8	2863	912.6	DC	-15.96	PASS
WCDMA Band8	2863	912.6	CB	-18.63	PASS
WCDMA Band8	2863	912.6	BA	-18.13	PASS


WCDMA Band1 Channel=9612




WCDMA Band1 Channel=9750




WCDMA Band1 Channel=9888




WCDMA Band8 Channel=2712



WCDMA Band8 Channel=2788



WCDMA Band8 Channel=2863



**Clause 4.2.4 WCDMA Transmitter spurious emissions**

Band	UL Channel	UL Frequency (MHz)	Range	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band1	9612	1922.4	9 kHz-150 kHz	1 kHz	0.01	-58.47	-36	PASS
WCDMA Band1	9612	1922.4	150 kHz-30 MHz	10 kHz	0.16	-60.82	-36	PASS
WCDMA Band1	9612	1922.4	30 MHz-1000 MHz	100 kHz	898.34	-71.51	-36	PASS
WCDMA Band1	9612	1922.4	1000 MHz-1909.90 MHz	1 MHz	1909.90	-53.13	-30	PASS
WCDMA Band1	9612	1922.4	1934.90 MHz-3000 MHz	1 MHz	1935.79	-53.26	-30	PASS
WCDMA Band1	9612	1922.4	3000 MHz-12.75 GHz	1 MHz	12602.13	-59.66	-30	PASS
WCDMA Band1	9612	1922.4	791 MHz-821 MHz	3.84 MHz	794.99	-77.18	-60	PASS
WCDMA Band1	9612	1922.4	921 MHz-925 MHz	100 kHz	921.01	-92.80	-60	PASS
WCDMA Band1	9612	1922.4	925 MHz-935 MHz	100 kHz	927.45	-92.83	-67	PASS
WCDMA Band1	9612	1922.4	935 MHz-960 MHz	100 kHz	948.83	-92.38	-79	PASS

WCDMA Band1	9612	1922.4	1805 MHz-1880 MHz	100 kHz	1865.60	-92.30	-71	PASS
WCDMA Band1	9612	1922.4	2110 MHz-2170 MHz	3.84 MHz	2111.92	-75.86	-60	PASS
WCDMA Band1	9612	1922.4	2585 MHz-2690 MHz	3.84 MHz	2654.20	-74.46	-60	PASS
WCDMA Band1	9750	1950	9 kHz-150 kHz	1 kHz	0.01	-56.64	-36	PASS
WCDMA Band1	9750	1950	150 kHz-30 MHz	10 kHz	0.16	-62.85	-36	PASS
WCDMA Band1	9750	1950	30 MHz-1000 MHz	100 kHz	362.71	-71.64	-36	PASS
WCDMA Band1	9750	1950	1000 MHz-1937.50 MHz	1 MHz	1937.50	-53.39	-30	PASS
WCDMA Band1	9750	1950	1962.50 MHz-3000 MHz	1 MHz	1963.36	-53.18	-30	PASS
WCDMA Band1	9750	1950	3000 MHz-12.75 GHz	1 MHz	12659.00	-59.59	-30	PASS
WCDMA Band1	9750	1950	791 MHz-821 MHz	3.84 MHz	795.08	-77.17	-60	PASS
WCDMA Band1	9750	1950	921 MHz-925 MHz	100 kHz	921.07	-92.84	-60	PASS
WCDMA Band1	9750	1950	925 MHz-935 MHz	100 kHz	934.96	-92.75	-67	PASS
WCDMA Band1	9750	1950	935 MHz-960 MHz	100 kHz	944.23	-90.83	-79	PASS
WCDMA Band1	9750	1950	1805 MHz-1880 MHz	100 kHz	1875.28	-91.90	-71	PASS
WCDMA Band1	9750	1950	2110 MHz-2170 MHz	3.84 MHz	2126.14	-75.96	-60	PASS
WCDMA Band1	9750	1950	2585 MHz-2690 MHz	3.84 MHz	2616.08	-71.42	-60	PASS
WCDMA Band1	9888	1977.6	9 kHz-150 kHz	1 kHz	0.01	-57.37	-36	PASS
WCDMA Band1	9888	1977.6	150 kHz-30 MHz	10 kHz	0.16	-62.25	-36	PASS
WCDMA Band1	9888	1977.6	30 MHz-1000 MHz	100 kHz	807.94	-71.61	-36	PASS
WCDMA Band1	9888	1977.6	1000 MHz-1965.10 MHz	1 MHz	1965.10	-52.46	-30	PASS
WCDMA Band1	9888	1977.6	1990.10 MHz-3000 MHz	1 MHz	1990.94	-56.23	-30	PASS
WCDMA Band1	9888	1977.6	3000 MHz-12.75 GHz	1 MHz	3953.88	-58.86	-30	PASS


WCDMA Band1	9888	1977.6	791 MHz-821 MHz	3.84 MHz	795.77	-77.16	-60	PASS
WCDMA Band1	9888	1977.6	921 MHz-925 MHz	100 kHz	922.93	-92.82	-60	PASS
WCDMA Band1	9888	1977.6	925 MHz-935 MHz	100 kHz	932.21	-92.79	-67	PASS
WCDMA Band1	9888	1977.6	935 MHz-960 MHz	100 kHz	944.18	-91.64	-79	PASS
WCDMA Band1	9888	1977.6	1805 MHz-1880 MHz	100 kHz	1861.93	-92.06	-71	PASS
WCDMA Band1	9888	1977.6	2110 MHz-2170 MHz	3.84 MHz	2136.70	-76.19	-60	PASS
WCDMA Band1	9888	1977.6	2585 MHz-2690 MHz	3.84 MHz	2614.40	-68.88	-60	PASS
WCDMA Band8	2712	882.4	9 kHz-150 kHz	1 kHz	0.01	-58.04	-36	PASS
WCDMA Band8	2712	882.4	150 kHz-30 MHz	10 kHz	0.17	-63.32	-36	PASS
WCDMA Band8	2712	882.4	30 MHz-869.90 MHz	100 kHz	849.66	-70.85	-36	PASS
WCDMA Band8	2712	882.4	894.90 MHz-1000 MHz	100 kHz	895.53	-65.25	-30	PASS
WCDMA Band8	2712	882.4	1000 MHz-12.75 GHz	1 MHz	1766.46	-40.34	-30	PASS
WCDMA Band8	2712	882.4	791 MHz-821 MHz	3.84 MHz	795.29	-79.19	-60	PASS
WCDMA Band8	2712	882.4	925 MHz-935 MHz	100 kHz	931.46	-94.96	-67	PASS
WCDMA Band8	2712	882.4	925 MHz-935 MHz	3.84 MHz	934.65	-79.29	-60	PASS
WCDMA Band8	2712	882.4	935 MHz-960 MHz	100 kHz	944.23	-80.05	-79	PASS
WCDMA Band8	2712	882.4	935 MHz-960 MHz	3.84 MHz	944.00	-75.27	-60	PASS
WCDMA Band8	2712	882.4	1805 MHz-1830 MHz	100 kHz	1814.28	-94.64	-71	PASS
WCDMA Band8	2712	882.4	1805 MHz-1830 MHz	3.84 MHz	1809.15	-79.06	-60	PASS
WCDMA Band8	2712	882.4	1830 MHz-1880 MHz	100 kHz	1876.80	-94.36	-71	PASS
WCDMA Band8	2712	882.4	1830 MHz-1880 MHz	3.84 MHz	1878.65	-78.79	-60	PASS
WCDMA Band8	2712	882.4	2110 MHz-2170 MHz	3.84 MHz	2121.34	-78.17	-60	PASS

WCDMA Band8	2712	882.4	2585 MHz-2640 MHz	3.84 MHz	2613.05	-74.19	-60	PASS
WCDMA Band8	2712	882.4	2640 MHz-2690 MHz	3.84 MHz	2655.75	-76.39	-60	PASS
WCDMA Band8	2788	897.6	9 kHz-150 kHz	1 kHz	0.01	-57.63	-36	PASS
WCDMA Band8	2788	897.6	150 kHz-30 MHz	10 kHz	0.16	-63.45	-36	PASS
WCDMA Band8	2788	897.6	30 MHz-885.10 MHz	100 kHz	884.84	-67.29	-36	PASS
WCDMA Band8	2788	897.6	910.10 MHz-1000 MHz	100 kHz	911.09	-68.78	-30	PASS
WCDMA Band8	2788	897.6	1000 MHz-12.75 GHz	1 MHz	1793.58	-46.56	-30	PASS
WCDMA Band8	2788	897.6	791 MHz-821 MHz	3.84 MHz	795.47	-79.21	-60	PASS
WCDMA Band8	2788	897.6	925 MHz-935 MHz	100 kHz	928.12	-94.91	-67	PASS
WCDMA Band8	2788	897.6	925 MHz-935 MHz	3.84 MHz	926.79	-79.33	-60	PASS
WCDMA Band8	2788	897.6	935 MHz-960 MHz	100 kHz	944.20	-82.30	-79	PASS
WCDMA Band8	2788	897.6	935 MHz-960 MHz	3.84 MHz	943.65	-75.94	-60	PASS
WCDMA Band8	2788	897.6	1805 MHz-1830 MHz	100 kHz	1808.50	-94.68	-71	PASS
WCDMA Band8	2788	897.6	1805 MHz-1830 MHz	3.84 MHz	1815.40	-79.11	-60	PASS
WCDMA Band8	2788	897.6	1830 MHz-1880 MHz	100 kHz	1878.95	-94.28	-71	PASS
WCDMA Band8	2788	897.6	1830 MHz-1880 MHz	3.84 MHz	1866.85	-78.89	-60	PASS
WCDMA Band8	2788	897.6	2110 MHz-2170 MHz	3.84 MHz	2128.12	-78.26	-60	PASS
WCDMA Band8	2788	897.6	2585 MHz-2640 MHz	3.84 MHz	2603.48	-75.32	-60	PASS
WCDMA Band8	2788	897.6	2640 MHz-2690 MHz	3.84 MHz	2684.30	-75.65	-60	PASS
WCDMA Band8	2863	912.6	9 kHz-150 kHz	1 kHz	0.01	-57.57	-36	PASS
WCDMA Band8	2863	912.6	150 kHz-30 MHz	10 kHz	0.16	-61.52	-36	PASS
WCDMA Band8	2863	912.6	30 MHz-900.10 MHz	100 kHz	899.75	-62.42	-36	PASS

WCDMA Band8	2863	912.6	925.10 MHz-1000 MHz	100 kHz	925.25	-72.73	-30	PASS
WCDMA Band8	2863	912.6	1000 MHz-12.75 GHz	1 MHz	1827.02	-43.97	-30	PASS
WCDMA Band8	2863	912.6	791 MHz-821 MHz	3.84 MHz	796.67	-79.21	-60	PASS
WCDMA Band8	2863	912.6	925 MHz-935 MHz	100 kHz	933.03	-94.92	-67	PASS
WCDMA Band8	2863	912.6	925 MHz-935 MHz	3.84 MHz	934.08	-79.32	-60	PASS
WCDMA Band8	2863	912.6	935 MHz-960 MHz	100 kHz	944.23	-81.36	-79	PASS
WCDMA Band8	2863	912.6	935 MHz-960 MHz	3.84 MHz	945.08	-74.83	-60	PASS
WCDMA Band8	2863	912.6	1805 MHz-1830 MHz	100 kHz	1817.53	-94.74	-71	PASS
WCDMA Band8	2863	912.6	1805 MHz-1830 MHz	3.84 MHz	1819.20	-76.40	-60	PASS
WCDMA Band8	2863	912.6	1830 MHz-1880 MHz	100 kHz	1878.00	-94.37	-71	PASS
WCDMA Band8	2863	912.6	1830 MHz-1880 MHz	3.84 MHz	1831.25	-78.86	-60	PASS
WCDMA Band8	2863	912.6	2110 MHz-2170 MHz	3.84 MHz	2115.52	-78.22	-60	PASS
WCDMA Band8	2863	912.6	2585 MHz-2640 MHz	3.84 MHz	2594.68	-74.36	-60	PASS
WCDMA Band8	2863	912.6	2640 MHz-2690 MHz	3.84 MHz	2648.80	-76.49	-60	PASS


WCDMA Band1 Channel=9750 MBW 0kHz

Conducted spurious emissions




WCDMA Band1 Channel=9612 MBW 0kHz

Conducted spurious emissions




WCDMA Band1 Channel=9888 MBW 0kHz

Conducted spurious emissions




WCDMA Band8 Channel=2712 MBW 0kHz

Conducted spurious emissions




WCDMA Band8 Channel=2788 MBW 0kHz

**Conducted spurious emissions**



WCDMA Band8 Channel=2863 MBW 0kHz

**Conducted spurious emissions**




**Clause 4.2.5 WCDMA Transmitter minimum output power**

Band	UL Channel	UL Frequency(MHz)	Power (dBm)	Limit (dBm)	Verdict
WCDMA Band1	9750	1950	-59.51	-49	PASS
WCDMA Band8	2788	897.6	-55.75	-49	PASS


#### Clause 4.2.12 WCDMA Transmitter Adjacent Channel Leakage power Ratio

Band	UL Channel	UL Frequency (MHz)	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
WCDMA Band1	9612	1922.4	-10MHz	-57.00	-42.2	PASS
WCDMA Band1	9612	1922.4	-5MHz	-43.14	-32.2	PASS
WCDMA Band1	9612	1922.4	5MHz	-43.36	-32.2	PASS
WCDMA Band1	9612	1922.4	10MHz	-57.03	-42.2	PASS
WCDMA Band1	9750	1950	-10MHz	-57.46	-42.2	PASS
WCDMA Band1	9750	1950	-5MHz	-44.34	-32.2	PASS
WCDMA Band1	9750	1950	5MHz	-44.38	-32.2	PASS
WCDMA Band1	9750	1950	10MHz	-57.50	-42.2	PASS
WCDMA Band1	9888	1977.6	-10MHz	-57.01	-42.2	PASS
WCDMA Band1	9888	1977.6	-5MHz	-44.53	-32.2	PASS
WCDMA Band1	9888	1977.6	5MHz	-44.91	-32.2	PASS
WCDMA Band1	9888	1977.6	10MHz	-57.16	-42.2	PASS
WCDMA Band8	2712	882.4	-10MHz	-59.89	-42.2	PASS
WCDMA Band8	2712	882.4	-5MHz	-41.40	-32.2	PASS
WCDMA Band8	2712	882.4	5MHz	-42.00	-32.2	PASS
WCDMA Band8	2712	882.4	10MHz	-58.77	-42.2	PASS
WCDMA Band8	2788	897.6	-10MHz	-58.81	-42.2	PASS
WCDMA Band8	2788	897.6	-5MHz	-38.97	-32.2	PASS
WCDMA Band8	2788	897.6	5MHz	-40.45	-32.2	PASS
WCDMA Band8	2788	897.6	10MHz	-59.21	-42.2	PASS
WCDMA Band8	2863	912.6	-10MHz	-58.60	-42.2	PASS
WCDMA Band8	2863	912.6	-5MHz	-44.98	-32.2	PASS
WCDMA Band8	2863	912.6	5MHz	-47.02	-32.2	PASS
WCDMA Band8	2863	912.6	10MHz	-60.05	-42.2	PASS


WCDMA Band1 Channel=9612




WCDMA Band1 Channel=9750




WCDMA Band1 Channel=9888




WCDMA Band8 Channel=2712



WCDMA Band8 Channel=2788



WCDMA Band8 Channel=2863



Clause 4.2.6 WCDMA Receiver adjacent channel selectivity

Band	Channel	Frequency (MHz)	Case	Interfer Freq (MHz)	Interfer Level (dBm)	BER (%)	Limit (%)	Verdict
WCDMA Band1	9612	1922.4	Case1	2107.4	-52	0.00	0.1	PASS
WCDMA Band1	9612	1922.4	Case1	2117.4	-52	0.00	0.1	PASS
WCDMA Band1	9612	1922.4	Case2	2107.4	-25	0.00	0.1	PASS
WCDMA Band1	9612	1922.4	Case2	2117.4	-25	0.00	0.1	PASS
WCDMA Band1	9750	1950	Case1	2135	-52	0.00	0.1	PASS
WCDMA Band1	9750	1950	Case1	2145	-52	0.00	0.1	PASS
WCDMA Band1	9750	1950	Case2	2135	-25	0.00	0.1	PASS
WCDMA Band1	9750	1950	Case2	2145	-25	0.00	0.1	PASS
WCDMA Band1	9888	1977.6	Case1	2162.6	-52	0.00	0.1	PASS
WCDMA Band1	9888	1977.6	Case1	2172.6	-52	0.00	0.1	PASS
WCDMA Band1	9888	1977.6	Case2	2162.6	-25	0.00	0.1	PASS
WCDMA Band1	9888	1977.6	Case2	2172.6	-25	0.00	0.1	PASS
WCDMA Band8	2712	882.4	Case1	922.4	-52	0.00	0.1	PASS
WCDMA Band8	2712	882.4	Case1	932.4	-52	0.00	0.1	PASS
WCDMA Band8	2712	882.4	Case2	922.4	-25	0.00	0.1	PASS
WCDMA Band8	2712	882.4	Case2	932.4	-25	0.00	0.1	PASS
WCDMA Band8	2788	897.6	Case1	937.6	-52	0.00	0.1	PASS
WCDMA Band8	2788	897.6	Case1	947.6	-52	0.00	0.1	PASS
WCDMA Band8	2788	897.6	Case2	937.6	-25	0.00	0.1	PASS
WCDMA Band8	2788	897.6	Case2	947.6	-25	0.00	0.1	PASS
WCDMA Band8	2863	912.6	Case1	952.6	-52	0.00	0.1	PASS
WCDMA Band8	2863	912.6	Case1	962.6	-52	0.00	0.1	PASS
WCDMA Band8	2863	912.6	Case2	952.6	-25	0.00	0.1	PASS
WCDMA Band8	2863	912.6	Case2	962.6	-25	0.00	0.1	PASS

#### Clause 4.2.7 WCDMA Receiver blocking characteristics in-band

Band	Channel	UL Frequency (MHz)	DL Frequency (MHz)	Blocking Freq (MHz)	Blocking Level (dBm)	BER (%)	Limit (%)	Verdict
WCDMA Band1	9750	1950	2140	2130	-56	0.00	0.1	PASS
WCDMA Band1	9750	1950	2140	2150	-56	0.00	0.1	PASS
WCDMA Band1	9750	1950	2140	2125	-44	0.00	0.1	PASS
WCDMA Band1	9750	1950	2140	2155	-44	0.00	0.1	PASS
WCDMA Band8	2788	897.6	942.6	932.6	-56	0.00	0.1	PASS
WCDMA Band8	2788	897.6	942.6	952.6	-56	0.00	0.1	PASS
WCDMA Band8	2788	897.6	942.6	927.6	-44	0.00	0.1	PASS
WCDMA Band8	2788	897.6	942.6	957.6	-44	0.00	0.1	PASS

Band8									
-------	--	--	--	--	--	--	--	--	--

**Clause 4.2.7 WCDMA Receiver blocking characteristics narrow band**

Band	Channel	UL Frequency (MHz)	DL Frequency (MHz)	Blocking Freq (MHz)	Blocking Level (dBm)	BER (%)	Limit (%)	Verdict
WCDMA Band1	9750	1950	2140	2137.2	-56	0.00	0.1	PASS
WCDMA Band1	9750	1950	2140	2142.8	-56	0.00	0.1	PASS
WCDMA Band8	2788	897.6	942.6	939.8	-56	0.00	0.1	PASS
WCDMA Band8	2788	897.6	942.6	945.4	-56	0.00	0.1	PASS

**Clause 4.2.8 WCDMA Receiver spurious response**

Band	Channel	UL Frequency (MHz)	DL Frequency (MHz)	Blocking Freq (MHz)	Blocking Level (dBm)	BER (%)	Limit (%)	Verdict

**Clause 4.2.9 WCDMA Receiver intermodulation characteristics**

Band	Channel	UL Frequency (MHz)	DL Frequency (MHz)	Interfer1 Freq (MHz)	Interfer1 Level (dBm)	Interfer2 Freq (MHz)	Interfer2 Level (dBm)	BER (%)	Limit (%)	Verdict
WCDMA Band1	9612	1922.4	2112.4	2102.4	-46	2092.4	-46	0.00	0.1	PASS
WCDMA Band1	9612	1922.4	2112.4	2122.4	-46	2132.4	-46	0.00	0.1	PASS
WCDMA Band1	9750	1950	2140	2130	-46	2120	-46	0.00	0.1	PASS
WCDMA Band1	9750	1950	2140	2150	-46	2160	-46	0.00	0.1	PASS
WCDMA Band1	9888	1977.6	2167.6	2157.6	-46	2147.6	-46	0.00	0.1	PASS
WCDMA Band1	9888	1977.6	2167.6	2177.6	-46	2187.6	-46	0.00	0.1	PASS
WCDMA Band8	2712	882.4	927.4	917.4	-46	907.4	-46	0.00	0.1	PASS
WCDMA Band8	2712	882.4	927.4	937.4	-46	947.4	-46	0.00	0.1	PASS
WCDMA Band8	2788	897.6	942.6	932.6	-46	922.6	-46	0.00	0.1	PASS
WCDMA Band8	2788	897.6	942.6	952.6	-46	962.6	-46	0.00	0.1	PASS
WCDMA Band8	2863	912.6	957.6	947.6	-46	937.6	-46	0.00	0.1	PASS


WCDMA Band8	2863	912.6	957.6	967.6	-46	977.6	-46	0.00	0.1	PASS
----------------	------	-------	-------	-------	-----	-------	-----	------	-----	------

**Clause 4.2.10 WCDMA Receiver spurious emissions**


Band	UL Channel	UL Frequency (MHz)	Range	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band1	9750	1950	30 MHz-1000 MHz	100 kHz	894.17	-71.34	-57	PASS
WCDMA Band1	9750	1950	1000 MHz-12.75 GHz	1 MHz	2141.71	-78.90	-47	PASS
WCDMA Band1	9750	1950	1920 MHz-1980 MHz	3.84 MHz	1977.54	-78.92	-60	PASS
WCDMA Band8	2788	897.6	30 MHz-1000 MHz	100 kHz	944.03	-77.24	-57	PASS
WCDMA Band8	2788	897.6	1000 MHz-12.75 GHz	1 MHz	2612.69	-77.29	-47	PASS
WCDMA Band8	2788	897.6	880 MHz-915 MHz	3.84 MHz	913.36	-80.90	-60	PASS

WCDMA Band1 Channel=9750

**Conducted spurious emissions**



WCDMA Band8 Channel=2788

**Conducted spurious emissions**

**Clause 4.2.13 WCDMA Receiver Reference Sensitivity level**

Band	Channel	Frequency(MHz)	Ref Sensitivity Level(dBm)	BER (%)	Limit (%)	Verdict
WCDMA Band1	9612	1922.4	-105.3	0.00	0.1	PASS
WCDMA Band1	9750	1950	-105.3	0.00	0.1	PASS
WCDMA Band1	9888	1977.6	-105.3	0.00	0.1	PASS
WCDMA Band8	2712	882.4	-105.3	0.00	0.1	PASS
WCDMA Band8	2788	897.6	-105.3	0.00	0.1	PASS
WCDMA Band8	2863	912.6	-105.3	0.00	0.1	PASS

**Clause 4.2.2 HSDPA Transmitter maximum output power**

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
HSDPA Band1	9612	1922.4	Subtest1	22.79	20.3	25.7	PASS
HSDPA Band1	9612	1922.4	Subtest2	22.33	20.3	25.7	PASS
HSDPA Band1	9612	1922.4	Subtest3	21.96	19.8	25.7	PASS
HSDPA Band1	9612	1922.4	Subtest4	21.78	19.8	25.7	PASS
HSDPA Band1	9750	1950	Subtest1	22.31	20.3	25.7	PASS
HSDPA Band1	9750	1950	Subtest2	21.90	20.3	25.7	PASS
HSDPA Band1	9750	1950	Subtest3	21.54	19.8	25.7	PASS
HSDPA Band1	9750	1950	Subtest4	21.54	19.8	25.7	PASS
HSDPA Band1	9888	1977.6	Subtest1	22.52	20.3	25.7	PASS
HSDPA Band1	9888	1977.6	Subtest2	22.32	20.3	25.7	PASS
HSDPA Band1	9888	1977.6	Subtest3	21.97	19.8	25.7	PASS
HSDPA Band1	9888	1977.6	Subtest4	21.84	19.8	25.7	PASS

HSDPA Band8	2712	882.4	Subtest1	22.56	20.3	25.7	PASS
HSDPA Band8	2712	882.4	Subtest2	22.21	20.3	25.7	PASS
HSDPA Band8	2712	882.4	Subtest3	21.97	19.8	25.7	PASS
HSDPA Band8	2712	882.4	Subtest4	21.61	19.8	25.7	PASS
HSDPA Band8	2788	897.6	Subtest1	22.26	20.3	25.7	PASS
HSDPA Band8	2788	897.6	Subtest2	22.05	20.3	25.7	PASS
HSDPA Band8	2788	897.6	Subtest3	21.73	19.8	25.7	PASS
HSDPA Band8	2788	897.6	Subtest4	21.29	19.8	25.7	PASS
HSDPA Band8	2863	912.6	Subtest1	22.09	20.3	25.7	PASS
HSDPA Band8	2863	912.6	Subtest2	21.96	20.3	25.7	PASS
HSDPA Band8	2863	912.6	Subtest3	21.59	19.8	25.7	PASS
HSDPA Band8	2863	912.6	Subtest4	21.46	19.8	25.7	PASS

### Clause 4.2.3 HSDPA Transmitter spectrum emission mask

Band	UL Channel	UL Frequency (MHz)	Subtest	Range	SEM Margin (dBc)	Verdict
HSDPA Band1	9612	1922.4	Subtest1	AB	-16.37	PASS
HSDPA Band1	9612	1922.4	Subtest1	BC	-16.69	PASS
HSDPA Band1	9612	1922.4	Subtest1	CD	-13.47	PASS
HSDPA Band1	9612	1922.4	Subtest1	EF	-13.89	PASS
HSDPA Band1	9612	1922.4	Subtest1	FE	-13.99	PASS
HSDPA Band1	9612	1922.4	Subtest1	DC	-13.64	PASS
HSDPA Band1	9612	1922.4	Subtest1	CB	-16.26	PASS
HSDPA Band1	9612	1922.4	Subtest1	BA	-15.97	PASS
HSDPA Band1	9612	1922.4	Subtest2	AB	-14.47	PASS
HSDPA Band1	9612	1922.4	Subtest2	BC	-14.78	PASS
HSDPA Band1	9612	1922.4	Subtest2	CD	-12.60	PASS
HSDPA Band1	9612	1922.4	Subtest2	EF	-12.44	PASS
HSDPA Band1	9612	1922.4	Subtest2	FE	-13.19	PASS
HSDPA Band1	9612	1922.4	Subtest2	DC	-13.06	PASS
HSDPA Band1	9612	1922.4	Subtest2	CB	-14.87	PASS
HSDPA Band1	9612	1922.4	Subtest2	BA	-14.56	PASS
HSDPA Band1	9612	1922.4	Subtest3	AB	-13.82	PASS
HSDPA Band1	9612	1922.4	Subtest3	BC	-14.17	PASS
HSDPA Band1	9612	1922.4	Subtest3	CD	-12.18	PASS
HSDPA Band1	9612	1922.4	Subtest3	EF	-13.03	PASS
HSDPA Band1	9612	1922.4	Subtest3	FE	-12.82	PASS
HSDPA Band1	9612	1922.4	Subtest3	DC	-12.52	PASS
HSDPA Band1	9612	1922.4	Subtest3	CB	-14.15	PASS
HSDPA Band1	9612	1922.4	Subtest3	BA	-13.81	PASS
HSDPA Band1	9612	1922.4	Subtest4	AB	-14.99	PASS
HSDPA Band1	9612	1922.4	Subtest4	BC	-15.28	PASS
HSDPA Band1	9612	1922.4	Subtest4	CD	-12.68	PASS
HSDPA Band1	9612	1922.4	Subtest4	EF	-12.75	PASS
HSDPA Band1	9612	1922.4	Subtest4	FE	-13.13	PASS


HSDPA Band1	9612	1922.4	Subtest4	DC	-12.98	PASS
HSDPA Band1	9612	1922.4	Subtest4	CB	-15.41	PASS
HSDPA Band1	9612	1922.4	Subtest4	BA	-15.12	PASS
HSDPA Band1	9750	1950	Subtest1	AB	-15.93	PASS
HSDPA Band1	9750	1950	Subtest1	BC	-16.24	PASS
HSDPA Band1	9750	1950	Subtest1	CD	-13.95	PASS
HSDPA Band1	9750	1950	Subtest1	EF	-14.12	PASS
HSDPA Band1	9750	1950	Subtest1	FE	-15.06	PASS
HSDPA Band1	9750	1950	Subtest1	DC	-14.12	PASS
HSDPA Band1	9750	1950	Subtest1	CB	-16.15	PASS
HSDPA Band1	9750	1950	Subtest1	BA	-15.85	PASS
HSDPA Band1	9750	1950	Subtest2	AB	-14.17	PASS
HSDPA Band1	9750	1950	Subtest2	BC	-14.50	PASS
HSDPA Band1	9750	1950	Subtest2	CD	-13.32	PASS
HSDPA Band1	9750	1950	Subtest2	EF	-12.81	PASS
HSDPA Band1	9750	1950	Subtest2	FE	-13.43	PASS
HSDPA Band1	9750	1950	Subtest2	DC	-13.53	PASS
HSDPA Band1	9750	1950	Subtest2	CB	-14.45	PASS
HSDPA Band1	9750	1950	Subtest2	BA	-14.14	PASS
HSDPA Band1	9750	1950	Subtest3	AB	-14.44	PASS
HSDPA Band1	9750	1950	Subtest3	BC	-14.76	PASS
HSDPA Band1	9750	1950	Subtest3	CD	-13.13	PASS
HSDPA Band1	9750	1950	Subtest3	EF	-13.45	PASS
HSDPA Band1	9750	1950	Subtest3	FE	-13.22	PASS
HSDPA Band1	9750	1950	Subtest3	DC	-13.20	PASS
HSDPA Band1	9750	1950	Subtest3	CB	-14.63	PASS
HSDPA Band1	9750	1950	Subtest3	BA	-14.32	PASS
HSDPA Band1	9750	1950	Subtest4	AB	-14.36	PASS
HSDPA Band1	9750	1950	Subtest4	BC	-14.67	PASS
HSDPA Band1	9750	1950	Subtest4	CD	-13.04	PASS
HSDPA Band1	9750	1950	Subtest4	EF	-13.16	PASS
HSDPA Band1	9750	1950	Subtest4	FE	-13.89	PASS
HSDPA Band1	9750	1950	Subtest4	DC	-13.32	PASS
HSDPA Band1	9750	1950	Subtest4	CB	-14.82	PASS
HSDPA Band1	9750	1950	Subtest4	BA	-14.51	PASS
HSDPA Band1	9888	1977.6	Subtest1	AB	-15.61	PASS
HSDPA Band1	9888	1977.6	Subtest1	BC	-15.82	PASS
HSDPA Band1	9888	1977.6	Subtest1	CD	-14.43	PASS
HSDPA Band1	9888	1977.6	Subtest1	EF	-15.22	PASS
HSDPA Band1	9888	1977.6	Subtest1	FE	-15.50	PASS
HSDPA Band1	9888	1977.6	Subtest1	DC	-14.84	PASS
HSDPA Band1	9888	1977.6	Subtest1	CB	-15.81	PASS
HSDPA Band1	9888	1977.6	Subtest1	BA	-15.62	PASS
HSDPA Band1	9888	1977.6	Subtest2	AB	-14.30	PASS

HSDPA Band1	9888	1977.6	Subtest2	BC	-14.57	PASS
HSDPA Band1	9888	1977.6	Subtest2	CD	-13.56	PASS
HSDPA Band1	9888	1977.6	Subtest2	EF	-13.44	PASS
HSDPA Band1	9888	1977.6	Subtest2	FE	-14.41	PASS
HSDPA Band1	9888	1977.6	Subtest2	DC	-14.09	PASS
HSDPA Band1	9888	1977.6	Subtest2	CB	-14.79	PASS
HSDPA Band1	9888	1977.6	Subtest2	BA	-14.54	PASS
HSDPA Band1	9888	1977.6	Subtest3	AB	-14.44	PASS
HSDPA Band1	9888	1977.6	Subtest3	BC	-14.71	PASS
HSDPA Band1	9888	1977.6	Subtest3	CD	-13.66	PASS
HSDPA Band1	9888	1977.6	Subtest3	EF	-13.93	PASS
HSDPA Band1	9888	1977.6	Subtest3	FE	-13.88	PASS
HSDPA Band1	9888	1977.6	Subtest3	DC	-13.68	PASS
HSDPA Band1	9888	1977.6	Subtest3	CB	-14.89	PASS
HSDPA Band1	9888	1977.6	Subtest3	BA	-14.65	PASS
HSDPA Band1	9888	1977.6	Subtest4	AB	-13.96	PASS
HSDPA Band1	9888	1977.6	Subtest4	BC	-14.26	PASS
HSDPA Band1	9888	1977.6	Subtest4	CD	-12.65	PASS
HSDPA Band1	9888	1977.6	Subtest4	EF	-13.27	PASS
HSDPA Band1	9888	1977.6	Subtest4	FE	-13.68	PASS
HSDPA Band1	9888	1977.6	Subtest4	DC	-13.21	PASS
HSDPA Band1	9888	1977.6	Subtest4	CB	-14.56	PASS
HSDPA Band1	9888	1977.6	Subtest4	BA	-14.28	PASS
HSDPA Band8	2712	882.4	Subtest1	AB	-17.96	PASS
HSDPA Band8	2712	882.4	Subtest1	BC	-18.22	PASS
HSDPA Band8	2712	882.4	Subtest1	CD	-12.45	PASS
HSDPA Band8	2712	882.4	Subtest1	EF	-12.30	PASS
HSDPA Band8	2712	882.4	Subtest1	FE	-14.34	PASS
HSDPA Band8	2712	882.4	Subtest1	DC	-13.76	PASS
HSDPA Band8	2712	882.4	Subtest1	CB	-16.54	PASS
HSDPA Band8	2712	882.4	Subtest1	BA	-16.37	PASS
HSDPA Band8	2712	882.4	Subtest2	AB	-15.22	PASS
HSDPA Band8	2712	882.4	Subtest2	BC	-15.52	PASS
HSDPA Band8	2712	882.4	Subtest2	CD	-11.50	PASS
HSDPA Band8	2712	882.4	Subtest2	EF	-11.19	PASS
HSDPA Band8	2712	882.4	Subtest2	FE	-12.87	PASS
HSDPA Band8	2712	882.4	Subtest2	DC	-12.64	PASS
HSDPA Band8	2712	882.4	Subtest2	CB	-14.35	PASS
HSDPA Band8	2712	882.4	Subtest2	BA	-14.07	PASS
HSDPA Band8	2712	882.4	Subtest3	AB	-14.85	PASS
HSDPA Band8	2712	882.4	Subtest3	BC	-15.18	PASS
HSDPA Band8	2712	882.4	Subtest3	CD	-10.48	PASS
HSDPA Band8	2712	882.4	Subtest3	EF	-10.60	PASS
HSDPA Band8	2712	882.4	Subtest3	FE	-10.47	PASS


HSDPA Band8	2712	882.4	Subtest3	DC	-10.10	PASS
HSDPA Band8	2712	882.4	Subtest3	CB	-14.24	PASS
HSDPA Band8	2712	882.4	Subtest3	BA	-13.94	PASS
HSDPA Band8	2712	882.4	Subtest4	AB	-15.54	PASS
HSDPA Band8	2712	882.4	Subtest4	BC	-15.81	PASS
HSDPA Band8	2712	882.4	Subtest4	CD	-8.93	PASS
HSDPA Band8	2712	882.4	Subtest4	EF	-10.03	PASS
HSDPA Band8	2712	882.4	Subtest4	FE	-9.96	PASS
HSDPA Band8	2712	882.4	Subtest4	DC	-8.48	PASS
HSDPA Band8	2712	882.4	Subtest4	CB	-15.12	PASS
HSDPA Band8	2712	882.4	Subtest4	BA	-14.85	PASS
HSDPA Band8	2788	897.6	Subtest1	AB	-16.74	PASS
HSDPA Band8	2788	897.6	Subtest1	BC	-16.96	PASS
HSDPA Band8	2788	897.6	Subtest1	CD	-9.96	PASS
HSDPA Band8	2788	897.6	Subtest1	EF	-10.20	PASS
HSDPA Band8	2788	897.6	Subtest1	FE	-12.01	PASS
HSDPA Band8	2788	897.6	Subtest1	DC	-11.52	PASS
HSDPA Band8	2788	897.6	Subtest1	CB	-17.17	PASS
HSDPA Band8	2788	897.6	Subtest1	BA	-16.94	PASS
HSDPA Band8	2788	897.6	Subtest2	AB	-14.33	PASS
HSDPA Band8	2788	897.6	Subtest2	BC	-14.65	PASS
HSDPA Band8	2788	897.6	Subtest2	CD	-9.12	PASS
HSDPA Band8	2788	897.6	Subtest2	EF	-9.90	PASS
HSDPA Band8	2788	897.6	Subtest2	FE	-10.84	PASS
HSDPA Band8	2788	897.6	Subtest2	DC	-10.82	PASS
HSDPA Band8	2788	897.6	Subtest2	CB	-14.94	PASS
HSDPA Band8	2788	897.6	Subtest2	BA	-14.64	PASS
HSDPA Band8	2788	897.6	Subtest3	AB	-13.79	PASS
HSDPA Band8	2788	897.6	Subtest3	BC	-14.05	PASS
HSDPA Band8	2788	897.6	Subtest3	CD	-8.28	PASS
HSDPA Band8	2788	897.6	Subtest3	EF	-9.18	PASS
HSDPA Band8	2788	897.6	Subtest3	FE	-10.22	PASS
HSDPA Band8	2788	897.6	Subtest3	DC	-9.80	PASS
HSDPA Band8	2788	897.6	Subtest3	CB	-14.66	PASS
HSDPA Band8	2788	897.6	Subtest3	BA	-14.34	PASS
HSDPA Band8	2788	897.6	Subtest4	AB	-14.54	PASS
HSDPA Band8	2788	897.6	Subtest4	BC	-14.78	PASS
HSDPA Band8	2788	897.6	Subtest4	CD	-7.36	PASS
HSDPA Band8	2788	897.6	Subtest4	EF	-7.62	PASS
HSDPA Band8	2788	897.6	Subtest4	FE	-9.17	PASS
HSDPA Band8	2788	897.6	Subtest4	DC	-8.39	PASS
HSDPA Band8	2788	897.6	Subtest4	CB	-15.69	PASS
HSDPA Band8	2788	897.6	Subtest4	BA	-15.43	PASS
HSDPA Band8	2863	912.6	Subtest1	AB	-16.16	PASS

HSDPA Band8	2863	912.6	Subtest1	BC	-16.35	PASS
HSDPA Band8	2863	912.6	Subtest1	CD	-15.36	PASS
HSDPA Band8	2863	912.6	Subtest1	EF	-16.05	PASS
HSDPA Band8	2863	912.6	Subtest1	FE	-16.18	PASS
HSDPA Band8	2863	912.6	Subtest1	DC	-17.05	PASS
HSDPA Band8	2863	912.6	Subtest1	CB	-19.13	PASS
HSDPA Band8	2863	912.6	Subtest1	BA	-18.56	PASS
HSDPA Band8	2863	912.6	Subtest2	AB	-13.96	PASS
HSDPA Band8	2863	912.6	Subtest2	BC	-14.27	PASS
HSDPA Band8	2863	912.6	Subtest2	CD	-14.08	PASS
HSDPA Band8	2863	912.6	Subtest2	EF	-14.26	PASS
HSDPA Band8	2863	912.6	Subtest2	FE	-16.01	PASS
HSDPA Band8	2863	912.6	Subtest2	DC	-15.91	PASS
HSDPA Band8	2863	912.6	Subtest2	CB	-15.84	PASS
HSDPA Band8	2863	912.6	Subtest2	BA	-15.31	PASS
HSDPA Band8	2863	912.6	Subtest3	AB	-14.05	PASS
HSDPA Band8	2863	912.6	Subtest3	BC	-14.36	PASS
HSDPA Band8	2863	912.6	Subtest3	CD	-13.35	PASS
HSDPA Band8	2863	912.6	Subtest3	EF	-14.72	PASS
HSDPA Band8	2863	912.6	Subtest3	FE	-14.88	PASS
HSDPA Band8	2863	912.6	Subtest3	DC	-15.03	PASS
HSDPA Band8	2863	912.6	Subtest3	CB	-16.55	PASS
HSDPA Band8	2863	912.6	Subtest3	BA	-16.00	PASS
HSDPA Band8	2863	912.6	Subtest4	AB	-13.75	PASS
HSDPA Band8	2863	912.6	Subtest4	BC	-14.05	PASS
HSDPA Band8	2863	912.6	Subtest4	CD	-12.65	PASS
HSDPA Band8	2863	912.6	Subtest4	EF	-15.25	PASS
HSDPA Band8	2863	912.6	Subtest4	FE	-14.83	PASS
HSDPA Band8	2863	912.6	Subtest4	DC	-14.27	PASS
HSDPA Band8	2863	912.6	Subtest4	CB	-16.13	PASS
HSDPA Band8	2863	912.6	Subtest4	BA	-15.74	PASS


HSDPA Band1 Channel=9612 Subtest1




HSDPA Band1 Channel=9612 Subtest2




HSDPA Band1 Channel=9612 Subtest3




HSDPA Band1 Channel=9612 Subtest4




HSDPA Band1 Channel=9750 Subtest1




HSDPA Band1 Channel=9750 Subtest2




HSDPA Band1 Channel=9750 Subtest3




HSDPA Band1 Channel=9750 Subtest4




HSDPA Band1 Channel=9888 Subtest1




HSDPA Band1 Channel=9888 Subtest2




HSDPA Band1 Channel=9888 Subtest3




HSDPA Band1 Channel=9888 Subtest4




HSDPA Band8 Channel=2712 Subtest1




HSDPA Band8 Channel=2712 Subtest2




HSDPA Band8 Channel=2712 Subtest3




HSDPA Band8 Channel=2712 Subtest4




HSDPA Band8 Channel=2788 Subtest1




HSDPA Band8 Channel=2788 Subtest2




HSDPA Band8 Channel=2788 Subtest3




HSDPA Band8 Channel=2788 Subtest4




HSDPA Band8 Channel=2863 Subtest1




HSDPA Band8 Channel=2863 Subtest2



HSDPA Band8 Channel=2863 Subtest3



HSDPA Band8 Channel=2863 Subtest4




**Clause 4.2.5 HSDPA Transmitter minimum output power**

Band	UL Channel	UL Frequency(MHz)	Subtest	Power (dBm)	Limit (dBm)	Verdict
HSDPA Band1	9750	1950	Subtest1	-60.16	-49	PASS
HSDPA Band1	9750	1950	Subtest2	-59.95	-49	PASS
HSDPA Band1	9750	1950	Subtest3	-59.70	-49	PASS
HSDPA Band1	9750	1950	Subtest4	-59.59	-49	PASS
HSDPA Band8	2788	897.6	Subtest1	-56.23	-49	PASS
HSDPA Band8	2788	897.6	Subtest2	-55.94	-49	PASS
HSDPA Band8	2788	897.6	Subtest3	-55.60	-49	PASS
HSDPA Band8	2788	897.6	Subtest4	-55.56	-49	PASS


#### Clause 4.2.12 HSDPA Adjacent Channel Leakage power Ratio

Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
HSDPA Band1	9750	1950	Subtest1	-10MHz	-58.90	-42.2	PASS
HSDPA Band1	9750	1950	Subtest1	-5MHz	-44.51	-32.2	PASS
HSDPA Band1	9750	1950	Subtest1	5MHz	-44.53	-32.2	PASS
HSDPA Band1	9750	1950	Subtest1	10MHz	-58.77	-42.2	PASS
HSDPA Band1	9750	1950	Subtest2	-10MHz	-56.50	-42.2	PASS
HSDPA Band1	9750	1950	Subtest2	-5MHz	-44.32	-32.2	PASS
HSDPA Band1	9750	1950	Subtest2	5MHz	-44.30	-32.2	PASS
HSDPA Band1	9750	1950	Subtest2	10MHz	-56.60	-42.2	PASS
HSDPA Band1	9750	1950	Subtest3	-10MHz	-56.81	-42.2	PASS
HSDPA Band1	9750	1950	Subtest3	-5MHz	-43.98	-32.2	PASS
HSDPA Band1	9750	1950	Subtest3	5MHz	-43.99	-32.2	PASS
HSDPA Band1	9750	1950	Subtest3	10MHz	-56.92	-42.2	PASS
HSDPA Band1	9750	1950	Subtest4	-10MHz	-56.81	-42.2	PASS
HSDPA Band1	9750	1950	Subtest4	-5MHz	-43.92	-32.2	PASS
HSDPA Band1	9750	1950	Subtest4	5MHz	-44.05	-32.2	PASS
HSDPA Band1	9750	1950	Subtest4	10MHz	-57.02	-42.2	PASS
HSDPA Band8	2788	897.6	Subtest1	-10MHz	-59.79	-42.2	PASS
HSDPA Band8	2788	897.6	Subtest1	-5MHz	-40.66	-32.2	PASS
HSDPA Band8	2788	897.6	Subtest1	5MHz	-42.01	-32.2	PASS
HSDPA Band8	2788	897.6	Subtest1	10MHz	-60.12	-42.2	PASS
HSDPA Band8	2788	897.6	Subtest2	-10MHz	-56.97	-42.2	PASS
HSDPA Band8	2788	897.6	Subtest2	-5MHz	-39.57	-32.2	PASS
HSDPA Band8	2788	897.6	Subtest2	5MHz	-41.14	-32.2	PASS
HSDPA Band8	2788	897.6	Subtest2	10MHz	-57.17	-42.2	PASS
HSDPA Band8	2788	897.6	Subtest3	-10MHz	-56.53	-42.2	PASS
HSDPA Band8	2788	897.6	Subtest3	-5MHz	-38.37	-32.2	PASS
HSDPA Band8	2788	897.6	Subtest3	5MHz	-39.50	-32.2	PASS
HSDPA Band8	2788	897.6	Subtest3	10MHz	-56.91	-42.2	PASS
HSDPA Band8	2788	897.6	Subtest4	-10MHz	-57.30	-42.2	PASS
HSDPA Band8	2788	897.6	Subtest4	-5MHz	-38.87	-32.2	PASS
HSDPA Band8	2788	897.6	Subtest4	5MHz	-40.04	-32.2	PASS
HSDPA Band8	2788	897.6	Subtest4	10MHz	-57.70	-42.2	PASS


HSDPA Band1 Channel=9750 Subtest1




HSDPA Band1 Channel=9750 Subtest2




HSDPA Band1 Channel=9750 Subtest3




HSDPA Band1 Channel=9750 Subtest4




HSDPA Band8 Channel=2788 Subtest1




HSDPA Band8 Channel=2788 Subtest2



HSDPA Band8 Channel=2788 Subtest3



HSDPA Band8 Channel=2788 Subtest4



### Clause 4.2.2 HSUPA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
HSUPA Band1	9612	1922.4	Subtest1	22.72	17.3	25.7	PASS
HSUPA Band1	9612	1922.4	Subtest2	22.53	16.8	25.7	PASS
HSUPA Band1	9612	1922.4	Subtest3	22.28	17.8	25.7	PASS
HSUPA Band1	9612	1922.4	Subtest4	22.45	16.8	25.7	PASS
HSUPA Band1	9612	1922.4	Subtest5	22.34	20.3	25.7	PASS
HSUPA Band1	9750	1950	Subtest1	22.05	17.3	25.7	PASS
HSUPA Band1	9750	1950	Subtest2	22.15	16.8	25.7	PASS
HSUPA Band1	9750	1950	Subtest3	21.68	17.8	25.7	PASS
HSUPA Band1	9750	1950	Subtest4	22.21	16.8	25.7	PASS
HSUPA Band1	9750	1950	Subtest5	21.90	20.3	25.7	PASS
HSUPA Band1	9888	1977.6	Subtest1	22.43	17.3	25.7	PASS
HSUPA Band1	9888	1977.6	Subtest2	22.61	16.8	25.7	PASS
HSUPA Band1	9888	1977.6	Subtest3	22.14	17.8	25.7	PASS
HSUPA Band1	9888	1977.6	Subtest4	22.63	16.8	25.7	PASS
HSUPA Band1	9888	1977.6	Subtest5	22.42	20.3	25.7	PASS
HSUPA Band8	2712	882.4	Subtest1	22.46	17.3	25.7	PASS
HSUPA Band8	2712	882.4	Subtest2	22.46	16.8	25.7	PASS
HSUPA Band8	2712	882.4	Subtest3	21.97	17.8	25.7	PASS
HSUPA Band8	2712	882.4	Subtest4	22.40	16.8	25.7	PASS
HSUPA Band8	2712	882.4	Subtest5	22.27	20.3	25.7	PASS
HSUPA Band8	2788	897.6	Subtest1	22.05	17.3	25.7	PASS

HSUPA Band8	2788	897.6	Subtest2	22.24	16.8	25.7	PASS
HSUPA Band8	2788	897.6	Subtest3	21.62	17.8	25.7	PASS
HSUPA Band8	2788	897.6	Subtest4	22.22	16.8	25.7	PASS
HSUPA Band8	2788	897.6	Subtest5	22.01	20.3	25.7	PASS
HSUPA Band8	2863	912.6	Subtest1	21.86	17.3	25.7	PASS
HSUPA Band8	2863	912.6	Subtest2	22.11	16.8	25.7	PASS
HSUPA Band8	2863	912.6	Subtest3	21.77	17.8	25.7	PASS
HSUPA Band8	2863	912.6	Subtest4	22.10	16.8	25.7	PASS
HSUPA Band8	2863	912.6	Subtest5	21.92	20.3	25.7	PASS

### Clause 4.2.3 HSUPA Transmitter spectrum emission mask

Band	UL Channel	UL Frequency (MHz)	Subtest	Range	SEM Margin (dBc)	Verdict
HSUPA Band1	9612	1922.4	Subtest1	AB	-13.69	PASS
HSUPA Band1	9612	1922.4	Subtest1	BC	-14.03	PASS
HSUPA Band1	9612	1922.4	Subtest1	CD	-12.57	PASS
HSUPA Band1	9612	1922.4	Subtest1	EF	-12.78	PASS
HSUPA Band1	9612	1922.4	Subtest1	FE	-13.53	PASS
HSUPA Band1	9612	1922.4	Subtest1	DC	-12.94	PASS
HSUPA Band1	9612	1922.4	Subtest1	CB	-14.10	PASS
HSUPA Band1	9612	1922.4	Subtest1	BA	-13.80	PASS
HSUPA Band1	9612	1922.4	Subtest2	AB	-14.07	PASS
HSUPA Band1	9612	1922.4	Subtest2	BC	-14.41	PASS
HSUPA Band1	9612	1922.4	Subtest2	CD	-13.08	PASS
HSUPA Band1	9612	1922.4	Subtest2	EF	-12.60	PASS
HSUPA Band1	9612	1922.4	Subtest2	FE	-13.98	PASS
HSUPA Band1	9612	1922.4	Subtest2	DC	-13.31	PASS
HSUPA Band1	9612	1922.4	Subtest2	CB	-14.44	PASS
HSUPA Band1	9612	1922.4	Subtest2	BA	-14.11	PASS
HSUPA Band1	9612	1922.4	Subtest3	AB	-13.36	PASS
HSUPA Band1	9612	1922.4	Subtest3	BC	-13.70	PASS
HSUPA Band1	9612	1922.4	Subtest3	CD	-12.79	PASS
HSUPA Band1	9612	1922.4	Subtest3	EF	-13.40	PASS
HSUPA Band1	9612	1922.4	Subtest3	FE	-13.75	PASS
HSUPA Band1	9612	1922.4	Subtest3	DC	-13.05	PASS
HSUPA Band1	9612	1922.4	Subtest3	CB	-13.64	PASS
HSUPA Band1	9612	1922.4	Subtest3	BA	-13.32	PASS
HSUPA Band1	9612	1922.4	Subtest4	AB	-15.36	PASS
HSUPA Band1	9612	1922.4	Subtest4	BC	-15.69	PASS
HSUPA Band1	9612	1922.4	Subtest4	CD	-13.52	PASS
HSUPA Band1	9612	1922.4	Subtest4	EF	-13.92	PASS
HSUPA Band1	9612	1922.4	Subtest4	FE	-14.41	PASS
HSUPA Band1	9612	1922.4	Subtest4	DC	-13.67	PASS
HSUPA Band1	9612	1922.4	Subtest4	CB	-15.47	PASS
HSUPA Band1	9612	1922.4	Subtest4	BA	-15.16	PASS

HSUPA Band1	9612	1922.4	Subtest5	AB	-13.49	PASS
HSUPA Band1	9612	1922.4	Subtest5	BC	-13.83	PASS
HSUPA Band1	9612	1922.4	Subtest5	CD	-12.87	PASS
HSUPA Band1	9612	1922.4	Subtest5	EF	-13.21	PASS
HSUPA Band1	9612	1922.4	Subtest5	FE	-13.60	PASS
HSUPA Band1	9612	1922.4	Subtest5	DC	-13.27	PASS
HSUPA Band1	9612	1922.4	Subtest5	CB	-13.90	PASS
HSUPA Band1	9612	1922.4	Subtest5	BA	-13.57	PASS
HSUPA Band1	9750	1950	Subtest1	AB	-13.34	PASS
HSUPA Band1	9750	1950	Subtest1	BC	-13.68	PASS
HSUPA Band1	9750	1950	Subtest1	CD	-13.33	PASS
HSUPA Band1	9750	1950	Subtest1	EF	-13.78	PASS
HSUPA Band1	9750	1950	Subtest1	FE	-13.88	PASS
HSUPA Band1	9750	1950	Subtest1	DC	-13.32	PASS
HSUPA Band1	9750	1950	Subtest1	CB	-13.67	PASS
HSUPA Band1	9750	1950	Subtest1	BA	-13.34	PASS
HSUPA Band1	9750	1950	Subtest2	AB	-13.58	PASS
HSUPA Band1	9750	1950	Subtest2	BC	-13.94	PASS
HSUPA Band1	9750	1950	Subtest2	CD	-13.65	PASS
HSUPA Band1	9750	1950	Subtest2	EF	-14.21	PASS
HSUPA Band1	9750	1950	Subtest2	FE	-13.96	PASS
HSUPA Band1	9750	1950	Subtest2	DC	-14.01	PASS
HSUPA Band1	9750	1950	Subtest2	CB	-14.02	PASS
HSUPA Band1	9750	1950	Subtest2	BA	-13.69	PASS
HSUPA Band1	9750	1950	Subtest3	AB	-13.23	PASS
HSUPA Band1	9750	1950	Subtest3	BC	-13.58	PASS
HSUPA Band1	9750	1950	Subtest3	CD	-12.93	PASS
HSUPA Band1	9750	1950	Subtest3	EF	-13.60	PASS
HSUPA Band1	9750	1950	Subtest3	FE	-13.60	PASS
HSUPA Band1	9750	1950	Subtest3	DC	-13.01	PASS
HSUPA Band1	9750	1950	Subtest3	CB	-13.62	PASS
HSUPA Band1	9750	1950	Subtest3	BA	-13.28	PASS
HSUPA Band1	9750	1950	Subtest4	AB	-14.86	PASS
HSUPA Band1	9750	1950	Subtest4	BC	-15.19	PASS
HSUPA Band1	9750	1950	Subtest4	CD	-14.03	PASS
HSUPA Band1	9750	1950	Subtest4	EF	-13.84	PASS
HSUPA Band1	9750	1950	Subtest4	FE	-14.85	PASS
HSUPA Band1	9750	1950	Subtest4	DC	-14.30	PASS
HSUPA Band1	9750	1950	Subtest4	CB	-15.13	PASS
HSUPA Band1	9750	1950	Subtest4	BA	-14.81	PASS
HSUPA Band1	9750	1950	Subtest5	AB	-13.19	PASS
HSUPA Band1	9750	1950	Subtest5	BC	-13.53	PASS
HSUPA Band1	9750	1950	Subtest5	CD	-13.34	PASS
HSUPA Band1	9750	1950	Subtest5	EF	-13.54	PASS


HSUPA Band1	9750	1950	Subtest5	FE	-13.96	PASS
HSUPA Band1	9750	1950	Subtest5	DC	-13.26	PASS
HSUPA Band1	9750	1950	Subtest5	CB	-13.50	PASS
HSUPA Band1	9750	1950	Subtest5	BA	-13.18	PASS
HSUPA Band1	9888	1977.6	Subtest1	AB	-13.06	PASS
HSUPA Band1	9888	1977.6	Subtest1	BC	-13.37	PASS
HSUPA Band1	9888	1977.6	Subtest1	CD	-13.48	PASS
HSUPA Band1	9888	1977.6	Subtest1	EF	-13.56	PASS
HSUPA Band1	9888	1977.6	Subtest1	FE	-13.62	PASS
HSUPA Band1	9888	1977.6	Subtest1	DC	-13.88	PASS
HSUPA Band1	9888	1977.6	Subtest1	CB	-13.53	PASS
HSUPA Band1	9888	1977.6	Subtest1	BA	-13.24	PASS
HSUPA Band1	9888	1977.6	Subtest2	AB	-13.25	PASS
HSUPA Band1	9888	1977.6	Subtest2	BC	-13.53	PASS
HSUPA Band1	9888	1977.6	Subtest2	CD	-14.02	PASS
HSUPA Band1	9888	1977.6	Subtest2	EF	-14.21	PASS
HSUPA Band1	9888	1977.6	Subtest2	FE	-14.64	PASS
HSUPA Band1	9888	1977.6	Subtest2	DC	-14.52	PASS
HSUPA Band1	9888	1977.6	Subtest2	CB	-13.84	PASS
HSUPA Band1	9888	1977.6	Subtest2	BA	-13.57	PASS
HSUPA Band1	9888	1977.6	Subtest3	AB	-13.96	PASS
HSUPA Band1	9888	1977.6	Subtest3	BC	-14.24	PASS
HSUPA Band1	9888	1977.6	Subtest3	CD	-13.48	PASS
HSUPA Band1	9888	1977.6	Subtest3	EF	-13.62	PASS
HSUPA Band1	9888	1977.6	Subtest3	FE	-13.50	PASS
HSUPA Band1	9888	1977.6	Subtest3	DC	-13.58	PASS
HSUPA Band1	9888	1977.6	Subtest3	CB	-14.36	PASS
HSUPA Band1	9888	1977.6	Subtest3	BA	-14.07	PASS
HSUPA Band1	9888	1977.6	Subtest4	AB	-14.37	PASS
HSUPA Band1	9888	1977.6	Subtest4	BC	-14.66	PASS
HSUPA Band1	9888	1977.6	Subtest4	CD	-14.51	PASS
HSUPA Band1	9888	1977.6	Subtest4	EF	-14.65	PASS
HSUPA Band1	9888	1977.6	Subtest4	FE	-15.10	PASS
HSUPA Band1	9888	1977.6	Subtest4	DC	-15.10	PASS
HSUPA Band1	9888	1977.6	Subtest4	CB	-14.89	PASS
HSUPA Band1	9888	1977.6	Subtest4	BA	-14.60	PASS
HSUPA Band1	9888	1977.6	Subtest5	AB	-13.00	PASS
HSUPA Band1	9888	1977.6	Subtest5	BC	-13.33	PASS
HSUPA Band1	9888	1977.6	Subtest5	CD	-13.63	PASS
HSUPA Band1	9888	1977.6	Subtest5	EF	-14.14	PASS
HSUPA Band1	9888	1977.6	Subtest5	FE	-13.90	PASS
HSUPA Band1	9888	1977.6	Subtest5	DC	-13.77	PASS
HSUPA Band1	9888	1977.6	Subtest5	CB	-13.57	PASS
HSUPA Band1	9888	1977.6	Subtest5	BA	-13.27	PASS

HSUPA Band8	2712	882.4	Subtest1	AB	-14.48	PASS
HSUPA Band8	2712	882.4	Subtest1	BC	-14.80	PASS
HSUPA Band8	2712	882.4	Subtest1	CD	-11.26	PASS
HSUPA Band8	2712	882.4	Subtest1	EF	-11.31	PASS
HSUPA Band8	2712	882.4	Subtest1	FE	-12.80	PASS
HSUPA Band8	2712	882.4	Subtest1	DC	-12.49	PASS
HSUPA Band8	2712	882.4	Subtest1	CB	-13.93	PASS
HSUPA Band8	2712	882.4	Subtest1	BA	-13.65	PASS
HSUPA Band8	2712	882.4	Subtest2	AB	-14.57	PASS
HSUPA Band8	2712	882.4	Subtest2	BC	-14.91	PASS
HSUPA Band8	2712	882.4	Subtest2	CD	-12.14	PASS
HSUPA Band8	2712	882.4	Subtest2	EF	-12.19	PASS
HSUPA Band8	2712	882.4	Subtest2	FE	-14.30	PASS
HSUPA Band8	2712	882.4	Subtest2	DC	-13.71	PASS
HSUPA Band8	2712	882.4	Subtest2	CB	-14.04	PASS
HSUPA Band8	2712	882.4	Subtest2	BA	-13.75	PASS
HSUPA Band8	2712	882.4	Subtest3	AB	-13.89	PASS
HSUPA Band8	2712	882.4	Subtest3	BC	-14.23	PASS
HSUPA Band8	2712	882.4	Subtest3	CD	-9.61	PASS
HSUPA Band8	2712	882.4	Subtest3	EF	-10.60	PASS
HSUPA Band8	2712	882.4	Subtest3	FE	-10.20	PASS
HSUPA Band8	2712	882.4	Subtest3	DC	-9.52	PASS
HSUPA Band8	2712	882.4	Subtest3	CB	-13.46	PASS
HSUPA Band8	2712	882.4	Subtest3	BA	-13.18	PASS
HSUPA Band8	2712	882.4	Subtest4	AB	-16.24	PASS
HSUPA Band8	2712	882.4	Subtest4	BC	-16.54	PASS
HSUPA Band8	2712	882.4	Subtest4	CD	-12.45	PASS
HSUPA Band8	2712	882.4	Subtest4	EF	-12.16	PASS
HSUPA Band8	2712	882.4	Subtest4	FE	-13.48	PASS
HSUPA Band8	2712	882.4	Subtest4	DC	-13.86	PASS
HSUPA Band8	2712	882.4	Subtest4	CB	-15.35	PASS
HSUPA Band8	2712	882.4	Subtest4	BA	-15.13	PASS
HSUPA Band8	2712	882.4	Subtest5	AB	-14.34	PASS
HSUPA Band8	2712	882.4	Subtest5	BC	-14.67	PASS
HSUPA Band8	2712	882.4	Subtest5	CD	-11.64	PASS
HSUPA Band8	2712	882.4	Subtest5	EF	-11.99	PASS
HSUPA Band8	2712	882.4	Subtest5	FE	-13.15	PASS
HSUPA Band8	2712	882.4	Subtest5	DC	-13.02	PASS
HSUPA Band8	2712	882.4	Subtest5	CB	-14.03	PASS
HSUPA Band8	2712	882.4	Subtest5	BA	-13.70	PASS
HSUPA Band8	2788	897.6	Subtest1	AB	-13.39	PASS
HSUPA Band8	2788	897.6	Subtest1	BC	-13.70	PASS
HSUPA Band8	2788	897.6	Subtest1	CD	-8.84	PASS
HSUPA Band8	2788	897.6	Subtest1	EF	-9.06	PASS


HSUPA Band8	2788	897.6	Subtest1	FE	-11.14	PASS
HSUPA Band8	2788	897.6	Subtest1	DC	-10.35	PASS
HSUPA Band8	2788	897.6	Subtest1	CB	-13.99	PASS
HSUPA Band8	2788	897.6	Subtest1	BA	-13.66	PASS
HSUPA Band8	2788	897.6	Subtest2	AB	-13.92	PASS
HSUPA Band8	2788	897.6	Subtest2	BC	-14.23	PASS
HSUPA Band8	2788	897.6	Subtest2	CD	-9.52	PASS
HSUPA Band8	2788	897.6	Subtest2	EF	-9.36	PASS
HSUPA Band8	2788	897.6	Subtest2	FE	-10.62	PASS
HSUPA Band8	2788	897.6	Subtest2	DC	-11.02	PASS
HSUPA Band8	2788	897.6	Subtest2	CB	-14.33	PASS
HSUPA Band8	2788	897.6	Subtest2	BA	-14.00	PASS
HSUPA Band8	2788	897.6	Subtest3	AB	-13.26	PASS
HSUPA Band8	2788	897.6	Subtest3	BC	-13.52	PASS
HSUPA Band8	2788	897.6	Subtest3	CD	-7.16	PASS
HSUPA Band8	2788	897.6	Subtest3	EF	-7.97	PASS
HSUPA Band8	2788	897.6	Subtest3	FE	-9.86	PASS
HSUPA Band8	2788	897.6	Subtest3	DC	-8.40	PASS
HSUPA Band8	2788	897.6	Subtest3	CB	-14.01	PASS
HSUPA Band8	2788	897.6	Subtest3	BA	-13.68	PASS
HSUPA Band8	2788	897.6	Subtest4	AB	-15.33	PASS
HSUPA Band8	2788	897.6	Subtest4	BC	-15.59	PASS
HSUPA Band8	2788	897.6	Subtest4	CD	-9.76	PASS
HSUPA Band8	2788	897.6	Subtest4	EF	-9.75	PASS
HSUPA Band8	2788	897.6	Subtest4	FE	-11.28	PASS
HSUPA Band8	2788	897.6	Subtest4	DC	-11.41	PASS
HSUPA Band8	2788	897.6	Subtest4	CB	-15.87	PASS
HSUPA Band8	2788	897.6	Subtest4	BA	-15.58	PASS
HSUPA Band8	2788	897.6	Subtest5	AB	-13.87	PASS
HSUPA Band8	2788	897.6	Subtest5	BC	-14.20	PASS
HSUPA Band8	2788	897.6	Subtest5	CD	-9.29	PASS
HSUPA Band8	2788	897.6	Subtest5	EF	-8.42	PASS
HSUPA Band8	2788	897.6	Subtest5	FE	-11.22	PASS
HSUPA Band8	2788	897.6	Subtest5	DC	-10.91	PASS
HSUPA Band8	2788	897.6	Subtest5	CB	-14.31	PASS
HSUPA Band8	2788	897.6	Subtest5	BA	-13.99	PASS
HSUPA Band8	2863	912.6	Subtest1	AB	-13.74	PASS
HSUPA Band8	2863	912.6	Subtest1	BC	-14.07	PASS
HSUPA Band8	2863	912.6	Subtest1	CD	-14.40	PASS
HSUPA Band8	2863	912.6	Subtest1	EF	-14.30	PASS
HSUPA Band8	2863	912.6	Subtest1	FE	-16.39	PASS
HSUPA Band8	2863	912.6	Subtest1	DC	-16.67	PASS
HSUPA Band8	2863	912.6	Subtest1	CB	-15.06	PASS
HSUPA Band8	2863	912.6	Subtest1	BA	-14.66	PASS

HSUPA Band8	2863	912.6	Subtest2	AB	-13.62	PASS
HSUPA Band8	2863	912.6	Subtest2	BC	-13.92	PASS
HSUPA Band8	2863	912.6	Subtest2	CD	-14.78	PASS
HSUPA Band8	2863	912.6	Subtest2	EF	-15.44	PASS
HSUPA Band8	2863	912.6	Subtest2	FE	-17.24	PASS
HSUPA Band8	2863	912.6	Subtest2	DC	-17.04	PASS
HSUPA Band8	2863	912.6	Subtest2	CB	-15.18	PASS
HSUPA Band8	2863	912.6	Subtest2	BA	-14.63	PASS
HSUPA Band8	2863	912.6	Subtest3	AB	-13.09	PASS
HSUPA Band8	2863	912.6	Subtest3	BC	-13.43	PASS
HSUPA Band8	2863	912.6	Subtest3	CD	-14.25	PASS
HSUPA Band8	2863	912.6	Subtest3	EF	-14.30	PASS
HSUPA Band8	2863	912.6	Subtest3	FE	-16.03	PASS
HSUPA Band8	2863	912.6	Subtest3	DC	-15.95	PASS
HSUPA Band8	2863	912.6	Subtest3	CB	-14.73	PASS
HSUPA Band8	2863	912.6	Subtest3	BA	-14.24	PASS
HSUPA Band8	2863	912.6	Subtest4	AB	-14.77	PASS
HSUPA Band8	2863	912.6	Subtest4	BC	-15.00	PASS
HSUPA Band8	2863	912.6	Subtest4	CD	-15.41	PASS
HSUPA Band8	2863	912.6	Subtest4	EF	-15.47	PASS
HSUPA Band8	2863	912.6	Subtest4	FE	-17.05	PASS
HSUPA Band8	2863	912.6	Subtest4	DC	-17.06	PASS
HSUPA Band8	2863	912.6	Subtest4	CB	-16.91	PASS
HSUPA Band8	2863	912.6	Subtest4	BA	-16.53	PASS
HSUPA Band8	2863	912.6	Subtest5	AB	-12.95	PASS
HSUPA Band8	2863	912.6	Subtest5	BC	-13.26	PASS
HSUPA Band8	2863	912.6	Subtest5	CD	-13.22	PASS
HSUPA Band8	2863	912.6	Subtest5	EF	-13.12	PASS
HSUPA Band8	2863	912.6	Subtest5	FE	-15.08	PASS
HSUPA Band8	2863	912.6	Subtest5	DC	-15.07	PASS
HSUPA Band8	2863	912.6	Subtest5	CB	-14.88	PASS
HSUPA Band8	2863	912.6	Subtest5	BA	-14.45	PASS


HSUPA Band1 Channel=9612 Subtest1




HSUPA Band1 Channel=9612 Subtest2




HSUPA Band1 Channel=9612 Subtest3




HSUPA Band1 Channel=9612 Subtest4




HSUPA Band1 Channel=9612 Subtest5




HSUPA Band1 Channel=9750 Subtest1




HSUPA Band1 Channel=9750 Subtest2




HSUPA Band1 Channel=9750 Subtest3




HSUPA Band1 Channel=9750 Subtest4




HSUPA Band1 Channel=9750 Subtest5




HSUPA Band1 Channel=9888 Subtest1




HSUPA Band1 Channel=9888 Subtest2




HSUPA Band1 Channel=9888 Subtest3




HSUPA Band1 Channel=9888 Subtest4




HSUPA Band1 Channel=9888 Subtest5




HSUPA Band8 Channel=2712 Subtest1




HSUPA Band8 Channel=2712 Subtest2




HSUPA Band8 Channel=2712 Subtest3




HSUPA Band8 Channel=2712 Subtest4




HSUPA Band8 Channel=2712 Subtest5




HSUPA Band8 Channel=2788 Subtest1




HSUPA Band8 Channel=2788 Subtest2




HSUPA Band8 Channel=2788 Subtest3




HSUPA Band8 Channel=2788 Subtest4




HSUPA Band8 Channel=2788 Subtest5




HSUPA Band8 Channel=2863 Subtest1




HSUPA Band8 Channel=2863 Subtest2




HSUPA Band8 Channel=2863 Subtest3



HSUPA Band8 Channel=2863 Subtest4



HSUPA Band8 Channel=2863 Subtest5



Clause 4.2.5 HSUPA Transmitter minimum output power


Band	UL Channel	UL Frequency(MHz)	Subtest	Power (dBm)	Limit (dBm)	Verdict
HSUPA Band1	9750	1950	Subtest1	-60.26	-49	PASS
HSUPA Band1	9750	1950	Subtest2	-60.01	-49	PASS
HSUPA Band1	9750	1950	Subtest3	-59.98	-49	PASS
HSUPA Band1	9750	1950	Subtest4	-59.95	-49	PASS
HSUPA Band1	9750	1950	Subtest5	-59.90	-49	PASS
HSUPA Band8	2788	897.6	Subtest1	-56.34	-49	PASS
HSUPA Band8	2788	897.6	Subtest2	-56.12	-49	PASS
HSUPA Band8	2788	897.6	Subtest3	-56.07	-49	PASS
HSUPA Band8	2788	897.6	Subtest4	-56.01	-49	PASS
HSUPA Band8	2788	897.6	Subtest5	-55.96	-49	PASS

#### Clause 4.2.12 HSUPA Transmitter Adjacent Channel Leakage power Ratio


Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
HSUPA Band1	9750	1950	Subtest1	-10MHz	-55.84	-42.2	PASS
HSUPA Band1	9750	1950	Subtest1	-5MHz	-43.53	-32.2	PASS
HSUPA Band1	9750	1950	Subtest1	5MHz	-43.50	-32.2	PASS
HSUPA Band1	9750	1950	Subtest1	10MHz	-55.98	-42.2	PASS
HSUPA Band1	9750	1950	Subtest2	-10MHz	-55.99	-42.2	PASS
HSUPA Band1	9750	1950	Subtest2	-5MHz	-44.60	-32.2	PASS
HSUPA Band1	9750	1950	Subtest2	5MHz	-44.66	-32.2	PASS
HSUPA Band1	9750	1950	Subtest2	10MHz	-56.11	-42.2	PASS
HSUPA Band1	9750	1950	Subtest3	-10MHz	-55.53	-42.2	PASS
HSUPA Band1	9750	1950	Subtest3	-5MHz	-43.97	-32.2	PASS
HSUPA Band1	9750	1950	Subtest3	5MHz	-44.03	-32.2	PASS
HSUPA Band1	9750	1950	Subtest3	10MHz	-55.65	-42.2	PASS
HSUPA Band1	9750	1950	Subtest4	-10MHz	-57.51	-42.2	PASS
HSUPA Band1	9750	1950	Subtest4	-5MHz	-44.87	-32.2	PASS
HSUPA Band1	9750	1950	Subtest4	5MHz	-44.98	-32.2	PASS
HSUPA Band1	9750	1950	Subtest4	10MHz	-57.64	-42.2	PASS
HSUPA Band1	9750	1950	Subtest5	-10MHz	-55.65	-42.2	PASS
HSUPA Band1	9750	1950	Subtest5	-5MHz	-44.30	-32.2	PASS
HSUPA Band1	9750	1950	Subtest5	5MHz	-44.27	-32.2	PASS
HSUPA Band1	9750	1950	Subtest5	10MHz	-55.82	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest1	-10MHz	-56.27	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest1	-5MHz	-38.33	-32.2	PASS
HSUPA Band8	2788	897.6	Subtest1	5MHz	-39.46	-32.2	PASS
HSUPA Band8	2788	897.6	Subtest1	10MHz	-56.55	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest2	-10MHz	-56.24	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest2	-5MHz	-40.40	-32.2	PASS
HSUPA Band8	2788	897.6	Subtest2	5MHz	-42.10	-32.2	PASS
HSUPA Band8	2788	897.6	Subtest2	10MHz	-56.56	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest3	-10MHz	-55.91	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest3	-5MHz	-38.59	-32.2	PASS

HSUPA Band8	2788	897.6	Subtest3	5MHz	-39.75	-32.2	PASS
HSUPA Band8	2788	897.6	Subtest3	10MHz	-56.19	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest4	-10MHz	-57.99	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest4	-5MHz	-40.88	-32.2	PASS
HSUPA Band8	2788	897.6	Subtest4	5MHz	-42.47	-32.2	PASS
HSUPA Band8	2788	897.6	Subtest4	10MHz	-58.28	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest5	-10MHz	-56.02	-42.2	PASS
HSUPA Band8	2788	897.6	Subtest5	-5MHz	-39.58	-32.2	PASS
HSUPA Band8	2788	897.6	Subtest5	5MHz	-40.97	-32.2	PASS
HSUPA Band8	2788	897.6	Subtest5	10MHz	-56.23	-42.2	PASS


HSUPA Band1 Channel=9750 Subtest1




HSUPA Band1 Channel=9750 Subtest2




HSUPA Band1 Channel=9750 Subtest3




HSUPA Band1 Channel=9750 Subtest4




HSUPA Band1 Channel=9750 Subtest5




HSUPA Band8 Channel=2788 Subtest1




HSUPA Band8 Channel=2788 Subtest2



HSUPA Band8 Channel=2788 Subtest3



HSUPA Band8 Channel=2788 Subtest4



HSUPA Band8 Channel=2788 Subtest5

