



## Appendix G for 2.4GWIFI Test Data

**Product Name:** Smartphone

**Test Model:** KINGKONG ES

### Environmental Conditions

Temperature:	23.0° C
Relative Humidity:	53.0%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,  
Bao'an District, Shenzhen, Guangdong, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## G.1 RF Output Power

Condition	Mode	Frequency (MHz)	Max EIRP (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	14.41	20	Pass
NVNT	b	2442	13.63	20	Pass
NVNT	b	2472	13.19	20	Pass
NVNT	g	2412	13.19	20	Pass
NVNT	g	2442	12.63	20	Pass
NVNT	g	2472	12.64	20	Pass
NVNT	n20	2412	12.65	20	Pass
NVNT	n20	2442	12.58	20	Pass
NVNT	n20	2472	12.65	20	Pass
NVNT	n40	2422	11.25	20	Pass
NVNT	n40	2442	10.80	20	Pass
NVNT	n40	2462	10.58	20	Pass

Condition	Mode	Frequency (MHz)	Max EIRP (dBm)	Limit (dBm)	Verdict
NVLT	b	2412	14.33	20	Pass
NVLT	b	2442	13.57	20	Pass
NVLT	b	2472	13.08	20	Pass
NVLT	g	2412	13.08	20	Pass
NVLT	g	2442	12.56	20	Pass
NVLT	g	2472	12.53	20	Pass
NVLT	n20	2412	12.60	20	Pass
NVLT	n20	2442	12.47	20	Pass
NVLT	n20	2472	12.55	20	Pass
NVLT	n40	2422	11.20	20	Pass
NVLT	n40	2442	10.75	20	Pass
NVLT	n40	2462	10.50	20	Pass





Condition	Mode	Frequency (MHz)	Max EIRP (dBm)	Limit (dBm)	Verdict
NVHT	b	2412	14.22	20	Pass
NVHT	b	2442	13.44	20	Pass
NVHT	b	2472	12.99	20	Pass
NVHT	g	2412	13.01	20	Pass
NVHT	g	2442	12.40	20	Pass
NVHT	g	2472	12.46	20	Pass
NVHT	n20	2412	12.44	20	Pass
NVHT	n20	2442	12.37	20	Pass
NVHT	n20	2472	12.46	20	Pass
NVHT	n40	2422	11.05	20	Pass
NVHT	n40	2442	10.61	20	Pass
NVHT	n40	2462	10.40	20	Pass






## G.2 Power Spectral Density


Condition	Mode	Frequency (MHz)	Max PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	b	2412	5.43	10	Pass
NVNT	b	2442	4.6	10	Pass
NVNT	b	2472	4.27	10	Pass
NVNT	g	2412	1.49	10	Pass
NVNT	g	2442	1.33	10	Pass
NVNT	g	2472	1.22	10	Pass
NVNT	n20	2412	0.68	10	Pass
NVNT	n20	2442	1.11	10	Pass
NVNT	n20	2472	1.08	10	Pass
NVNT	n40	2422	-3.37	10	Pass
NVNT	n40	2442	-3.78	10	Pass
NVNT	n40	2462	-4.21	10	Pass

PSD NVNT b 2412MHz






## PSD NVNT b 2442MHz




## PSD NVNT b 2472MHz






## PSD NVNT g 2412MHz




## PSD NVNT g 2442MHz








## PSD NVNT g 2472MHz




## PSD NVNT n20 2412MHz






## PSD NVNT n20 2442MHz




## PSD NVNT n20 2472MHz








## PSD NVNT n40 2422MHz




## PSD NVNT n40 2442MHz





## PSD NVNT n40 2462MHz





### G.3 Adaptivity


Condition	Mode	Frequency (MHz)	AWGN Level (dBm)	CW Level (dBm)	Short Control Width (ms)	Short Control Ratio(%)	Limit (%)	Verdict
NVNT	b	2412	-64.41	-35	0	0	<=10	Pass
NVNT	b	2442	-63.63	-35	0	0	<=10	Pass
NVNT	b	2472	-63.19	-35	0	0	<=10	Pass
NVNT	g	2412	-63.19	-35	0	0	<=10	Pass
NVNT	g	2442	-62.63	-35	0	0	<=10	Pass
NVNT	g	2472	-62.64	-35	0	0	<=10	Pass
NVNT	n20	2412	-62.65	-35	0	0	<=10	Pass
NVNT	n20	2442	-62.58	-35	0	0	<=10	Pass
NVNT	n20	2472	-62.65	-35	0	0	<=10	Pass
NVNT	n40	2422	-61.25	-35	0	0	<=10	Pass
NVNT	n40	2442	-60.80	-35	0	0	<=10	Pass
NVNT	n40	2462	-60.58	-35	0	0	<=10	Pass







## Test Graphs


## Adaptivity NVNT b 2412MHz




## Control Signal NVNT b 2412MHz








































## G.4 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	b	2412	2411.999	11.966	2406.016	2417.983	2400 - 2483.5MHz	Pass
NVNT	b	2442	2442.01	12.034	2435.993	2448.027	2400 - 2483.5MHz	Pass
NVNT	b	2472	2471.991	11.937	2466.022	2477.959	2400 - 2483.5MHz	Pass
NVNT	g	2412	2411.991	16.594	2403.694	2420.289	2400 - 2483.5MHz	Pass
NVNT	g	2442	2441.976	16.526	2433.713	2450.24	2400 - 2483.5MHz	Pass
NVNT	g	2472	2471.99	16.524	2463.728	2480.253	2400 - 2483.5MHz	Pass
NVNT	n20	2412	2411.992	17.686	2403.148	2420.835	2400 - 2483.5MHz	Pass
NVNT	n20	2442	2441.975	17.601	2433.174	2450.775	2400 - 2483.5MHz	Pass
NVNT	n20	2472	2471.989	17.599	2463.19	2480.789	2400 - 2483.5MHz	Pass
NVNT	n40	2422	2421.963	36.213	2403.857	2440.07	2400 - 2483.5MHz	Pass
NVNT	n40	2442	2441.95	36.192	2423.853	2460.046	2400 - 2483.5MHz	Pass
NVNT	n40	2462	2461.965	36.232	2443.848	2480.081	2400 - 2483.5MHz	Pass






## OBW NVNT b 2412MHz

Frequency: 2412.00 MHz

Occupied Channel Bandwidth

OBW (99% Pwr): 11.966 MHz




## OBW NVNT b 2442MHz

Frequency: 2442.00 MHz

Occupied Channel Bandwidth

OBW (99% Pwr): 12.034 MHz






## OBW NVNT b 2472MHz

Frequency: 2472.00 MHz

Occupied Channel Bandwidth

OBW(99% Pwr): 11.937 MHz




## OBW NVNT g 2412MHz

Frequency: 2412.00 MHz

Occupied Channel Bandwidth

OBW(99% Pwr): 16.594 MHz








## OBW NVNT g 2442MHz

Frequency: 2442.00 MHz

Occupied Channel Bandwidth

OBW(99% Pwr): 16.526 MHz




## OBW NVNT g 2472MHz

Frequency: 2472.00 MHz

Occupied Channel Bandwidth

OBW(99% Pwr): 16.524 MHz






## OBW NVNT n20 2412MHz

Frequency: 2412.00 MHz

Occupied Channel Bandwidth

OBW(99% Pwr): 17.686 MHz




## OBW NVNT n20 2442MHz

Frequency: 2442.00 MHz

Occupied Channel Bandwidth

OBW(99% Pwr): 17.601 MHz






## OBW NVNT n20 2472MHz

Frequency: 2472.00 MHz

Occupied Channel Bandwidth

OBW(99% Pwr): 17.599 MHz




## OBW NVNT n40 2422MHz

Frequency: 2422.00 MHz

Occupied Channel Bandwidth

OBW(99% Pwr): 36.213 MHz






## OBW NVNT n40 2442MHz

Frequency: 2442.00 MHz

Occupied Channel Bandwidth

OBW (99% Pwr): 36.192 MHz




## OBW NVNT n40 2462MHz

Frequency: 2462.00 MHz

Occupied Channel Bandwidth

OBW (99% Pwr): 36.232 MHz





## G.5 Transmitter unwanted emissions in the out-of-band domain

Condition	Mode	Frequency (MHz)	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	b	2412	2399.5	-46.92	-10	Pass
NVNT	b	2412	2398.5	-47.64	-10	Pass
NVNT	b	2412	2397.5	-44.39	-10	Pass
NVNT	b	2412	2396.5	-47.07	-10	Pass
NVNT	b	2412	2395.5	-50.31	-10	Pass
NVNT	b	2412	2394.5	-51.64	-10	Pass
NVNT	b	2412	2393.5	-54.79	-10	Pass
NVNT	b	2412	2392.5	-54.61	-10	Pass
NVNT	b	2412	2391.5	-52.94	-10	Pass
NVNT	b	2412	2390.5	-56.47	-10	Pass
NVNT	b	2412	2389.5	-50.32	-10	Pass
NVNT	b	2412	2388.534	-55.03	-10	Pass
NVNT	b	2412	2387.534	-56.83	-20	Pass
NVNT	b	2412	2386.534	-53.8	-20	Pass
NVNT	b	2412	2385.534	-52.07	-20	Pass
NVNT	b	2412	2384.534	-53.94	-20	Pass
NVNT	b	2412	2383.534	-56.28	-20	Pass
NVNT	b	2412	2382.534	-60.01	-20	Pass
NVNT	b	2412	2381.534	-56.37	-20	Pass
NVNT	b	2412	2380.534	-56.52	-20	Pass
NVNT	b	2412	2379.534	-58.66	-20	Pass
NVNT	b	2412	2378.534	-58.6	-20	Pass
NVNT	b	2412	2377.534	-58.21	-20	Pass
NVNT	b	2412	2376.568	-56.4	-20	Pass
NVNT	b	2472	2484	-47.01	-10	Pass
NVNT	b	2472	2485	-49.45	-10	Pass
NVNT	b	2472	2486	-47.43	-10	Pass
NVNT	b	2472	2487	-51.29	-10	Pass
NVNT	b	2472	2488	-52.48	-10	Pass
NVNT	b	2472	2489	-57.96	-10	Pass
NVNT	b	2472	2490	-56.96	-10	Pass
NVNT	b	2472	2491	-57.28	-10	Pass
NVNT	b	2472	2492	-56.24	-10	Pass
NVNT	b	2472	2493	-56.96	-10	Pass
NVNT	b	2472	2494	-58.11	-10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





NVNT	b	2472	2494.937	-57.48	-10	Pass
NVNT	b	2472	2495.937	-59.96	-20	Pass
NVNT	b	2472	2496.937	-60.28	-20	Pass
NVNT	b	2472	2497.937	-59.28	-20	Pass
NVNT	b	2472	2498.937	-60.1	-20	Pass
NVNT	b	2472	2499.937	-59.94	-20	Pass
NVNT	b	2472	2500.937	-61.31	-20	Pass
NVNT	b	2472	2501.937	-61.26	-20	Pass
NVNT	b	2472	2502.937	-60.76	-20	Pass
NVNT	b	2472	2503.937	-60.94	-20	Pass
NVNT	b	2472	2504.937	-61.72	-20	Pass
NVNT	b	2472	2505.937	-62	-20	Pass
NVNT	b	2472	2506.874	-61.62	-20	Pass
NVNT	g	2412	2399.5	-35.55	-10	Pass
NVNT	g	2412	2398.5	-35.81	-10	Pass
NVNT	g	2412	2397.5	-36.3	-10	Pass
NVNT	g	2412	2396.5	-36.85	-10	Pass
NVNT	g	2412	2395.5	-38.07	-10	Pass
NVNT	g	2412	2394.5	-38.46	-10	Pass
NVNT	g	2412	2393.5	-40.59	-10	Pass
NVNT	g	2412	2392.5	-40.88	-10	Pass
NVNT	g	2412	2391.5	-41.14	-10	Pass
NVNT	g	2412	2390.5	-42.87	-10	Pass
NVNT	g	2412	2389.5	-44.23	-10	Pass
NVNT	g	2412	2388.5	-45.79	-10	Pass
NVNT	g	2412	2387.5	-47.39	-10	Pass
NVNT	g	2412	2386.5	-45.98	-10	Pass
NVNT	g	2412	2385.5	-48.11	-10	Pass
NVNT	g	2412	2384.5	-50.56	-10	Pass
NVNT	g	2412	2383.906	-50.68	-10	Pass
NVNT	g	2412	2382.906	-52.05	-20	Pass
NVNT	g	2412	2381.906	-53.13	-20	Pass
NVNT	g	2412	2380.906	-53.33	-20	Pass
NVNT	g	2412	2379.906	-54.89	-20	Pass
NVNT	g	2412	2378.906	-55.54	-20	Pass
NVNT	g	2412	2377.906	-56.22	-20	Pass
NVNT	g	2412	2376.906	-57.44	-20	Pass
NVNT	g	2412	2375.906	-57.64	-20	Pass
NVNT	g	2412	2374.906	-57.74	-20	Pass
NVNT	g	2412	2373.906	-58.8	-20	Pass







NVNT	g	2412	2372.906	-58.91	-20	Pass
NVNT	g	2412	2371.906	-60.41	-20	Pass
NVNT	g	2412	2370.906	-60.43	-20	Pass
NVNT	g	2412	2369.906	-60.35	-20	Pass
NVNT	g	2412	2368.906	-61.04	-20	Pass
NVNT	g	2412	2367.906	-61.04	-20	Pass
NVNT	g	2412	2367.312	-61.21	-20	Pass
NVNT	g	2472	2484	-34.62	-10	Pass
NVNT	g	2472	2485	-34.79	-10	Pass
NVNT	g	2472	2486	-35.81	-10	Pass
NVNT	g	2472	2487	-37.62	-10	Pass
NVNT	g	2472	2488	-38.16	-10	Pass
NVNT	g	2472	2489	-39.05	-10	Pass
NVNT	g	2472	2490	-40.29	-10	Pass
NVNT	g	2472	2491	-42.79	-10	Pass
NVNT	g	2472	2492	-44.27	-10	Pass
NVNT	g	2472	2493	-46.59	-10	Pass
NVNT	g	2472	2494	-47.42	-10	Pass
NVNT	g	2472	2495	-51.26	-10	Pass
NVNT	g	2472	2496	-53.33	-10	Pass
NVNT	g	2472	2497	-54.81	-10	Pass
NVNT	g	2472	2498	-55.87	-10	Pass
NVNT	g	2472	2499	-56.47	-10	Pass
NVNT	g	2472	2499.524	-56.62	-10	Pass
NVNT	g	2472	2500.524	-57.4	-20	Pass
NVNT	g	2472	2501.524	-58.39	-20	Pass
NVNT	g	2472	2502.524	-58.23	-20	Pass
NVNT	g	2472	2503.524	-59.31	-20	Pass
NVNT	g	2472	2504.524	-59.59	-20	Pass
NVNT	g	2472	2505.524	-60.25	-20	Pass
NVNT	g	2472	2506.524	-60.98	-20	Pass
NVNT	g	2472	2507.524	-60.54	-20	Pass
NVNT	g	2472	2508.524	-60.77	-20	Pass
NVNT	g	2472	2509.524	-61.19	-20	Pass
NVNT	g	2472	2510.524	-61.97	-20	Pass
NVNT	g	2472	2511.524	-62.06	-20	Pass
NVNT	g	2472	2512.524	-62.52	-20	Pass
NVNT	g	2472	2513.524	-62.93	-20	Pass
NVNT	g	2472	2514.524	-63.02	-20	Pass
NVNT	g	2472	2515.524	-63.23	-20	Pass





NVNT	g	2472	2516.048	-63.2	-20	Pass
NVNT	n20	2412	2399.5	-35.45	-10	Pass
NVNT	n20	2412	2398.5	-35.25	-10	Pass
NVNT	n20	2412	2397.5	-34.16	-10	Pass
NVNT	n20	2412	2396.5	-37.47	-10	Pass
NVNT	n20	2412	2395.5	-38.56	-10	Pass
NVNT	n20	2412	2394.5	-37.39	-10	Pass
NVNT	n20	2412	2393.5	-38.03	-10	Pass
NVNT	n20	2412	2392.5	-40.21	-10	Pass
NVNT	n20	2412	2391.5	-41.02	-10	Pass
NVNT	n20	2412	2390.5	-41.43	-10	Pass
NVNT	n20	2412	2389.5	-43.64	-10	Pass
NVNT	n20	2412	2388.5	-44.57	-10	Pass
NVNT	n20	2412	2387.5	-45.08	-10	Pass
NVNT	n20	2412	2386.5	-46.33	-10	Pass
NVNT	n20	2412	2385.5	-47.73	-10	Pass
NVNT	n20	2412	2384.5	-48.28	-10	Pass
NVNT	n20	2412	2383.5	-50.17	-10	Pass
NVNT	n20	2412	2382.814	-50	-10	Pass
NVNT	n20	2412	2381.814	-51.47	-20	Pass
NVNT	n20	2412	2380.814	-52.18	-20	Pass
NVNT	n20	2412	2379.814	-53.13	-20	Pass
NVNT	n20	2412	2378.814	-54.63	-20	Pass
NVNT	n20	2412	2377.814	-55.21	-20	Pass
NVNT	n20	2412	2376.814	-56.51	-20	Pass
NVNT	n20	2412	2375.814	-57.15	-20	Pass
NVNT	n20	2412	2374.814	-57.68	-20	Pass
NVNT	n20	2412	2373.814	-58.69	-20	Pass
NVNT	n20	2412	2372.814	-59.38	-20	Pass
NVNT	n20	2412	2371.814	-59.4	-20	Pass
NVNT	n20	2412	2370.814	-59.93	-20	Pass
NVNT	n20	2412	2369.814	-61.09	-20	Pass
NVNT	n20	2412	2368.814	-61.03	-20	Pass
NVNT	n20	2412	2367.814	-60.45	-20	Pass
NVNT	n20	2412	2366.814	-61.07	-20	Pass
NVNT	n20	2412	2365.814	-61.21	-20	Pass
NVNT	n20	2412	2365.128	-62.36	-20	Pass
NVNT	n20	2472	2484	-33.28	-10	Pass
NVNT	n20	2472	2485	-34.57	-10	Pass
NVNT	n20	2472	2486	-35.17	-10	Pass





NVNT	n20	2472	2487	-36.13	-10	Pass
NVNT	n20	2472	2488	-37.26	-10	Pass
NVNT	n20	2472	2489	-38.51	-10	Pass
NVNT	n20	2472	2490	-39.09	-10	Pass
NVNT	n20	2472	2491	-40.75	-10	Pass
NVNT	n20	2472	2492	-42.7	-10	Pass
NVNT	n20	2472	2493	-43.55	-10	Pass
NVNT	n20	2472	2494	-45.83	-10	Pass
NVNT	n20	2472	2495	-48.18	-10	Pass
NVNT	n20	2472	2496	-50.14	-10	Pass
NVNT	n20	2472	2497	-52.77	-10	Pass
NVNT	n20	2472	2498	-54.87	-10	Pass
NVNT	n20	2472	2499	-55.77	-10	Pass
NVNT	n20	2472	2500	-57.05	-10	Pass
NVNT	n20	2472	2500.599	-56.81	-10	Pass
NVNT	n20	2472	2501.599	-57.77	-20	Pass
NVNT	n20	2472	2502.599	-58.7	-20	Pass
NVNT	n20	2472	2503.599	-58.81	-20	Pass
NVNT	n20	2472	2504.599	-58.9	-20	Pass
NVNT	n20	2472	2505.599	-60.06	-20	Pass
NVNT	n20	2472	2506.599	-59.93	-20	Pass
NVNT	n20	2472	2507.599	-61.2	-20	Pass
NVNT	n20	2472	2508.599	-60.46	-20	Pass
NVNT	n20	2472	2509.599	-61.22	-20	Pass
NVNT	n20	2472	2510.599	-61.77	-20	Pass
NVNT	n20	2472	2511.599	-62.26	-20	Pass
NVNT	n20	2472	2512.599	-62.44	-20	Pass
NVNT	n20	2472	2513.599	-63.09	-20	Pass
NVNT	n20	2472	2514.599	-62.98	-20	Pass
NVNT	n20	2472	2515.599	-63.17	-20	Pass
NVNT	n20	2472	2516.599	-62.93	-20	Pass
NVNT	n20	2472	2517.599	-63.58	-20	Pass
NVNT	n20	2472	2518.198	-64.04	-20	Pass
NVNT	n40	2422	2399.5	-37.48	-10	Pass
NVNT	n40	2422	2398.5	-38.07	-10	Pass
NVNT	n40	2422	2397.5	-38.92	-10	Pass
NVNT	n40	2422	2396.5	-38.36	-10	Pass
NVNT	n40	2422	2395.5	-39.07	-10	Pass
NVNT	n40	2422	2394.5	-38.9	-10	Pass
NVNT	n40	2422	2393.5	-39.68	-10	Pass





NVNT	n40	2422	2392.5	-41.33	-10	Pass
NVNT	n40	2422	2391.5	-42.41	-10	Pass
NVNT	n40	2422	2390.5	-41.58	-10	Pass
NVNT	n40	2422	2389.5	-43.59	-10	Pass
NVNT	n40	2422	2388.5	-43.56	-10	Pass
NVNT	n40	2422	2387.5	-44.11	-10	Pass
NVNT	n40	2422	2386.5	-45.28	-10	Pass
NVNT	n40	2422	2385.5	-46.7	-10	Pass
NVNT	n40	2422	2384.5	-47.17	-10	Pass
NVNT	n40	2422	2383.5	-48.31	-10	Pass
NVNT	n40	2422	2382.5	-48.27	-10	Pass
NVNT	n40	2422	2381.5	-50.68	-10	Pass
NVNT	n40	2422	2380.5	-50.79	-10	Pass
NVNT	n40	2422	2379.5	-52.81	-10	Pass
NVNT	n40	2422	2378.5	-52.74	-10	Pass
NVNT	n40	2422	2377.5	-54.87	-10	Pass
NVNT	n40	2422	2376.5	-56.33	-10	Pass
NVNT	n40	2422	2375.5	-56.02	-10	Pass
NVNT	n40	2422	2374.5	-57.6	-10	Pass
NVNT	n40	2422	2373.5	-59.14	-10	Pass
NVNT	n40	2422	2372.5	-60.04	-10	Pass
NVNT	n40	2422	2371.5	-59.1	-10	Pass
NVNT	n40	2422	2370.5	-59.67	-10	Pass
NVNT	n40	2422	2369.5	-60.92	-10	Pass
NVNT	n40	2422	2368.5	-60.82	-10	Pass
NVNT	n40	2422	2367.5	-61.9	-10	Pass
NVNT	n40	2422	2366.5	-61.23	-10	Pass
NVNT	n40	2422	2365.5	-62.55	-10	Pass
NVNT	n40	2422	2364.5	-63.25	-10	Pass
NVNT	n40	2422	2364.287	-63.03	-10	Pass
NVNT	n40	2422	2363.287	-63.3	-20	Pass
NVNT	n40	2422	2362.287	-63.09	-20	Pass
NVNT	n40	2422	2361.287	-63.81	-20	Pass
NVNT	n40	2422	2360.287	-64.13	-20	Pass
NVNT	n40	2422	2359.287	-64.15	-20	Pass
NVNT	n40	2422	2358.287	-65.89	-20	Pass
NVNT	n40	2422	2357.287	-64.66	-20	Pass
NVNT	n40	2422	2356.287	-64.81	-20	Pass
NVNT	n40	2422	2355.287	-65.21	-20	Pass
NVNT	n40	2422	2354.287	-63.92	-20	Pass





NVNT	n40	2422	2353.287	-65.13	-20	Pass
NVNT	n40	2422	2352.287	-65	-20	Pass
NVNT	n40	2422	2351.287	-65.99	-20	Pass
NVNT	n40	2422	2350.287	-66.21	-20	Pass
NVNT	n40	2422	2349.287	-65.03	-20	Pass
NVNT	n40	2422	2348.287	-65.69	-20	Pass
NVNT	n40	2422	2347.287	-67.34	-20	Pass
NVNT	n40	2422	2346.287	-66.15	-20	Pass
NVNT	n40	2422	2345.287	-67.12	-20	Pass
NVNT	n40	2422	2344.287	-67.37	-20	Pass
NVNT	n40	2422	2343.287	-66.81	-20	Pass
NVNT	n40	2422	2342.287	-66.47	-20	Pass
NVNT	n40	2422	2341.287	-68.37	-20	Pass
NVNT	n40	2422	2340.287	-65.81	-20	Pass
NVNT	n40	2422	2339.287	-67.11	-20	Pass
NVNT	n40	2422	2338.287	-68.08	-20	Pass
NVNT	n40	2422	2337.287	-68.12	-20	Pass
NVNT	n40	2422	2336.287	-68.18	-20	Pass
NVNT	n40	2422	2335.287	-68.4	-20	Pass
NVNT	n40	2422	2334.287	-68.28	-20	Pass
NVNT	n40	2422	2333.287	-67.53	-20	Pass
NVNT	n40	2422	2332.287	-69.35	-20	Pass
NVNT	n40	2422	2331.287	-67.72	-20	Pass
NVNT	n40	2422	2330.287	-67.19	-20	Pass
NVNT	n40	2422	2329.287	-67.81	-20	Pass
NVNT	n40	2422	2328.287	-67.58	-20	Pass
NVNT	n40	2422	2328.074	-68.65	-20	Pass
NVNT	n40	2462	2484	-37.36	-10	Pass
NVNT	n40	2462	2485	-38	-10	Pass
NVNT	n40	2462	2486	-38.1	-10	Pass
NVNT	n40	2462	2487	-39.17	-10	Pass
NVNT	n40	2462	2488	-39.62	-10	Pass
NVNT	n40	2462	2489	-39.46	-10	Pass
NVNT	n40	2462	2490	-39.46	-10	Pass
NVNT	n40	2462	2491	-41.05	-10	Pass
NVNT	n40	2462	2492	-41.39	-10	Pass
NVNT	n40	2462	2493	-42.81	-10	Pass
NVNT	n40	2462	2494	-42.94	-10	Pass
NVNT	n40	2462	2495	-43.41	-10	Pass
NVNT	n40	2462	2496	-44.02	-10	Pass







NVNT	n40	2462	2497	-44.98	-10	Pass
NVNT	n40	2462	2498	-45.43	-10	Pass
NVNT	n40	2462	2499	-45.9	-10	Pass
NVNT	n40	2462	2500	-47.84	-10	Pass
NVNT	n40	2462	2501	-48.78	-10	Pass
NVNT	n40	2462	2502	-48.33	-10	Pass
NVNT	n40	2462	2503	-50.15	-10	Pass
NVNT	n40	2462	2504	-50.36	-10	Pass
NVNT	n40	2462	2505	-52.27	-10	Pass
NVNT	n40	2462	2506	-52.36	-10	Pass
NVNT	n40	2462	2507	-53.96	-10	Pass
NVNT	n40	2462	2508	-55	-10	Pass
NVNT	n40	2462	2509	-56.12	-10	Pass
NVNT	n40	2462	2510	-56.55	-10	Pass
NVNT	n40	2462	2511	-58.32	-10	Pass
NVNT	n40	2462	2512	-58.81	-10	Pass
NVNT	n40	2462	2513	-60.11	-10	Pass
NVNT	n40	2462	2514	-61.87	-10	Pass
NVNT	n40	2462	2515	-62.44	-10	Pass
NVNT	n40	2462	2516	-61.93	-10	Pass
NVNT	n40	2462	2517	-62.95	-10	Pass
NVNT	n40	2462	2518	-62.63	-10	Pass
NVNT	n40	2462	2519	-62.89	-10	Pass
NVNT	n40	2462	2519.232	-63.52	-10	Pass
NVNT	n40	2462	2520.232	-62.81	-20	Pass
NVNT	n40	2462	2521.232	-63.88	-20	Pass
NVNT	n40	2462	2522.232	-64.02	-20	Pass
NVNT	n40	2462	2523.232	-63.52	-20	Pass
NVNT	n40	2462	2524.232	-63.98	-20	Pass
NVNT	n40	2462	2525.232	-65.39	-20	Pass
NVNT	n40	2462	2526.232	-64.82	-20	Pass
NVNT	n40	2462	2527.232	-64.99	-20	Pass
NVNT	n40	2462	2528.232	-64.97	-20	Pass
NVNT	n40	2462	2529.232	-66.08	-20	Pass
NVNT	n40	2462	2530.232	-65.95	-20	Pass
NVNT	n40	2462	2531.232	-66.6	-20	Pass
NVNT	n40	2462	2532.232	-66.32	-20	Pass
NVNT	n40	2462	2533.232	-66.82	-20	Pass
NVNT	n40	2462	2534.232	-66.21	-20	Pass
NVNT	n40	2462	2535.232	-66.97	-20	Pass









NVNT	n40	2462	2536.232	-66.65	-20	Pass
NVNT	n40	2462	2537.232	-67.81	-20	Pass
NVNT	n40	2462	2538.232	-67.98	-20	Pass
NVNT	n40	2462	2539.232	-68.29	-20	Pass
NVNT	n40	2462	2540.232	-67.43	-20	Pass
NVNT	n40	2462	2541.232	-68.69	-20	Pass
NVNT	n40	2462	2542.232	-67.58	-20	Pass
NVNT	n40	2462	2543.232	-68.97	-20	Pass
NVNT	n40	2462	2544.232	-68.71	-20	Pass
NVNT	n40	2462	2545.232	-68.07	-20	Pass
NVNT	n40	2462	2546.232	-68.97	-20	Pass
NVNT	n40	2462	2547.232	-69.15	-20	Pass
NVNT	n40	2462	2548.232	-68.83	-20	Pass
NVNT	n40	2462	2549.232	-69.23	-20	Pass
NVNT	n40	2462	2550.232	-68.72	-20	Pass
NVNT	n40	2462	2551.232	-69.23	-20	Pass
NVNT	n40	2462	2552.232	-68.74	-20	Pass
NVNT	n40	2462	2553.232	-68.21	-20	Pass
NVNT	n40	2462	2554.232	-69.77	-20	Pass
NVNT	n40	2462	2555.232	-70.28	-20	Pass
NVNT	n40	2462	2555.464	-69.85	-20	Pass

Tx. Emissions OOB NVNT b 2412MHz






## Tx. Emissions OOB NVNT b 2472MHz




## Tx. Emissions OOB NVNT g 2412MHz






## Tx. Emissions OOB NVNT g 2472MHz




## Tx. Emissions OOB NVNT n20 2412MHz






## Tx. Emissions OOB NVNT n20 2472MHz




## Tx. Emissions OOB NVNT n40 2422MHz





## Tx. Emissions OOB NVNT n40 2462MHz







## G.6 Transmitter unwanted emissions in the spurious domain

Condition	Mode	Frequency (MHz)	Range	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
-----------	------	-----------------	-------	-----------------	------------------	-------------	---------

Tx. Spurious NVNT b 2412MHz




Tx. Spurious NVNT b 2442MHz








## Tx. Spurious NVNT b 2472MHz




## Tx. Spurious NVNT g 2412MHz






## Tx. Spurious NVNT g 2442MHz




## Tx. Spurious NVNT g 2472MHz






## Tx. Spurious NVNT n20 2412MHz




## Tx. Spurious NVNT n20 2442MHz






## Tx. Spurious NVNT n20 2472MHz



## Tx. Spurious NVNT n40 2422MHz








## Tx. Spurious NVNT n40 2442MHz

Frequency: 2442 MHz


## Transmitter unwanted emissions in the spurious domain



## Tx. Spurious NVNT n40 2462MHz

Frequency: 2462 MHz

## Transmitter unwanted emissions in the spurious domain







## G.7 Receiver spurious emissions

Condition	Mode	Frequency (MHz)	Range	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
-----------	------	-----------------	-------	-----------------	------------------	-------------	---------

Rx. Spurious NVNT b 2412MHz




Rx. Spurious NVNT b 2442MHz








## Rx. Spurious NVNT b 2472MHz




## Rx. Spurious NVNT g 2412MHz






## Rx. Spurious NVNT g 2442MHz




## Rx. Spurious NVNT g 2472MHz






## Rx. Spurious NVNT n20 2412MHz




## Rx. Spurious NVNT n20 2442MHz






## Rx. Spurious NVNT n20 2472MHz




## Rx. Spurious NVNT n40 2422MHz








## Rx. Spurious NVNT n40 2442MHz



## Rx. Spurious NVNT n40 2462MHz





## G.8 Receiver Blocking

Test Mode	Test Channel (MHz)	Wanted Signal Mean Power from Companion Device (dBm)	Blocking Signal Frequency (MHz)	Blocking Signal Power (dBm)		Type of Blocking Signal	PER(%)		Test Result
				Test Value	Limit		Test Value	Limit	
802.11b	2412	-68	2380	-27	≥-34	CW	1.59	10	Pass
			2504	-22	≥-34	CW	1.75	10	Pass
		-74	2300	-26	≥-34	CW	1.94	10	Pass
			2330	-25	≥-34	CW	1.57	10	Pass
			2360	-29	≥-34	CW	4.26	10	Pass
			2524	-25	≥-34	CW	2.64	10	Pass
			2584	-28	≥-34	CW	3.70	10	Pass
			2674	-20	≥-34	CW	2.54	10	Pass
	2472	-68	2380	-21	≥-34	CW	4.92	10	Pass
			2504	-21	≥-34	CW	2.15	10	Pass
		-74	2300	-30	≥-34	CW	3.04	10	Pass
			2330	-27	≥-34	CW	4.59	10	Pass
			2360	-23	≥-34	CW	4.74	10	Pass
			2524	-27	≥-34	CW	2.57	10	Pass
			2584	-23	≥-34	CW	2.99	10	Pass
			2674	-21	≥-34	CW	3.67	10	Pass

Test Mode	Test Channel (MHz)	Wanted Signal Mean Power from Companion Device (dBm)	Blocking Signal Frequency (MHz)	Blocking Signal Power (dBm)		Type of Blocking Signal	PER(%)		Test Result
				Test Value	Limit		Test Value	Limit	
802.11g	2412	-68	2380	-26	≥-34	CW	1.32	10	Pass
			2504	-22	≥-34	CW	3.88	10	Pass
		-74	2300	-26	≥-34	CW	1.70	10	Pass
			2330	-24	≥-34	CW	1.36	10	Pass
			2360	-30	≥-34	CW	1.42	10	Pass
			2524	-24	≥-34	CW	1.11	10	Pass
			2584	-28	≥-34	CW	4.24	10	Pass
			2674	-20	≥-34	CW	3.50	10	Pass
	2472	-68	2380	-20	≥-34	CW	2.80	10	Pass
			2504	-21	≥-34	CW	4.28	10	Pass
		-74	2300	-29	≥-34	CW	1.84	10	Pass
			2330	-26	≥-34	CW	3.85	10	Pass
			2360	-23	≥-34	CW	5.13	10	Pass
			2524	-29	≥-34	CW	4.16	10	Pass
			2584	-23	≥-34	CW	1.35	10	Pass
			2674	-20	≥-34	CW	1.99	10	Pass







Test Mode	Test Channel (MHz)	Wanted Signal Mean Power from Companion Device (dBm)	Blocking Signal Frequency (MHz)	Blocking Signal Power (dBm)		Type of Blocking Signal	PER(%)		Test Result
				Test Value	Limit		Test Value	Limit	
802.11n20	2412	-68	2380	-26	≥-34	CW	2.74	10	Pass
			2504	-22	≥-34	CW	2.95	10	Pass
		-74	2300	-26	≥-34	CW	1.11	10	Pass
			2330	-24	≥-34	CW	3.16	10	Pass
			2360	-30	≥-34	CW	2.00	10	Pass
			2524	-25	≥-34	CW	1.47	10	Pass
			2584	-28	≥-34	CW	1.57	10	Pass
			2674	-21	≥-34	CW	1.16	10	Pass
	2472	-68	2380	-20	≥-34	CW	3.33	10	Pass
			2504	-20	≥-34	CW	2.02	10	Pass
		-74	2300	-29	≥-34	CW	3.06	10	Pass
			2330	-28	≥-34	CW	2.48	10	Pass
			2360	-23	≥-34	CW	4.47	10	Pass
			2524	-28	≥-34	CW	1.82	10	Pass
			2584	-25	≥-34	CW	0.66	10	Pass
			2674	-20	≥-34	CW	0.83	10	Pass

Test Mode	Test Channel (MHz)	Wanted Signal Mean Power from Companion Device (dBm)	Blocking Signal Frequency (MHz)	Blocking Signal Power (dBm)		Type of Blocking Signal	PER(%)		Test Result
				Test Value	Limit		Test Value	Limit	
802.11n40	2422	-68	2380	-26	≥-34	CW	0.98	10	Pass
			2504	-22	≥-34	CW	1.82	10	Pass
		-74	2300	-27	≥-34	CW	1.57	10	Pass
			2330	-24	≥-34	CW	2.29	10	Pass
			2360	-30	≥-34	CW	2.60	10	Pass
			2524	-26	≥-34	CW	2.86	10	Pass
			2584	-27	≥-34	CW	3.89	10	Pass
			2674	-21	≥-34	CW	3.04	10	Pass
	2462	-68	2380	-21	≥-34	CW	3.87	10	Pass
			2504	-21	≥-34	CW	2.74	10	Pass
		-74	2300	-29	≥-34	CW	1.52	10	Pass
			2330	-26	≥-34	CW	4.91	10	Pass
			2360	-23	≥-34	CW	5.69	10	Pass
			2524	-27	≥-34	CW	2.52	10	Pass
			2584	-24	≥-34	CW	2.88	10	Pass
			2674	-20	≥-34	CW	2.24	10	Pass

