

**Clause 4.2.26 Frequency error and Modulation accuracy in EGPRS Configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	9.16	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.37	0	9	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	8.47	0	30	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.41	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	1.66	0	9	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	4.96	0	30	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	9.29	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.33	0	9	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	8.59	0	30	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.4	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	1.57	0	9	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	4.85	0	30	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	9.21	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.19	0	9	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	8.54	0	30	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.36	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	1.61	0	9	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	5.01	0	30	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	9.22	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.32	0	9	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	8.44	0	30	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.34	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	1.64	0	9	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	4.86	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	9.25	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.36	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	8.56	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.26	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	1.47	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	5	0	30	PASS

Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	9.3	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.28	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	8.52	0	30	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.32	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	1.52	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	5.01	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	9.19	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.26	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	8.55	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.3	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	1.65	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	4.82	0	30	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	Frequency Error (Hz)	18.55	-188	188	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	RMS EVM (%)	2.96	0	9	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	Peak EVM (%)	8.18	0	30	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	-4.13	-188	188	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	RMS EVM (%)	2.45	0	9	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	Peak EVM (%)	7.54	0	30	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	Frequency Error (Hz)	18.55	-188	188	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	RMS EVM (%)	3.02	0	9	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	Peak EVM (%)	8.31	0	30	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	-4.18	-188	188	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	RMS EVM (%)	2.28	0	9	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	Peak EVM (%)	7.49	0	30	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	Frequency Error (Hz)	18.62	-188	188	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	RMS EVM (%)	2.99	0	9	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	Peak EVM (%)	8.32	0	30	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	-4.18	-188	188	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	RMS EVM (%)	2.45	0	9	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	Peak EVM (%)	7.58	0	30	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	Frequency Error (Hz)	18.54	-188	188	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	RMS EVM (%)	3.07	0	9	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	Peak EVM (%)	8.35	0	30	PASS

LVLT	EGPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	-4.17	-188	188	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	RMS EVM (%)	2.44	0	9	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	Peak EVM (%)	7.65	0	30	PASS
Vibration-X	EGPRS1900	661	1880	5;5;5;5	Frequency Error (Hz)	18.54	-188	188	PASS
Vibration-X	EGPRS1900	661	1880	5;5;5;5	RMS EVM (%)	2.98	0	9	PASS
Vibration-X	EGPRS1900	661	1880	5;5;5;5	Peak EVM (%)	8.27	0	30	PASS
Vibration-X	EGPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	-4.09	-188	188	PASS
Vibration-X	EGPRS1900	661	1880	18;18;18;18	RMS EVM (%)	2.41	0	9	PASS
Vibration-X	EGPRS1900	661	1880	18;18;18;18	Peak EVM (%)	7.51	0	30	PASS
Vibration-Y	EGPRS1900	661	1880	5;5;5;5	Frequency Error (Hz)	18.55	-188	188	PASS
Vibration-Y	EGPRS1900	661	1880	5;5;5;5	RMS EVM (%)	3.06	0	9	PASS
Vibration-Y	EGPRS1900	661	1880	5;5;5;5	Peak EVM (%)	8.18	0	30	PASS
Vibration-Y	EGPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	-4.22	-188	188	PASS
Vibration-Y	EGPRS1900	661	1880	18;18;18;18	RMS EVM (%)	2.36	0	9	PASS
Vibration-Y	EGPRS1900	661	1880	18;18;18;18	Peak EVM (%)	7.54	0	30	PASS
Vibration-Z	EGPRS1900	661	1880	5;5;5;5	Frequency Error (Hz)	18.63	-188	188	PASS
Vibration-Z	EGPRS1900	661	1880	5;5;5;5	RMS EVM (%)	3.12	0	9	PASS
Vibration-Z	EGPRS1900	661	1880	5;5;5;5	Peak EVM (%)	8.19	0	30	PASS
Vibration-Z	EGPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	-4.08	-188	188	PASS
Vibration-Z	EGPRS1900	661	1880	18;18;18;18	RMS EVM (%)	2.33	0	9	PASS
Vibration-Z	EGPRS1900	661	1880	18;18;18;18	Peak EVM (%)	7.62	0	30	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	Frequency Error (Hz)	5.15	-83.66	83.66	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	RMS EVM (%)	1.68	0	9	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	Peak EVM (%)	4.15	0	30	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	9.54	-83.66	83.66	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	RMS EVM (%)	0.98	0	9	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	Peak EVM (%)	3.04	0	30	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	Frequency Error (Hz)	5.28	-83.66	83.66	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	RMS EVM (%)	1.65	0	9	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	Peak EVM (%)	4.18	0	30	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	9.54	-83.66	83.66	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	RMS EVM (%)	0.99	0	9	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	Peak EVM (%)	3.11	0	30	PASS

LVHT	EGPRS850	190	836.6	6;6;6;6	Frequency Error (Hz)	5.15	-83.66	83.66	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	RMS EVM (%)	1.64	0	9	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	Peak EVM (%)	4.09	0	30	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	9.56	-83.66	83.66	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	RMS EVM (%)	1.15	0	9	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	Peak EVM (%)	3.15	0	30	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	Frequency Error (Hz)	5.12	-83.66	83.66	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	RMS EVM (%)	1.55	0	9	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	Peak EVM (%)	4.14	0	30	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	9.44	-83.66	83.66	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	RMS EVM (%)	1.16	0	9	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	Peak EVM (%)	3.16	0	30	PASS
Vibration-X	EGPRS850	190	836.6	6;6;6;6	Frequency Error (Hz)	5.17	-83.66	83.66	PASS
Vibration-X	EGPRS850	190	836.6	6;6;6;6	RMS EVM (%)	1.54	0	9	PASS
Vibration-X	EGPRS850	190	836.6	6;6;6;6	Peak EVM (%)	4.02	0	30	PASS
Vibration-X	EGPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	9.5	-83.66	83.66	PASS
Vibration-X	EGPRS850	190	836.6	17;17;17;17	RMS EVM (%)	1.1	0	9	PASS
Vibration-X	EGPRS850	190	836.6	17;17;17;17	Peak EVM (%)	3.01	0	30	PASS
Vibration-Y	EGPRS850	190	836.6	6;6;6;6	Frequency Error (Hz)	5.28	-83.66	83.66	PASS
Vibration-Y	EGPRS850	190	836.6	6;6;6;6	RMS EVM (%)	1.61	0	9	PASS
Vibration-Y	EGPRS850	190	836.6	6;6;6;6	Peak EVM (%)	4.2	0	30	PASS
Vibration-Y	EGPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	9.49	-83.66	83.66	PASS
Vibration-Y	EGPRS850	190	836.6	17;17;17;17	RMS EVM (%)	1.09	0	9	PASS
Vibration-Y	EGPRS850	190	836.6	17;17;17;17	Peak EVM (%)	3.13	0	30	PASS
Vibration-Z	EGPRS850	190	836.6	6;6;6;6	Frequency Error (Hz)	5.21	-83.66	83.66	PASS
Vibration-Z	EGPRS850	190	836.6	6;6;6;6	RMS EVM (%)	1.57	0	9	PASS
Vibration-Z	EGPRS850	190	836.6	6;6;6;6	Peak EVM (%)	4.08	0	30	PASS
Vibration-Z	EGPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	9.55	-83.66	83.66	PASS
Vibration-Z	EGPRS850	190	836.6	17;17;17;17	RMS EVM (%)	1.1	0	9	PASS
Vibration-Z	EGPRS850	190	836.6	17;17;17;17	Peak EVM (%)	3.2	0	30	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-1.66	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.32	0	9	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	6.36	0	30	PASS

HVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	7.35	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.21	0	9	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.42	0	30	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-1.81	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.25	0	9	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	6.39	0	30	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	7.38	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.21	0	9	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.49	0	30	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-1.73	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.18	0	9	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	6.52	0	30	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	7.39	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.19	0	9	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.43	0	30	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-1.66	-89.76	89.76	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.29	0	9	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	6.51	0	30	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	7.35	-89.76	89.76	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.13	0	9	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.49	0	30	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-1.66	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.26	0	9	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	6.37	0	30	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	7.33	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.07	0	9	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.5	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-1.78	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.26	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	6.4	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	7.43	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.24	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.4	0	30	PASS

Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-1.74	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.15	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	6.52	0	30	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	7.35	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.26	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.42	0	30	PASS

#### Clause 4.2.27 Frequency error under multipath inEGPRS Configuration

Condition	Band	Type	Channel	Frequency (MHz)	Gamma	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	9.33	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	0.98	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	10.45	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	4.94	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	4.88	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	10.4	-174.74	174.74	PASS
HVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	13.64	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	14.33	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	3.86	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	9.84	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	3.9	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	14.66	-524.74	524.74	PASS
HVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	-5.77	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	6.06	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	1.38	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	15.13	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-1.49	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-0.61	-434.74	434.74	PASS
HVHT	EGPRS1800	TU3	698	1747.4	5;5;5;5	-2.17	-174.74	174.74	PASS

		@Connect							
HVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	8.71	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	6.34	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	5.45	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	5.1	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	0.25	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	0.12	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-0.16	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-1.95	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-2.18	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-6.38	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-6.27	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-10.12	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-1.03	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-3.22	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	8.35	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-5.76	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-8.71	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-8.85	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-10.31	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-2.65	-174.74	174.74	PASS
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	9.36	-174.74	174.74	PASS
		@Connect							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	0.8	-174.74	174.74	PASS
		@Sens1							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	10.47	-174.74	174.74	PASS
		@Sens2							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	4.96	-174.74	174.74	PASS
		@Sens3							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	4.95	-174.74	174.74	PASS
		@Sens4							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	10.39	-174.74	174.74	PASS
		@Sens5							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	13.69	-524.74	524.74	PASS
		@Connect							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	14.18	-524.74	524.74	PASS
		@Sens1							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	3.9	-524.74	524.74	PASS
		@Sens2							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	9.93	-524.74	524.74	PASS
		@Sens3							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	4	-524.74	524.74	PASS
		@Sens4							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	14.71	-524.74	524.74	PASS

		@Sens5							
HVLT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	-5.71	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	6.17	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	1.21	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	15.07	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-1.43	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-0.57	-434.74	434.74	PASS
HVLT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	-2.09	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	8.81	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	6.18	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	5.43	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	5.09	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	0.39	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	0.17	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-0.18	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-1.98	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-2.1	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-6.4	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-6.24	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-10.04	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-0.97	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-3.16	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	8.34	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-5.71	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-8.7	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-8.87	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-10.32	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-2.64	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	9.42	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	0.92	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	10.35	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	5.06	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	5	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	10.37	-174.74	174.74	PASS
LVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	13.64	-524.74	524.74	PASS

LVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	14.22	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	3.94	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	9.84	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	3.84	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	14.84	-524.74	524.74	PASS
LVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	-5.74	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	6.06	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	1.34	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	15.19	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-1.5	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-0.55	-434.74	434.74	PASS
LVHT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	-2.01	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	8.84	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	6.19	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	5.43	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	5.17	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	0.39	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	0.18	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-0.17	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-1.97	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-2.14	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-6.29	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-6.25	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-10.1	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-1.11	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-3.31	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	8.33	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-5.65	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-8.84	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-8.8	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-10.25	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-2.61	-174.74	174.74	PASS
LVLT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	9.34	-174.74	174.74	PASS
LVLT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	0.83	-174.74	174.74	PASS
LVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	10.45	-174.74	174.74	PASS

		@Sens2							
LVL	EGPRS1800	RA250	698	1747.4	5;5;5;5	5.06	-174.74	174.74	PASS
		@Sens3							
LVL	EGPRS1800	RA250	698	1747.4	5;5;5;5	4.87	-174.74	174.74	PASS
		@Sens4							
LVL	EGPRS1800	RA250	698	1747.4	5;5;5;5	10.44	-174.74	174.74	PASS
		@Sens5							
LVL	EGPRS1800	HT100	698	1747.4	5;5;5;5	13.7	-524.74	524.74	PASS
		@Connect							
LVL	EGPRS1800	HT100	698	1747.4	5;5;5;5	14.25	-524.74	524.74	PASS
		@Sens1							
LVL	EGPRS1800	HT100	698	1747.4	5;5;5;5	3.93	-524.74	524.74	PASS
		@Sens2							
LVL	EGPRS1800	HT100	698	1747.4	5;5;5;5	9.87	-524.74	524.74	PASS
		@Sens3							
LVL	EGPRS1800	HT100	698	1747.4	5;5;5;5	3.98	-524.74	524.74	PASS
		@Sens4							
LVL	EGPRS1800	HT100	698	1747.4	5;5;5;5	14.83	-524.74	524.74	PASS
		@Sens5							
LVL	EGPRS1800	TU50	698	1747.4	5;5;5;5	-5.63	-434.74	434.74	PASS
		@Connect							
LVL	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	6.05	-434.74	434.74	PASS
LVL	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	1.36	-434.74	434.74	PASS
LVL	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	15.23	-434.74	434.74	PASS
LVL	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-1.59	-434.74	434.74	PASS
LVL	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-0.61	-434.74	434.74	PASS
LVL	EGPRS1800	TU3	698	1747.4	5;5;5;5	-2.09	-174.74	174.74	PASS
		@Connect							
LVL	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	8.81	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	6.33	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	5.41	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	5.05	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	0.41	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	0.15	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-0.3	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-2.11	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-2.16	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-6.27	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-6.26	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-10.09	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-0.98	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-3.29	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	8.34	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-5.66	-174.74	174.74	PASS

LVLT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-8.76	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-8.82	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-10.19	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-2.65	-174.74	174.74	PASS
HVHT	EGPRS1900	RA250 @Connect	661	1880	5;5;5;5	3.06	-188	188	PASS
HVHT	EGPRS1900	RA250 @Sens1	661	1880	5;5;5;5	1.42	-188	188	PASS
HVHT	EGPRS1900	RA250 @Sens2	661	1880	5;5;5;5	-6.93	-188	188	PASS
HVHT	EGPRS1900	RA250 @Sens3	661	1880	5;5;5;5	19.07	-188	188	PASS
HVHT	EGPRS1900	RA250 @Sens4	661	1880	5;5;5;5	10.26	-188	188	PASS
HVHT	EGPRS1900	RA250 @Sens5	661	1880	5;5;5;5	6.56	-188	188	PASS
HVHT	EGPRS1900	HT100 @Connect	661	1880	5;5;5;5	10.15	-538	538	PASS
HVHT	EGPRS1900	HT100 @Sens1	661	1880	5;5;5;5	-5.18	-538	538	PASS
HVHT	EGPRS1900	HT100 @Sens2	661	1880	5;5;5;5	8.16	-538	538	PASS
HVHT	EGPRS1900	HT100 @Sens3	661	1880	5;5;5;5	-2.68	-538	538	PASS
HVHT	EGPRS1900	HT100 @Sens4	661	1880	5;5;5;5	1.52	-538	538	PASS
HVHT	EGPRS1900	HT100 @Sens5	661	1880	5;5;5;5	3.27	-538	538	PASS
HVHT	EGPRS1900	TU50 @Connect	661	1880	5;5;5;5	14.39	-448	448	PASS
HVHT	EGPRS1900	TU50 @Sens1	661	1880	5;5;5;5	-2.94	-448	448	PASS
HVHT	EGPRS1900	TU50 @Sens2	661	1880	5;5;5;5	-1.59	-448	448	PASS
HVHT	EGPRS1900	TU50 @Sens3	661	1880	5;5;5;5	0.31	-448	448	PASS
HVHT	EGPRS1900	TU50 @Sens4	661	1880	5;5;5;5	-4.69	-448	448	PASS
HVHT	EGPRS1900	TU50 @Sens5	661	1880	5;5;5;5	-4.98	-448	448	PASS
HVHT	EGPRS1900	TU3 @Connect	661	1880	5;5;5;5	-11.29	-188	188	PASS
HVHT	EGPRS1900	TU3 @1	661	1880	5;5;5;5	14.05	-188	188	PASS
HVHT	EGPRS1900	TU3 @2	661	1880	5;5;5;5	12.87	-188	188	PASS
HVHT	EGPRS1900	TU3 @3	661	1880	5;5;5;5	-23.06	-188	188	PASS
HVHT	EGPRS1900	TU3 @4	661	1880	5;5;5;5	0.76	-188	188	PASS
HVHT	EGPRS1900	TU3 @5	661	1880	5;5;5;5	14.68	-188	188	PASS
HVHT	EGPRS1900	TU3 @6	661	1880	5;5;5;5	-0.18	-188	188	PASS
HVHT	EGPRS1900	TU3 @7	661	1880	5;5;5;5	13.65	-188	188	PASS

HVHT	EGPRS1900	TU3 @8	661	1880	5;5;5;5	-1.74	-188	188	PASS
HVHT	EGPRS1900	TU3 @9	661	1880	5;5;5;5	2.25	-188	188	PASS
HVHT	EGPRS1900	TU3 @10	661	1880	5;5;5;5	7.2	-188	188	PASS
HVHT	EGPRS1900	TU3 @11	661	1880	5;5;5;5	1.96	-188	188	PASS
HVHT	EGPRS1900	TU3 @12	661	1880	5;5;5;5	15.6	-188	188	PASS
HVHT	EGPRS1900	TU3 @13	661	1880	5;5;5;5	13.51	-188	188	PASS
HVHT	EGPRS1900	TU3 @14	661	1880	5;5;5;5	7.45	-188	188	PASS
HVHT	EGPRS1900	TU3 @15	661	1880	5;5;5;5	16.39	-188	188	PASS
HVHT	EGPRS1900	TU3 @16	661	1880	5;5;5;5	-2.51	-188	188	PASS
HVHT	EGPRS1900	TU3 @17	661	1880	5;5;5;5	15.15	-188	188	PASS
HVHT	EGPRS1900	TU3 @18	661	1880	5;5;5;5	7.31	-188	188	PASS
HVHT	EGPRS1900	TU3 @19	661	1880	5;5;5;5	5.32	-188	188	PASS
HVHT	EGPRS1900	TU3 @20	661	1880	5;5;5;5	7.94	-188	188	PASS
HVLT	EGPRS1900	RA250 @Connect	661	1880	5;5;5;5	2.87	-188	188	PASS
HVLT	EGPRS1900	RA250 @Sens1	661	1880	5;5;5;5	1.32	-188	188	PASS
HVLT	EGPRS1900	RA250 @Sens2	661	1880	5;5;5;5	-6.92	-188	188	PASS
HVLT	EGPRS1900	RA250 @Sens3	661	1880	5;5;5;5	19.06	-188	188	PASS
HVLT	EGPRS1900	RA250 @Sens4	661	1880	5;5;5;5	10.35	-188	188	PASS
HVLT	EGPRS1900	RA250 @Sens5	661	1880	5;5;5;5	6.56	-188	188	PASS
HVLT	EGPRS1900	HT100 @Connect	661	1880	5;5;5;5	10.2	-538	538	PASS
HVLT	EGPRS1900	HT100 @Sens1	661	1880	5;5;5;5	-5.26	-538	538	PASS
HVLT	EGPRS1900	HT100 @Sens2	661	1880	5;5;5;5	8.13	-538	538	PASS
HVLT	EGPRS1900	HT100 @Sens3	661	1880	5;5;5;5	-2.65	-538	538	PASS
HVLT	EGPRS1900	HT100 @Sens4	661	1880	5;5;5;5	1.43	-538	538	PASS
HVLT	EGPRS1900	HT100 @Sens5	661	1880	5;5;5;5	3.13	-538	538	PASS
HVLT	EGPRS1900	TU50 @Connect	661	1880	5;5;5;5	14.43	-448	448	PASS
HVLT	EGPRS1900	TU50 @Sens1	661	1880	5;5;5;5	-2.93	-448	448	PASS
HVLT	EGPRS1900	TU50 @Sens2	661	1880	5;5;5;5	-1.68	-448	448	PASS
HVLT	EGPRS1900	TU50 @Sens3	661	1880	5;5;5;5	0.23	-448	448	PASS
HVLT	EGPRS1900	TU50 @Sens4	661	1880	5;5;5;5	-4.67	-448	448	PASS
HVLT	EGPRS1900	TU50 @Sens5	661	1880	5;5;5;5	-4.94	-448	448	PASS

HVLT	EGPRS1900	TU3 @Connect	661	1880	5;5;5;5	-11.21	-188	188	PASS
HVLT	EGPRS1900	TU3 @1	661	1880	5;5;5;5	14.19	-188	188	PASS
HVLT	EGPRS1900	TU3 @2	661	1880	5;5;5;5	12.98	-188	188	PASS
HVLT	EGPRS1900	TU3 @3	661	1880	5;5;5;5	-23.1	-188	188	PASS
HVLT	EGPRS1900	TU3 @4	661	1880	5;5;5;5	0.74	-188	188	PASS
HVLT	EGPRS1900	TU3 @5	661	1880	5;5;5;5	14.86	-188	188	PASS
HVLT	EGPRS1900	TU3 @6	661	1880	5;5;5;5	-0.09	-188	188	PASS
HVLT	EGPRS1900	TU3 @7	661	1880	5;5;5;5	13.54	-188	188	PASS
HVLT	EGPRS1900	TU3 @8	661	1880	5;5;5;5	-1.84	-188	188	PASS
HVLT	EGPRS1900	TU3 @9	661	1880	5;5;5;5	2.25	-188	188	PASS
HVLT	EGPRS1900	TU3 @10	661	1880	5;5;5;5	7.14	-188	188	PASS
HVLT	EGPRS1900	TU3 @11	661	1880	5;5;5;5	1.92	-188	188	PASS
HVLT	EGPRS1900	TU3 @12	661	1880	5;5;5;5	15.63	-188	188	PASS
HVLT	EGPRS1900	TU3 @13	661	1880	5;5;5;5	13.47	-188	188	PASS
HVLT	EGPRS1900	TU3 @14	661	1880	5;5;5;5	7.36	-188	188	PASS
HVLT	EGPRS1900	TU3 @15	661	1880	5;5;5;5	16.48	-188	188	PASS
HVLT	EGPRS1900	TU3 @16	661	1880	5;5;5;5	-2.48	-188	188	PASS
HVLT	EGPRS1900	TU3 @17	661	1880	5;5;5;5	15.33	-188	188	PASS
HVLT	EGPRS1900	TU3 @18	661	1880	5;5;5;5	7.35	-188	188	PASS
HVLT	EGPRS1900	TU3 @19	661	1880	5;5;5;5	5.31	-188	188	PASS
HVLT	EGPRS1900	TU3 @20	661	1880	5;5;5;5	7.95	-188	188	PASS
LVHT	EGPRS1900	RA250 @Connect	661	1880	5;5;5;5	2.87	-188	188	PASS
LVHT	EGPRS1900	RA250 @Sens1	661	1880	5;5;5;5	1.26	-188	188	PASS
LVHT	EGPRS1900	RA250 @Sens2	661	1880	5;5;5;5	-6.87	-188	188	PASS
LVHT	EGPRS1900	RA250 @Sens3	661	1880	5;5;5;5	19.07	-188	188	PASS
LVHT	EGPRS1900	RA250 @Sens4	661	1880	5;5;5;5	10.31	-188	188	PASS
LVHT	EGPRS1900	RA250 @Sens5	661	1880	5;5;5;5	6.52	-188	188	PASS
LVHT	EGPRS1900	HT100 @Connect	661	1880	5;5;5;5	10.14	-538	538	PASS
LVHT	EGPRS1900	HT100 @Sens1	661	1880	5;5;5;5	-5.19	-538	538	PASS
LVHT	EGPRS1900	HT100 @Sens2	661	1880	5;5;5;5	8.17	-538	538	PASS
LVHT	EGPRS1900	HT100 @Sens3	661	1880	5;5;5;5	-2.77	-538	538	PASS
LVHT	EGPRS1900	HT100 @Sens4	661	1880	5;5;5;5	1.4	-538	538	PASS

LVHT	EGPRS1900	HT100 @Sens5	661	1880	5;5;5;5	3.11	-538	538	PASS
LVHT	EGPRS1900	TU50 @Connect	661	1880	5;5;5;5	14.47	-448	448	PASS
LVHT	EGPRS1900	TU50 @Sens1	661	1880	5;5;5;5	-3.01	-448	448	PASS
LVHT	EGPRS1900	TU50 @Sens2	661	1880	5;5;5;5	-1.67	-448	448	PASS
LVHT	EGPRS1900	TU50 @Sens3	661	1880	5;5;5;5	0.31	-448	448	PASS
LVHT	EGPRS1900	TU50 @Sens4	661	1880	5;5;5;5	-4.8	-448	448	PASS
LVHT	EGPRS1900	TU50 @Sens5	661	1880	5;5;5;5	-4.92	-448	448	PASS
LVHT	EGPRS1900	TU3 @Connect	661	1880	5;5;5;5	-11.17	-188	188	PASS
LVHT	EGPRS1900	TU3 @1	661	1880	5;5;5;5	14.07	-188	188	PASS
LVHT	EGPRS1900	TU3 @2	661	1880	5;5;5;5	13.03	-188	188	PASS
LVHT	EGPRS1900	TU3 @3	661	1880	5;5;5;5	-23.11	-188	188	PASS
LVHT	EGPRS1900	TU3 @4	661	1880	5;5;5;5	0.84	-188	188	PASS
LVHT	EGPRS1900	TU3 @5	661	1880	5;5;5;5	14.82	-188	188	PASS
LVHT	EGPRS1900	TU3 @6	661	1880	5;5;5;5	-0.22	-188	188	PASS
LVHT	EGPRS1900	TU3 @7	661	1880	5;5;5;5	13.59	-188	188	PASS
LVHT	EGPRS1900	TU3 @8	661	1880	5;5;5;5	-1.85	-188	188	PASS
LVHT	EGPRS1900	TU3 @9	661	1880	5;5;5;5	2.42	-188	188	PASS
LVHT	EGPRS1900	TU3 @10	661	1880	5;5;5;5	7.03	-188	188	PASS
LVHT	EGPRS1900	TU3 @11	661	1880	5;5;5;5	1.87	-188	188	PASS
LVHT	EGPRS1900	TU3 @12	661	1880	5;5;5;5	15.61	-188	188	PASS
LVHT	EGPRS1900	TU3 @13	661	1880	5;5;5;5	13.54	-188	188	PASS
LVHT	EGPRS1900	TU3 @14	661	1880	5;5;5;5	7.33	-188	188	PASS
LVHT	EGPRS1900	TU3 @15	661	1880	5;5;5;5	16.39	-188	188	PASS
LVHT	EGPRS1900	TU3 @16	661	1880	5;5;5;5	-2.51	-188	188	PASS
LVHT	EGPRS1900	TU3 @17	661	1880	5;5;5;5	15.31	-188	188	PASS
LVHT	EGPRS1900	TU3 @18	661	1880	5;5;5;5	7.26	-188	188	PASS
LVHT	EGPRS1900	TU3 @19	661	1880	5;5;5;5	5.46	-188	188	PASS
LVHT	EGPRS1900	TU3 @20	661	1880	5;5;5;5	8.08	-188	188	PASS
LVLT	EGPRS1900	RA250 @Connect	661	1880	5;5;5;5	2.91	-188	188	PASS
LVLT	EGPRS1900	RA250 @Sens1	661	1880	5;5;5;5	1.37	-188	188	PASS
LVLT	EGPRS1900	RA250 @Sens2	661	1880	5;5;5;5	-6.87	-188	188	PASS
LVLT	EGPRS1900	RA250 @Sens3	661	1880	5;5;5;5	19.2	-188	188	PASS
LVLT	EGPRS1900	RA250 @Sens4	661	1880	5;5;5;5	10.24	-188	188	PASS
LVLT	EGPRS1900	RA250 @Sens5	661	1880	5;5;5;5	6.54	-188	188	PASS
LVLT	EGPRS1900	HT100	661	1880	5;5;5;5	10.2	-538	538	PASS

		@Connect							
LVLT	EGPRS1900	HT100	661	1880	5;5;5;5	-5.26	-538	538	PASS
		@Sens1							
LVLT	EGPRS1900	HT100	661	1880	5;5;5;5	8.27	-538	538	PASS
		@Sens2							
LVLT	EGPRS1900	HT100	661	1880	5;5;5;5	-2.75	-538	538	PASS
		@Sens3							
LVLT	EGPRS1900	HT100	661	1880	5;5;5;5	1.48	-538	538	PASS
		@Sens4							
LVLT	EGPRS1900	HT100	661	1880	5;5;5;5	3.11	-538	538	PASS
		@Sens5							
LVLT	EGPRS1900	TU50	661	1880	5;5;5;5	14.36	-448	448	PASS
		@Connect							
LVLT	EGPRS1900	TU50 @Sens1	661	1880	5;5;5;5	-2.94	-448	448	PASS
LVLT	EGPRS1900	TU50 @Sens2	661	1880	5;5;5;5	-1.63	-448	448	PASS
LVLT	EGPRS1900	TU50 @Sens3	661	1880	5;5;5;5	0.22	-448	448	PASS
LVLT	EGPRS1900	TU50 @Sens4	661	1880	5;5;5;5	-4.63	-448	448	PASS
LVLT	EGPRS1900	TU50 @Sens5	661	1880	5;5;5;5	-4.84	-448	448	PASS
LVLT	EGPRS1900	TU3	661	1880	5;5;5;5	-11.19	-188	188	PASS
		@Connect							
LVLT	EGPRS1900	TU3 @1	661	1880	5;5;5;5	14.19	-188	188	PASS
LVLT	EGPRS1900	TU3 @2	661	1880	5;5;5;5	13	-188	188	PASS
LVLT	EGPRS1900	TU3 @3	661	1880	5;5;5;5	-23.15	-188	188	PASS
LVLT	EGPRS1900	TU3 @4	661	1880	5;5;5;5	0.72	-188	188	PASS
LVLT	EGPRS1900	TU3 @5	661	1880	5;5;5;5	14.78	-188	188	PASS
LVLT	EGPRS1900	TU3 @6	661	1880	5;5;5;5	-0.17	-188	188	PASS
LVLT	EGPRS1900	TU3 @7	661	1880	5;5;5;5	13.47	-188	188	PASS
LVLT	EGPRS1900	TU3 @8	661	1880	5;5;5;5	-1.81	-188	188	PASS
LVLT	EGPRS1900	TU3 @9	661	1880	5;5;5;5	2.38	-188	188	PASS
LVLT	EGPRS1900	TU3 @10	661	1880	5;5;5;5	7.19	-188	188	PASS
LVLT	EGPRS1900	TU3 @11	661	1880	5;5;5;5	1.89	-188	188	PASS
LVLT	EGPRS1900	TU3 @12	661	1880	5;5;5;5	15.58	-188	188	PASS
LVLT	EGPRS1900	TU3 @13	661	1880	5;5;5;5	13.42	-188	188	PASS
LVLT	EGPRS1900	TU3 @14	661	1880	5;5;5;5	7.37	-188	188	PASS
LVLT	EGPRS1900	TU3 @15	661	1880	5;5;5;5	16.38	-188	188	PASS
LVLT	EGPRS1900	TU3 @16	661	1880	5;5;5;5	-2.59	-188	188	PASS
LVLT	EGPRS1900	TU3 @17	661	1880	5;5;5;5	15.17	-188	188	PASS
LVLT	EGPRS1900	TU3 @18	661	1880	5;5;5;5	7.31	-188	188	PASS
LVLT	EGPRS1900	TU3 @19	661	1880	5;5;5;5	5.46	-188	188	PASS
LVLT	EGPRS1900	TU3 @20	661	1880	5;5;5;5	8.05	-188	188	PASS
HVHT	EGPRS850	RA250	190	836.6	6;6;6;6	5.3	-383.66	383.66	PASS
		@Connect							
HVHT	EGPRS850	RA250	190	836.6	6;6;6;6	10.31	-383.66	383.66	PASS
		@Sens1							

HVHT	EGPRS850	RA250 @Sens2	190	836.6	6;6;6;6	7.87	-383.66	383.66	PASS
HVHT	EGPRS850	RA250 @Sens3	190	836.6	6;6;6;6	7.33	-383.66	383.66	PASS
HVHT	EGPRS850	RA250 @Sens4	190	836.6	6;6;6;6	11.96	-383.66	383.66	PASS
HVHT	EGPRS850	RA250 @Sens5	190	836.6	6;6;6;6	3.71	-383.66	383.66	PASS
HVHT	EGPRS850	HT100 @Connect	190	836.6	6;6;6;6	5.5	-263.66	263.66	PASS
HVHT	EGPRS850	HT100 @Sens1	190	836.6	6;6;6;6	6.62	-263.66	263.66	PASS
HVHT	EGPRS850	HT100 @Sens2	190	836.6	6;6;6;6	1.06	-263.66	263.66	PASS
HVHT	EGPRS850	HT100 @Sens3	190	836.6	6;6;6;6	-2.27	-263.66	263.66	PASS
HVHT	EGPRS850	HT100 @Sens4	190	836.6	6;6;6;6	2.6	-263.66	263.66	PASS
HVHT	EGPRS850	HT100 @Sens5	190	836.6	6;6;6;6	3.96	-263.66	263.66	PASS
HVHT	EGPRS850	TU50 @Connect	190	836.6	6;6;6;6	4.44	-243.66	243.66	PASS
HVHT	EGPRS850	TU50 @Sens1	190	836.6	6;6;6;6	6.51	-243.66	243.66	PASS
HVHT	EGPRS850	TU50 @Sens2	190	836.6	6;6;6;6	4.14	-243.66	243.66	PASS
HVHT	EGPRS850	TU50 @Sens3	190	836.6	6;6;6;6	-0.05	-243.66	243.66	PASS
HVHT	EGPRS850	TU50 @Sens4	190	836.6	6;6;6;6	10.29	-243.66	243.66	PASS
HVHT	EGPRS850	TU50 @Sens5	190	836.6	6;6;6;6	2.06	-243.66	243.66	PASS
HVHT	EGPRS850	TU3 @Connect	190	836.6	6;6;6;6	9.74	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @1	190	836.6	6;6;6;6	10.27	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @2	190	836.6	6;6;6;6	5.42	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @3	190	836.6	6;6;6;6	11.71	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @4	190	836.6	6;6;6;6	7.02	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @5	190	836.6	6;6;6;6	8.83	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @6	190	836.6	6;6;6;6	6.51	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @7	190	836.6	6;6;6;6	5.45	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @8	190	836.6	6;6;6;6	7.46	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @9	190	836.6	6;6;6;6	7.65	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @10	190	836.6	6;6;6;6	3.82	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @11	190	836.6	6;6;6;6	2.31	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @12	190	836.6	6;6;6;6	4.06	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @13	190	836.6	6;6;6;6	8.62	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @14	190	836.6	6;6;6;6	9.93	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @15	190	836.6	6;6;6;6	10.44	-313.66	313.66	PASS

HVHT	EGPRS850	TU3 @16	190	836.6	6;6;6;6	5.28	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @17	190	836.6	6;6;6;6	6.55	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @18	190	836.6	6;6;6;6	9.5	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @19	190	836.6	6;6;6;6	4.98	-313.66	313.66	PASS
HVHT	EGPRS850	TU3 @20	190	836.6	6;6;6;6	6.14	-313.66	313.66	PASS
HVLT	EGPRS850	RA250 @Connect	190	836.6	6;6;6;6	5.34	-383.66	383.66	PASS
HVLT	EGPRS850	RA250 @Sens1	190	836.6	6;6;6;6	10.26	-383.66	383.66	PASS
HVLT	EGPRS850	RA250 @Sens2	190	836.6	6;6;6;6	8.02	-383.66	383.66	PASS
HVLT	EGPRS850	RA250 @Sens3	190	836.6	6;6;6;6	7.28	-383.66	383.66	PASS
HVLT	EGPRS850	RA250 @Sens4	190	836.6	6;6;6;6	11.87	-383.66	383.66	PASS
HVLT	EGPRS850	RA250 @Sens5	190	836.6	6;6;6;6	3.73	-383.66	383.66	PASS
HVLT	EGPRS850	HT100 @Connect	190	836.6	6;6;6;6	5.6	-263.66	263.66	PASS
HVLT	EGPRS850	HT100 @Sens1	190	836.6	6;6;6;6	6.62	-263.66	263.66	PASS
HVLT	EGPRS850	HT100 @Sens2	190	836.6	6;6;6;6	1.16	-263.66	263.66	PASS
HVLT	EGPRS850	HT100 @Sens3	190	836.6	6;6;6;6	-2.27	-263.66	263.66	PASS
HVLT	EGPRS850	HT100 @Sens4	190	836.6	6;6;6;6	2.73	-263.66	263.66	PASS
HVLT	EGPRS850	HT100 @Sens5	190	836.6	6;6;6;6	3.79	-263.66	263.66	PASS
HVLT	EGPRS850	TU50 @Connect	190	836.6	6;6;6;6	4.46	-243.66	243.66	PASS
HVLT	EGPRS850	TU50 @Sens1	190	836.6	6;6;6;6	6.49	-243.66	243.66	PASS
HVLT	EGPRS850	TU50 @Sens2	190	836.6	6;6;6;6	4.07	-243.66	243.66	PASS
HVLT	EGPRS850	TU50 @Sens3	190	836.6	6;6;6;6	-0.03	-243.66	243.66	PASS
HVLT	EGPRS850	TU50 @Sens4	190	836.6	6;6;6;6	10.24	-243.66	243.66	PASS
HVLT	EGPRS850	TU50 @Sens5	190	836.6	6;6;6;6	2.07	-243.66	243.66	PASS
HVLT	EGPRS850	TU3 @Connect	190	836.6	6;6;6;6	9.71	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @1	190	836.6	6;6;6;6	10.22	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @2	190	836.6	6;6;6;6	5.4	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @3	190	836.6	6;6;6;6	11.81	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @4	190	836.6	6;6;6;6	6.93	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @5	190	836.6	6;6;6;6	8.87	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @6	190	836.6	6;6;6;6	6.56	-313.66	313.66	PASS

HVLT	EGPRS850	TU3 @7	190	836.6	6;6;6;6	5.48	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @8	190	836.6	6;6;6;6	7.5	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @9	190	836.6	6;6;6;6	7.71	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @10	190	836.6	6;6;6;6	3.86	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @11	190	836.6	6;6;6;6	2.32	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @12	190	836.6	6;6;6;6	4.1	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @13	190	836.6	6;6;6;6	8.59	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @14	190	836.6	6;6;6;6	9.99	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @15	190	836.6	6;6;6;6	10.29	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @16	190	836.6	6;6;6;6	5.2	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @17	190	836.6	6;6;6;6	6.47	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @18	190	836.6	6;6;6;6	9.65	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @19	190	836.6	6;6;6;6	5.14	-313.66	313.66	PASS
HVLT	EGPRS850	TU3 @20	190	836.6	6;6;6;6	6.06	-313.66	313.66	PASS
LVHT	EGPRS850	RA250 @Connect	190	836.6	6;6;6;6	5.39	-383.66	383.66	PASS
LVHT	EGPRS850	RA250 @Sens1	190	836.6	6;6;6;6	10.3	-383.66	383.66	PASS
LVHT	EGPRS850	RA250 @Sens2	190	836.6	6;6;6;6	8	-383.66	383.66	PASS
LVHT	EGPRS850	RA250 @Sens3	190	836.6	6;6;6;6	7.19	-383.66	383.66	PASS
LVHT	EGPRS850	RA250 @Sens4	190	836.6	6;6;6;6	11.9	-383.66	383.66	PASS
LVHT	EGPRS850	RA250 @Sens5	190	836.6	6;6;6;6	3.59	-383.66	383.66	PASS
LVHT	EGPRS850	HT100 @Connect	190	836.6	6;6;6;6	5.5	-263.66	263.66	PASS
LVHT	EGPRS850	HT100 @Sens1	190	836.6	6;6;6;6	6.63	-263.66	263.66	PASS
LVHT	EGPRS850	HT100 @Sens2	190	836.6	6;6;6;6	1.22	-263.66	263.66	PASS
LVHT	EGPRS850	HT100 @Sens3	190	836.6	6;6;6;6	-2.15	-263.66	263.66	PASS
LVHT	EGPRS850	HT100 @Sens4	190	836.6	6;6;6;6	2.58	-263.66	263.66	PASS
LVHT	EGPRS850	HT100 @Sens5	190	836.6	6;6;6;6	3.88	-263.66	263.66	PASS
LVHT	EGPRS850	TU50 @Connect	190	836.6	6;6;6;6	4.41	-243.66	243.66	PASS
LVHT	EGPRS850	TU50 @Sens1	190	836.6	6;6;6;6	6.46	-243.66	243.66	PASS
LVHT	EGPRS850	TU50 @Sens2	190	836.6	6;6;6;6	3.98	-243.66	243.66	PASS
LVHT	EGPRS850	TU50 @Sens3	190	836.6	6;6;6;6	-0.14	-243.66	243.66	PASS
LVHT	EGPRS850	TU50 @Sens4	190	836.6	6;6;6;6	10.23	-243.66	243.66	PASS

LVHT	EGPRS850	TU50 @Sens5	190	836.6	6;6;6;6	2.17	-243.66	243.66	PASS
LVHT	EGPRS850	TU3 @Connect	190	836.6	6;6;6;6	9.68	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @1	190	836.6	6;6;6;6	10.28	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @2	190	836.6	6;6;6;6	5.51	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @3	190	836.6	6;6;6;6	11.71	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @4	190	836.6	6;6;6;6	6.96	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @5	190	836.6	6;6;6;6	8.88	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @6	190	836.6	6;6;6;6	6.53	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @7	190	836.6	6;6;6;6	5.33	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @8	190	836.6	6;6;6;6	7.47	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @9	190	836.6	6;6;6;6	7.71	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @10	190	836.6	6;6;6;6	3.83	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @11	190	836.6	6;6;6;6	2.33	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @12	190	836.6	6;6;6;6	4.19	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @13	190	836.6	6;6;6;6	8.59	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @14	190	836.6	6;6;6;6	10.02	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @15	190	836.6	6;6;6;6	10.4	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @16	190	836.6	6;6;6;6	5.16	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @17	190	836.6	6;6;6;6	6.53	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @18	190	836.6	6;6;6;6	9.58	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @19	190	836.6	6;6;6;6	5.08	-313.66	313.66	PASS
LVHT	EGPRS850	TU3 @20	190	836.6	6;6;6;6	6.1	-313.66	313.66	PASS
LVLT	EGPRS850	RA250 @Connect	190	836.6	6;6;6;6	5.43	-383.66	383.66	PASS
LVLT	EGPRS850	RA250 @Sens1	190	836.6	6;6;6;6	10.27	-383.66	383.66	PASS
LVLT	EGPRS850	RA250 @Sens2	190	836.6	6;6;6;6	7.87	-383.66	383.66	PASS
LVLT	EGPRS850	RA250 @Sens3	190	836.6	6;6;6;6	7.3	-383.66	383.66	PASS
LVLT	EGPRS850	RA250 @Sens4	190	836.6	6;6;6;6	11.97	-383.66	383.66	PASS
LVLT	EGPRS850	RA250 @Sens5	190	836.6	6;6;6;6	3.7	-383.66	383.66	PASS
LVLT	EGPRS850	HT100 @Connect	190	836.6	6;6;6;6	5.56	-263.66	263.66	PASS
LVLT	EGPRS850	HT100 @Sens1	190	836.6	6;6;6;6	6.7	-263.66	263.66	PASS
LVLT	EGPRS850	HT100 @Sens2	190	836.6	6;6;6;6	1.18	-263.66	263.66	PASS
LVLT	EGPRS850	HT100 @Sens3	190	836.6	6;6;6;6	-2.15	-263.66	263.66	PASS
LVLT	EGPRS850	HT100	190	836.6	6;6;6;6	2.6	-263.66	263.66	PASS

		@Sens4							
LVL	EGPRS850	HT100	190	836.6	6;6;6;6	3.79	-263.66	263.66	PASS
		@Sens5							
LVL	EGPRS850	TU50	190	836.6	6;6;6;6	4.4	-243.66	243.66	PASS
		@Connect							
LVL	EGPRS850	TU50 @Sens1	190	836.6	6;6;6;6	6.49	-243.66	243.66	PASS
LVL	EGPRS850	TU50 @Sens2	190	836.6	6;6;6;6	3.98	-243.66	243.66	PASS
LVL	EGPRS850	TU50 @Sens3	190	836.6	6;6;6;6	0.01	-243.66	243.66	PASS
LVL	EGPRS850	TU50 @Sens4	190	836.6	6;6;6;6	10.25	-243.66	243.66	PASS
LVL	EGPRS850	TU50 @Sens5	190	836.6	6;6;6;6	2.21	-243.66	243.66	PASS
		TU3	190	836.6	6;6;6;6	9.69	-313.66	313.66	PASS
		@Connect							
LVL	EGPRS850	TU3 @1	190	836.6	6;6;6;6	10.19	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @2	190	836.6	6;6;6;6	5.42	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @3	190	836.6	6;6;6;6	11.76	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @4	190	836.6	6;6;6;6	7.04	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @5	190	836.6	6;6;6;6	8.78	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @6	190	836.6	6;6;6;6	6.58	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @7	190	836.6	6;6;6;6	5.29	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @8	190	836.6	6;6;6;6	7.47	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @9	190	836.6	6;6;6;6	7.73	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @10	190	836.6	6;6;6;6	3.89	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @11	190	836.6	6;6;6;6	2.33	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @12	190	836.6	6;6;6;6	4.13	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @13	190	836.6	6;6;6;6	8.65	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @14	190	836.6	6;6;6;6	9.93	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @15	190	836.6	6;6;6;6	10.41	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @16	190	836.6	6;6;6;6	5.18	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @17	190	836.6	6;6;6;6	6.45	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @18	190	836.6	6;6;6;6	9.52	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @19	190	836.6	6;6;6;6	5.07	-313.66	313.66	PASS
LVL	EGPRS850	TU3 @20	190	836.6	6;6;6;6	6.04	-313.66	313.66	PASS
HVHT	EGPRS900	RA250	38	897.6	6;6;6;6	7.42	-389.76	389.76	PASS
		@Connect							
HVHT	EGPRS900	RA250	38	897.6	6;6;6;6	3.62	-389.76	389.76	PASS
		@Sens1							
HVHT	EGPRS900	RA250	38	897.6	6;6;6;6	2.63	-389.76	389.76	PASS
		@Sens2							
HVHT	EGPRS900	RA250	38	897.6	6;6;6;6	10.91	-389.76	389.76	PASS
		@Sens3							
HVHT	EGPRS900	RA250	38	897.6	6;6;6;6	15.75	-389.76	389.76	PASS
		@Sens4							
HVHT	EGPRS900	RA250	38	897.6	6;6;6;6	-4.23	-389.76	389.76	PASS
		@Sens5							

HVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	3.33	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	0.54	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-12.22	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	21.25	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	0.4	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	23.36	-269.76	269.76	PASS
HVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-2.93	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	14.22	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-8.72	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-12.22	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	9.39	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	1.81	-249.76	249.76	PASS
HVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	7.09	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	3.92	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	3.15	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	12.62	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	10.25	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	8.2	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	11.35	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	6.15	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	10.38	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	7.63	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	17.49	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	9.5	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	5.43	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	4.9	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	3.82	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	9.5	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	7.42	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	15.03	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	4.44	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	9.32	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	6.16	-319.76	319.76	PASS
HVLT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	7.31	-389.76	389.76	PASS
HVLT	EGPRS900	RA250	38	897.6	6;6;6;6	3.53	-389.76	389.76	PASS

		@Sens1							
HVLT	EGPRS900	RA250	38	897.6	6;6;6;6	2.58	-389.76	389.76	PASS
		@Sens2							
HVLT	EGPRS900	RA250	38	897.6	6;6;6;6	10.98	-389.76	389.76	PASS
		@Sens3							
HVLT	EGPRS900	RA250	38	897.6	6;6;6;6	15.82	-389.76	389.76	PASS
		@Sens4							
HVLT	EGPRS900	RA250	38	897.6	6;6;6;6	-4.3	-389.76	389.76	PASS
		@Sens5							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	3.48	-269.76	269.76	PASS
		@Connect							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	0.48	-269.76	269.76	PASS
		@Sens1							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-12.26	-269.76	269.76	PASS
		@Sens2							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	21.18	-269.76	269.76	PASS
		@Sens3							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	0.28	-269.76	269.76	PASS
		@Sens4							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	23.39	-269.76	269.76	PASS
		@Sens5							
HVLT	EGPRS900	TU50	38	897.6	6;6;6;6	-2.95	-249.76	249.76	PASS
		@Connect							
HVLT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	14.15	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-8.61	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-12.16	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	9.36	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	1.87	-249.76	249.76	PASS
HVLT	EGPRS900	TU3	38	897.6	6;6;6;6	7.1	-319.76	319.76	PASS
		@Connect							
HVLT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	3.9	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	3.17	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	12.51	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	10.17	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	8.16	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	11.18	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	6.04	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	10.33	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	7.64	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	17.43	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	9.47	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	5.34	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	4.81	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	3.67	-319.76	319.76	PASS

HVLT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	9.54	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	7.46	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	15.19	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	4.34	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	9.24	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	6.05	-319.76	319.76	PASS
LVHT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	7.28	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	3.55	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	2.56	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	10.85	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	15.75	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-4.35	-389.76	389.76	PASS
LVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	3.42	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	0.51	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-12.17	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	21.31	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	0.33	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	23.46	-269.76	269.76	PASS
LVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-2.97	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	14.28	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-8.71	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-12.16	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	9.54	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	1.93	-249.76	249.76	PASS
LVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	7.23	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	3.77	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	3.22	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	12.51	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	10.32	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	8.13	-319.76	319.76	PASS

LVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	11.27	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	6.16	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	10.38	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	7.67	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	17.49	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	9.53	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	5.38	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	4.92	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	3.73	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	9.59	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	7.41	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	15.17	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	4.42	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	9.38	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	6.07	-319.76	319.76	PASS
LVLТ	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	7.27	-389.76	389.76	PASS
LVLТ	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	3.56	-389.76	389.76	PASS
LVLТ	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	2.52	-389.76	389.76	PASS
LVLТ	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	10.96	-389.76	389.76	PASS
LVLТ	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	15.78	-389.76	389.76	PASS
LVLТ	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-4.19	-389.76	389.76	PASS
LVLТ	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	3.37	-269.76	269.76	PASS
LVLТ	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	0.66	-269.76	269.76	PASS
LVLТ	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-12.27	-269.76	269.76	PASS
LVLТ	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	21.15	-269.76	269.76	PASS
LVLТ	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	0.27	-269.76	269.76	PASS
LVLТ	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	23.31	-269.76	269.76	PASS
LVLТ	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-2.83	-249.76	249.76	PASS
LVLТ	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	14.16	-249.76	249.76	PASS
LVLТ	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-8.64	-249.76	249.76	PASS
LVLТ	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-12.2	-249.76	249.76	PASS

LVLT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	9.38	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	1.9	-249.76	249.76	PASS
LVLT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	7.15	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	3.77	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	3.07	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	12.51	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	10.27	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	8.17	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	11.31	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	6.14	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	10.34	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	7.66	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	17.48	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	9.55	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	5.31	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	4.8	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	3.76	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	9.46	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	7.43	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	15.2	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	4.48	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	9.35	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	6.18	-319.76	319.76	PASS

#### Clause 4.2.28 EGPRS Transmitter output power

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	26.64	22	29	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	25.01	21	27	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	23.54	19	25	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.58	17	23	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	20	15	21	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	17.7	13	19	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	16.23	10	18	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	14.39	8	16	PASS
HVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.03	0	0	PASS

HVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	10.78	6	14	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	8.55	4	12	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	6.56	2	10	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	4.98	-1	9	PASS
HVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	2.54	-3	7	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	0.78	-5	5	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	25.56	22	29	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.69	21	27	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	23.18	19	25	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	21.29	17	23	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	18.54	15	21	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	17.75	13	19	PASS
HVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	13.92	8	16	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	10.05	6	14	PASS
HVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS1800	698	1747.4	14;14;14;14	slot1	8.01	4	12	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	6.02	2	10	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.85	-1	9	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	1.73	-3	7	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	0.2	-5	5	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	26.08	22	29	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.33	21	27	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.61	19	25	PASS

HVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.33	17	23	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.13	15	21	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.4	13	19	PASS
HVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.78	10	18	PASS
HVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	14.37	8	16	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	10.62	6	14	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.56	4	12	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.32	2	10	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.19	-1	9	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.2	-3	7	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	0.65	-5	5	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	26.52	22	29	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	25	21	27	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	23.56	19	25	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.71	17	23	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	19.86	15	21	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	17.56	13	19	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	16.12	10	18	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	14.35	8	16	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	10.96	6	14	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	8.36	4	12	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	6.47	2	10	PASS

HVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	4.98	-1	9	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	2.44	-3	7	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	0.93	-5	5	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	25.57	22	29	PASS
HVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.7	21	27	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	23.23	19	25	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	21.3	17	23	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	18.7	15	21	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	17.74	13	19	PASS
HVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	14.04	8	16	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	10.04	6	14	PASS
HVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	698	1747.4	14;14;14;14	slot1	8.11	4	12	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	6.01	2	10	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.81	-1	9	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	1.66	-3	7	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	0.16	-5	5	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	26.15	22	29	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.39	21	27	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.75	19	25	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.38	17	23	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.19	15	21	PASS
HVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.15	0	0	PASS

HVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.54	13	19	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.88	10	18	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	14.44	8	16	PASS
HVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	10.62	6	14	PASS
HVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.73	4	12	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.31	2	10	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.2	-1	9	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.21	-3	7	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	0.6	-5	5	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	26.66	22	29	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	25.14	21	27	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	23.62	19	25	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.68	17	23	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	19.98	15	21	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	17.61	13	19	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	16.16	10	18	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	14.52	8	16	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	10.88	6	14	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	8.51	4	12	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	6.66	2	10	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	5.02	-1	9	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	2.41	-3	7	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.1	0	0	PASS

LVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	0.94	-5	5	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	25.63	22	29	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.71	21	27	PASS
LVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	23.27	19	25	PASS
LVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	21.32	17	23	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	18.63	15	21	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	17.68	13	19	PASS
LVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	13.89	8	16	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	10.05	6	14	PASS
LVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	698	1747.4	14;14;14;14	slot1	8.13	4	12	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	5.99	2	10	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.79	-1	9	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	1.68	-3	7	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	0.19	-5	5	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	26.24	22	29	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.26	21	27	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.63	19	25	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.24	17	23	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.06	15	21	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.56	13	19	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.88	10	18	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	14.37	8	16	PASS

LVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	10.7	6	14	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.61	4	12	PASS
LVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.45	2	10	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.22	-1	9	PASS
LVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.16	-3	7	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	0.64	-5	5	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	26.5	22	29	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	25.07	21	27	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	23.64	19	25	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.67	17	23	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	20	15	21	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	17.54	13	19	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	16.12	10	18	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	14.41	8	16	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	10.86	6	14	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	8.42	4	12	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	6.62	2	10	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	5.06	-1	9	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	2.49	-3	7	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	0.88	-5	5	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	25.56	22	29	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.76	21	27	PASS

LVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	23.17	19	25	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	21.22	17	23	PASS
LVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	18.6	15	21	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	17.7	13	19	PASS
LVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	13.96	8	16	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	10.21	6	14	PASS
LVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS1800	698	1747.4	14;14;14;14	slot1	7.96	4	12	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	6	2	10	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.79	-1	9	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	1.8	-3	7	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	0.22	-5	5	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	26.17	22	29	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.31	21	27	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.8	19	25	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.36	17	23	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.18	15	21	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.53	13	19	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.84	10	18	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	14.37	8	16	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	10.67	6	14	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.69	4	12	PASS
LVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.16	0	0	PASS

LVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.35	2	10	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.3	-1	9	PASS
LVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.2	-3	7	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	0.56	-5	5	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	slot1	26.46	22	29	PASS
HVHT	EGPRS1900	512	1850.2	6;6;6;6	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1900	512	1850.2	6;6;6;6	slot1	24.64	21	27	PASS
HVHT	EGPRS1900	512	1850.2	7;7;7;7	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1900	512	1850.2	7;7;7;7	slot1	22.12	19	25	PASS
HVHT	EGPRS1900	512	1850.2	8;8;8;8	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1900	512	1850.2	8;8;8;8	slot1	20.67	17	23	PASS
HVHT	EGPRS1900	512	1850.2	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1900	512	1850.2	9;9;9;9	slot1	18.58	15	21	PASS
HVHT	EGPRS1900	512	1850.2	10;10;10;10	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1900	512	1850.2	10;10;10;10	slot1	17	13	19	PASS
HVHT	EGPRS1900	512	1850.2	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1900	512	1850.2	11;11;11;11	slot1	14.07	10	18	PASS
HVHT	EGPRS1900	512	1850.2	12;12;12;12	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1900	512	1850.2	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS1900	512	1850.2	13;13;13;13	slot1	8.85	6	14	PASS
HVHT	EGPRS1900	512	1850.2	14;14;14;14	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1900	512	1850.2	14;14;14;14	slot1	6.68	4	12	PASS
HVHT	EGPRS1900	512	1850.2	15;15;15;15	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1900	512	1850.2	15;15;15;15	slot1	4.59	2	10	PASS
HVHT	EGPRS1900	512	1850.2	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1900	512	1850.2	16;16;16;16	slot1	3.31	-1	9	PASS
HVHT	EGPRS1900	512	1850.2	17;17;17;17	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS1900	512	1850.2	17;17;17;17	slot1	2.01	-3	7	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	slot1	0.32	-5	5	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	slot1	26.43	22	29	PASS
HVHT	EGPRS1900	661	1880	6;6;6;6	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS1900	661	1880	6;6;6;6	slot1	25.3	21	27	PASS
HVHT	EGPRS1900	661	1880	7;7;7;7	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1900	661	1880	7;7;7;7	slot1	23.11	19	25	PASS
HVHT	EGPRS1900	661	1880	8;8;8;8	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1900	661	1880	8;8;8;8	slot1	21.04	17	23	PASS
HVHT	EGPRS1900	661	1880	9;9;9;9	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1900	661	1880	9;9;9;9	slot1	19.67	15	21	PASS

HVHT	EGPRS1900	661	1880	10;10;10;10	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1900	661	1880	10;10;10;10	slot1	17.96	13	19	PASS
HVHT	EGPRS1900	661	1880	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1900	661	1880	11;11;11;11	slot1	15.38	10	18	PASS
HVHT	EGPRS1900	661	1880	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1900	661	1880	12;12;12;12	slot1	12.61	8	16	PASS
HVHT	EGPRS1900	661	1880	13;13;13;13	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS1900	661	1880	13;13;13;13	slot1	9.79	6	14	PASS
HVHT	EGPRS1900	661	1880	14;14;14;14	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1900	661	1880	14;14;14;14	slot1	7.26	4	12	PASS
HVHT	EGPRS1900	661	1880	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1900	661	1880	15;15;15;15	slot1	4.93	2	10	PASS
HVHT	EGPRS1900	661	1880	16;16;16;16	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1900	661	1880	16;16;16;16	slot1	3.92	-1	9	PASS
HVHT	EGPRS1900	661	1880	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1900	661	1880	17;17;17;17	slot1	1.76	-3	7	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	slot1	0.7	-5	5	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	slot1	26.58	22	29	PASS
HVHT	EGPRS1900	810	1909.8	6;6;6;6	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1900	810	1909.8	6;6;6;6	slot1	25.06	21	27	PASS
HVHT	EGPRS1900	810	1909.8	7;7;7;7	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS1900	810	1909.8	7;7;7;7	slot1	21.86	19	25	PASS
HVHT	EGPRS1900	810	1909.8	8;8;8;8	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1900	810	1909.8	8;8;8;8	slot1	20.4	17	23	PASS
HVHT	EGPRS1900	810	1909.8	9;9;9;9	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1900	810	1909.8	9;9;9;9	slot1	19.92	15	21	PASS
HVHT	EGPRS1900	810	1909.8	10;10;10;10	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1900	810	1909.8	10;10;10;10	slot1	17.35	13	19	PASS
HVHT	EGPRS1900	810	1909.8	11;11;11;11	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1900	810	1909.8	11;11;11;11	slot1	14.87	10	18	PASS
HVHT	EGPRS1900	810	1909.8	12;12;12;12	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1900	810	1909.8	12;12;12;12	slot1	13.51	8	16	PASS
HVHT	EGPRS1900	810	1909.8	13;13;13;13	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1900	810	1909.8	13;13;13;13	slot1	10.03	6	14	PASS
HVHT	EGPRS1900	810	1909.8	14;14;14;14	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1900	810	1909.8	14;14;14;14	slot1	7.63	4	12	PASS
HVHT	EGPRS1900	810	1909.8	15;15;15;15	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1900	810	1909.8	15;15;15;15	slot1	4.34	2	10	PASS
HVHT	EGPRS1900	810	1909.8	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1900	810	1909.8	16;16;16;16	slot1	3.61	-1	9	PASS
HVHT	EGPRS1900	810	1909.8	17;17;17;17	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1900	810	1909.8	17;17;17;17	slot1	2.22	-3	7	PASS

HVHT	EGPRS1900	810	1909.8	18;18;18;18	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	slot1	0.51	-5	5	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	slot1	26.32	22	29	PASS
HVLT	EGPRS1900	512	1850.2	6;6;6;6	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1900	512	1850.2	6;6;6;6	slot1	24.63	21	27	PASS
HVLT	EGPRS1900	512	1850.2	7;7;7;7	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1900	512	1850.2	7;7;7;7	slot1	22.29	19	25	PASS
HVLT	EGPRS1900	512	1850.2	8;8;8;8	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1900	512	1850.2	8;8;8;8	slot1	20.73	17	23	PASS
HVLT	EGPRS1900	512	1850.2	9;9;9;9	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1900	512	1850.2	9;9;9;9	slot1	18.62	15	21	PASS
HVLT	EGPRS1900	512	1850.2	10;10;10;10	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1900	512	1850.2	10;10;10;10	slot1	16.99	13	19	PASS
HVLT	EGPRS1900	512	1850.2	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1900	512	1850.2	11;11;11;11	slot1	14	10	18	PASS
HVLT	EGPRS1900	512	1850.2	12;12;12;12	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1900	512	1850.2	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1900	512	1850.2	13;13;13;13	slot1	8.73	6	14	PASS
HVLT	EGPRS1900	512	1850.2	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1900	512	1850.2	14;14;14;14	slot1	6.76	4	12	PASS
HVLT	EGPRS1900	512	1850.2	15;15;15;15	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1900	512	1850.2	15;15;15;15	slot1	4.7	2	10	PASS
HVLT	EGPRS1900	512	1850.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS1900	512	1850.2	16;16;16;16	slot1	3.18	-1	9	PASS
HVLT	EGPRS1900	512	1850.2	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1900	512	1850.2	17;17;17;17	slot1	1.93	-3	7	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	slot1	0.25	-5	5	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	slot1	26.32	22	29	PASS
HVLT	EGPRS1900	661	1880	6;6;6;6	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1900	661	1880	6;6;6;6	slot1	25.24	21	27	PASS
HVLT	EGPRS1900	661	1880	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1900	661	1880	7;7;7;7	slot1	23.07	19	25	PASS
HVLT	EGPRS1900	661	1880	8;8;8;8	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1900	661	1880	8;8;8;8	slot1	21.01	17	23	PASS
HVLT	EGPRS1900	661	1880	9;9;9;9	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1900	661	1880	9;9;9;9	slot1	19.81	15	21	PASS
HVLT	EGPRS1900	661	1880	10;10;10;10	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1900	661	1880	10;10;10;10	slot1	17.92	13	19	PASS
HVLT	EGPRS1900	661	1880	11;11;11;11	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1900	661	1880	11;11;11;11	slot1	15.45	10	18	PASS
HVLT	EGPRS1900	661	1880	12;12;12;12	PvT(%)	-0.02	0	0	PASS

HVLT	EGPRS1900	661	1880	12;12;12;12	slot1	12.67	8	16	PASS
HVLT	EGPRS1900	661	1880	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1900	661	1880	13;13;13;13	slot1	9.75	6	14	PASS
HVLT	EGPRS1900	661	1880	14;14;14;14	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1900	661	1880	14;14;14;14	slot1	7.18	4	12	PASS
HVLT	EGPRS1900	661	1880	15;15;15;15	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1900	661	1880	15;15;15;15	slot1	4.9	2	10	PASS
HVLT	EGPRS1900	661	1880	16;16;16;16	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1900	661	1880	16;16;16;16	slot1	3.94	-1	9	PASS
HVLT	EGPRS1900	661	1880	17;17;17;17	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1900	661	1880	17;17;17;17	slot1	1.69	-3	7	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	slot1	0.6	-5	5	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	slot1	26.56	22	29	PASS
HVLT	EGPRS1900	810	1909.8	6;6;6;6	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1900	810	1909.8	6;6;6;6	slot1	25.13	21	27	PASS
HVLT	EGPRS1900	810	1909.8	7;7;7;7	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1900	810	1909.8	7;7;7;7	slot1	21.9	19	25	PASS
HVLT	EGPRS1900	810	1909.8	8;8;8;8	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1900	810	1909.8	8;8;8;8	slot1	20.37	17	23	PASS
HVLT	EGPRS1900	810	1909.8	9;9;9;9	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS1900	810	1909.8	9;9;9;9	slot1	19.81	15	21	PASS
HVLT	EGPRS1900	810	1909.8	10;10;10;10	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1900	810	1909.8	10;10;10;10	slot1	17.38	13	19	PASS
HVLT	EGPRS1900	810	1909.8	11;11;11;11	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1900	810	1909.8	11;11;11;11	slot1	15.03	10	18	PASS
HVLT	EGPRS1900	810	1909.8	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1900	810	1909.8	12;12;12;12	slot1	13.54	8	16	PASS
HVLT	EGPRS1900	810	1909.8	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1900	810	1909.8	13;13;13;13	slot1	9.96	6	14	PASS
HVLT	EGPRS1900	810	1909.8	14;14;14;14	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1900	810	1909.8	14;14;14;14	slot1	7.62	4	12	PASS
HVLT	EGPRS1900	810	1909.8	15;15;15;15	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1900	810	1909.8	15;15;15;15	slot1	4.51	2	10	PASS
HVLT	EGPRS1900	810	1909.8	16;16;16;16	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1900	810	1909.8	16;16;16;16	slot1	3.78	-1	9	PASS
HVLT	EGPRS1900	810	1909.8	17;17;17;17	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1900	810	1909.8	17;17;17;17	slot1	2.17	-3	7	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	slot1	0.61	-5	5	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	slot1	26.42	22	29	PASS
LVHT	EGPRS1900	512	1850.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS

LVHT	EGPRS1900	512	1850.2	6;6;6;6	slot1	24.77	21	27	PASS
LVHT	EGPRS1900	512	1850.2	7;7;7;7	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1900	512	1850.2	7;7;7;7	slot1	22.15	19	25	PASS
LVHT	EGPRS1900	512	1850.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1900	512	1850.2	8;8;8;8	slot1	20.74	17	23	PASS
LVHT	EGPRS1900	512	1850.2	9;9;9;9	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS1900	512	1850.2	9;9;9;9	slot1	18.7	15	21	PASS
LVHT	EGPRS1900	512	1850.2	10;10;10;10	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS1900	512	1850.2	10;10;10;10	slot1	16.95	13	19	PASS
LVHT	EGPRS1900	512	1850.2	11;11;11;11	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS1900	512	1850.2	11;11;11;11	slot1	14.14	10	18	PASS
LVHT	EGPRS1900	512	1850.2	12;12;12;12	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1900	512	1850.2	13;13;13;13	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS1900	512	1850.2	13;13;13;13	slot1	8.81	6	14	PASS
LVHT	EGPRS1900	512	1850.2	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1900	512	1850.2	14;14;14;14	slot1	6.67	4	12	PASS
LVHT	EGPRS1900	512	1850.2	15;15;15;15	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1900	512	1850.2	15;15;15;15	slot1	4.67	2	10	PASS
LVHT	EGPRS1900	512	1850.2	16;16;16;16	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS1900	512	1850.2	16;16;16;16	slot1	3.23	-1	9	PASS
LVHT	EGPRS1900	512	1850.2	17;17;17;17	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1900	512	1850.2	17;17;17;17	slot1	1.97	-3	7	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	slot1	0.3	-5	5	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	slot1	26.33	22	29	PASS
LVHT	EGPRS1900	661	1880	6;6;6;6	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS1900	661	1880	6;6;6;6	slot1	25.42	21	27	PASS
LVHT	EGPRS1900	661	1880	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS1900	661	1880	7;7;7;7	slot1	23.05	19	25	PASS
LVHT	EGPRS1900	661	1880	8;8;8;8	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS1900	661	1880	8;8;8;8	slot1	21.03	17	23	PASS
LVHT	EGPRS1900	661	1880	9;9;9;9	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS1900	661	1880	9;9;9;9	slot1	19.67	15	21	PASS
LVHT	EGPRS1900	661	1880	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1900	661	1880	10;10;10;10	slot1	17.98	13	19	PASS
LVHT	EGPRS1900	661	1880	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS1900	661	1880	11;11;11;11	slot1	15.45	10	18	PASS
LVHT	EGPRS1900	661	1880	12;12;12;12	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1900	661	1880	12;12;12;12	slot1	12.68	8	16	PASS
LVHT	EGPRS1900	661	1880	13;13;13;13	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1900	661	1880	13;13;13;13	slot1	9.72	6	14	PASS
LVHT	EGPRS1900	661	1880	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1900	661	1880	14;14;14;14	slot1	7.24	4	12	PASS

LVHT	EGPRS1900	661	1880	15;15;15;15	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1900	661	1880	15;15;15;15	slot1	4.87	2	10	PASS
LVHT	EGPRS1900	661	1880	16;16;16;16	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS1900	661	1880	16;16;16;16	slot1	3.96	-1	9	PASS
LVHT	EGPRS1900	661	1880	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1900	661	1880	17;17;17;17	slot1	1.72	-3	7	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	slot1	0.58	-5	5	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	slot1	26.62	22	29	PASS
LVHT	EGPRS1900	810	1909.8	6;6;6;6	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1900	810	1909.8	6;6;6;6	slot1	25.03	21	27	PASS
LVHT	EGPRS1900	810	1909.8	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1900	810	1909.8	7;7;7;7	slot1	21.92	19	25	PASS
LVHT	EGPRS1900	810	1909.8	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1900	810	1909.8	8;8;8;8	slot1	20.36	17	23	PASS
LVHT	EGPRS1900	810	1909.8	9;9;9;9	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1900	810	1909.8	9;9;9;9	slot1	19.92	15	21	PASS
LVHT	EGPRS1900	810	1909.8	10;10;10;10	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1900	810	1909.8	10;10;10;10	slot1	17.37	13	19	PASS
LVHT	EGPRS1900	810	1909.8	11;11;11;11	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS1900	810	1909.8	11;11;11;11	slot1	14.95	10	18	PASS
LVHT	EGPRS1900	810	1909.8	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1900	810	1909.8	12;12;12;12	slot1	13.51	8	16	PASS
LVHT	EGPRS1900	810	1909.8	13;13;13;13	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1900	810	1909.8	13;13;13;13	slot1	10.02	6	14	PASS
LVHT	EGPRS1900	810	1909.8	14;14;14;14	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1900	810	1909.8	14;14;14;14	slot1	7.5	4	12	PASS
LVHT	EGPRS1900	810	1909.8	15;15;15;15	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1900	810	1909.8	15;15;15;15	slot1	4.42	2	10	PASS
LVHT	EGPRS1900	810	1909.8	16;16;16;16	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS1900	810	1909.8	16;16;16;16	slot1	3.69	-1	9	PASS
LVHT	EGPRS1900	810	1909.8	17;17;17;17	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1900	810	1909.8	17;17;17;17	slot1	2.19	-3	7	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	slot1	0.61	-5	5	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	slot1	26.43	22	29	PASS
LVLT	EGPRS1900	512	1850.2	6;6;6;6	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1900	512	1850.2	6;6;6;6	slot1	24.61	21	27	PASS
LVLT	EGPRS1900	512	1850.2	7;7;7;7	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1900	512	1850.2	7;7;7;7	slot1	22.26	19	25	PASS
LVLT	EGPRS1900	512	1850.2	8;8;8;8	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS1900	512	1850.2	8;8;8;8	slot1	20.62	17	23	PASS

LVLT	EGPRS1900	512	1850.2	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1900	512	1850.2	9;9;9;9	slot1	18.59	15	21	PASS
LVLT	EGPRS1900	512	1850.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1900	512	1850.2	10;10;10;10	slot1	16.93	13	19	PASS
LVLT	EGPRS1900	512	1850.2	11;11;11;11	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1900	512	1850.2	11;11;11;11	slot1	14.11	10	18	PASS
LVLT	EGPRS1900	512	1850.2	12;12;12;12	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1900	512	1850.2	13;13;13;13	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1900	512	1850.2	13;13;13;13	slot1	8.76	6	14	PASS
LVLT	EGPRS1900	512	1850.2	14;14;14;14	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS1900	512	1850.2	14;14;14;14	slot1	6.67	4	12	PASS
LVLT	EGPRS1900	512	1850.2	15;15;15;15	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1900	512	1850.2	15;15;15;15	slot1	4.62	2	10	PASS
LVLT	EGPRS1900	512	1850.2	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1900	512	1850.2	16;16;16;16	slot1	3.19	-1	9	PASS
LVLT	EGPRS1900	512	1850.2	17;17;17;17	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1900	512	1850.2	17;17;17;17	slot1	1.91	-3	7	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	slot1	0.41	-5	5	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	slot1	26.31	22	29	PASS
LVLT	EGPRS1900	661	1880	6;6;6;6	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS1900	661	1880	6;6;6;6	slot1	25.4	21	27	PASS
LVLT	EGPRS1900	661	1880	7;7;7;7	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1900	661	1880	7;7;7;7	slot1	23.14	19	25	PASS
LVLT	EGPRS1900	661	1880	8;8;8;8	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1900	661	1880	8;8;8;8	slot1	20.98	17	23	PASS
LVLT	EGPRS1900	661	1880	9;9;9;9	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1900	661	1880	9;9;9;9	slot1	19.81	15	21	PASS
LVLT	EGPRS1900	661	1880	10;10;10;10	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS1900	661	1880	10;10;10;10	slot1	18.03	13	19	PASS
LVLT	EGPRS1900	661	1880	11;11;11;11	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1900	661	1880	11;11;11;11	slot1	15.48	10	18	PASS
LVLT	EGPRS1900	661	1880	12;12;12;12	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1900	661	1880	12;12;12;12	slot1	12.68	8	16	PASS
LVLT	EGPRS1900	661	1880	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1900	661	1880	13;13;13;13	slot1	9.67	6	14	PASS
LVLT	EGPRS1900	661	1880	14;14;14;14	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS1900	661	1880	14;14;14;14	slot1	7.24	4	12	PASS
LVLT	EGPRS1900	661	1880	15;15;15;15	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1900	661	1880	15;15;15;15	slot1	4.98	2	10	PASS
LVLT	EGPRS1900	661	1880	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1900	661	1880	16;16;16;16	slot1	3.97	-1	9	PASS
LVLT	EGPRS1900	661	1880	17;17;17;17	PvT(%)	-0.1	0	0	PASS

LVLT	EGPRS1900	661	1880	17;17;17;17	slot1	1.79	-3	7	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	slot1	0.74	-5	5	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	slot1	26.67	22	29	PASS
LVLT	EGPRS1900	810	1909.8	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1900	810	1909.8	6;6;6;6	slot1	25.13	21	27	PASS
LVLT	EGPRS1900	810	1909.8	7;7;7;7	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS1900	810	1909.8	7;7;7;7	slot1	21.92	19	25	PASS
LVLT	EGPRS1900	810	1909.8	8;8;8;8	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1900	810	1909.8	8;8;8;8	slot1	20.27	17	23	PASS
LVLT	EGPRS1900	810	1909.8	9;9;9;9	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS1900	810	1909.8	9;9;9;9	slot1	19.82	15	21	PASS
LVLT	EGPRS1900	810	1909.8	10;10;10;10	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1900	810	1909.8	10;10;10;10	slot1	17.46	13	19	PASS
LVLT	EGPRS1900	810	1909.8	11;11;11;11	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS1900	810	1909.8	11;11;11;11	slot1	14.96	10	18	PASS
LVLT	EGPRS1900	810	1909.8	12;12;12;12	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1900	810	1909.8	12;12;12;12	slot1	13.48	8	16	PASS
LVLT	EGPRS1900	810	1909.8	13;13;13;13	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS1900	810	1909.8	13;13;13;13	slot1	10.1	6	14	PASS
LVLT	EGPRS1900	810	1909.8	14;14;14;14	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1900	810	1909.8	14;14;14;14	slot1	7.49	4	12	PASS
LVLT	EGPRS1900	810	1909.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1900	810	1909.8	15;15;15;15	slot1	4.37	2	10	PASS
LVLT	EGPRS1900	810	1909.8	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1900	810	1909.8	16;16;16;16	slot1	3.78	-1	9	PASS
LVLT	EGPRS1900	810	1909.8	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1900	810	1909.8	17;17;17;17	slot1	2.12	-3	7	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	slot1	0.56	-5	5	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	slot1	25.88	24	30	PASS
HVHT	EGPRS850	128	824.2	7;7;7;7	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS850	128	824.2	7;7;7;7	slot1	24.66	22	28	PASS
HVHT	EGPRS850	128	824.2	8;8;8;8	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS850	128	824.2	8;8;8;8	slot1	22.83	20	26	PASS
HVHT	EGPRS850	128	824.2	9;9;9;9	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS850	128	824.2	9;9;9;9	slot1	20.44	18	24	PASS
HVHT	EGPRS850	128	824.2	10;10;10;10	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS850	128	824.2	10;10;10;10	slot1	18.68	16	22	PASS
HVHT	EGPRS850	128	824.2	11;11;11;11	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS850	128	824.2	11;11;11;11	slot1	16.71	14	20	PASS
HVHT	EGPRS850	128	824.2	12;12;12;12	PvT(%)	-0.05	0	0	PASS

HVHT	EGPRS850	128	824.2	12;12;12;12	slot1	15.18	12	18	PASS
HVHT	EGPRS850	128	824.2	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS850	128	824.2	13;13;13;13	slot1	12.79	10	16	PASS
HVHT	EGPRS850	128	824.2	14;14;14;14	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS850	128	824.2	14;14;14;14	slot1	10.73	6	16	PASS
HVHT	EGPRS850	128	824.2	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS850	128	824.2	15;15;15;15	slot1	8.59	4	14	PASS
HVHT	EGPRS850	128	824.2	16;16;16;16	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS850	128	824.2	16;16;16;16	slot1	6.97	2	12	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	slot1	4.63	0	10	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	slot1	25.85	24	30	PASS
HVHT	EGPRS850	190	836.6	7;7;7;7	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS850	190	836.6	7;7;7;7	slot1	24.58	22	28	PASS
HVHT	EGPRS850	190	836.6	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS850	190	836.6	8;8;8;8	slot1	22.49	20	26	PASS
HVHT	EGPRS850	190	836.6	9;9;9;9	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS850	190	836.6	9;9;9;9	slot1	20.35	18	24	PASS
HVHT	EGPRS850	190	836.6	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS850	190	836.6	10;10;10;10	slot1	18.52	16	22	PASS
HVHT	EGPRS850	190	836.6	11;11;11;11	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS850	190	836.6	11;11;11;11	slot1	16.12	14	20	PASS
HVHT	EGPRS850	190	836.6	12;12;12;12	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS850	190	836.6	12;12;12;12	slot1	15	12	18	PASS
HVHT	EGPRS850	190	836.6	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS850	190	836.6	13;13;13;13	slot1	12.46	10	16	PASS
HVHT	EGPRS850	190	836.6	14;14;14;14	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS850	190	836.6	14;14;14;14	slot1	10.66	6	16	PASS
HVHT	EGPRS850	190	836.6	15;15;15;15	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS850	190	836.6	15;15;15;15	slot1	7.9	4	14	PASS
HVHT	EGPRS850	190	836.6	16;16;16;16	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS850	190	836.6	16;16;16;16	slot1	6.14	2	12	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	slot1	4.01	0	10	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	slot1	25.37	24	30	PASS
HVHT	EGPRS850	251	848.8	7;7;7;7	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS850	251	848.8	7;7;7;7	slot1	24.57	22	28	PASS
HVHT	EGPRS850	251	848.8	8;8;8;8	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS850	251	848.8	8;8;8;8	slot1	22.59	20	26	PASS
HVHT	EGPRS850	251	848.8	9;9;9;9	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS850	251	848.8	9;9;9;9	slot1	20.86	18	24	PASS
HVHT	EGPRS850	251	848.8	10;10;10;10	PvT(%)	-0.14	0	0	PASS

HVHT	EGPRS850	251	848.8	10;10;10;10	slot1	18.82	16	22	PASS
HVHT	EGPRS850	251	848.8	11;11;11;11	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS850	251	848.8	11;11;11;11	slot1	16.44	14	20	PASS
HVHT	EGPRS850	251	848.8	12;12;12;12	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS850	251	848.8	12;12;12;12	slot1	14.5	12	18	PASS
HVHT	EGPRS850	251	848.8	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS850	251	848.8	13;13;13;13	slot1	12.63	10	16	PASS
HVHT	EGPRS850	251	848.8	14;14;14;14	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS850	251	848.8	14;14;14;14	slot1	10.26	6	16	PASS
HVHT	EGPRS850	251	848.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS850	251	848.8	15;15;15;15	slot1	8.42	4	14	PASS
HVHT	EGPRS850	251	848.8	16;16;16;16	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS850	251	848.8	16;16;16;16	slot1	6.27	2	12	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	slot1	4.12	0	10	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	slot1	25.9	24	30	PASS
HVLT	EGPRS850	128	824.2	7;7;7;7	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS850	128	824.2	7;7;7;7	slot1	24.71	22	28	PASS
HVLT	EGPRS850	128	824.2	8;8;8;8	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS850	128	824.2	8;8;8;8	slot1	22.92	20	26	PASS
HVLT	EGPRS850	128	824.2	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS850	128	824.2	9;9;9;9	slot1	20.33	18	24	PASS
HVLT	EGPRS850	128	824.2	10;10;10;10	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS850	128	824.2	10;10;10;10	slot1	18.67	16	22	PASS
HVLT	EGPRS850	128	824.2	11;11;11;11	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS850	128	824.2	11;11;11;11	slot1	16.85	14	20	PASS
HVLT	EGPRS850	128	824.2	12;12;12;12	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS850	128	824.2	12;12;12;12	slot1	15.22	12	18	PASS
HVLT	EGPRS850	128	824.2	13;13;13;13	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS850	128	824.2	13;13;13;13	slot1	12.92	10	16	PASS
HVLT	EGPRS850	128	824.2	14;14;14;14	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS850	128	824.2	14;14;14;14	slot1	10.79	6	16	PASS
HVLT	EGPRS850	128	824.2	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS850	128	824.2	15;15;15;15	slot1	8.63	4	14	PASS
HVLT	EGPRS850	128	824.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS850	128	824.2	16;16;16;16	slot1	6.96	2	12	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	slot1	4.52	0	10	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	slot1	25.98	24	30	PASS
HVLT	EGPRS850	190	836.6	7;7;7;7	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS850	190	836.6	7;7;7;7	slot1	24.7	22	28	PASS
HVLT	EGPRS850	190	836.6	8;8;8;8	PvT(%)	-0.03	0	0	PASS

HVLT	EGPRS850	190	836.6	8;8;8;8	slot1	22.49	20	26	PASS
HVLT	EGPRS850	190	836.6	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS850	190	836.6	9;9;9;9	slot1	20.39	18	24	PASS
HVLT	EGPRS850	190	836.6	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS850	190	836.6	10;10;10;10	slot1	18.54	16	22	PASS
HVLT	EGPRS850	190	836.6	11;11;11;11	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS850	190	836.6	11;11;11;11	slot1	16.07	14	20	PASS
HVLT	EGPRS850	190	836.6	12;12;12;12	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS850	190	836.6	12;12;12;12	slot1	15.04	12	18	PASS
HVLT	EGPRS850	190	836.6	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS850	190	836.6	13;13;13;13	slot1	12.58	10	16	PASS
HVLT	EGPRS850	190	836.6	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS850	190	836.6	14;14;14;14	slot1	10.67	6	16	PASS
HVLT	EGPRS850	190	836.6	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS850	190	836.6	15;15;15;15	slot1	7.9	4	14	PASS
HVLT	EGPRS850	190	836.6	16;16;16;16	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS850	190	836.6	16;16;16;16	slot1	6.18	2	12	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	slot1	4.06	0	10	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	slot1	25.35	24	30	PASS
HVLT	EGPRS850	251	848.8	7;7;7;7	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS850	251	848.8	7;7;7;7	slot1	24.44	22	28	PASS
HVLT	EGPRS850	251	848.8	8;8;8;8	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS850	251	848.8	8;8;8;8	slot1	22.56	20	26	PASS
HVLT	EGPRS850	251	848.8	9;9;9;9	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS850	251	848.8	9;9;9;9	slot1	20.68	18	24	PASS
HVLT	EGPRS850	251	848.8	10;10;10;10	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS850	251	848.8	10;10;10;10	slot1	18.77	16	22	PASS
HVLT	EGPRS850	251	848.8	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS850	251	848.8	11;11;11;11	slot1	16.3	14	20	PASS
HVLT	EGPRS850	251	848.8	12;12;12;12	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS850	251	848.8	12;12;12;12	slot1	14.53	12	18	PASS
HVLT	EGPRS850	251	848.8	13;13;13;13	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS850	251	848.8	13;13;13;13	slot1	12.68	10	16	PASS
HVLT	EGPRS850	251	848.8	14;14;14;14	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS850	251	848.8	14;14;14;14	slot1	10.36	6	16	PASS
HVLT	EGPRS850	251	848.8	15;15;15;15	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS850	251	848.8	15;15;15;15	slot1	8.45	4	14	PASS
HVLT	EGPRS850	251	848.8	16;16;16;16	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS850	251	848.8	16;16;16;16	slot1	6.25	2	12	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	slot1	4.12	0	10	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	PvT(%)	-0.02	0	0	PASS

LVHT	EGPRS850	128	824.2	6;6;6;6	slot1	25.83	24	30	PASS
LVHT	EGPRS850	128	824.2	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS850	128	824.2	7;7;7;7	slot1	24.77	22	28	PASS
LVHT	EGPRS850	128	824.2	8;8;8;8	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS850	128	824.2	8;8;8;8	slot1	22.98	20	26	PASS
LVHT	EGPRS850	128	824.2	9;9;9;9	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS850	128	824.2	9;9;9;9	slot1	20.46	18	24	PASS
LVHT	EGPRS850	128	824.2	10;10;10;10	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS850	128	824.2	10;10;10;10	slot1	18.77	16	22	PASS
LVHT	EGPRS850	128	824.2	11;11;11;11	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS850	128	824.2	11;11;11;11	slot1	16.85	14	20	PASS
LVHT	EGPRS850	128	824.2	12;12;12;12	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS850	128	824.2	12;12;12;12	slot1	15.1	12	18	PASS
LVHT	EGPRS850	128	824.2	13;13;13;13	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS850	128	824.2	13;13;13;13	slot1	12.88	10	16	PASS
LVHT	EGPRS850	128	824.2	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS850	128	824.2	14;14;14;14	slot1	10.75	6	16	PASS
LVHT	EGPRS850	128	824.2	15;15;15;15	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS850	128	824.2	15;15;15;15	slot1	8.57	4	14	PASS
LVHT	EGPRS850	128	824.2	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS850	128	824.2	16;16;16;16	slot1	6.92	2	12	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	slot1	4.57	0	10	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	slot1	25.88	24	30	PASS
LVHT	EGPRS850	190	836.6	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS850	190	836.6	7;7;7;7	slot1	24.63	22	28	PASS
LVHT	EGPRS850	190	836.6	8;8;8;8	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS850	190	836.6	8;8;8;8	slot1	22.42	20	26	PASS
LVHT	EGPRS850	190	836.6	9;9;9;9	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS850	190	836.6	9;9;9;9	slot1	20.5	18	24	PASS
LVHT	EGPRS850	190	836.6	10;10;10;10	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS850	190	836.6	10;10;10;10	slot1	18.46	16	22	PASS
LVHT	EGPRS850	190	836.6	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS850	190	836.6	11;11;11;11	slot1	16.09	14	20	PASS
LVHT	EGPRS850	190	836.6	12;12;12;12	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS850	190	836.6	12;12;12;12	slot1	15.09	12	18	PASS
LVHT	EGPRS850	190	836.6	13;13;13;13	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS850	190	836.6	13;13;13;13	slot1	12.44	10	16	PASS
LVHT	EGPRS850	190	836.6	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS850	190	836.6	14;14;14;14	slot1	10.77	6	16	PASS
LVHT	EGPRS850	190	836.6	15;15;15;15	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS850	190	836.6	15;15;15;15	slot1	7.92	4	14	PASS
LVHT	EGPRS850	190	836.6	16;16;16;16	PvT(%)	-0.15	0	0	PASS

LVHT	EGPRS850	190	836.6	16;16;16;16	slot1	6.25	2	12	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	slot1	3.95	0	10	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	slot1	25.37	24	30	PASS
LVHT	EGPRS850	251	848.8	7;7;7;7	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS850	251	848.8	7;7;7;7	slot1	24.6	22	28	PASS
LVHT	EGPRS850	251	848.8	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS850	251	848.8	8;8;8;8	slot1	22.51	20	26	PASS
LVHT	EGPRS850	251	848.8	9;9;9;9	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS850	251	848.8	9;9;9;9	slot1	20.77	18	24	PASS
LVHT	EGPRS850	251	848.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS850	251	848.8	10;10;10;10	slot1	18.86	16	22	PASS
LVHT	EGPRS850	251	848.8	11;11;11;11	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS850	251	848.8	11;11;11;11	slot1	16.47	14	20	PASS
LVHT	EGPRS850	251	848.8	12;12;12;12	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS850	251	848.8	12;12;12;12	slot1	14.55	12	18	PASS
LVHT	EGPRS850	251	848.8	13;13;13;13	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS850	251	848.8	13;13;13;13	slot1	12.73	10	16	PASS
LVHT	EGPRS850	251	848.8	14;14;14;14	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS850	251	848.8	14;14;14;14	slot1	10.33	6	16	PASS
LVHT	EGPRS850	251	848.8	15;15;15;15	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS850	251	848.8	15;15;15;15	slot1	8.5	4	14	PASS
LVHT	EGPRS850	251	848.8	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS850	251	848.8	16;16;16;16	slot1	6.19	2	12	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	slot1	4.2	0	10	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	slot1	25.87	24	30	PASS
LVLT	EGPRS850	128	824.2	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS850	128	824.2	7;7;7;7	slot1	24.66	22	28	PASS
LVLT	EGPRS850	128	824.2	8;8;8;8	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS850	128	824.2	8;8;8;8	slot1	22.92	20	26	PASS
LVLT	EGPRS850	128	824.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS850	128	824.2	9;9;9;9	slot1	20.5	18	24	PASS
LVLT	EGPRS850	128	824.2	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS850	128	824.2	10;10;10;10	slot1	18.8	16	22	PASS
LVLT	EGPRS850	128	824.2	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS850	128	824.2	11;11;11;11	slot1	16.88	14	20	PASS
LVLT	EGPRS850	128	824.2	12;12;12;12	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS850	128	824.2	12;12;12;12	slot1	15.21	12	18	PASS
LVLT	EGPRS850	128	824.2	13;13;13;13	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS850	128	824.2	13;13;13;13	slot1	12.77	10	16	PASS
LVLT	EGPRS850	128	824.2	14;14;14;14	PvT(%)	-0.06	0	0	PASS

LVLT	EGPRS850	128	824.2	14;14;14;14	slot1	10.72	6	16	PASS
LVLT	EGPRS850	128	824.2	15;15;15;15	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS850	128	824.2	15;15;15;15	slot1	8.56	4	14	PASS
LVLT	EGPRS850	128	824.2	16;16;16;16	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS850	128	824.2	16;16;16;16	slot1	6.93	2	12	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	slot1	4.61	0	10	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	slot1	26.02	24	30	PASS
LVLT	EGPRS850	190	836.6	7;7;7;7	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS850	190	836.6	7;7;7;7	slot1	24.67	22	28	PASS
LVLT	EGPRS850	190	836.6	8;8;8;8	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS850	190	836.6	8;8;8;8	slot1	22.56	20	26	PASS
LVLT	EGPRS850	190	836.6	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS850	190	836.6	9;9;9;9	slot1	20.42	18	24	PASS
LVLT	EGPRS850	190	836.6	10;10;10;10	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS850	190	836.6	10;10;10;10	slot1	18.51	16	22	PASS
LVLT	EGPRS850	190	836.6	11;11;11;11	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS850	190	836.6	11;11;11;11	slot1	16.09	14	20	PASS
LVLT	EGPRS850	190	836.6	12;12;12;12	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS850	190	836.6	12;12;12;12	slot1	15.08	12	18	PASS
LVLT	EGPRS850	190	836.6	13;13;13;13	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS850	190	836.6	13;13;13;13	slot1	12.46	10	16	PASS
LVLT	EGPRS850	190	836.6	14;14;14;14	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS850	190	836.6	14;14;14;14	slot1	10.79	6	16	PASS
LVLT	EGPRS850	190	836.6	15;15;15;15	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS850	190	836.6	15;15;15;15	slot1	7.97	4	14	PASS
LVLT	EGPRS850	190	836.6	16;16;16;16	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS850	190	836.6	16;16;16;16	slot1	6.18	2	12	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	slot1	4.08	0	10	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	slot1	25.35	24	30	PASS
LVLT	EGPRS850	251	848.8	7;7;7;7	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS850	251	848.8	7;7;7;7	slot1	24.58	22	28	PASS
LVLT	EGPRS850	251	848.8	8;8;8;8	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS850	251	848.8	8;8;8;8	slot1	22.61	20	26	PASS
LVLT	EGPRS850	251	848.8	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS850	251	848.8	9;9;9;9	slot1	20.8	18	24	PASS
LVLT	EGPRS850	251	848.8	10;10;10;10	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS850	251	848.8	10;10;10;10	slot1	18.92	16	22	PASS
LVLT	EGPRS850	251	848.8	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS850	251	848.8	11;11;11;11	slot1	16.43	14	20	PASS
LVLT	EGPRS850	251	848.8	12;12;12;12	PvT(%)	-0.18	0	0	PASS

LVLT	EGPRS850	251	848.8	12;12;12;12	slot1	14.54	12	18	PASS
LVLT	EGPRS850	251	848.8	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS850	251	848.8	13;13;13;13	slot1	12.56	10	16	PASS
LVLT	EGPRS850	251	848.8	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS850	251	848.8	14;14;14;14	slot1	10.29	6	16	PASS
LVLT	EGPRS850	251	848.8	15;15;15;15	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS850	251	848.8	15;15;15;15	slot1	8.53	4	14	PASS
LVLT	EGPRS850	251	848.8	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS850	251	848.8	16;16;16;16	slot1	6.24	2	12	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	slot1	4.24	0	10	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	slot1	25.35	24	30	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	slot1	24.07	22	28	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	slot1	22.47	20	26	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	slot1	20.46	18	24	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	slot1	18.23	16	22	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	slot1	16.67	14	20	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	slot1	15.44	12	18	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	slot1	12.66	10	16	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	slot1	10.72	6	16	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	slot1	8.79	4	14	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	slot1	6.66	2	12	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	slot1	4.77	0	10	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	slot1	25.57	24	30	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	slot1	24.97	22	28	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	slot1	22.5	20	26	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	slot1	20.79	18	24	PASS
HVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.03	0	0	PASS

HVHT	EGPRS900	38	897.6	10;10;10;10	slot1	18.94	16	22	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	slot1	17.18	14	20	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	slot1	15.13	12	18	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	slot1	13.59	10	16	PASS
HVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS900	38	897.6	14;14;14;14	slot1	11.01	6	16	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	slot1	8.97	4	14	PASS
HVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	38	897.6	16;16;16;16	slot1	6.88	2	12	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	slot1	4.66	0	10	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	slot1	25.61	24	30	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	slot1	25.01	22	28	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	slot1	22.89	20	26	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	slot1	20.8	18	24	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	slot1	19.12	16	22	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	slot1	17.19	14	20	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	slot1	15.64	12	18	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	slot1	13.43	10	16	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	slot1	10.87	6	16	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	slot1	8.91	4	14	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	slot1	6.74	2	12	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	slot1	4.61	0	10	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	slot1	25.32	24	30	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	slot1	24.14	22	28	PASS
HVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.04	0	0	PASS

HVLT	EGPRS900	975	880.2	8;8;8;8	slot1	22.5	20	26	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	slot1	20.41	18	24	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	slot1	18.16	16	22	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	slot1	16.74	14	20	PASS
HVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS900	975	880.2	12;12;12;12	slot1	15.44	12	18	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	slot1	12.67	10	16	PASS
HVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS900	975	880.2	14;14;14;14	slot1	10.63	6	16	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	slot1	8.8	4	14	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	slot1	6.53	2	12	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	slot1	4.7	0	10	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	slot1	25.52	24	30	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	slot1	25.08	22	28	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	slot1	22.6	20	26	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	slot1	20.69	18	24	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	slot1	18.97	16	22	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	slot1	17.11	14	20	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	slot1	15.01	12	18	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	slot1	13.63	10	16	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	slot1	11	6	16	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	slot1	9.11	4	14	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	slot1	7.01	2	12	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	slot1	4.7	0	10	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.07	0	0	PASS

HVLT	EGPRS900	124	914.8	6;6;6;6	slot1	25.61	24	30	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	slot1	24.99	22	28	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	slot1	22.88	20	26	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	slot1	20.93	18	24	PASS
HVLT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	124	914.8	10;10;10;10	slot1	19.22	16	22	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	slot1	17.27	14	20	PASS
HVLT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS900	124	914.8	12;12;12;12	slot1	15.65	12	18	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	slot1	13.5	10	16	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	slot1	11	6	16	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	slot1	8.91	4	14	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	slot1	6.76	2	12	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	slot1	4.73	0	10	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	slot1	25.27	24	30	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	slot1	24.18	22	28	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	slot1	22.48	20	26	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	slot1	20.53	18	24	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	slot1	18.19	16	22	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	slot1	16.65	14	20	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	slot1	15.27	12	18	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	slot1	12.62	10	16	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	slot1	10.65	6	16	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	slot1	8.68	4	14	PASS
LVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS

LVHT	EGPRS900	975	880.2	16;16;16;16	slot1	6.57	2	12	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	slot1	4.67	0	10	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	slot1	25.53	24	30	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	slot1	25.1	22	28	PASS
LVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS900	38	897.6	8;8;8;8	slot1	22.59	20	26	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	slot1	20.74	18	24	PASS
LVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS900	38	897.6	10;10;10;10	slot1	18.92	16	22	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	slot1	17.1	14	20	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	slot1	15.01	12	18	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	slot1	13.63	10	16	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	slot1	10.86	6	16	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	slot1	8.97	4	14	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	slot1	6.95	2	12	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	slot1	4.69	0	10	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	slot1	25.67	24	30	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	slot1	24.98	22	28	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	slot1	22.97	20	26	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	slot1	20.76	18	24	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	slot1	19.15	16	22	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	slot1	17.22	14	20	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	slot1	15.57	12	18	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	slot1	13.33	10	16	PASS
LVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.09	0	0	PASS

LVHT	EGPRS900	124	914.8	14;14;14;14	slot1	10.92	6	16	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	slot1	8.84	4	14	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	slot1	6.67	2	12	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	slot1	4.64	0	10	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	slot1	25.36	24	30	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	slot1	24.01	22	28	PASS
LVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS900	975	880.2	8;8;8;8	slot1	22.6	20	26	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	slot1	20.35	18	24	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	slot1	18.24	16	22	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	slot1	16.64	14	20	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	slot1	15.27	12	18	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	slot1	12.64	10	16	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	slot1	10.56	6	16	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	slot1	8.76	4	14	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	slot1	6.64	2	12	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	slot1	4.72	0	10	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	slot1	25.59	24	30	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	slot1	25.01	22	28	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	slot1	22.49	20	26	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	slot1	20.76	18	24	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	slot1	18.86	16	22	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	slot1	17.26	14	20	PASS
LVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.09	0	0	PASS

LVLT	EGPRS900	38	897.6	12;12;12;12	slot1	15.1	12	18	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	slot1	13.6	10	16	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	slot1	11	6	16	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	slot1	9.09	4	14	PASS
LVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	38	897.6	16;16;16;16	slot1	6.88	2	12	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	slot1	4.69	0	10	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	slot1	25.73	24	30	PASS
LVLT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS900	124	914.8	7;7;7;7	slot1	24.98	22	28	PASS
LVLT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS900	124	914.8	8;8;8;8	slot1	22.8	20	26	PASS
LVLT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS900	124	914.8	9;9;9;9	slot1	20.93	18	24	PASS
LVLT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	124	914.8	10;10;10;10	slot1	19.13	16	22	PASS
LVLT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	124	914.8	11;11;11;11	slot1	17.23	14	20	PASS
LVLT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS900	124	914.8	12;12;12;12	slot1	15.59	12	18	PASS
LVLT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS900	124	914.8	13;13;13;13	slot1	13.45	10	16	PASS
LVLT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	124	914.8	14;14;14;14	slot1	11.02	6	16	PASS
LVLT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS900	124	914.8	15;15;15;15	slot1	8.9	4	14	PASS
LVLT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS900	124	914.8	16;16;16;16	slot1	6.75	2	12	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	slot1	4.71	0	10	PASS

#### Clause 4.2.29 Modulation Spectrum in EGPRS configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-74.03	-60	-58.41	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-72.68	-60	-57.13	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-71.58	-60	-55.93	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-71.05	-60	-55.46	-55	PASS

HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.64	-60	-54.07	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-69.02	-60	-53.33	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-66.61	-60	-50.98	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-59.44	-60	-43.92	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-41.48	-33	-25.87	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-33.44	-30	-17.97	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-4.78	0.5	10.94	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-3.68	0.5	11.91	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-32.84	-30	-17.15	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.54	-33	-25.78	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-59.46	-60	-43.76	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-65.06	-60	-49.39	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-66.2	-60	-50.56	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.15	-60	-53.44	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.21	-60	-55.5	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-73.32	-60	-57.62	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-71.78	-60	-55.98	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-73.23	-60	-57.41	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-74.76	-60	-82.03	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-74.74	-60	-82.09	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-73.18	-60	-80.52	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-73.35	-60	-80.66	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-71.66	-60	-79	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-68.9	-60	-76.3	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-68.19	-60	-75.57	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-62.83	-60	-70.22	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.01	-33	-48.46	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-37.58	-30	-44.88	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.79	0.5	-16.1	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.51	0.5	-15.97	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-37.52	-30	-45.02	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-41.23	-33	-48.6	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-62.85	-60	-70.08	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-66.97	-60	-74.27	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-70.04	-60	-77.29	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-71.25	-60	-78.53	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-72.07	-60	-79.5	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-73.95	-60	-81.4	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-74.41	-60	-81.79	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-74.66	-60	-81.97	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-77.35	-60	-59.66	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-76.38	-60	-58.76	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-74.74	-60	-57.2	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-74.44	-60	-56.68	-55	PASS

HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-72.63	-60	-54.96	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-70.12	-60	-52.45	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-69.69	-60	-51.88	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-61.66	-60	-44.04	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-44.11	-33	-26.37	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.2	-30	-18.55	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.2	0.5	9.55	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.93	0.5	9.71	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-37.41	-30	-19.7	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-43.18	-33	-25.55	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-62.16	-60	-44.57	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-68.36	-60	-50.77	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-70.44	-60	-52.85	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-72.09	-60	-54.49	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-72.43	-60	-54.79	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-74.46	-60	-56.95	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.34	-60	-56.78	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-76.28	-60	-58.61	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-75.76	-60	-83.17	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-74.77	-60	-82.2	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-74.28	-60	-81.84	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-73.7	-60	-81.13	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-72.75	-60	-80.31	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.11	-60	-78.61	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-69.31	-60	-76.82	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-64.07	-60	-71.49	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.86	-33	-49.34	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-38.83	-30	-46.14	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.37	0.5	-15.93	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-9	0.5	-16.54	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-38.12	-30	-45.53	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-41.45	-33	-49.04	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-63.5	-60	-71.11	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.61	-60	-76.01	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-70.33	-60	-77.89	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-71.96	-60	-79.44	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-73.3	-60	-80.71	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-73.78	-60	-81.19	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-75.24	-60	-82.72	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-75.15	-60	-82.66	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-76.9	-60	-58.85	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-75.76	-60	-57.66	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-74.69	-60	-56.7	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-73.5	-60	-55.55	-55	PASS

HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-71.7	-60	-53.73	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-70.47	-60	-52.55	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-68.14	-60	-50.1	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-62.29	-60	-44.25	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-44.29	-33	-26.15	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-37.11	-30	-19.12	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.8	0.5	9.38	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.69	0.5	9.31	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-38.22	-30	-20.14	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.24	-33	-25.17	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-62.86	-60	-44.82	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-68.52	-60	-50.57	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-70.81	-60	-52.88	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-72.57	-60	-54.45	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-73.36	-60	-55.34	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-74.92	-60	-56.82	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-76.11	-60	-58.01	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-76.34	-60	-58.32	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-75.86	-60	-83.83	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-74.38	-60	-82.56	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-73.82	-60	-82.01	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-72.61	-60	-80.66	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-71.7	-60	-79.61	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-69.85	-60	-77.96	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-68.72	-60	-76.71	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-63.28	-60	-71.28	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.87	-33	-49.04	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.59	-30	-45.44	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.17	0.5	-16.26	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-7.77	0.5	-15.73	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.56	-30	-44.56	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-40.88	-33	-48.87	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-63.26	-60	-71.35	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-68.52	-60	-76.55	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-69.55	-60	-77.56	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-72.39	-60	-80.45	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-72.32	-60	-80.44	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-73.65	-60	-81.8	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-75.15	-60	-83.11	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-75.62	-60	-83.55	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-73.97	-60	-58.24	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-72.79	-60	-57.1	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-71.57	-60	-55.88	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-71.09	-60	-55.31	-55	PASS

HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.66	-60	-54.09	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-68.93	-60	-53.37	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-66.5	-60	-50.94	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-59.46	-60	-43.88	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-41.47	-33	-25.74	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-33.45	-30	-17.84	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-4.79	0.5	10.95	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-3.67	0.5	11.81	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-32.79	-30	-17.1	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.57	-33	-25.87	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-59.53	-60	-43.81	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-65.19	-60	-49.49	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-66.12	-60	-50.52	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-68.98	-60	-53.36	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.22	-60	-55.53	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-73.3	-60	-57.75	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-71.71	-60	-56.14	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-73.19	-60	-57.56	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-74.62	-60	-82.03	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-74.87	-60	-82.2	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-73	-60	-80.5	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-73.42	-60	-80.67	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-71.67	-60	-78.9	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-69.07	-60	-76.26	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-68.02	-60	-75.38	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-62.85	-60	-70.26	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.13	-33	-48.42	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-37.55	-30	-45.05	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.69	0.5	-16.12	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.44	0.5	-15.9	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-37.64	-30	-44.92	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-41.38	-33	-48.56	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-62.74	-60	-70.16	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-66.91	-60	-74.31	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-70.08	-60	-77.34	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-71.29	-60	-78.48	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-72.1	-60	-79.42	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-74.02	-60	-81.29	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-74.4	-60	-81.71	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-74.76	-60	-81.98	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-77.34	-60	-59.72	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-76.28	-60	-58.75	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-74.75	-60	-57.14	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-74.44	-60	-56.65	-55	PASS

HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-72.61	-60	-54.95	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-70.17	-60	-52.49	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-69.55	-60	-51.87	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-61.84	-60	-44.16	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-44.15	-33	-26.47	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.12	-30	-18.48	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.16	0.5	9.61	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.86	0.5	9.73	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-37.39	-30	-19.77	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-43.19	-33	-25.55	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-62.24	-60	-44.46	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-68.34	-60	-50.74	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-70.57	-60	-52.96	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-72.23	-60	-54.55	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-72.43	-60	-54.76	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-74.61	-60	-56.91	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.41	-60	-56.74	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-76.13	-60	-58.46	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-75.75	-60	-83.16	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-74.86	-60	-82.23	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-74.22	-60	-81.8	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-73.56	-60	-81.21	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-72.75	-60	-80.27	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.16	-60	-78.66	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-69.25	-60	-76.73	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-64.09	-60	-71.63	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.78	-33	-49.35	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-38.73	-30	-46.24	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.38	0.5	-15.8	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.12	0.5	-16.48	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-37.97	-30	-45.45	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-41.56	-33	-49.11	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-63.45	-60	-71.08	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.66	-60	-76.01	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-70.42	-60	-77.77	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-71.94	-60	-79.62	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-73.28	-60	-80.7	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-73.64	-60	-81.12	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-75.06	-60	-82.61	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-75.13	-60	-82.62	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-76.77	-60	-58.74	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-75.68	-60	-57.75	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-74.63	-60	-56.7	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-73.53	-60	-55.62	-55	PASS

HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-71.77	-60	-53.68	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-70.51	-60	-52.48	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-68.02	-60	-50.05	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-62.26	-60	-44.27	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-44.13	-33	-26.14	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-37.24	-30	-19.14	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.72	0.5	9.32	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.66	0.5	9.45	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-38.15	-30	-20.18	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.21	-33	-25.31	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-62.8	-60	-44.78	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-68.6	-60	-50.49	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-70.89	-60	-52.85	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-72.65	-60	-54.62	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-73.36	-60	-55.37	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-74.84	-60	-56.76	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-76.05	-60	-57.99	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-76.27	-60	-58.25	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-75.9	-60	-83.89	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-74.48	-60	-82.59	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-73.83	-60	-81.85	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-72.5	-60	-80.69	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-71.66	-60	-79.78	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-69.89	-60	-77.96	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-68.64	-60	-76.57	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-63.24	-60	-71.38	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.91	-33	-48.93	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.52	-30	-45.54	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.23	0.5	-16.18	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-7.81	0.5	-15.84	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.62	-30	-44.57	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-40.9	-33	-48.89	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-63.33	-60	-71.33	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-68.39	-60	-76.49	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-69.68	-60	-77.59	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-72.41	-60	-80.53	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-72.26	-60	-80.37	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-73.78	-60	-81.7	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-75.02	-60	-83.17	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-75.58	-60	-83.67	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-73.93	-60	-58.36	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-72.78	-60	-57.13	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-71.61	-60	-55.95	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-71.07	-60	-55.41	-55	PASS

LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.55	-60	-53.9	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-68.98	-60	-53.39	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-66.61	-60	-50.82	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-59.43	-60	-43.91	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-41.37	-33	-25.77	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-33.62	-30	-17.97	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-4.7	0.5	11.01	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-3.81	0.5	11.89	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-32.85	-30	-17.17	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.51	-33	-25.8	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-59.52	-60	-43.83	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-65.05	-60	-49.39	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-66.13	-60	-50.55	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.13	-60	-53.42	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.14	-60	-55.57	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-73.26	-60	-57.74	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-71.61	-60	-56.11	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-73.25	-60	-57.56	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-74.74	-60	-82.11	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-74.75	-60	-82.27	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-73.09	-60	-80.36	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-73.35	-60	-80.72	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-71.63	-60	-79.04	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-68.94	-60	-76.27	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-68.2	-60	-75.45	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-62.82	-60	-70.23	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.06	-33	-48.47	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-37.66	-30	-44.92	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.83	0.5	-16.06	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.44	0.5	-15.78	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-37.58	-30	-45.03	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-41.29	-33	-48.63	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-62.8	-60	-70.14	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-66.93	-60	-74.25	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-69.96	-60	-77.47	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-71.3	-60	-78.66	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-72.09	-60	-79.49	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-74.07	-60	-81.43	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-74.28	-60	-81.72	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-74.69	-60	-82.06	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-77.3	-60	-59.66	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-76.36	-60	-58.6	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-74.82	-60	-57.14	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-74.3	-60	-56.71	-55	PASS

LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-72.47	-60	-54.93	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-70.23	-60	-52.46	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-69.64	-60	-51.87	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-61.78	-60	-44.14	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-44.09	-33	-26.34	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.11	-30	-18.46	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.08	0.5	9.49	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.98	0.5	9.68	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-37.44	-30	-19.75	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-43.17	-33	-25.62	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-62.25	-60	-44.43	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-68.33	-60	-50.68	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-70.57	-60	-52.89	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-72.15	-60	-54.54	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-72.46	-60	-54.81	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-74.61	-60	-56.97	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.33	-60	-56.71	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-76.22	-60	-58.55	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-75.63	-60	-83.21	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-74.76	-60	-82.22	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-74.34	-60	-81.66	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-73.55	-60	-81.22	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-72.76	-60	-80.23	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.12	-60	-78.7	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-69.26	-60	-76.76	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-64.09	-60	-71.52	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.8	-33	-49.33	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-38.78	-30	-46.13	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.38	0.5	-15.93	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.08	0.5	-16.44	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-38.05	-30	-45.6	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-41.51	-33	-48.99	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-63.52	-60	-71	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.52	-60	-75.96	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-70.25	-60	-77.81	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-72.12	-60	-79.43	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-73.37	-60	-80.69	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-73.8	-60	-81.26	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-75.24	-60	-82.59	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-75.25	-60	-82.67	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-76.74	-60	-58.82	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-75.66	-60	-57.75	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-74.69	-60	-56.61	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-73.58	-60	-55.56	-55	PASS

LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-71.69	-60	-53.69	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-70.41	-60	-52.42	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-68.1	-60	-49.98	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-62.38	-60	-44.43	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-44.24	-33	-26.24	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-37.18	-30	-19.24	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.81	0.5	9.32	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.67	0.5	9.47	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-38.2	-30	-20.16	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.2	-33	-25.14	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-62.83	-60	-44.89	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-68.5	-60	-50.51	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-70.9	-60	-52.75	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-72.64	-60	-54.61	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-73.33	-60	-55.32	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-74.87	-60	-56.92	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-76.13	-60	-58.11	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-76.3	-60	-58.28	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-75.83	-60	-83.92	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-74.41	-60	-82.55	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-73.91	-60	-82.04	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-72.53	-60	-80.57	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-71.7	-60	-79.6	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-69.85	-60	-77.93	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-68.72	-60	-76.57	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-63.2	-60	-71.26	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.83	-33	-48.95	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.42	-30	-45.55	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.14	0.5	-16.26	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-7.75	0.5	-15.82	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.56	-30	-44.69	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-40.89	-33	-49.05	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-63.2	-60	-71.31	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-68.41	-60	-76.46	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-69.65	-60	-77.57	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-72.46	-60	-80.54	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-72.32	-60	-80.41	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-73.73	-60	-81.75	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-75.1	-60	-83.18	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-75.55	-60	-83.65	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-73.91	-60	-58.28	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-72.77	-60	-56.99	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-71.51	-60	-55.83	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-71.02	-60	-55.41	-55	PASS

LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.61	-60	-54.01	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-69.08	-60	-53.37	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-66.58	-60	-50.92	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-59.38	-60	-43.92	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-41.48	-33	-25.76	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-33.57	-30	-17.96	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-4.74	0.5	10.94	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-3.75	0.5	11.95	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-32.92	-30	-17.28	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.41	-33	-25.91	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-59.42	-60	-43.86	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-65.06	-60	-49.41	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-66.23	-60	-50.56	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.03	-60	-53.4	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.21	-60	-55.6	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-73.33	-60	-57.76	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-71.67	-60	-55.96	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-73.16	-60	-57.52	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-74.75	-60	-81.98	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-74.79	-60	-82.22	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-73.13	-60	-80.46	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-73.27	-60	-80.75	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-71.65	-60	-78.89	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-69.07	-60	-76.38	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-68.18	-60	-75.5	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-62.82	-60	-70.23	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.04	-33	-48.5	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-37.57	-30	-44.96	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.73	0.5	-16.15	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.52	0.5	-15.94	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-37.57	-30	-44.99	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-41.24	-33	-48.7	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-62.92	-60	-70.27	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-66.87	-60	-74.24	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-70.12	-60	-77.46	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-71.22	-60	-78.65	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-72.16	-60	-79.44	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-73.94	-60	-81.42	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-74.39	-60	-81.71	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-74.69	-60	-82.11	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-77.38	-60	-59.65	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-76.35	-60	-58.62	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-74.85	-60	-57.21	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-74.34	-60	-56.73	-55	PASS

LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-72.62	-60	-55	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-70.1	-60	-52.39	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-69.63	-60	-51.95	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-61.73	-60	-44.01	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-44.04	-33	-26.39	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.21	-30	-18.55	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.18	0.5	9.55	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.93	0.5	9.68	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-37.37	-30	-19.76	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-43.29	-33	-25.64	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-62.21	-60	-44.54	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-68.46	-60	-50.78	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-70.47	-60	-52.92	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-72.22	-60	-54.54	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-72.44	-60	-54.75	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-74.65	-60	-56.81	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.42	-60	-56.82	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-76.26	-60	-58.45	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-75.75	-60	-83.2	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-74.76	-60	-82.21	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-74.34	-60	-81.67	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-73.6	-60	-81.09	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-72.86	-60	-80.33	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.06	-60	-78.64	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-69.31	-60	-76.75	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-63.97	-60	-71.54	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.95	-33	-49.36	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-38.64	-30	-46.16	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.31	0.5	-15.89	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.12	0.5	-16.6	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-38.05	-30	-45.55	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-41.6	-33	-49.01	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-63.52	-60	-71.06	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.53	-60	-76.15	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-70.35	-60	-77.86	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-72	-60	-79.57	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-73.18	-60	-80.82	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-73.62	-60	-81.21	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-75.11	-60	-82.66	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-75.26	-60	-82.66	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-76.83	-60	-58.75	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-75.82	-60	-57.73	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-74.74	-60	-56.63	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-73.47	-60	-55.62	-55	PASS

LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-71.74	-60	-53.69	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-70.57	-60	-52.38	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-68.06	-60	-50.03	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-62.37	-60	-44.29	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-44.16	-33	-26.28	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-37.24	-30	-19.07	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.71	0.5	9.37	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.71	0.5	9.47	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-38.11	-30	-20.11	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.22	-33	-25.16	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-62.84	-60	-44.8	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-68.67	-60	-50.58	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-70.85	-60	-52.8	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-72.51	-60	-54.48	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-73.32	-60	-55.23	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-74.84	-60	-56.91	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-76.1	-60	-58.06	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-76.24	-60	-58.17	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-75.93	-60	-83.84	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-74.4	-60	-82.5	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-73.85	-60	-82	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-72.57	-60	-80.61	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-71.71	-60	-79.78	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-69.75	-60	-77.88	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-68.61	-60	-76.73	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-63.26	-60	-71.36	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.83	-33	-49.02	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.47	-30	-45.49	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.18	0.5	-16.14	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-7.76	0.5	-15.72	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.54	-30	-44.61	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-40.96	-33	-49.06	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-63.26	-60	-71.39	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-68.47	-60	-76.61	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-69.66	-60	-77.73	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-72.36	-60	-80.54	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-72.28	-60	-80.47	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-73.61	-60	-81.79	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-74.98	-60	-83.12	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-75.61	-60	-83.63	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-1800	-76.74	-60	-57.83	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-1600	-76.57	-60	-57.88	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-1400	-74.61	-60	-55.82	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-1200	-73.89	-60	-55.17	-55	PASS

HVHT	EGPRS1900	512	1850.2	5;5;5;5	-1000	-73.05	-60	-54.26	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-800	-71.41	-60	-52.4	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-600	-69.59	-60	-50.8	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-400	-62.85	-60	-43.97	-36	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-250	-44.35	-33	-25.45	-36	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-200	-37.43	-30	-18.63	-36	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-100	-9.12	0.5	9.65	-36	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	100	-9.57	0.5	9.31	-36	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	200	-38.82	-30	-20.12	-36	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	250	-43.2	-33	-24.35	-36	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	400	-63.82	-60	-45.11	-36	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	600	-68.99	-60	-50.22	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	800	-70.91	-60	-52.13	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	1000	-72.65	-60	-53.84	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	1200	-73.94	-60	-55.16	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	1400	-75.16	-60	-56.38	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	1600	-76.51	-60	-57.63	-55	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	1800	-76.7	-60	-57.87	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-1800	-74.38	-60	-82.41	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-1600	-75.64	-60	-83.7	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-1400	-74.22	-60	-82.18	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-1200	-73.53	-60	-81.45	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-1000	-72.43	-60	-80.52	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-800	-70.93	-60	-78.96	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-600	-70.15	-60	-78.18	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-400	-63.14	-60	-71.04	-36	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-250	-41.02	-33	-49.1	-36	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-200	-38.59	-30	-46.52	-36	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-100	-8.43	0.5	-16.52	-36	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	100	-8.6	0.5	-16.5	-36	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	200	-37.85	-30	-45.99	-36	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	250	-40.24	-33	-48.31	-36	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	400	-61.72	-60	-69.64	-36	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	600	-68.56	-60	-76.58	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	800	-70.17	-60	-78.2	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	1000	-71.19	-60	-79.03	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	1200	-72.64	-60	-80.75	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	1400	-73.85	-60	-81.86	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	1600	-74.91	-60	-82.98	-55	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	1800	-75.96	-60	-83.94	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-1800	-75.59	-60	-57.15	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-1600	-75.89	-60	-57.51	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-1400	-73.72	-60	-55.34	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-1200	-72.34	-60	-53.91	-55	PASS

HVHT	EGPRS1900	661	1880	5;5;5;5	-1000	-71.56	-60	-53.19	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-800	-69.66	-60	-51.14	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-600	-68.22	-60	-49.76	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-400	-62.58	-60	-44.21	-36	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-250	-42.69	-33	-24.39	-36	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-200	-36.95	-30	-18.41	-36	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-100	-8.8	0.5	9.67	-36	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	100	-8.53	0.5	9.81	-36	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	200	-38.08	-30	-19.7	-36	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	250	-42.43	-33	-23.98	-36	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	400	-62.33	-60	-43.86	-36	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	600	-68.36	-60	-49.9	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	800	-70.09	-60	-51.81	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	1000	-71.48	-60	-53.08	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	1200	-72.98	-60	-54.55	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	1400	-74.19	-60	-55.68	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	1600	-75.36	-60	-57.06	-55	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	1800	-75.32	-60	-56.89	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-1800	-74.99	-60	-82.48	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-1600	-75.32	-60	-82.8	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-1400	-73.89	-60	-81.44	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-1200	-72.88	-60	-80.31	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-1000	-71.75	-60	-79.16	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-800	-68.99	-60	-76.32	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-600	-68.22	-60	-75.66	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-400	-62.63	-60	-69.99	-36	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-250	-41.67	-33	-49.28	-36	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-200	-36.99	-30	-44.43	-36	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-100	-8.15	0.5	-15.55	-36	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	100	-8.33	0.5	-15.91	-36	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	200	-37.44	-30	-44.86	-36	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	250	-41.36	-33	-48.86	-36	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	400	-62.43	-60	-69.88	-36	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	600	-68.11	-60	-75.58	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	800	-70.15	-60	-77.52	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	1000	-72.36	-60	-79.8	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	1200	-72.77	-60	-80.23	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	1400	-73.94	-60	-81.35	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	1600	-75	-60	-82.48	-55	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	1800	-75.66	-60	-83.12	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-1800	-76.21	-60	-57.64	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-1600	-74.7	-60	-56.22	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-1400	-74.03	-60	-55.51	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-1200	-72.82	-60	-54.29	-55	PASS

HVHT	EGPRS1900	810	1909.8	5;5;5;5	-1000	-72.12	-60	-53.64	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-800	-70.36	-60	-51.94	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-600	-68.41	-60	-49.9	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-400	-61.94	-60	-43.54	-36	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-250	-43.52	-33	-25.06	-36	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-200	-37.26	-30	-18.86	-36	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-100	-8.8	0.5	9.71	-36	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	100	-8.33	0.5	10.29	-36	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	200	-38.31	-30	-19.78	-36	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	250	-43.16	-33	-24.82	-36	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	400	-62.32	-60	-43.94	-36	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	600	-69.01	-60	-50.51	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	800	-70.23	-60	-51.77	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	1000	-71.42	-60	-52.93	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	1200	-72.74	-60	-54.24	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	1400	-73.79	-60	-55.31	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	1600	-75.52	-60	-56.97	-55	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	1800	-75.68	-60	-57.1	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-1800	-75.74	-60	-83.13	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-1600	-74.5	-60	-81.87	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-1400	-73.91	-60	-81.56	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-1200	-73.13	-60	-80.6	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-1000	-71.14	-60	-78.53	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-800	-69.75	-60	-77.13	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-600	-68.39	-60	-75.74	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-400	-62.63	-60	-70.12	-36	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-250	-41.12	-33	-48.55	-36	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-200	-37.79	-30	-45.35	-36	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-100	-8.16	0.5	-15.59	-36	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	100	-8.61	0.5	-16.17	-36	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	200	-37.3	-30	-44.63	-36	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	250	-40.31	-33	-47.67	-36	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	400	-62.88	-60	-70.46	-36	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	600	-68.7	-60	-76.22	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	800	-69.54	-60	-77.03	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	1000	-71.31	-60	-78.82	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	1200	-71.72	-60	-79.28	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	1400	-73.99	-60	-81.33	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	1600	-74.47	-60	-81.87	-55	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	1800	-74.69	-60	-81.95	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-1800	-76.67	-60	-57.86	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-1600	-76.63	-60	-57.83	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-1400	-74.79	-60	-55.95	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-1200	-73.94	-60	-55.17	-55	PASS

HVLT	EGPRS1900	512	1850.2	5;5;5;5	-1000	-73.07	-60	-54.29	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-800	-71.25	-60	-52.55	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-600	-69.62	-60	-50.79	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-400	-62.85	-60	-43.98	-36	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-250	-44.3	-33	-25.52	-36	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-200	-37.5	-30	-18.62	-36	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-100	-9.21	0.5	9.6	-36	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	100	-9.66	0.5	9.25	-36	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	200	-38.91	-30	-19.96	-36	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	250	-43.2	-33	-24.26	-36	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	400	-63.85	-60	-45.12	-36	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	600	-68.99	-60	-50.11	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	800	-71.01	-60	-52.16	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	1000	-72.54	-60	-53.85	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	1200	-74.06	-60	-55.1	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	1400	-75.17	-60	-56.44	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	1600	-76.4	-60	-57.63	-55	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	1800	-76.75	-60	-58	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-1800	-74.43	-60	-82.56	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-1600	-75.53	-60	-83.71	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-1400	-74.21	-60	-82.17	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-1200	-73.48	-60	-81.51	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-1000	-72.45	-60	-80.6	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-800	-70.91	-60	-79.03	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-600	-70.28	-60	-78.18	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-400	-63.2	-60	-71.18	-36	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-250	-40.96	-33	-49.03	-36	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-200	-38.56	-30	-46.52	-36	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-100	-8.45	0.5	-16.47	-36	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	100	-8.65	0.5	-16.51	-36	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	200	-37.94	-30	-45.98	-36	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	250	-40.32	-33	-48.31	-36	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	400	-61.78	-60	-69.65	-36	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	600	-68.46	-60	-76.47	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	800	-70.18	-60	-78.36	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	1000	-71.01	-60	-79.18	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	1200	-72.6	-60	-80.73	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	1400	-73.78	-60	-81.89	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	1600	-74.98	-60	-82.93	-55	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	1800	-75.83	-60	-83.97	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-1800	-75.64	-60	-57.18	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-1600	-75.77	-60	-57.43	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-1400	-73.6	-60	-55.21	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-1200	-72.25	-60	-53.86	-55	PASS

HVLT	EGPRS1900	661	1880	5;5;5;5	-1000	-71.59	-60	-53.04	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-800	-69.57	-60	-51.23	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-600	-68.12	-60	-49.84	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-400	-62.5	-60	-44.2	-36	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-250	-42.8	-33	-24.34	-36	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-200	-36.95	-30	-18.41	-36	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-100	-8.77	0.5	9.78	-36	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	100	-8.6	0.5	9.85	-36	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	200	-38.07	-30	-19.62	-36	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	250	-42.41	-33	-23.93	-36	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	400	-62.34	-60	-44	-36	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	600	-68.49	-60	-49.98	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	800	-70.18	-60	-51.84	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	1000	-71.64	-60	-53.15	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	1200	-73.08	-60	-54.52	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	1400	-74.11	-60	-55.67	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	1600	-75.46	-60	-57.01	-55	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	1800	-75.38	-60	-57.04	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-1800	-75.05	-60	-82.4	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-1600	-75.36	-60	-82.68	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-1400	-73.96	-60	-81.37	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-1200	-73	-60	-80.42	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-1000	-71.7	-60	-79.02	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-800	-68.84	-60	-76.28	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-600	-68.19	-60	-75.59	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-400	-62.57	-60	-70.14	-36	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-250	-41.76	-33	-49.25	-36	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-200	-36.93	-30	-44.52	-36	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-100	-8.06	0.5	-15.57	-36	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	100	-8.34	0.5	-15.79	-36	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	200	-37.36	-30	-44.9	-36	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	250	-41.44	-33	-48.81	-36	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	400	-62.46	-60	-69.89	-36	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	600	-68.02	-60	-75.41	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	800	-70.18	-60	-77.63	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	1000	-72.45	-60	-79.86	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	1200	-72.84	-60	-80.34	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	1400	-73.81	-60	-81.43	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	1600	-75.03	-60	-82.29	-55	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	1800	-75.79	-60	-83.14	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-1800	-76.19	-60	-57.64	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-1600	-74.6	-60	-56.2	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-1400	-74.05	-60	-55.48	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-1200	-72.92	-60	-54.23	-55	PASS

HVLT	EGPRS1900	810	1909.8	5;5;5;5	-1000	-72.13	-60	-53.61	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-800	-70.39	-60	-51.78	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-600	-68.33	-60	-49.87	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-400	-62.09	-60	-43.57	-36	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-250	-43.56	-33	-25.02	-36	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-200	-37.35	-30	-18.81	-36	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-100	-8.76	0.5	9.89	-36	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	100	-8.26	0.5	10.23	-36	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	200	-38.34	-30	-19.85	-36	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	250	-43.24	-33	-24.8	-36	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	400	-62.41	-60	-43.8	-36	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	600	-68.87	-60	-50.42	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	800	-70.32	-60	-51.76	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	1000	-71.32	-60	-52.86	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	1200	-72.68	-60	-54.14	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	1400	-73.91	-60	-55.37	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	1600	-75.42	-60	-56.95	-55	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	1800	-75.7	-60	-57.15	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-1800	-75.61	-60	-83.19	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-1600	-74.45	-60	-81.98	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-1400	-74.06	-60	-81.41	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-1200	-73.17	-60	-80.66	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-1000	-71.07	-60	-78.52	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-800	-69.81	-60	-77.29	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-600	-68.25	-60	-75.78	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-400	-62.59	-60	-70.08	-36	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-250	-41.01	-33	-48.48	-36	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-200	-37.84	-30	-45.31	-36	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-100	-8.08	0.5	-15.52	-36	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	100	-8.55	0.5	-16.11	-36	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	200	-37.17	-30	-44.66	-36	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	250	-40.2	-33	-47.61	-36	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	400	-62.93	-60	-70.3	-36	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	600	-68.74	-60	-76.21	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	800	-69.54	-60	-76.92	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	1000	-71.3	-60	-78.78	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	1200	-71.85	-60	-79.25	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	1400	-74.01	-60	-81.37	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	1600	-74.49	-60	-81.88	-55	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	1800	-74.68	-60	-82.06	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-1800	-76.6	-60	-57.79	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-1600	-76.52	-60	-57.73	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-1400	-74.64	-60	-55.91	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-1200	-73.94	-60	-55.15	-55	PASS

LVHT	EGPRS1900	512	1850.2	5;5;5;5	-1000	-73.23	-60	-54.29	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-800	-71.31	-60	-52.46	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-600	-69.53	-60	-50.71	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-400	-62.91	-60	-43.99	-36	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-250	-44.25	-33	-25.41	-36	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-200	-37.39	-30	-18.72	-36	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-100	-9.2	0.5	9.67	-36	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	100	-9.52	0.5	9.29	-36	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	200	-38.94	-30	-20.02	-36	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	250	-43.17	-33	-24.28	-36	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	400	-63.88	-60	-45.02	-36	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	600	-68.99	-60	-50.11	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	800	-70.93	-60	-52.13	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	1000	-72.65	-60	-53.73	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	1200	-73.92	-60	-55.2	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	1400	-75.32	-60	-56.34	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	1600	-76.39	-60	-57.68	-55	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	1800	-76.68	-60	-57.99	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-1800	-74.53	-60	-82.4	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-1600	-75.61	-60	-83.59	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-1400	-74.08	-60	-82.06	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-1200	-73.61	-60	-81.45	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-1000	-72.46	-60	-80.51	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-800	-70.84	-60	-79.03	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-600	-70.16	-60	-78.32	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-400	-63.08	-60	-71.17	-36	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-250	-40.94	-33	-49.02	-36	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-200	-38.5	-30	-46.58	-36	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-100	-8.45	0.5	-16.34	-36	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	100	-8.65	0.5	-16.64	-36	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	200	-37.96	-30	-45.95	-36	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	250	-40.28	-33	-48.37	-36	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	400	-61.72	-60	-69.83	-36	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	600	-68.57	-60	-76.62	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	800	-70.18	-60	-78.22	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	1000	-71.07	-60	-79.17	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	1200	-72.78	-60	-80.62	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	1400	-73.73	-60	-81.84	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	1600	-74.95	-60	-82.98	-55	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	1800	-75.82	-60	-83.98	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-1800	-75.67	-60	-57.28	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-1600	-75.77	-60	-57.36	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-1400	-73.62	-60	-55.18	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-1200	-72.37	-60	-53.87	-55	PASS

LVHT	EGPRS1900	661	1880	5;5;5;5	-1000	-71.5	-60	-53.11	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-800	-69.56	-60	-51.27	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-600	-68.15	-60	-49.79	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-400	-62.57	-60	-44.1	-36	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-250	-42.74	-33	-24.2	-36	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-200	-36.95	-30	-18.44	-36	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-100	-8.77	0.5	9.79	-36	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	100	-8.6	0.5	9.83	-36	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	200	-38.15	-30	-19.71	-36	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	250	-42.42	-33	-23.83	-36	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	400	-62.38	-60	-43.99	-36	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	600	-68.38	-60	-49.93	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	800	-70.26	-60	-51.82	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	1000	-71.53	-60	-53.06	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	1200	-73.06	-60	-54.55	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	1400	-74.15	-60	-55.65	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	1600	-75.32	-60	-56.92	-55	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	1800	-75.42	-60	-56.97	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-1800	-74.92	-60	-82.42	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-1600	-75.32	-60	-82.71	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-1400	-73.97	-60	-81.42	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-1200	-73.02	-60	-80.33	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-1000	-71.75	-60	-79.18	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-800	-68.85	-60	-76.33	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-600	-68.28	-60	-75.57	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-400	-62.61	-60	-70.08	-36	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-250	-41.71	-33	-49.27	-36	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-200	-36.9	-30	-44.44	-36	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-100	-8.04	0.5	-15.62	-36	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	100	-8.5	0.5	-15.83	-36	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	200	-37.41	-30	-44.86	-36	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	250	-41.37	-33	-48.72	-36	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	400	-62.49	-60	-69.92	-36	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	600	-67.98	-60	-75.5	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	800	-70.12	-60	-77.5	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	1000	-72.4	-60	-79.72	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	1200	-72.78	-60	-80.31	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	1400	-73.9	-60	-81.42	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	1600	-75	-60	-82.48	-55	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	1800	-75.69	-60	-83.06	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-1800	-76.17	-60	-57.69	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-1600	-74.61	-60	-56.19	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-1400	-74.04	-60	-55.37	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-1200	-72.74	-60	-54.27	-55	PASS

LVHT	EGPRS1900	810	1909.8	5;5;5;5	-1000	-72.06	-60	-53.54	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-800	-70.35	-60	-51.81	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-600	-68.39	-60	-49.78	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-400	-62.07	-60	-43.42	-36	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-250	-43.49	-33	-25.14	-36	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-200	-37.42	-30	-18.82	-36	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-100	-8.75	0.5	9.77	-36	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	100	-8.37	0.5	10.21	-36	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	200	-38.37	-30	-19.84	-36	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	250	-43.25	-33	-24.79	-36	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	400	-62.34	-60	-43.79	-36	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	600	-69.02	-60	-50.4	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	800	-70.26	-60	-51.8	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	1000	-71.39	-60	-52.86	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	1200	-72.63	-60	-54.08	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	1400	-73.84	-60	-55.3	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	1600	-75.44	-60	-57.07	-55	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	1800	-75.66	-60	-57.17	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-1800	-75.73	-60	-83.11	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-1600	-74.45	-60	-81.8	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-1400	-74.05	-60	-81.45	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-1200	-73.23	-60	-80.52	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-1000	-70.99	-60	-78.6	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-800	-69.73	-60	-77.14	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-600	-68.4	-60	-75.78	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-400	-62.55	-60	-70.07	-36	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-250	-41.1	-33	-48.5	-36	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-200	-37.95	-30	-45.25	-36	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-100	-8.05	0.5	-15.49	-36	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	100	-8.64	0.5	-16.12	-36	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	200	-37.2	-30	-44.64	-36	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	250	-40.3	-33	-47.8	-36	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	400	-62.92	-60	-70.44	-36	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	600	-68.74	-60	-76.28	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	800	-69.49	-60	-77	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	1000	-71.4	-60	-78.7	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	1200	-71.84	-60	-79.23	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	1400	-74.01	-60	-81.46	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	1600	-74.42	-60	-81.97	-55	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	1800	-74.54	-60	-82.12	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-1800	-76.6	-60	-57.79	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-1600	-76.51	-60	-57.87	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-1400	-74.61	-60	-55.88	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-1200	-73.87	-60	-55.11	-55	PASS

LVLT	EGPRS1900	512	1850.2	5;5;5;5	-1000	-73.13	-60	-54.39	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-800	-71.35	-60	-52.46	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-600	-69.57	-60	-50.78	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-400	-62.86	-60	-44.03	-36	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-250	-44.19	-33	-25.45	-36	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-200	-37.55	-30	-18.72	-36	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-100	-9.13	0.5	9.65	-36	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	100	-9.58	0.5	9.13	-36	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	200	-38.85	-30	-20.02	-36	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	250	-43.16	-33	-24.31	-36	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	400	-63.84	-60	-45.07	-36	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	600	-69.04	-60	-50.14	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	800	-70.98	-60	-52.08	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	1000	-72.52	-60	-53.8	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	1200	-73.93	-60	-55.15	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	1400	-75.32	-60	-56.48	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	1600	-76.51	-60	-57.69	-55	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	1800	-76.68	-60	-57.96	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-1800	-74.54	-60	-82.53	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-1600	-75.62	-60	-83.53	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-1400	-74.09	-60	-82.21	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-1200	-73.58	-60	-81.47	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-1000	-72.49	-60	-80.59	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-800	-70.97	-60	-79.02	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-600	-70.29	-60	-78.15	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-400	-63.1	-60	-71.15	-36	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-250	-40.92	-33	-48.92	-36	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-200	-38.51	-30	-46.63	-36	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-100	-8.5	0.5	-16.35	-36	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	100	-8.59	0.5	-16.53	-36	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	200	-37.95	-30	-45.84	-36	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	250	-40.3	-33	-48.35	-36	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	400	-61.77	-60	-69.65	-36	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	600	-68.45	-60	-76.54	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	800	-70.19	-60	-78.31	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	1000	-71.01	-60	-79.14	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	1200	-72.76	-60	-80.68	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	1400	-73.74	-60	-81.84	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	1600	-75.03	-60	-83.01	-55	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	1800	-75.81	-60	-83.94	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-1800	-75.7	-60	-57.17	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-1600	-75.9	-60	-57.34	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-1400	-73.75	-60	-55.2	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-1200	-72.34	-60	-53.89	-55	PASS

LVLT	EGPRS1900	661	1880	5;5;5;5	-1000	-71.49	-60	-53.07	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-800	-69.68	-60	-51.26	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-600	-68.14	-60	-49.72	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-400	-62.52	-60	-44.03	-36	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-250	-42.66	-33	-24.39	-36	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-200	-36.91	-30	-18.45	-36	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-100	-8.78	0.5	9.78	-36	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	100	-8.57	0.5	9.99	-36	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	200	-38.03	-30	-19.76	-36	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	250	-42.42	-33	-23.95	-36	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	400	-62.47	-60	-44.01	-36	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	600	-68.35	-60	-49.95	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	800	-70.27	-60	-51.81	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	1000	-71.6	-60	-53.16	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	1200	-73.01	-60	-54.59	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	1400	-74.2	-60	-55.68	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	1600	-75.38	-60	-56.98	-55	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	1800	-75.34	-60	-57.03	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-1800	-74.89	-60	-82.37	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-1600	-75.3	-60	-82.76	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-1400	-73.89	-60	-81.31	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-1200	-72.89	-60	-80.42	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-1000	-71.61	-60	-79.16	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-800	-69	-60	-76.35	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-600	-68.2	-60	-75.66	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-400	-62.71	-60	-69.96	-36	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-250	-41.74	-33	-49.11	-36	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-200	-37.02	-30	-44.42	-36	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-100	-8.03	0.5	-15.52	-36	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	100	-8.47	0.5	-15.84	-36	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	200	-37.48	-30	-44.91	-36	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	250	-41.34	-33	-48.8	-36	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	400	-62.62	-60	-70.05	-36	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	600	-68.14	-60	-75.45	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	800	-70.21	-60	-77.62	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	1000	-72.28	-60	-79.85	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	1200	-72.84	-60	-80.26	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	1400	-73.91	-60	-81.42	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	1600	-74.94	-60	-82.35	-55	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	1800	-75.64	-60	-83.1	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-1800	-76.2	-60	-57.53	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-1600	-74.59	-60	-56.26	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-1400	-73.98	-60	-55.55	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-1200	-72.75	-60	-54.28	-55	PASS

LVLT	EGPRS1900	810	1909.8	5;5;5;5	-1000	-72.2	-60	-53.67	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-800	-70.41	-60	-51.87	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-600	-68.37	-60	-49.96	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-400	-62.05	-60	-43.48	-36	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-250	-43.6	-33	-25.13	-36	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-200	-37.38	-30	-18.76	-36	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-100	-8.78	0.5	9.77	-36	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	100	-8.29	0.5	10.2	-36	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	200	-38.38	-30	-19.81	-36	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	250	-43.27	-33	-24.66	-36	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	400	-62.38	-60	-43.91	-36	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	600	-68.86	-60	-50.53	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	800	-70.21	-60	-51.74	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	1000	-71.36	-60	-52.88	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	1200	-72.7	-60	-54.19	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	1400	-73.77	-60	-55.26	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	1600	-75.55	-60	-57.01	-55	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	1800	-75.68	-60	-57.13	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-1800	-75.59	-60	-83.13	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-1600	-74.4	-60	-81.88	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-1400	-74.02	-60	-81.4	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-1200	-73.12	-60	-80.66	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-1000	-71.09	-60	-78.62	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-800	-69.74	-60	-77.18	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-600	-68.32	-60	-75.75	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-400	-62.6	-60	-70.05	-36	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-250	-41.05	-33	-48.44	-36	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-200	-37.93	-30	-45.27	-36	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-100	-8.15	0.5	-15.63	-36	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	100	-8.55	0.5	-16.16	-36	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	200	-37.22	-30	-44.6	-36	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	250	-40.29	-33	-47.61	-36	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	400	-62.97	-60	-70.43	-36	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	600	-68.76	-60	-76.16	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	800	-69.48	-60	-76.97	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	1000	-71.35	-60	-78.89	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	1200	-71.85	-60	-79.17	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	1400	-73.91	-60	-81.35	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	1600	-74.44	-60	-81.86	-55	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	1800	-74.56	-60	-82.05	-55	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-1800	-75.3	-60	-58.3	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-1600	-74.89	-60	-58	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-1400	-73.61	-60	-56.58	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-1200	-72.91	-60	-55.88	-51	PASS

HVHT	EGPRS850	128	824.2	6;6;6;6	-1000	-71.41	-60	-54.46	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-800	-70.48	-60	-53.62	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-600	-68.48	-60	-51.4	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-400	-62.13	-60	-45.2	-36	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-250	-41.28	-33	-24.28	-36	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-200	-37.15	-30	-20.14	-36	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-100	-7.5	0.5	9.44	-36	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	100	-6.85	0.5	10.02	-36	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	200	-37.97	-30	-20.99	-36	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	250	-41.22	-33	-24.43	-36	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	400	-62.89	-60	-46.15	-36	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	600	-69.17	-60	-52.11	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	800	-69.64	-60	-52.73	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	1000	-72.08	-60	-55.12	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	1200	-72.71	-60	-55.95	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	1400	-74.06	-60	-57.18	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	1600	-74.92	-60	-57.98	-51	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	1800	-75.08	-60	-58.27	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-1800	-76.06	-60	-79.58	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-1600	-75.98	-60	-79.56	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-1400	-74.48	-60	-77.89	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-1200	-73.78	-60	-77.16	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-1000	-72.58	-60	-76.01	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-800	-71.16	-60	-74.56	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-600	-69.76	-60	-73.33	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-400	-65.51	-60	-68.86	-36	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-250	-41.6	-33	-45.16	-36	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-200	-38.46	-30	-41.99	-36	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-100	-8.16	0.5	-11.59	-36	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	100	-8.16	0.5	-11.55	-36	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	200	-37.76	-30	-41.19	-36	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	250	-41.5	-33	-44.96	-36	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	400	-66.29	-60	-69.78	-36	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	600	-69.87	-60	-73.21	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	800	-70.44	-60	-73.9	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	1000	-72.88	-60	-76.29	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	1200	-73.21	-60	-76.58	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	1400	-74.62	-60	-78.1	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	1600	-75.93	-60	-79.38	-51	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	1800	-75.9	-60	-79.42	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-1800	-75.48	-60	-58.49	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-1600	-75.47	-60	-58.36	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-1400	-74.04	-60	-56.89	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-1200	-73.83	-60	-56.85	-51	PASS

HVHT	EGPRS850	190	836.6	6;6;6;6	-1000	-73.32	-60	-56.34	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-800	-70.53	-60	-53.55	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-600	-69.3	-60	-52.32	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-400	-63.57	-60	-46.44	-36	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-250	-42.28	-33	-25.34	-36	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-200	-37.68	-30	-20.75	-36	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-100	-8.19	0.5	8.93	-36	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	100	-7.57	0.5	9.35	-36	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	200	-38.16	-30	-21.04	-36	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	250	-41.74	-33	-24.7	-36	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	400	-63.98	-60	-46.92	-36	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	600	-69.75	-60	-52.65	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	800	-70.3	-60	-53.33	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	1000	-72.01	-60	-55.03	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	1200	-73.1	-60	-55.96	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	1400	-74.23	-60	-57.29	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	1600	-75.21	-60	-58.15	-51	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	1800	-75.28	-60	-58.1	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-1800	-75.57	-60	-79.48	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-1600	-75.06	-60	-79.07	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-1400	-74.32	-60	-78.37	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-1200	-72.74	-60	-76.84	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-1000	-72.52	-60	-76.48	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-800	-70.33	-60	-74.35	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-600	-70.12	-60	-74.2	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-400	-66.62	-60	-70.51	-36	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-250	-40.54	-33	-44.6	-36	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-200	-37.63	-30	-41.75	-36	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-100	-7.75	0.5	-11.73	-36	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	100	-7.84	0.5	-11.87	-36	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	200	-38.31	-30	-42.24	-36	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	250	-41.85	-33	-45.83	-36	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	400	-66.28	-60	-70.26	-36	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	600	-69.72	-60	-73.64	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	800	-70.96	-60	-75.09	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	1000	-73.34	-60	-77.26	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	1200	-73.7	-60	-77.77	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	1400	-74	-60	-78.15	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	1600	-75.51	-60	-79.53	-51	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	1800	-75.98	-60	-80	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-1800	-76.17	-60	-58.77	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-1600	-76.35	-60	-58.87	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-1400	-75.08	-60	-57.59	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-1200	-73.84	-60	-56.38	-51	PASS

HVHT	EGPRS850	251	848.8	6;6;6;6	-1000	-73.38	-60	-55.85	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-800	-70.71	-60	-53.24	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-600	-69.95	-60	-52.59	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-400	-64.48	-60	-46.9	-36	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-250	-41.95	-33	-24.53	-36	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-200	-38.24	-30	-20.79	-36	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-100	-8.31	0.5	9.02	-36	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	100	-7.89	0.5	9.37	-36	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	200	-38.58	-30	-21.22	-36	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	250	-42.11	-33	-24.71	-36	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	400	-63.63	-60	-46.21	-36	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	600	-69.71	-60	-52.29	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	800	-71.24	-60	-53.76	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	1000	-73.02	-60	-55.63	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	1200	-73.07	-60	-55.63	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	1400	-74.7	-60	-57.26	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	1600	-75.53	-60	-58.07	-51	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	1800	-76.48	-60	-59.11	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-1800	-76.27	-60	-80.73	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-1600	-74.87	-60	-79.25	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-1400	-73.83	-60	-78.02	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-1200	-72.63	-60	-77.05	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-1000	-72.64	-60	-77.07	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-800	-71.08	-60	-75.5	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-600	-69.81	-60	-74.03	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-400	-65.8	-60	-70.09	-36	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-250	-41.89	-33	-46.29	-36	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-200	-37.83	-30	-42.06	-36	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-100	-7.39	0.5	-11.84	-36	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	100	-8.42	0.5	-12.8	-36	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	200	-37.67	-30	-41.94	-36	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	250	-41.3	-33	-45.57	-36	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	400	-65.81	-60	-70.16	-36	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	600	-70.09	-60	-74.49	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	800	-70.56	-60	-74.93	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	1000	-72.09	-60	-76.41	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	1200	-73.8	-60	-78.18	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	1400	-74.66	-60	-79	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	1600	-75.1	-60	-79.49	-51	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	1800	-75.81	-60	-80.27	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-1800	-75.22	-60	-58.34	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-1600	-74.95	-60	-57.92	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-1400	-73.47	-60	-56.65	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-1200	-72.85	-60	-55.95	-51	PASS

HVLT	EGPRS850	128	824.2	6;6;6;6	-1000	-71.44	-60	-54.52	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-800	-70.44	-60	-53.46	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-600	-68.48	-60	-51.48	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-400	-62.09	-60	-45.21	-36	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-250	-41.3	-33	-24.41	-36	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-200	-37.13	-30	-20.27	-36	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-100	-7.5	0.5	9.39	-36	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	100	-6.93	0.5	10	-36	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	200	-37.9	-30	-20.86	-36	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	250	-41.2	-33	-24.45	-36	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	400	-62.95	-60	-46.09	-36	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	600	-69.2	-60	-52.13	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	800	-69.67	-60	-52.71	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	1000	-72.05	-60	-55.13	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	1200	-72.85	-60	-55.76	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	1400	-74.21	-60	-57.15	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	1600	-75.01	-60	-58.08	-51	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	1800	-75.03	-60	-58.24	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-1800	-76.19	-60	-79.49	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-1600	-76.07	-60	-79.39	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-1400	-74.5	-60	-77.85	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-1200	-73.86	-60	-77.21	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-1000	-72.71	-60	-76.14	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-800	-71.18	-60	-74.63	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-600	-69.92	-60	-73.18	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-400	-65.5	-60	-68.86	-36	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-250	-41.69	-33	-45.09	-36	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-200	-38.46	-30	-42.08	-36	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-100	-8.19	0.5	-11.54	-36	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	100	-8.17	0.5	-11.56	-36	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	200	-37.88	-30	-41.34	-36	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	250	-41.57	-33	-44.97	-36	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	400	-66.47	-60	-69.79	-36	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	600	-69.91	-60	-73.3	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	800	-70.53	-60	-74	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	1000	-72.96	-60	-76.31	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	1200	-73.19	-60	-76.72	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	1400	-74.62	-60	-78.2	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	1600	-75.99	-60	-79.36	-51	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	1800	-75.99	-60	-79.51	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-1800	-75.44	-60	-58.39	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-1600	-75.52	-60	-58.45	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-1400	-74.06	-60	-57.05	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-1200	-73.91	-60	-56.81	-51	PASS

HVLT	EGPRS850	190	836.6	6;6;6;6	-1000	-73.42	-60	-56.2	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-800	-70.47	-60	-53.53	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-600	-69.4	-60	-52.2	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-400	-63.49	-60	-46.51	-36	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-250	-42.37	-33	-25.21	-36	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-200	-37.75	-30	-20.67	-36	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-100	-8.28	0.5	8.8	-36	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	100	-7.76	0.5	9.49	-36	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	200	-38.12	-30	-21	-36	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	250	-41.76	-33	-24.65	-36	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	400	-63.9	-60	-46.83	-36	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	600	-69.59	-60	-52.5	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	800	-70.36	-60	-53.25	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	1000	-72.06	-60	-55.04	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	1200	-73	-60	-55.94	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	1400	-74.21	-60	-57.12	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	1600	-75.14	-60	-58.02	-51	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	1800	-75.27	-60	-58.13	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-1800	-75.54	-60	-79.58	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-1600	-74.98	-60	-78.97	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-1400	-74.34	-60	-78.31	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-1200	-72.74	-60	-76.83	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-1000	-72.44	-60	-76.44	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-800	-70.33	-60	-74.38	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-600	-70.03	-60	-74.19	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-400	-66.54	-60	-70.57	-36	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-250	-40.48	-33	-44.53	-36	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-200	-37.66	-30	-41.74	-36	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-100	-7.78	0.5	-11.61	-36	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	100	-7.96	0.5	-11.86	-36	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	200	-38.34	-30	-42.34	-36	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	250	-41.81	-33	-45.74	-36	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	400	-66.37	-60	-70.3	-36	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	600	-69.71	-60	-73.65	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	800	-71.09	-60	-75.05	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	1000	-73.22	-60	-77.32	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	1200	-73.75	-60	-77.7	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	1400	-74.14	-60	-78.14	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	1600	-75.61	-60	-79.58	-51	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	1800	-76.12	-60	-80.09	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-1800	-76.08	-60	-58.59	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-1600	-76.25	-60	-58.78	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-1400	-75.13	-60	-57.71	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-1200	-73.93	-60	-56.38	-51	PASS

HVLT	EGPRS850	251	848.8	6;6;6;6	-1000	-73.42	-60	-55.85	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-800	-70.71	-60	-53.32	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-600	-70.13	-60	-52.52	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-400	-64.35	-60	-47.01	-36	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-250	-41.92	-33	-24.43	-36	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-200	-38.14	-30	-20.87	-36	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-100	-8.28	0.5	9.04	-36	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	100	-7.99	0.5	9.41	-36	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	200	-38.69	-30	-21.28	-36	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	250	-42.12	-33	-24.72	-36	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	400	-63.61	-60	-46.26	-36	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	600	-69.61	-60	-52.28	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	800	-71.19	-60	-53.78	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	1000	-73.1	-60	-55.64	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	1200	-73.07	-60	-55.69	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	1400	-74.76	-60	-57.43	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	1600	-75.48	-60	-58.06	-51	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	1800	-76.46	-60	-59.04	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-1800	-76.42	-60	-80.73	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-1600	-74.95	-60	-79.38	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-1400	-73.68	-60	-78.05	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-1200	-72.65	-60	-77.06	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-1000	-72.59	-60	-76.92	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-800	-71	-60	-75.42	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-600	-69.73	-60	-74.17	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-400	-65.81	-60	-70.08	-36	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-250	-41.8	-33	-46.17	-36	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-200	-37.64	-30	-42.06	-36	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-100	-7.49	0.5	-11.86	-36	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	100	-8.36	0.5	-12.75	-36	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	200	-37.53	-30	-42	-36	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	250	-41.2	-33	-45.49	-36	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	400	-65.84	-60	-70.09	-36	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	600	-70.02	-60	-74.48	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	800	-70.57	-60	-75.09	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	1000	-72.09	-60	-76.32	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	1200	-73.98	-60	-78.27	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	1400	-74.62	-60	-78.95	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	1600	-75.12	-60	-79.59	-51	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	1800	-75.84	-60	-80.16	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-1800	-75.21	-60	-58.24	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-1600	-74.85	-60	-57.94	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-1400	-73.58	-60	-56.67	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-1200	-72.94	-60	-55.93	-51	PASS

LVHT	EGPRS850	128	824.2	6;6;6;6	-1000	-71.49	-60	-54.49	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-800	-70.52	-60	-53.6	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-600	-68.34	-60	-51.46	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-400	-62.03	-60	-45.1	-36	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-250	-41.18	-33	-24.23	-36	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-200	-37.14	-30	-20.24	-36	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-100	-7.46	0.5	9.46	-36	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	100	-6.85	0.5	10.06	-36	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	200	-37.92	-30	-20.89	-36	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	250	-41.31	-33	-24.27	-36	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	400	-63.02	-60	-46.12	-36	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	600	-69.02	-60	-52.12	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	800	-69.57	-60	-52.75	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	1000	-72.05	-60	-55.15	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	1200	-72.7	-60	-55.85	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	1400	-74.2	-60	-57.29	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	1600	-74.89	-60	-57.99	-51	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	1800	-75.18	-60	-58.17	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-1800	-76.15	-60	-79.45	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-1600	-75.99	-60	-79.51	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-1400	-74.53	-60	-77.81	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-1200	-73.85	-60	-77.26	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-1000	-72.61	-60	-76.17	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-800	-71.25	-60	-74.68	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-600	-69.9	-60	-73.33	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-400	-65.5	-60	-68.94	-36	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-250	-41.6	-33	-45.15	-36	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-200	-38.58	-30	-41.9	-36	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-100	-8.13	0.5	-11.63	-36	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	100	-8.2	0.5	-11.58	-36	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	200	-37.85	-30	-41.25	-36	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	250	-41.41	-33	-44.97	-36	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	400	-66.31	-60	-69.85	-36	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	600	-69.81	-60	-73.15	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	800	-70.51	-60	-73.99	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	1000	-72.95	-60	-76.37	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	1200	-73.29	-60	-76.71	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	1400	-74.61	-60	-78.1	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	1600	-75.83	-60	-79.33	-51	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	1800	-76.09	-60	-79.39	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-1800	-75.61	-60	-58.54	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-1600	-75.36	-60	-58.35	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-1400	-73.95	-60	-56.95	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-1200	-73.95	-60	-56.82	-51	PASS

LVHT	EGPRS850	190	836.6	6;6;6;6	-1000	-73.41	-60	-56.33	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-800	-70.46	-60	-53.39	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-600	-69.32	-60	-52.3	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-400	-63.44	-60	-46.42	-36	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-250	-42.29	-33	-25.4	-36	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-200	-37.77	-30	-20.7	-36	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-100	-8.21	0.5	8.78	-36	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	100	-7.63	0.5	9.31	-36	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	200	-38.08	-30	-21.14	-36	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	250	-41.73	-33	-24.56	-36	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	400	-63.97	-60	-46.85	-36	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	600	-69.56	-60	-52.68	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	800	-70.35	-60	-53.21	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	1000	-72.11	-60	-55.06	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	1200	-73.08	-60	-56.09	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	1400	-74.32	-60	-57.25	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	1600	-75.17	-60	-58.12	-51	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	1800	-75.12	-60	-58.18	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-1800	-75.54	-60	-79.5	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-1600	-74.93	-60	-78.98	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-1400	-74.38	-60	-78.38	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-1200	-72.73	-60	-76.68	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-1000	-72.59	-60	-76.52	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-800	-70.48	-60	-74.33	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-600	-70.11	-60	-74.04	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-400	-66.68	-60	-70.53	-36	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-250	-40.61	-33	-44.65	-36	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-200	-37.6	-30	-41.72	-36	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-100	-7.73	0.5	-11.62	-36	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	100	-7.84	0.5	-11.82	-36	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	200	-38.19	-30	-42.27	-36	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	250	-41.85	-33	-45.71	-36	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	400	-66.25	-60	-70.39	-36	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	600	-69.71	-60	-73.69	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	800	-71.06	-60	-75.07	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	1000	-73.21	-60	-77.35	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	1200	-73.73	-60	-77.66	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	1400	-74	-60	-78.13	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	1600	-75.64	-60	-79.71	-51	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	1800	-75.94	-60	-80.01	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-1800	-76.1	-60	-58.68	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-1600	-76.19	-60	-58.8	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-1400	-75.14	-60	-57.67	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-1200	-73.93	-60	-56.49	-51	PASS

LVHT	EGPRS850	251	848.8	6;6;6;6	-1000	-73.38	-60	-55.92	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-800	-70.62	-60	-53.31	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-600	-69.98	-60	-52.7	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-400	-64.31	-60	-46.92	-36	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-250	-41.96	-33	-24.44	-36	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-200	-38.3	-30	-20.73	-36	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-100	-8.36	0.5	9.12	-36	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	100	-7.98	0.5	9.55	-36	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	200	-38.76	-30	-21.18	-36	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	250	-42.09	-33	-24.69	-36	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	400	-63.67	-60	-46.2	-36	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	600	-69.75	-60	-52.3	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	800	-71.18	-60	-53.74	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	1000	-73.04	-60	-55.6	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	1200	-73.06	-60	-55.7	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	1400	-74.73	-60	-57.36	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	1600	-75.57	-60	-58.15	-51	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	1800	-76.54	-60	-58.94	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-1800	-76.34	-60	-80.72	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-1600	-74.94	-60	-79.37	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-1400	-73.69	-60	-78.2	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-1200	-72.61	-60	-77.08	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-1000	-72.55	-60	-77.09	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-800	-71.04	-60	-75.33	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-600	-69.83	-60	-74.05	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-400	-65.76	-60	-70.18	-36	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-250	-41.78	-33	-46.2	-36	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-200	-37.69	-30	-42.07	-36	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-100	-7.42	0.5	-11.74	-36	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	100	-8.36	0.5	-12.65	-36	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	200	-37.57	-30	-41.99	-36	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	250	-41.13	-33	-45.51	-36	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	400	-65.88	-60	-70.13	-36	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	600	-69.98	-60	-74.47	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	800	-70.6	-60	-74.98	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	1000	-72.04	-60	-76.4	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	1200	-73.9	-60	-78.24	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	1400	-74.59	-60	-79.06	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	1600	-75.11	-60	-79.5	-51	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	1800	-75.9	-60	-80.18	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-1800	-75.17	-60	-58.4	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-1600	-74.86	-60	-57.99	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-1400	-73.54	-60	-56.59	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-1200	-72.89	-60	-56.05	-51	PASS

LVLT	EGPRS850	128	824.2	6;6;6;6	-1000	-71.46	-60	-54.45	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-800	-70.39	-60	-53.57	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-600	-68.33	-60	-51.54	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-400	-62.02	-60	-45.25	-36	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-250	-41.29	-33	-24.34	-36	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-200	-37.16	-30	-20.16	-36	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-100	-7.5	0.5	9.45	-36	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	100	-6.92	0.5	9.97	-36	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	200	-37.79	-30	-20.89	-36	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	250	-41.29	-33	-24.41	-36	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	400	-62.97	-60	-46.05	-36	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	600	-69.16	-60	-52.14	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	800	-69.58	-60	-52.72	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	1000	-71.93	-60	-55.14	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	1200	-72.72	-60	-55.81	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	1400	-74.13	-60	-57.16	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	1600	-74.84	-60	-58.09	-51	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	1800	-75.12	-60	-58.28	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-1800	-76.07	-60	-79.6	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-1600	-76.05	-60	-79.4	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-1400	-74.47	-60	-77.89	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-1200	-73.9	-60	-77.16	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-1000	-72.68	-60	-76.1	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-800	-71.12	-60	-74.64	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-600	-69.79	-60	-73.25	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-400	-65.47	-60	-68.89	-36	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-250	-41.74	-33	-45.16	-36	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-200	-38.54	-30	-41.94	-36	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-100	-8.15	0.5	-11.67	-36	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	100	-8.16	0.5	-11.61	-36	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	200	-37.86	-30	-41.25	-36	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	250	-41.54	-33	-44.92	-36	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	400	-66.48	-60	-69.81	-36	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	600	-69.78	-60	-73.29	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	800	-70.59	-60	-73.95	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	1000	-72.92	-60	-76.3	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	1200	-73.24	-60	-76.61	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	1400	-74.62	-60	-78.17	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	1600	-75.91	-60	-79.38	-51	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	1800	-76.04	-60	-79.46	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-1800	-75.5	-60	-58.46	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-1600	-75.46	-60	-58.45	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-1400	-74.13	-60	-56.93	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-1200	-73.87	-60	-56.76	-51	PASS

LVLT	EGPRS850	190	836.6	6;6;6;6	-1000	-73.34	-60	-56.23	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-800	-70.55	-60	-53.47	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-600	-69.31	-60	-52.33	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-400	-63.51	-60	-46.36	-36	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-250	-42.44	-33	-25.3	-36	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-200	-37.69	-30	-20.62	-36	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-100	-8.18	0.5	8.84	-36	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	100	-7.71	0.5	9.38	-36	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	200	-38.04	-30	-20.98	-36	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	250	-41.73	-33	-24.61	-36	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	400	-63.98	-60	-46.94	-36	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	600	-69.73	-60	-52.65	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	800	-70.25	-60	-53.29	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	1000	-72.05	-60	-54.95	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	1200	-73.17	-60	-56.11	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	1400	-74.29	-60	-57.25	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	1600	-75.2	-60	-58.14	-51	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	1800	-75.13	-60	-58.16	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-1800	-75.41	-60	-79.59	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-1600	-75.07	-60	-79.1	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-1400	-74.4	-60	-78.25	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-1200	-72.65	-60	-76.86	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-1000	-72.51	-60	-76.55	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-800	-70.38	-60	-74.48	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-600	-70.15	-60	-74.22	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-400	-66.62	-60	-70.67	-36	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-250	-40.59	-33	-44.53	-36	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-200	-37.73	-30	-41.76	-36	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-100	-7.66	0.5	-11.75	-36	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	100	-7.82	0.5	-11.92	-36	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	200	-38.27	-30	-42.26	-36	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	250	-41.69	-33	-45.84	-36	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	400	-66.38	-60	-70.31	-36	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	600	-69.6	-60	-73.64	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	800	-71	-60	-74.97	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	1000	-73.27	-60	-77.23	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	1200	-73.64	-60	-77.74	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	1400	-74.03	-60	-78.08	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	1600	-75.62	-60	-79.7	-51	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	1800	-75.99	-60	-80.08	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-1800	-76.07	-60	-58.67	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-1600	-76.25	-60	-58.92	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-1400	-75.03	-60	-57.7	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-1200	-73.75	-60	-56.44	-51	PASS

LVLT	EGPRS850	251	848.8	6;6;6;6	-1000	-73.26	-60	-55.88	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-800	-70.67	-60	-53.25	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-600	-70.09	-60	-52.55	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-400	-64.34	-60	-46.96	-36	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-250	-41.98	-33	-24.44	-36	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-200	-38.15	-30	-20.73	-36	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-100	-8.3	0.5	9.17	-36	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	100	-7.99	0.5	9.41	-36	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	200	-38.67	-30	-21.25	-36	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	250	-42.13	-33	-24.79	-36	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	400	-63.73	-60	-46.19	-36	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	600	-69.62	-60	-52.24	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	800	-71.25	-60	-53.85	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	1000	-72.96	-60	-55.49	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	1200	-73.19	-60	-55.63	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	1400	-74.77	-60	-57.25	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	1600	-75.47	-60	-58.09	-51	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	1800	-76.4	-60	-59.11	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-1800	-76.38	-60	-80.65	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-1600	-74.9	-60	-79.23	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-1400	-73.73	-60	-78.19	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-1200	-72.73	-60	-77.05	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-1000	-72.69	-60	-76.94	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-800	-70.97	-60	-75.35	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-600	-69.82	-60	-74.16	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-400	-65.77	-60	-70.2	-36	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-250	-41.78	-33	-46.12	-36	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-200	-37.79	-30	-42.16	-36	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-100	-7.32	0.5	-11.85	-36	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	100	-8.42	0.5	-12.64	-36	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	200	-37.69	-30	-41.94	-36	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	250	-41.23	-33	-45.61	-36	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	400	-65.85	-60	-70.09	-36	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	600	-70.08	-60	-74.47	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	800	-70.7	-60	-75.02	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	1000	-71.93	-60	-76.38	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	1200	-73.8	-60	-78.22	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	1400	-74.64	-60	-79.13	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	1600	-75.18	-60	-79.6	-51	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	1800	-75.91	-60	-80.21	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.65	-60	-58.98	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-75.97	-60	-58.41	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-75.44	-60	-57.97	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-73.99	-60	-56.6	-51	PASS

HVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-72.7	-60	-55.13	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-800	-71.73	-60	-54.17	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-69.65	-60	-52.07	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-63.55	-60	-45.93	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-250	-44.47	-33	-26.94	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-200	-38.55	-30	-21.1	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-100	-8.52	0.5	9.01	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	100	-8.2	0.5	9.28	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	200	-38.97	-30	-21.39	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	250	-42.89	-33	-25.18	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-63.35	-60	-45.71	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-69.89	-60	-52.29	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	800	-71.08	-60	-53.62	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1000	-73.58	-60	-56.02	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-73.71	-60	-56.21	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1400	-74.86	-60	-57.24	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1600	-75.69	-60	-58.05	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-76.32	-60	-58.89	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-76	-60	-79.03	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-76.1	-60	-79.26	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-75.21	-60	-78.17	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-74.11	-60	-77.14	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-72.93	-60	-76.07	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-800	-72.41	-60	-75.47	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-70.12	-60	-73.23	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-66.55	-60	-69.52	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-250	-42.66	-33	-45.63	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-200	-38.91	-30	-41.99	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-100	-8.48	0.5	-11.69	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	100	-8.84	0.5	-11.98	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	200	-38.67	-30	-41.65	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	250	-41.18	-33	-44.34	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-67.3	-60	-70.23	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-70.58	-60	-73.74	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	800	-71.85	-60	-74.98	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1000	-73.83	-60	-76.9	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-74.15	-60	-77.29	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1400	-74.61	-60	-77.76	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1600	-76.48	-60	-79.49	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-76.39	-60	-79.43	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-75.47	-60	-58.73	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-74.92	-60	-58.24	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-73.87	-60	-57.1	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-72.56	-60	-55.79	-51	PASS

HVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-71.54	-60	-54.79	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-800	-70.71	-60	-53.88	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-68.89	-60	-52.06	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-63.11	-60	-46.32	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-250	-42.36	-33	-25.6	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-200	-36.83	-30	-20.08	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-100	-7.33	0.5	9.35	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	100	-7.14	0.5	9.62	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	200	-37.38	-30	-20.63	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	250	-43.25	-33	-26.5	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-62.63	-60	-45.95	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-69.22	-60	-52.39	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	800	-70.01	-60	-53.21	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1000	-72.39	-60	-55.71	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-72.37	-60	-55.69	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1400	-73.47	-60	-56.57	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1600	-74.83	-60	-58.02	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-75.34	-60	-58.69	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-75.51	-60	-79.23	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-75.5	-60	-79.2	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-73.25	-60	-76.9	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.13	-60	-76.82	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.56	-60	-76.28	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-800	-70.67	-60	-74.38	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-600	-69.93	-60	-73.48	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-400	-65.95	-60	-69.63	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-250	-41.19	-33	-44.9	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-200	-37.99	-30	-41.71	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-100	-7.74	0.5	-11.34	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	100	-8.43	0.5	-12.16	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	200	-37.94	-30	-41.68	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	250	-40.59	-33	-44.3	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	400	-66.17	-60	-69.86	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	600	-69.61	-60	-73.44	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	800	-71.34	-60	-75.15	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1000	-72.83	-60	-76.39	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1200	-72.58	-60	-76.25	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1400	-74.55	-60	-78.27	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1600	-75.48	-60	-79.22	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1800	-76.5	-60	-80.09	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-76.77	-60	-58.39	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-77.49	-60	-59.31	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-76.28	-60	-58.05	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.62	-60	-57.12	-51	PASS

HVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-73.93	-60	-55.55	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-800	-72.77	-60	-54.57	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-70.42	-60	-52	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-64.07	-60	-45.79	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-250	-44.21	-33	-25.84	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-200	-38.43	-30	-19.99	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-100	-9	0.5	9.39	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	100	-9.34	0.5	8.88	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	200	-39.13	-30	-20.75	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	250	-43.54	-33	-25.07	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-64.62	-60	-46.33	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-70.79	-60	-52.43	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	800	-72.01	-60	-53.67	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1000	-74.32	-60	-56	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-74.77	-60	-56.44	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1400	-76.33	-60	-57.97	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1600	-77.23	-60	-58.83	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-77.3	-60	-59.11	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-75.22	-60	-79.07	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-75.68	-60	-79.42	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-73.65	-60	-77.49	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-73.42	-60	-77.38	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-72.84	-60	-76.62	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-800	-71.49	-60	-75.25	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-70.48	-60	-74.26	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-65.45	-60	-69.35	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-250	-41.25	-33	-45.21	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-200	-37.64	-30	-41.53	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-100	-8.39	0.5	-12.33	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	100	-7.54	0.5	-11.3	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	200	-37.7	-30	-41.51	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	250	-41.72	-33	-45.5	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-65.75	-60	-69.43	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-70.32	-60	-74.01	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	800	-70.82	-60	-74.53	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1000	-73.05	-60	-76.9	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-74.14	-60	-77.93	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1400	-74.16	-60	-78.04	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1600	-75.48	-60	-79.25	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-75.48	-60	-79.34	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.69	-60	-59.05	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-76.09	-60	-58.46	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-75.55	-60	-57.88	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.02	-60	-56.54	-51	PASS

HVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-72.7	-60	-55.29	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-800	-71.8	-60	-54.15	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-69.57	-60	-51.98	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-63.47	-60	-45.9	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-250	-44.39	-33	-26.84	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-200	-38.5	-30	-21.05	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-100	-8.43	0.5	9	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	100	-8.25	0.5	9.27	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	200	-39.03	-30	-21.42	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	250	-42.88	-33	-25.33	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-63.27	-60	-45.78	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-69.9	-60	-52.34	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	800	-71.1	-60	-53.57	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1000	-73.55	-60	-55.98	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-73.72	-60	-56.22	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1400	-74.73	-60	-57.28	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1600	-75.62	-60	-58.02	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-76.33	-60	-58.9	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-76.07	-60	-79.07	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-76.21	-60	-79.24	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-75.11	-60	-78.13	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-73.95	-60	-77.17	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-72.98	-60	-76.02	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-800	-72.52	-60	-75.5	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-70.14	-60	-73.15	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-66.54	-60	-69.59	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-250	-42.58	-33	-45.71	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-200	-38.73	-30	-41.92	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-100	-8.44	0.5	-11.5	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	100	-8.8	0.5	-11.95	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	200	-38.61	-30	-41.81	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	250	-41.33	-33	-44.25	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-67.13	-60	-70.33	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-70.61	-60	-73.68	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	800	-71.84	-60	-75.02	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1000	-73.76	-60	-76.93	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-74.26	-60	-77.29	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1400	-74.66	-60	-77.72	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1600	-76.51	-60	-79.66	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-76.4	-60	-79.51	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-75.5	-60	-58.67	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-75.06	-60	-58.13	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-73.9	-60	-57.09	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-72.49	-60	-55.85	-51	PASS

HVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-71.68	-60	-54.88	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-800	-70.76	-60	-53.94	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-68.96	-60	-52.19	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-62.95	-60	-46.26	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-250	-42.37	-33	-25.54	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-200	-36.84	-30	-20.03	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-100	-7.46	0.5	9.38	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	100	-7.17	0.5	9.64	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	200	-37.37	-30	-20.59	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	250	-43.41	-33	-26.61	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-62.67	-60	-46.02	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-69.13	-60	-52.37	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	800	-70.02	-60	-53.1	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1000	-72.33	-60	-55.71	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-72.39	-60	-55.76	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1400	-73.35	-60	-56.6	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1600	-74.8	-60	-57.98	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-75.33	-60	-58.6	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-75.5	-60	-79.3	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-75.46	-60	-79.19	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-73.22	-60	-77.01	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.28	-60	-76.9	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.53	-60	-76.34	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-800	-70.63	-60	-74.24	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-600	-69.83	-60	-73.45	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-400	-66.05	-60	-69.7	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-250	-41.23	-33	-44.91	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-200	-38.01	-30	-41.59	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-100	-7.72	0.5	-11.41	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	100	-8.48	0.5	-12.15	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	200	-37.92	-30	-41.53	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	250	-40.51	-33	-44.24	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	400	-66.23	-60	-69.83	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	600	-69.58	-60	-73.4	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	800	-71.32	-60	-75.07	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1000	-72.83	-60	-76.52	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1200	-72.58	-60	-76.22	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1400	-74.5	-60	-78.19	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1600	-75.6	-60	-79.24	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1800	-76.52	-60	-80.23	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-76.7	-60	-58.28	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-77.58	-60	-59.17	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-76.25	-60	-58.06	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.62	-60	-57.29	-51	PASS

HVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-73.88	-60	-55.47	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-800	-72.9	-60	-54.49	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-70.43	-60	-51.97	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-64.07	-60	-45.71	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-250	-44.2	-33	-25.85	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-200	-38.45	-30	-19.99	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-100	-9.1	0.5	9.39	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	100	-9.42	0.5	8.89	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	200	-39.09	-30	-20.73	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	250	-43.41	-33	-25.14	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-64.49	-60	-46.22	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-70.75	-60	-52.38	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	800	-72.06	-60	-53.78	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1000	-74.39	-60	-56.1	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-74.73	-60	-56.3	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1400	-76.3	-60	-58.03	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1600	-77.2	-60	-58.84	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-77.3	-60	-58.97	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-75.21	-60	-78.96	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-75.59	-60	-79.46	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-73.82	-60	-77.53	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-73.56	-60	-77.29	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-72.84	-60	-76.63	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-800	-71.34	-60	-75.18	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-70.48	-60	-74.37	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-65.54	-60	-69.35	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-250	-41.39	-33	-45.15	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-200	-37.73	-30	-41.39	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-100	-8.55	0.5	-12.31	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	100	-7.6	0.5	-11.4	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	200	-37.8	-30	-41.61	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	250	-41.68	-33	-45.43	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-65.78	-60	-69.59	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	600	-70.35	-60	-74.09	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	800	-70.81	-60	-74.55	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1000	-73.04	-60	-76.98	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-74.2	-60	-77.96	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1400	-74.25	-60	-78.08	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1600	-75.44	-60	-79.3	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-75.43	-60	-79.39	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.65	-60	-59.17	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-76.09	-60	-58.49	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-75.54	-60	-57.89	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.16	-60	-56.47	-51	PASS

LVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-72.69	-60	-55.32	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-800	-71.85	-60	-54.21	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-69.6	-60	-52.13	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-63.41	-60	-46.07	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-250	-44.37	-33	-26.89	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-200	-38.45	-30	-20.97	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-100	-8.48	0.5	9.07	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	100	-8.2	0.5	9.29	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	200	-38.99	-30	-21.42	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	250	-42.76	-33	-25.27	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-63.25	-60	-45.67	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-69.88	-60	-52.33	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	800	-71.02	-60	-53.56	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1000	-73.54	-60	-56.03	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-73.78	-60	-56.15	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1400	-74.84	-60	-57.34	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1600	-75.72	-60	-58.1	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-76.4	-60	-58.72	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-76.07	-60	-79.16	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-76.19	-60	-79.18	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-75.18	-60	-78.19	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-73.96	-60	-77.16	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-73.08	-60	-76.16	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-800	-72.56	-60	-75.52	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-70.12	-60	-73.17	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-66.41	-60	-69.59	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-250	-42.7	-33	-45.7	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-200	-38.88	-30	-41.82	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-100	-8.48	0.5	-11.57	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	100	-8.74	0.5	-11.79	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	200	-38.58	-30	-41.7	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	250	-41.25	-33	-44.3	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-67.26	-60	-70.23	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-70.63	-60	-73.64	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	800	-71.9	-60	-74.95	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1000	-73.94	-60	-77	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-74.28	-60	-77.24	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1400	-74.74	-60	-77.85	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1600	-76.58	-60	-79.66	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-76.49	-60	-79.49	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-75.46	-60	-58.63	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-74.93	-60	-58.17	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-73.95	-60	-57.01	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-72.43	-60	-55.76	-51	PASS

LVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-71.61	-60	-54.85	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-800	-70.75	-60	-53.88	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-68.91	-60	-52.14	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-63.13	-60	-46.23	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-250	-42.5	-33	-25.69	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-200	-36.9	-30	-20.03	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-100	-7.37	0.5	9.31	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	100	-7.13	0.5	9.8	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	200	-37.41	-30	-20.59	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	250	-43.39	-33	-26.59	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-62.78	-60	-46.04	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-69.16	-60	-52.41	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	800	-69.99	-60	-53.25	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1000	-72.42	-60	-55.72	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-72.41	-60	-55.64	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1400	-73.35	-60	-56.61	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1600	-74.76	-60	-58.1	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-75.37	-60	-58.69	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-75.64	-60	-79.34	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-75.38	-60	-79.06	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-73.19	-60	-76.91	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.27	-60	-76.82	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.67	-60	-76.24	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-800	-70.7	-60	-74.33	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-600	-69.83	-60	-73.47	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-400	-66.05	-60	-69.76	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-250	-41.17	-33	-44.87	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-200	-38.01	-30	-41.7	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-100	-7.66	0.5	-11.35	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	100	-8.44	0.5	-12.14	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	200	-37.99	-30	-41.69	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	250	-40.47	-33	-44.3	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	400	-66.18	-60	-69.88	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	600	-69.62	-60	-73.4	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	800	-71.36	-60	-75.14	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1000	-72.73	-60	-76.52	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1200	-72.66	-60	-76.33	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1400	-74.5	-60	-78.2	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1600	-75.42	-60	-79.15	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1800	-76.42	-60	-80.11	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-76.79	-60	-58.28	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-77.6	-60	-59.16	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-76.32	-60	-58.01	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.49	-60	-57.28	-51	PASS

LVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-73.8	-60	-55.59	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-800	-72.86	-60	-54.49	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-70.32	-60	-52.1	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-64.07	-60	-45.72	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-250	-44.14	-33	-25.78	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-200	-38.43	-30	-20.08	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-100	-9.15	0.5	9.33	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	100	-9.27	0.5	8.96	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	200	-39.22	-30	-20.73	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	250	-43.58	-33	-25.17	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	400	-64.65	-60	-46.21	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-70.83	-60	-52.41	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	800	-72.1	-60	-53.65	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1000	-74.49	-60	-56.17	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-74.67	-60	-56.27	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1400	-76.28	-60	-58.03	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1600	-77.18	-60	-58.88	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-77.39	-60	-59.08	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-75.12	-60	-79.05	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-75.7	-60	-79.41	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-73.73	-60	-77.52	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-73.42	-60	-77.19	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-72.77	-60	-76.65	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-800	-71.37	-60	-75.21	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-70.63	-60	-74.45	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-65.4	-60	-69.22	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-250	-41.36	-33	-45.19	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-200	-37.57	-30	-41.51	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-100	-8.4	0.5	-12.23	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	100	-7.56	0.5	-11.41	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	200	-37.83	-30	-41.55	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	250	-41.75	-33	-45.4	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-65.73	-60	-69.56	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-70.26	-60	-74.1	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	800	-70.79	-60	-74.5	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1000	-73.07	-60	-77.02	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-74.09	-60	-77.98	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1400	-74.18	-60	-78.04	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1600	-75.36	-60	-79.29	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-75.54	-60	-79.21	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.59	-60	-59.09	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-76.08	-60	-58.56	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-75.55	-60	-58.03	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.16	-60	-56.46	-51	PASS

LVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-72.67	-60	-55.13	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-800	-71.76	-60	-54.16	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-600	-69.63	-60	-52.1	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-400	-63.49	-60	-45.99	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-250	-44.31	-33	-26.86	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-200	-38.47	-30	-20.93	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-100	-8.48	0.5	9.01	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	100	-8.29	0.5	9.37	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	200	-39.04	-30	-21.55	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	250	-42.74	-33	-25.28	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	400	-63.31	-60	-45.83	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	600	-69.87	-60	-52.39	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	800	-71.06	-60	-53.54	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1000	-73.49	-60	-55.9	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1200	-73.79	-60	-56.21	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1400	-74.86	-60	-57.26	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1600	-75.66	-60	-58.13	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1800	-76.43	-60	-58.76	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-76.08	-60	-79.1	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-76.24	-60	-79.19	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-75.08	-60	-78.25	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-74.03	-60	-77.14	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-72.97	-60	-76.11	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-800	-72.45	-60	-75.6	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-600	-70.14	-60	-73.24	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-400	-66.43	-60	-69.67	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-250	-42.66	-33	-45.69	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-200	-38.81	-30	-41.85	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-100	-8.51	0.5	-11.62	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	100	-8.85	0.5	-11.85	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	200	-38.59	-30	-41.72	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	250	-41.36	-33	-44.37	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	400	-67.21	-60	-70.33	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	600	-70.65	-60	-73.82	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	800	-71.93	-60	-74.99	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1000	-73.86	-60	-76.91	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1200	-74.16	-60	-77.4	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1400	-74.64	-60	-77.85	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1600	-76.47	-60	-79.67	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1800	-76.45	-60	-79.58	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-75.55	-60	-58.7	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-74.97	-60	-58.3	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-73.79	-60	-57.15	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-72.58	-60	-55.7	-51	PASS

LVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-71.51	-60	-54.84	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-800	-70.76	-60	-53.83	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-600	-68.94	-60	-52.13	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-400	-63.13	-60	-46.32	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-250	-42.46	-33	-25.69	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-200	-36.72	-30	-20.02	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-100	-7.31	0.5	9.4	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	100	-6.99	0.5	9.62	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	200	-37.37	-30	-20.69	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	250	-43.38	-33	-26.59	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	400	-62.66	-60	-45.97	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	600	-69.3	-60	-52.43	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	800	-69.88	-60	-53.28	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1000	-72.39	-60	-55.66	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1200	-72.38	-60	-55.61	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1400	-73.37	-60	-56.63	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1600	-74.91	-60	-57.97	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1800	-75.45	-60	-58.53	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-75.68	-60	-79.31	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-75.47	-60	-79.15	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-73.15	-60	-76.93	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.12	-60	-76.91	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.65	-60	-76.21	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-800	-70.64	-60	-74.3	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-600	-69.85	-60	-73.53	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-400	-66.03	-60	-69.7	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-250	-41.12	-33	-44.83	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-200	-37.87	-30	-41.66	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-100	-7.71	0.5	-11.34	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	100	-8.31	0.5	-12.14	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	200	-37.81	-30	-41.55	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	250	-40.58	-33	-44.29	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	400	-66.15	-60	-69.89	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	600	-69.67	-60	-73.46	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	800	-71.38	-60	-75.16	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1000	-72.67	-60	-76.51	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1200	-72.67	-60	-76.23	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1400	-74.54	-60	-78.27	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1600	-75.51	-60	-79.2	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1800	-76.46	-60	-80.23	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-76.67	-60	-58.47	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-77.51	-60	-59.28	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-76.31	-60	-58.09	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.56	-60	-57.27	-51	PASS

LVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-73.81	-60	-55.51	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-800	-72.84	-60	-54.53	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-70.41	-60	-51.99	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-64.15	-60	-45.82	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-250	-44.25	-33	-25.85	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-200	-38.34	-30	-20.04	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-100	-9.07	0.5	9.24	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	100	-9.43	0.5	8.96	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	200	-39.14	-30	-20.72	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	250	-43.51	-33	-25.22	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-64.57	-60	-46.2	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-70.91	-60	-52.41	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	800	-72.06	-60	-53.61	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1000	-74.4	-60	-55.99	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-74.62	-60	-56.26	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1400	-76.28	-60	-57.92	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1600	-77.33	-60	-58.94	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-77.43	-60	-58.98	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-75.16	-60	-78.96	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-75.6	-60	-79.53	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-73.75	-60	-77.65	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-73.38	-60	-77.21	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-72.72	-60	-76.52	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-800	-71.36	-60	-75.2	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-70.46	-60	-74.37	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-65.41	-60	-69.21	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-250	-41.32	-33	-45.2	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-200	-37.64	-30	-41.53	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-100	-8.44	0.5	-12.21	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	100	-7.64	0.5	-11.35	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	200	-37.81	-30	-41.6	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	250	-41.7	-33	-45.51	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-65.6	-60	-69.59	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-70.28	-60	-74.16	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	800	-70.83	-60	-74.55	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1000	-73.02	-60	-77.02	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-74.19	-60	-77.99	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1400	-74.21	-60	-78.03	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1600	-75.4	-60	-79.35	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-75.39	-60	-79.3	-51	PASS

**Clause 4.2.29 Switching Spectrum in EGPRS configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	26.54		PASS

HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-47.81	-30.33	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-42.61	-27.33	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-39.72	-25.66	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-30.72	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-30.26	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-38.77	-25.66	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-44.18	-27.33	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.58	-30.33	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	1.11		PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-72.12	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-67.52	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-64.98	-26	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-58.96	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-53.86	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-63.93	-26	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-68.17	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71.01	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	25.73		PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.87	-31.15	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-44.73	-28.15	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-42.86	-26	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-34.83	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-33.01	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-42.43	-26	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-46.35	-28.15	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-51.05	-31.15	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.49		PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-72.1	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-69.98	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.5	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-59.08	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-54.72	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-64.19	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.1	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-72.57	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	25.85		PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-47.24	-31.09	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-44	-28.09	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-39.47	-26	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-32.75	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-30.86	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-38.52	-26	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-44.01	-28.09	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-47.48	-31.09	PASS

HVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.58		PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.82	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-70.34	-32	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-63.95	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-59.12	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-54.14	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-64.02	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-70.03	-32	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-73.13	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	26.6		PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-47.73	-30.33	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-42.66	-27.33	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-39.7	-25.66	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-30.75	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-30.31	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-38.66	-25.66	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-44.06	-27.33	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.47	-30.33	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	1.04		PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-72.11	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-67.59	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-64.88	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-58.95	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-53.8	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-63.95	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-68.26	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-70.93	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	25.8		PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.97	-31.15	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-44.59	-28.15	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-42.88	-26	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-34.78	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-32.97	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-42.39	-26	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-46.23	-28.15	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-51.02	-31.15	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.45		PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-72.11	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-69.83	-32	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.44	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-59.11	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-54.58	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-64.26	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.24	-32	PASS

HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-72.53	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	25.71		PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-47.24	-31.09	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-44.06	-28.09	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-39.56	-26	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-32.9	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-30.85	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-38.63	-26	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-43.99	-28.09	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-47.41	-31.09	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.57		PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.93	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-70.47	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-63.93	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-59.08	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-54.19	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-63.85	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-70.02	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-73.24	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	26.48		PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-47.66	-30.33	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-42.68	-27.33	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-39.63	-25.66	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-30.88	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-30.34	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-38.72	-25.66	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-44.15	-27.33	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.63	-30.33	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	1.11		PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-72.24	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-67.4	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-64.95	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-58.97	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-53.8	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.03	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-68.27	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	25.67		PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.9	-31.15	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-44.62	-28.15	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-42.87	-26	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-34.86	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-33.01	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-42.49	-26	PASS

LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-46.32	-28.15	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-50.97	-31.15	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.47		PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-72.1	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-69.93	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.39	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-59.18	-23	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-54.69	-23	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-64.15	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.13	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-72.51	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	25.73		PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-47.33	-31.09	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-43.99	-28.09	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-39.4	-26	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-32.77	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-30.86	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-38.47	-26	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-43.91	-28.09	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-47.48	-31.09	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.56		PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.84	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-70.38	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-63.91	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-59.01	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-54.14	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-63.96	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-70.03	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-73.27	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	26.63		PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-47.73	-30.33	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-42.53	-27.33	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-39.62	-25.66	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-30.79	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-30.37	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-38.6	-25.66	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-44.17	-27.33	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.5	-30.33	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	0.96		PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-72.13	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-67.53	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-64.97	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-58.88	-23	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-53.88	-23	PASS

LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.06	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-68.2	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	25.8		PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.83	-31.15	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-44.61	-28.15	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-43	-26	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-34.91	-23	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-33.14	-23	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-42.35	-26	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-46.4	-28.15	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-51.14	-31.15	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.47		PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-72.17	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-69.86	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.4	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-59.05	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-54.54	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-64.15	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.24	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-72.52	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	25.71		PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-47.19	-31.09	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-44.07	-28.09	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-39.53	-26	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-32.86	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-30.86	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-38.53	-26	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-43.92	-28.09	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-47.51	-31.09	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.58		PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.97	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-70.36	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-63.91	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-58.98	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-54.13	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-63.91	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-70	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-73.24	-36	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	Ref Power	26.43		PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-1800	-46.74	-30.48	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-1200	-45.2	-27.48	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-600	-38.76	-25.74	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	-400	-32.23	-23	PASS

HVHT	EGPRS1900	512	1850.2	5;5;5;5	400	-29.7	-23	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	600	-37.92	-25.74	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	1200	-43.35	-27.48	PASS
HVHT	EGPRS1900	512	1850.2	5;5;5;5	1800	-46.14	-30.48	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	Ref Power	0.25		PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-1800	-71.66	-36	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-1200	-66.99	-32	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-600	-65.57	-26	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	-400	-57.61	-23	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	400	-54.98	-23	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	600	-64.15	-26	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	1200	-70.44	-32	PASS
HVHT	EGPRS1900	512	1850.2	18;18;18;18	1800	-72.07	-36	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	Ref Power	26.71		PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-1800	-46.14	-30.21	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-1200	-43.18	-27.21	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-600	-38.1	-25.61	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	-400	-29.95	-23	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	400	-30.08	-23	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	600	-37.67	-25.61	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	1200	-44.31	-27.21	PASS
HVHT	EGPRS1900	661	1880	5;5;5;5	1800	-45.86	-30.21	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	Ref Power	0.78		PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-1800	-72.38	-36	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-1200	-68.69	-32	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-600	-63.65	-26	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	-400	-57.54	-23	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	400	-54.7	-23	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	600	-64.43	-26	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	1200	-69.24	-32	PASS
HVHT	EGPRS1900	661	1880	18;18;18;18	1800	-72.19	-36	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	Ref Power	26.44		PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-1800	-46.41	-30.38	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-1200	-43.08	-27.38	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-600	-38.32	-25.69	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	-400	-30.63	-23	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	400	-28.12	-23	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	600	-38.62	-25.69	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	1200	-43.44	-27.38	PASS
HVHT	EGPRS1900	810	1909.8	5;5;5;5	1800	-45.99	-30.38	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	Ref Power	0.72		PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-1800	-72.09	-36	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-1200	-69.8	-32	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	-600	-61.58	-26	PASS

HVHT	EGPRS1900	810	1909.8	18;18;18;18	-400	-57.4	-23	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	400	-54.24	-23	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	600	-61.92	-26	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	1200	-68.57	-32	PASS
HVHT	EGPRS1900	810	1909.8	18;18;18;18	1800	-72.42	-36	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	Ref Power	26.43		PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-1800	-46.73	-30.48	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-1200	-45.17	-27.48	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-600	-38.66	-25.74	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	-400	-32.28	-23	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	400	-29.64	-23	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	600	-37.96	-25.74	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	1200	-43.41	-27.48	PASS
HVLT	EGPRS1900	512	1850.2	5;5;5;5	1800	-46.24	-30.48	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	Ref Power	0.26		PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-1800	-71.48	-36	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-1200	-66.93	-32	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-600	-65.58	-26	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	-400	-57.44	-23	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	400	-54.98	-23	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	600	-64.03	-26	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	1200	-70.54	-32	PASS
HVLT	EGPRS1900	512	1850.2	18;18;18;18	1800	-72.23	-36	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	Ref Power	26.59		PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-1800	-46.12	-30.21	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-1200	-43.1	-27.21	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-600	-38.11	-25.61	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	-400	-30.03	-23	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	400	-30.19	-23	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	600	-37.68	-25.61	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	1200	-44.28	-27.21	PASS
HVLT	EGPRS1900	661	1880	5;5;5;5	1800	-45.96	-30.21	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	Ref Power	0.73		PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-1800	-72.24	-36	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-1200	-68.65	-32	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-600	-63.82	-26	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	-400	-57.59	-23	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	400	-54.7	-23	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	600	-64.34	-26	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	1200	-69.25	-32	PASS
HVLT	EGPRS1900	661	1880	18;18;18;18	1800	-72.11	-36	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	Ref Power	26.44		PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-1800	-46.5	-30.38	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-1200	-43.03	-27.38	PASS

HVLT	EGPRS1900	810	1909.8	5;5;5;5	-600	-38.24	-25.69	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	-400	-30.63	-23	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	400	-28.11	-23	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	600	-38.58	-25.69	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	1200	-43.43	-27.38	PASS
HVLT	EGPRS1900	810	1909.8	5;5;5;5	1800	-45.89	-30.38	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	Ref Power	0.79		PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-1800	-71.98	-36	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-1200	-69.82	-32	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-600	-61.68	-26	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	-400	-57.57	-23	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	400	-54.09	-23	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	600	-61.89	-26	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	1200	-68.55	-32	PASS
HVLT	EGPRS1900	810	1909.8	18;18;18;18	1800	-72.26	-36	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	Ref Power	26.38		PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-1800	-46.74	-30.48	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-1200	-45.15	-27.48	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-600	-38.77	-25.74	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	-400	-32.17	-23	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	400	-29.63	-23	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	600	-37.94	-25.74	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	1200	-43.42	-27.48	PASS
LVHT	EGPRS1900	512	1850.2	5;5;5;5	1800	-46.14	-30.48	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	Ref Power	0.29		PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-1800	-71.65	-36	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-1200	-67	-32	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-600	-65.61	-26	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	-400	-57.56	-23	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	400	-55.03	-23	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	600	-64.12	-26	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	1200	-70.49	-32	PASS
LVHT	EGPRS1900	512	1850.2	18;18;18;18	1800	-72.21	-36	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	Ref Power	26.78		PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-1800	-46.1	-30.21	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-1200	-43.16	-27.21	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-600	-38.17	-25.61	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	-400	-30.06	-23	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	400	-30.07	-23	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	600	-37.75	-25.61	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	1200	-44.24	-27.21	PASS
LVHT	EGPRS1900	661	1880	5;5;5;5	1800	-45.91	-30.21	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	Ref Power	0.82		PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-1800	-72.35	-36	PASS

LVHT	EGPRS1900	661	1880	18;18;18;18	-1200	-68.76	-32	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-600	-63.77	-26	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	-400	-57.62	-23	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	400	-54.76	-23	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	600	-64.34	-26	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	1200	-69.37	-32	PASS
LVHT	EGPRS1900	661	1880	18;18;18;18	1800	-72.09	-36	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	Ref Power	26.46		PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-1800	-46.49	-30.38	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-1200	-43.09	-27.38	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-600	-38.28	-25.69	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	-400	-30.69	-23	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	400	-28.16	-23	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	600	-38.56	-25.69	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	1200	-43.35	-27.38	PASS
LVHT	EGPRS1900	810	1909.8	5;5;5;5	1800	-45.96	-30.38	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	Ref Power	0.7		PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-1800	-72.04	-36	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-1200	-69.93	-32	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-600	-61.54	-26	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	-400	-57.52	-23	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	400	-54.22	-23	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	600	-61.79	-26	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	1200	-68.58	-32	PASS
LVHT	EGPRS1900	810	1909.8	18;18;18;18	1800	-72.41	-36	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	Ref Power	26.45		PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-1800	-46.83	-30.48	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-1200	-45.29	-27.48	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-600	-38.71	-25.74	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	-400	-32.15	-23	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	400	-29.63	-23	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	600	-37.89	-25.74	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	1200	-43.31	-27.48	PASS
LVLT	EGPRS1900	512	1850.2	5;5;5;5	1800	-46.14	-30.48	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	Ref Power	0.24		PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-1800	-71.52	-36	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-1200	-66.9	-32	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-600	-65.5	-26	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	-400	-57.6	-23	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	400	-55.08	-23	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	600	-64.17	-26	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	1200	-70.44	-32	PASS
LVLT	EGPRS1900	512	1850.2	18;18;18;18	1800	-72.06	-36	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	Ref Power	26.75		PASS

LVLT	EGPRS1900	661	1880	5;5;5;5	-1800	-46.22	-30.21	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-1200	-43.09	-27.21	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-600	-38.29	-25.61	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	-400	-29.98	-23	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	400	-30.11	-23	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	600	-37.59	-25.61	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	1200	-44.42	-27.21	PASS
LVLT	EGPRS1900	661	1880	5;5;5;5	1800	-45.93	-30.21	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	Ref Power	0.68		PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-1800	-72.33	-36	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-1200	-68.79	-32	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-600	-63.84	-26	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	-400	-57.62	-23	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	400	-54.82	-23	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	600	-64.32	-26	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	1200	-69.35	-32	PASS
LVLT	EGPRS1900	661	1880	18;18;18;18	1800	-72.04	-36	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	Ref Power	26.56		PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-1800	-46.45	-30.38	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-1200	-42.92	-27.38	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-600	-38.32	-25.69	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	-400	-30.55	-23	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	400	-28.24	-23	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	600	-38.45	-25.69	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	1200	-43.39	-27.38	PASS
LVLT	EGPRS1900	810	1909.8	5;5;5;5	1800	-45.92	-30.38	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	Ref Power	0.81		PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-1800	-72.06	-36	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-1200	-69.84	-32	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-600	-61.57	-26	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	-400	-57.4	-23	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	400	-54.11	-23	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	600	-61.84	-26	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	1200	-68.51	-32	PASS
LVLT	EGPRS1900	810	1909.8	18;18;18;18	1800	-72.27	-36	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	Ref Power	26.07		PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-1800	-46.61	-30.78	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-1200	-45.26	-27.78	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-600	-40.81	-26	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	-400	-32.46	-23	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	400	-29.47	-23	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	600	-36.2	-26	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	1200	-45.06	-27.78	PASS
HVHT	EGPRS850	128	824.2	6;6;6;6	1800	-47.95	-30.78	PASS

HVHT	EGPRS850	128	824.2	17;17;17;17	Ref Power	4.92		PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-1800	-66.13	-36	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-1200	-66.13	-32	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-600	-62.06	-26	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	-400	-56.15	-23	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	400	-51.05	-23	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	600	-61.99	-26	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	1200	-64.5	-32	PASS
HVHT	EGPRS850	128	824.2	17;17;17;17	1800	-68.19	-36	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	Ref Power	25.7		PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-1800	-45.99	-31.22	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-1200	-45.17	-28.22	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-600	-40.54	-26	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	-400	-34.16	-23	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	400	-31.34	-23	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	600	-40.6	-26	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	1200	-45.56	-28.22	PASS
HVHT	EGPRS850	190	836.6	6;6;6;6	1800	-48.15	-31.22	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	Ref Power	4.54		PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-1800	-68.68	-36	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-1200	-66.76	-32	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-600	-60.65	-26	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	-400	-55.69	-23	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	400	-52.26	-23	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	600	-61.89	-26	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	1200	-66.43	-32	PASS
HVHT	EGPRS850	190	836.6	17;17;17;17	1800	-68.63	-36	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	Ref Power	25.68		PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-1800	-47.94	-31.23	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-1200	-45.67	-28.23	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-600	-39.34	-26	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	-400	-33.72	-23	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	400	-30.75	-23	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	600	-39.52	-26	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	1200	-46.63	-28.23	PASS
HVHT	EGPRS850	251	848.8	6;6;6;6	1800	-46.64	-31.23	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	Ref Power	4.19		PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-1800	-67.1	-36	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-1200	-67.06	-32	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-600	-62.15	-26	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	-400	-56.01	-23	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	400	-52.53	-23	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	600	-61.57	-26	PASS
HVHT	EGPRS850	251	848.8	17;17;17;17	1200	-66.2	-32	PASS

HVHT	EGPRS850	251	848.8	17;17;17;17	1800	-68.21	-36	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	Ref Power	26.06		PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-1800	-46.71	-30.78	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-1200	-45.28	-27.78	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-600	-40.86	-26	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	-400	-32.42	-23	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	400	-29.38	-23	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	600	-36.22	-26	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	1200	-44.98	-27.78	PASS
HVLT	EGPRS850	128	824.2	6;6;6;6	1800	-47.83	-30.78	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	Ref Power	4.91		PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-1800	-66.19	-36	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-1200	-66.14	-32	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-600	-62.13	-26	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	-400	-56.31	-23	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	400	-51.13	-23	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	600	-62.04	-26	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	1200	-64.66	-32	PASS
HVLT	EGPRS850	128	824.2	17;17;17;17	1800	-68.13	-36	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	Ref Power	25.7		PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-1800	-45.97	-31.22	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-1200	-45.21	-28.22	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-600	-40.47	-26	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	-400	-34.26	-23	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	400	-31.27	-23	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	600	-40.67	-26	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	1200	-45.64	-28.22	PASS
HVLT	EGPRS850	190	836.6	6;6;6;6	1800	-48.15	-31.22	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	Ref Power	4.46		PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-1800	-68.73	-36	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-1200	-66.75	-32	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-600	-60.6	-26	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	-400	-55.74	-23	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	400	-52.22	-23	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	600	-61.9	-26	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	1200	-66.46	-32	PASS
HVLT	EGPRS850	190	836.6	17;17;17;17	1800	-68.5	-36	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	Ref Power	25.69		PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-1800	-47.89	-31.23	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-1200	-45.85	-28.23	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-600	-39.43	-26	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	-400	-33.62	-23	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	400	-30.77	-23	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	600	-39.45	-26	PASS

HVLT	EGPRS850	251	848.8	6;6;6;6	1200	-46.56	-28.23	PASS
HVLT	EGPRS850	251	848.8	6;6;6;6	1800	-46.77	-31.23	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	Ref Power	4.31		PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-1800	-67.04	-36	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-1200	-67.13	-32	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-600	-62.04	-26	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	-400	-56.09	-23	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	400	-52.54	-23	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	600	-61.43	-26	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	1200	-66.17	-32	PASS
HVLT	EGPRS850	251	848.8	17;17;17;17	1800	-68.06	-36	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	Ref Power	26.1		PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-1800	-46.66	-30.78	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-1200	-45.29	-27.78	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-600	-40.71	-26	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	-400	-32.56	-23	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	400	-29.44	-23	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	600	-36.33	-26	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	1200	-45.01	-27.78	PASS
LVHT	EGPRS850	128	824.2	6;6;6;6	1800	-47.8	-30.78	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	Ref Power	4.82		PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-1800	-66.19	-36	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-1200	-66.19	-32	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-600	-62.13	-26	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	-400	-56.16	-23	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	400	-51.19	-23	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	600	-61.99	-26	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	1200	-64.55	-32	PASS
LVHT	EGPRS850	128	824.2	17;17;17;17	1800	-68.13	-36	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	Ref Power	25.6		PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-1800	-45.93	-31.22	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-1200	-45.15	-28.22	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-600	-40.52	-26	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	-400	-34.19	-23	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	400	-31.42	-23	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	600	-40.75	-26	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	1200	-45.67	-28.22	PASS
LVHT	EGPRS850	190	836.6	6;6;6;6	1800	-47.99	-31.22	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	Ref Power	4.47		PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-1800	-68.68	-36	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-1200	-66.7	-32	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-600	-60.62	-26	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	-400	-55.73	-23	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	400	-52.21	-23	PASS

LVHT	EGPRS850	190	836.6	17;17;17;17	600	-61.94	-26	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	1200	-66.44	-32	PASS
LVHT	EGPRS850	190	836.6	17;17;17;17	1800	-68.51	-36	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	Ref Power	25.7		PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-1800	-47.83	-31.23	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-1200	-45.85	-28.23	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-600	-39.35	-26	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	-400	-33.75	-23	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	400	-30.78	-23	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	600	-39.59	-26	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	1200	-46.56	-28.23	PASS
LVHT	EGPRS850	251	848.8	6;6;6;6	1800	-46.66	-31.23	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	Ref Power	4.3		PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-1800	-67.07	-36	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-1200	-67.1	-32	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-600	-62.18	-26	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	-400	-56.06	-23	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	400	-52.55	-23	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	600	-61.6	-26	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	1200	-66.19	-32	PASS
LVHT	EGPRS850	251	848.8	17;17;17;17	1800	-68.05	-36	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	Ref Power	26.15		PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-1800	-46.69	-30.78	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-1200	-45.29	-27.78	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-600	-40.71	-26	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	-400	-32.5	-23	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	400	-29.54	-23	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	600	-36.23	-26	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	1200	-45.04	-27.78	PASS
LVLT	EGPRS850	128	824.2	6;6;6;6	1800	-47.88	-30.78	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	Ref Power	4.92		PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-1800	-66.19	-36	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-1200	-66.19	-32	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-600	-62.11	-26	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	-400	-56.18	-23	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	400	-51.14	-23	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	600	-62.08	-26	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	1200	-64.48	-32	PASS
LVLT	EGPRS850	128	824.2	17;17;17;17	1800	-68.22	-36	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	Ref Power	25.6		PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-1800	-45.92	-31.22	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-1200	-45.12	-28.22	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-600	-40.53	-26	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	-400	-34.22	-23	PASS

LVLT	EGPRS850	190	836.6	6;6;6;6	400	-31.37	-23	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	600	-40.61	-26	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	1200	-45.54	-28.22	PASS
LVLT	EGPRS850	190	836.6	6;6;6;6	1800	-47.99	-31.22	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	Ref Power	4.4		PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-1800	-68.74	-36	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-1200	-66.7	-32	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-600	-60.73	-26	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	-400	-55.67	-23	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	400	-52.2	-23	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	600	-61.87	-26	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	1200	-66.4	-32	PASS
LVLT	EGPRS850	190	836.6	17;17;17;17	1800	-68.51	-36	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	Ref Power	25.7		PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-1800	-47.96	-31.23	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-1200	-45.84	-28.23	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-600	-39.38	-26	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	-400	-33.6	-23	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	400	-30.7	-23	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	600	-39.47	-26	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	1200	-46.64	-28.23	PASS
LVLT	EGPRS850	251	848.8	6;6;6;6	1800	-46.72	-31.23	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	Ref Power	4.28		PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-1800	-67.09	-36	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-1200	-67.1	-32	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-600	-62.1	-26	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	-400	-56.16	-23	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	400	-52.52	-23	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	600	-61.53	-26	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	1200	-66.15	-32	PASS
LVLT	EGPRS850	251	848.8	17;17;17;17	1800	-68.2	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	25.47		PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-48.29	-31.41	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-46.4	-28.41	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-41.61	-26	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-34.33	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-31.57	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-40.4	-26	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-46.49	-28.41	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-47.36	-31.41	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	4.68		PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-68.1	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-66.43	-32	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-62.43	-26	PASS

HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-55.46	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-51.54	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-61.36	-26	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-67.64	-32	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-68.92	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	25.71		PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-47.59	-31.11	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-45.24	-28.11	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-39.9	-26	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-34.54	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-31.34	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-42.58	-26	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-44.82	-28.11	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-48	-31.11	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Ref Power	4.86		PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-68.19	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-65.02	-32	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-600	-62.27	-26	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-400	-55.56	-23	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	400	-51.48	-23	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	600	-60.42	-26	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1200	-65.96	-32	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1800	-69.15	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	25.85		PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-48.16	-31.06	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-43.64	-28.06	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-37.6	-26	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-33.16	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-32.3	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-39.85	-26	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-45.66	-28.06	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-48.11	-31.06	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	4.65		PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-69.1	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-66.38	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-60.5	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-55.15	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-49.95	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-62.04	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-67.34	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-66.45	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	Ref Power	25.44		PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-48.32	-31.41	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-46.47	-28.41	PASS

HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-41.48	-26	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-34.22	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-31.51	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-40.29	-26	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-46.38	-28.41	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-47.23	-31.41	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	Ref Power	4.63		PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-68.16	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-66.53	-32	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-62.37	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-55.34	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-51.44	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-61.37	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-67.8	-32	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-68.92	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Ref Power	25.88		PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-47.48	-31.11	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-45.21	-28.11	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-39.98	-26	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-34.58	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-31.3	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-42.62	-26	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-44.74	-28.11	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-48.03	-31.11	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Ref Power	4.91		PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-68.21	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-64.98	-32	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-600	-62.2	-26	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-400	-55.57	-23	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	400	-51.44	-23	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	600	-60.36	-26	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1200	-65.91	-32	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1800	-69.13	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	25.8		PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-48.03	-31.06	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-43.73	-28.06	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-37.61	-26	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-33.11	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-32.25	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-39.82	-26	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-45.77	-28.06	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-48.28	-31.06	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	4.63		PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.93	-36	PASS

HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-66.52	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-60.59	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-55.27	-23	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-49.9	-23	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	600	-62.04	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-67.26	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-66.35	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	25.41		PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-48.38	-31.41	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-46.49	-28.41	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-41.46	-26	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-34.21	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-31.54	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-40.34	-26	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-46.33	-28.41	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-47.41	-31.41	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	4.6		PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-68	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-66.38	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-62.44	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-55.45	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-51.57	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-61.27	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-67.79	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-68.9	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	25.75		PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-47.49	-31.11	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-45.13	-28.11	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-39.99	-26	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-34.58	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-31.26	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-42.51	-26	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-44.79	-28.11	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-47.97	-31.11	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Ref Power	4.96		PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-68.28	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-64.92	-32	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-600	-62.37	-26	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-400	-55.52	-23	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	400	-51.55	-23	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	600	-60.34	-26	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1200	-65.92	-32	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1800	-69.04	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	25.87		PASS

LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-48.21	-31.06	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-43.68	-28.06	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-37.65	-26	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-33.16	-23	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	400	-32.29	-23	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-39.78	-26	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-45.8	-28.06	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-48.19	-31.06	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	4.65		PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.96	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-66.52	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-60.52	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-55.18	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-49.9	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-61.99	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-67.25	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-66.32	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	Ref Power	25.5		PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-48.32	-31.41	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-46.58	-28.41	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-600	-41.61	-26	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-400	-34.3	-23	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	400	-31.59	-23	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	600	-40.36	-26	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1200	-46.43	-28.41	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1800	-47.34	-31.41	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	Ref Power	4.69		PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-68.14	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-66.38	-32	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-600	-62.39	-26	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-400	-55.36	-23	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	400	-51.43	-23	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	600	-61.42	-26	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1200	-67.72	-32	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1800	-68.9	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Ref Power	25.84		PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-47.6	-31.11	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-45.28	-28.11	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-600	-40.04	-26	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-400	-34.69	-23	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	400	-31.37	-23	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	600	-42.66	-26	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1200	-44.65	-28.11	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1800	-47.98	-31.11	PASS

LVLT	EGPRS900	38	897.6	17;17;17;17	Ref Power	4.88			PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-68.2	-36		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-65.02	-32		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-600	-62.23	-26		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-400	-55.61	-23		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	400	-51.49	-23		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	600	-60.38	-26		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1200	-65.9	-32		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1800	-69.2	-36		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	25.9			PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-48.16	-31.06		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-43.55	-28.06		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-37.54	-26		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-33.15	-23		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-32.24	-23		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-39.83	-26		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-45.76	-28.06		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-48.22	-31.06		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	4.76			PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-69.07	-36		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-66.38	-32		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-60.53	-26		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-55.16	-23		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-49.84	-23		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-62.11	-26		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-67.24	-32		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-66.48	-36		PASS

#### Clause 4.2.4 Frequency error and phase error in GPRS multi slot configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-10.65	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	1.11	0	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	6.48	0	20	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.39	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	1.08	0	5	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	3.8	0	20	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error	-10.59	-174.74	174.74	PASS

					(Hz)				
HVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	1.16	0	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	6.45	0	20	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.46	-174.74	174.74	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	1.12	0	5	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	3.74	0	20	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-10.68	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	1.1	0	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	6.57	0	20	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.49	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	1.2	0	5	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	3.75	0	20	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-10.74	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	1.17	0	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	6.62	0	20	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.46	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	1.08	0	5	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	3.8	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-10.73	-174.74	174.74	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	1.14	0	5	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	6.58	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.55	-174.74	174.74	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error	1.04	0	5	PASS

					(Degree)				
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	3.73	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-10.6	-174.74	174.74	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	1.16	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	6.63	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.51	-174.74	174.74	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	1.05	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	3.66	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-10.67	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	1.14	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	6.5	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	19.4	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	1.18	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	3.78	0	20	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	Frequency Error (Hz)	12.54	-188	188	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	RMS Phase Error (Degree)	1.14	0	5	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	Peak Phase Error (Degree)	4.69	0	20	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	26.85	-188	188	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	RMS Phase Error (Degree)	1.21	0	5	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	Peak Phase Error (Degree)	3.85	0	20	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	Frequency Error (Hz)	12.53	-188	188	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	RMS Phase Error (Degree)	1.05	0	5	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	Peak Phase Error	4.71	0	20	PASS

					(Degree)				
HVLT	GPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	26.84	-188	188	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	RMS Phase Error (Degree)	1.12	0	5	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	Peak Phase Error (Degree)	3.75	0	20	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	Frequency Error (Hz)	12.54	-188	188	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	RMS Phase Error (Degree)	1.22	0	5	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	Peak Phase Error (Degree)	4.79	0	20	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	26.69	-188	188	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	RMS Phase Error (Degree)	1.21	0	5	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	Peak Phase Error (Degree)	3.9	0	20	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	Frequency Error (Hz)	12.52	-188	188	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	RMS Phase Error (Degree)	1.16	0	5	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	Peak Phase Error (Degree)	4.83	0	20	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	26.77	-188	188	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	RMS Phase Error (Degree)	1.22	0	5	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	Peak Phase Error (Degree)	3.83	0	20	PASS
Vibration-X	GPRS1900	661	1880	3;3;3;3	Frequency Error (Hz)	12.64	-188	188	PASS
Vibration-X	GPRS1900	661	1880	3;3;3;3	RMS Phase Error (Degree)	1.08	0	5	PASS
Vibration-X	GPRS1900	661	1880	3;3;3;3	Peak Phase Error (Degree)	4.73	0	20	PASS
Vibration-X	GPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	26.8	-188	188	PASS
Vibration-X	GPRS1900	661	1880	18;18;18;18	RMS Phase Error (Degree)	1.06	0	5	PASS
Vibration-X	GPRS1900	661	1880	18;18;18;18	Peak Phase Error (Degree)	3.79	0	20	PASS
Vibration-Y	GPRS1900	661	1880	3;3;3;3	Frequency Error	12.56	-188	188	PASS

					(Hz)				
Vibration-Y	GPRS1900	661	1880	3;3;3;3	RMS Phase Error (Degree)	1.13	0	5	PASS
Vibration-Y	GPRS1900	661	1880	3;3;3;3	Peak Phase Error (Degree)	4.76	0	20	PASS
Vibration-Y	GPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	26.71	-188	188	PASS
Vibration-Y	GPRS1900	661	1880	18;18;18;18	RMS Phase Error (Degree)	1.24	0	5	PASS
Vibration-Y	GPRS1900	661	1880	18;18;18;18	Peak Phase Error (Degree)	3.9	0	20	PASS
Vibration-Z	GPRS1900	661	1880	3;3;3;3	Frequency Error (Hz)	12.54	-188	188	PASS
Vibration-Z	GPRS1900	661	1880	3;3;3;3	RMS Phase Error (Degree)	1.17	0	5	PASS
Vibration-Z	GPRS1900	661	1880	3;3;3;3	Peak Phase Error (Degree)	4.78	0	20	PASS
Vibration-Z	GPRS1900	661	1880	18;18;18;18	Frequency Error (Hz)	26.71	-188	188	PASS
Vibration-Z	GPRS1900	661	1880	18;18;18;18	RMS Phase Error (Degree)	1.19	0	5	PASS
Vibration-Z	GPRS1900	661	1880	18;18;18;18	Peak Phase Error (Degree)	3.79	0	20	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	Frequency Error (Hz)	5.67	-83.66	83.66	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	RMS Phase Error (Degree)	0.9	0	5	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	Peak Phase Error (Degree)	2.74	0	20	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	8.08	-83.66	83.66	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	RMS Phase Error (Degree)	0.96	0	5	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	Peak Phase Error (Degree)	2.47	0	20	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	Frequency Error (Hz)	5.81	-83.66	83.66	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	RMS Phase Error (Degree)	0.84	0	5	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	Peak Phase Error (Degree)	2.72	0	20	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	8.06	-83.66	83.66	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	RMS Phase Error	0.95	0	5	PASS

					(Degree)				
HVLT	GPRS850	190	836.6	17;17;17;17	Peak Phase Error (Degree)	2.54	0	20	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	Frequency Error (Hz)	5.67	-83.66	83.66	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	RMS Phase Error (Degree)	0.91	0	5	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	Peak Phase Error (Degree)	2.76	0	20	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	8.08	-83.66	83.66	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	RMS Phase Error (Degree)	0.97	0	5	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	Peak Phase Error (Degree)	2.47	0	20	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	Frequency Error (Hz)	5.66	-83.66	83.66	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	RMS Phase Error (Degree)	0.92	0	5	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	Peak Phase Error (Degree)	2.7	0	20	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	8.05	-83.66	83.66	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	RMS Phase Error (Degree)	0.9	0	5	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	Peak Phase Error (Degree)	2.43	0	20	PASS
Vibration-X	GPRS850	190	836.6	3;3;3;3	Frequency Error (Hz)	5.72	-83.66	83.66	PASS
Vibration-X	GPRS850	190	836.6	3;3;3;3	RMS Phase Error (Degree)	0.98	0	5	PASS
Vibration-X	GPRS850	190	836.6	3;3;3;3	Peak Phase Error (Degree)	2.59	0	20	PASS
Vibration-X	GPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	8.1	-83.66	83.66	PASS
Vibration-X	GPRS850	190	836.6	17;17;17;17	RMS Phase Error (Degree)	0.92	0	5	PASS
Vibration-X	GPRS850	190	836.6	17;17;17;17	Peak Phase Error (Degree)	2.55	0	20	PASS
Vibration-Y	GPRS850	190	836.6	3;3;3;3	Frequency Error (Hz)	5.75	-83.66	83.66	PASS
Vibration-Y	GPRS850	190	836.6	3;3;3;3	RMS Phase Error (Degree)	0.8	0	5	PASS
Vibration-Y	GPRS850	190	836.6	3;3;3;3	Peak Phase Error	2.73	0	20	PASS

					(Degree)				
Vibration-Y	GPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	8.18	-83.66	83.66	PASS
Vibration-Y	GPRS850	190	836.6	17;17;17;17	RMS Phase Error (Degree)	0.97	0	5	PASS
Vibration-Y	GPRS850	190	836.6	17;17;17;17	Peak Phase Error (Degree)	2.44	0	20	PASS
Vibration-Z	GPRS850	190	836.6	3;3;3;3	Frequency Error (Hz)	5.8	-83.66	83.66	PASS
Vibration-Z	GPRS850	190	836.6	3;3;3;3	RMS Phase Error (Degree)	0.92	0	5	PASS
Vibration-Z	GPRS850	190	836.6	3;3;3;3	Peak Phase Error (Degree)	2.7	0	20	PASS
Vibration-Z	GPRS850	190	836.6	17;17;17;17	Frequency Error (Hz)	8.05	-83.66	83.66	PASS
Vibration-Z	GPRS850	190	836.6	17;17;17;17	RMS Phase Error (Degree)	0.91	0	5	PASS
Vibration-Z	GPRS850	190	836.6	17;17;17;17	Peak Phase Error (Degree)	2.49	0	20	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	7.19	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.77	0	5	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	3.6	0	20	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.67	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.72	0	5	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.45	0	20	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	7.26	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.78	0	5	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	3.58	0	20	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.68	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.73	0	5	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.41	0	20	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error	7.38	-89.76	89.76	PASS

					(Hz)				
LVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.63	0	5	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	3.58	0	20	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.77	-89.76	89.76	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.6	0	5	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.31	0	20	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	7.23	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.64	0	5	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	3.53	0	20	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.62	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.67	0	5	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.43	0	20	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	7.29	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.63	0	5	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	3.48	0	20	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.74	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.66	0	5	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.31	0	20	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	7.19	-89.76	89.76	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.63	0	5	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	3.6	0	20	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.7	-89.76	89.76	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	RMS Phase Error	0.6	0	5	PASS

Vibration-Y	GPRS900	38	897.6	17;17;17;17	(Degree) Peak Phase Error	2.42	0	20	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	(Degree) Frequency Error	7.34	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	(Hz) RMS Phase Error	0.69	0	5	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	(Degree) Peak Phase Error	3.51	0	20	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	(Degree) Frequency Error	16.7	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	(Hz) RMS Phase Error	0.66	0	5	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	(Degree) Peak Phase Error	2.4	0	20	PASS

#### Clause 4.2.10 Transmitter output power in GPRS multi slot configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.7	28	32	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	28.4	25	31	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	26.69	23	29	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	24.72	21	27	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22.65	19	25	PASS
HVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.56	17	23	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	18.64	15	21	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.59	13	19	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.72	11	17	PASS
HVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.64	8	16	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.9	6	14	PASS
HVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	9.03	4	12	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	7.21	2	10	PASS

HVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	5.48	0	8	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	3.83	-3	7	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	2.26	-5	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	31.07	28	32	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	28.4	25	31	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.77	23	29	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.59	21	27	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.5	19	25	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.43	17	23	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.44	15	21	PASS
HVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	16.63	13	19	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.49	11	17	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.62	8	16	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.8	6	14	PASS
HVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.75	4	12	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	7.05	2	10	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	5.28	0	8	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	3.66	-3	7	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	2.06	-5	5	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	31.45	28	32	PASS
HVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	28.59	25	31	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.77	23	29	PASS

HVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.63	21	27	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.65	19	25	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.63	17	23	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.51	15	21	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.65	13	19	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.54	11	17	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.71	8	16	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	10.92	6	14	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	8.88	4	12	PASS
HVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	7.21	2	10	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	5.51	0	8	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	3.89	-3	7	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	2.3	-5	5	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.77	28	32	PASS
HVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	28.38	25	31	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	26.8	23	29	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	24.7	21	27	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22.72	19	25	PASS
HVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.56	17	23	PASS
HVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	18.49	15	21	PASS
HVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.65	13	19	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.64	11	17	PASS

HVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.78	8	16	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.99	6	14	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.94	4	12	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	7.23	2	10	PASS
HVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	5.42	0	8	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	3.83	-3	7	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	2.32	-5	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	31.14	28	32	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	28.38	25	31	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.66	23	29	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.48	21	27	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.42	19	25	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.46	17	23	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.51	15	21	PASS
HVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	16.63	13	19	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.44	11	17	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.62	8	16	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.75	6	14	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.83	4	12	PASS
HVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	7.08	2	10	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	5.4	0	8	PASS
HVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	3.68	-3	7	PASS

HVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	1.99	-5	5	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	31.4	28	32	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	28.62	25	31	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.87	23	29	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.62	21	27	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.6	19	25	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.54	17	23	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.49	15	21	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.73	13	19	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.56	11	17	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.55	8	16	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	10.92	6	14	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	8.91	4	12	PASS
HVLT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	7.13	2	10	PASS
HVLT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	5.42	0	8	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	3.96	-3	7	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	2.19	-5	5	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.74	28	32	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	28.4	25	31	PASS
LVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	26.81	23	29	PASS
LVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	24.55	21	27	PASS
LVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22.6	19	25	PASS

LVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.64	17	23	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	18.61	15	21	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.73	13	19	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.74	11	17	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.64	8	16	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.85	6	14	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	9.01	4	12	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	7.23	2	10	PASS
LVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	5.51	0	8	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	3.94	-3	7	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	2.24	-5	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	31.21	28	32	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	28.34	25	31	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.64	23	29	PASS
LVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.59	21	27	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.42	19	25	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.42	17	23	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.56	15	21	PASS
LVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	16.56	13	19	PASS
LVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.51	11	17	PASS
LVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.57	8	16	PASS
LVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.84	6	14	PASS

LVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.77	4	12	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	7.04	2	10	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	5.46	0	8	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	3.8	-3	7	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	2.11	-5	5	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	31.41	28	32	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	28.5	25	31	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.88	23	29	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.55	21	27	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.66	19	25	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.71	17	23	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.56	15	21	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.66	13	19	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.64	11	17	PASS
LVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.69	8	16	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	10.83	6	14	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	8.99	4	12	PASS
LVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	7.14	2	10	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	5.38	0	8	PASS
LVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	3.85	-3	7	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	2.33	-5	5	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.73	28	32	PASS

LVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	28.32	25	31	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	26.69	23	29	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	24.71	21	27	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22.56	19	25	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.73	17	23	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	18.51	15	21	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.75	13	19	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.76	11	17	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.71	8	16	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	11	6	14	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.93	4	12	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	7.2	2	10	PASS
LVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	5.58	0	8	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	3.94	-3	7	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	2.17	-5	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	31.12	28	32	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	28.31	25	31	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.78	23	29	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.47	21	27	PASS
LVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.5	19	25	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.43	17	23	PASS
LVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.56	15	21	PASS

LVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	16.63	13	19	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.56	11	17	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.63	8	16	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.85	6	14	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.86	4	12	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	7.14	2	10	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	5.33	0	8	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	3.63	-3	7	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	1.97	-5	5	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	31.51	28	32	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	28.53	25	31	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.85	23	29	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.65	21	27	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.59	19	25	PASS
LVLT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.66	17	23	PASS
LVLT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.51	15	21	PASS
LVLT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.67	13	19	PASS
LVLT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.51	11	17	PASS
LVLT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.72	8	16	PASS
LVLT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	10.75	6	14	PASS
LVLT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	8.94	4	12	PASS
LVLT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	7.1	2	10	PASS

LVLT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	5.48	0	8	PASS
LVLT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	3.86	-3	7	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	2.32	-5	5	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	Power slot1	30.3	28	32	PASS
HVHT	GPRS1900	512	1850.2	4;4;4;4	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1900	512	1850.2	4;4;4;4	Power slot1	27.87	25	31	PASS
HVHT	GPRS1900	512	1850.2	5;5;5;5	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1900	512	1850.2	5;5;5;5	Power slot1	26.34	23	29	PASS
HVHT	GPRS1900	512	1850.2	6;6;6;6	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1900	512	1850.2	6;6;6;6	Power slot1	24.28	21	27	PASS
HVHT	GPRS1900	512	1850.2	7;7;7;7	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1900	512	1850.2	7;7;7;7	Power slot1	22.37	19	25	PASS
HVHT	GPRS1900	512	1850.2	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1900	512	1850.2	8;8;8;8	Power slot1	20.33	17	23	PASS
HVHT	GPRS1900	512	1850.2	9;9;9;9	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1900	512	1850.2	9;9;9;9	Power slot1	18.37	15	21	PASS
HVHT	GPRS1900	512	1850.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1900	512	1850.2	10;10;10;10	Power slot1	16.47	13	19	PASS
HVHT	GPRS1900	512	1850.2	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1900	512	1850.2	11;11;11;11	Power slot1	14.14	11	17	PASS
HVHT	GPRS1900	512	1850.2	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1900	512	1850.2	12;12;12;12	Power slot1	12.09	8	16	PASS
HVHT	GPRS1900	512	1850.2	13;13;13;13	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1900	512	1850.2	13;13;13;13	Power slot1	10.26	6	14	PASS
HVHT	GPRS1900	512	1850.2	14;14;14;14	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1900	512	1850.2	14;14;14;14	Power slot1	8.19	4	12	PASS
HVHT	GPRS1900	512	1850.2	15;15;15;15	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1900	512	1850.2	15;15;15;15	Power slot1	6.25	2	10	PASS
HVHT	GPRS1900	512	1850.2	16;16;16;16	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1900	512	1850.2	16;16;16;16	Power slot1	4.05	0	8	PASS
HVHT	GPRS1900	512	1850.2	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1900	512	1850.2	17;17;17;17	Power slot1	2.23	-3	7	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	Power slot1	0.17	-5	5	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	Power slot1	30.17	28	32	PASS
HVHT	GPRS1900	661	1880	4;4;4;4	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1900	661	1880	4;4;4;4	Power slot1	27.85	25	31	PASS
HVHT	GPRS1900	661	1880	5;5;5;5	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1900	661	1880	5;5;5;5	Power slot1	26.44	23	29	PASS

HVHT	GPRS1900	661	1880	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1900	661	1880	6;6;6;6	Power slot1	24.38	21	27	PASS
HVHT	GPRS1900	661	1880	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1900	661	1880	7;7;7;7	Power slot1	22.54	19	25	PASS
HVHT	GPRS1900	661	1880	8;8;8;8	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1900	661	1880	8;8;8;8	Power slot1	20.35	17	23	PASS
HVHT	GPRS1900	661	1880	9;9;9;9	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS1900	661	1880	9;9;9;9	Power slot1	18.36	15	21	PASS
HVHT	GPRS1900	661	1880	10;10;10;10	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1900	661	1880	10;10;10;10	Power slot1	16.27	13	19	PASS
HVHT	GPRS1900	661	1880	11;11;11;11	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1900	661	1880	11;11;11;11	Power slot1	14.33	11	17	PASS
HVHT	GPRS1900	661	1880	12;12;12;12	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1900	661	1880	12;12;12;12	Power slot1	12.18	8	16	PASS
HVHT	GPRS1900	661	1880	13;13;13;13	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1900	661	1880	13;13;13;13	Power slot1	10.14	6	14	PASS
HVHT	GPRS1900	661	1880	14;14;14;14	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1900	661	1880	14;14;14;14	Power slot1	8.26	4	12	PASS
HVHT	GPRS1900	661	1880	15;15;15;15	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1900	661	1880	15;15;15;15	Power slot1	6.29	2	10	PASS
HVHT	GPRS1900	661	1880	16;16;16;16	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1900	661	1880	16;16;16;16	Power slot1	4.26	0	8	PASS
HVHT	GPRS1900	661	1880	17;17;17;17	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1900	661	1880	17;17;17;17	Power slot1	2.23	-3	7	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	Power slot1	0.44	-5	5	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	Power slot1	30.23	28	32	PASS
HVHT	GPRS1900	810	1909.8	4;4;4;4	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1900	810	1909.8	4;4;4;4	Power slot1	27.93	25	31	PASS
HVHT	GPRS1900	810	1909.8	5;5;5;5	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1900	810	1909.8	5;5;5;5	Power slot1	26.43	23	29	PASS
HVHT	GPRS1900	810	1909.8	6;6;6;6	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1900	810	1909.8	6;6;6;6	Power slot1	24.45	21	27	PASS
HVHT	GPRS1900	810	1909.8	7;7;7;7	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1900	810	1909.8	7;7;7;7	Power slot1	22.42	19	25	PASS
HVHT	GPRS1900	810	1909.8	8;8;8;8	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1900	810	1909.8	8;8;8;8	Power slot1	20.43	17	23	PASS
HVHT	GPRS1900	810	1909.8	9;9;9;9	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1900	810	1909.8	9;9;9;9	Power slot1	18.54	15	21	PASS
HVHT	GPRS1900	810	1909.8	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1900	810	1909.8	10;10;10;10	Power slot1	16.36	13	19	PASS
HVHT	GPRS1900	810	1909.8	11;11;11;11	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1900	810	1909.8	11;11;11;11	Power slot1	14.3	11	17	PASS

HVHT	GPRS1900	810	1909.8	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1900	810	1909.8	12;12;12;12	Power slot1	12.13	8	16	PASS
HVHT	GPRS1900	810	1909.8	13;13;13;13	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1900	810	1909.8	13;13;13;13	Power slot1	10.24	6	14	PASS
HVHT	GPRS1900	810	1909.8	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1900	810	1909.8	14;14;14;14	Power slot1	8.38	4	12	PASS
HVHT	GPRS1900	810	1909.8	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1900	810	1909.8	15;15;15;15	Power slot1	6.38	2	10	PASS
HVHT	GPRS1900	810	1909.8	16;16;16;16	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1900	810	1909.8	16;16;16;16	Power slot1	4.36	0	8	PASS
HVHT	GPRS1900	810	1909.8	17;17;17;17	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1900	810	1909.8	17;17;17;17	Power slot1	2.34	-3	7	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	Power slot1	0.43	-5	5	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	Power slot1	30.26	28	32	PASS
HVLT	GPRS1900	512	1850.2	4;4;4;4	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1900	512	1850.2	4;4;4;4	Power slot1	27.9	25	31	PASS
HVLT	GPRS1900	512	1850.2	5;5;5;5	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1900	512	1850.2	5;5;5;5	Power slot1	26.32	23	29	PASS
HVLT	GPRS1900	512	1850.2	6;6;6;6	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1900	512	1850.2	6;6;6;6	Power slot1	24.29	21	27	PASS
HVLT	GPRS1900	512	1850.2	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1900	512	1850.2	7;7;7;7	Power slot1	22.51	19	25	PASS
HVLT	GPRS1900	512	1850.2	8;8;8;8	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1900	512	1850.2	8;8;8;8	Power slot1	20.47	17	23	PASS
HVLT	GPRS1900	512	1850.2	9;9;9;9	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1900	512	1850.2	9;9;9;9	Power slot1	18.42	15	21	PASS
HVLT	GPRS1900	512	1850.2	10;10;10;10	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1900	512	1850.2	10;10;10;10	Power slot1	16.33	13	19	PASS
HVLT	GPRS1900	512	1850.2	11;11;11;11	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1900	512	1850.2	11;11;11;11	Power slot1	14.15	11	17	PASS
HVLT	GPRS1900	512	1850.2	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1900	512	1850.2	12;12;12;12	Power slot1	12.07	8	16	PASS
HVLT	GPRS1900	512	1850.2	13;13;13;13	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS1900	512	1850.2	13;13;13;13	Power slot1	10.12	6	14	PASS
HVLT	GPRS1900	512	1850.2	14;14;14;14	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1900	512	1850.2	14;14;14;14	Power slot1	8.12	4	12	PASS
HVLT	GPRS1900	512	1850.2	15;15;15;15	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS1900	512	1850.2	15;15;15;15	Power slot1	6.12	2	10	PASS
HVLT	GPRS1900	512	1850.2	16;16;16;16	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1900	512	1850.2	16;16;16;16	Power slot1	4.11	0	8	PASS
HVLT	GPRS1900	512	1850.2	17;17;17;17	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1900	512	1850.2	17;17;17;17	Power slot1	2.21	-3	7	PASS

HVLT	GPRS1900	512	1850.2	18;18;18;18	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	Power slot1	0.27	-5	5	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	Power slot1	30.26	28	32	PASS
HVLT	GPRS1900	661	1880	4;4;4;4	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1900	661	1880	4;4;4;4	Power slot1	27.83	25	31	PASS
HVLT	GPRS1900	661	1880	5;5;5;5	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1900	661	1880	5;5;5;5	Power slot1	26.34	23	29	PASS
HVLT	GPRS1900	661	1880	6;6;6;6	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1900	661	1880	6;6;6;6	Power slot1	24.43	21	27	PASS
HVLT	GPRS1900	661	1880	7;7;7;7	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1900	661	1880	7;7;7;7	Power slot1	22.42	19	25	PASS
HVLT	GPRS1900	661	1880	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1900	661	1880	8;8;8;8	Power slot1	20.47	17	23	PASS
HVLT	GPRS1900	661	1880	9;9;9;9	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1900	661	1880	9;9;9;9	Power slot1	18.42	15	21	PASS
HVLT	GPRS1900	661	1880	10;10;10;10	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1900	661	1880	10;10;10;10	Power slot1	16.45	13	19	PASS
HVLT	GPRS1900	661	1880	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1900	661	1880	11;11;11;11	Power slot1	14.34	11	17	PASS
HVLT	GPRS1900	661	1880	12;12;12;12	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1900	661	1880	12;12;12;12	Power slot1	12.3	8	16	PASS
HVLT	GPRS1900	661	1880	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1900	661	1880	13;13;13;13	Power slot1	10.28	6	14	PASS
HVLT	GPRS1900	661	1880	14;14;14;14	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1900	661	1880	14;14;14;14	Power slot1	8.31	4	12	PASS
HVLT	GPRS1900	661	1880	15;15;15;15	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1900	661	1880	15;15;15;15	Power slot1	6.36	2	10	PASS
HVLT	GPRS1900	661	1880	16;16;16;16	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS1900	661	1880	16;16;16;16	Power slot1	4.16	0	8	PASS
HVLT	GPRS1900	661	1880	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1900	661	1880	17;17;17;17	Power slot1	2.21	-3	7	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	Power slot1	0.32	-5	5	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	Power slot1	30.29	28	32	PASS
HVLT	GPRS1900	810	1909.8	4;4;4;4	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1900	810	1909.8	4;4;4;4	Power slot1	28.01	25	31	PASS
HVLT	GPRS1900	810	1909.8	5;5;5;5	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1900	810	1909.8	5;5;5;5	Power slot1	26.43	23	29	PASS
HVLT	GPRS1900	810	1909.8	6;6;6;6	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1900	810	1909.8	6;6;6;6	Power slot1	24.4	21	27	PASS
HVLT	GPRS1900	810	1909.8	7;7;7;7	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1900	810	1909.8	7;7;7;7	Power slot1	22.45	19	25	PASS

HVLT	GPRS1900	810	1909.8	8;8;8;8	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1900	810	1909.8	8;8;8;8	Power slot1	20.47	17	23	PASS
HVLT	GPRS1900	810	1909.8	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1900	810	1909.8	9;9;9;9	Power slot1	18.44	15	21	PASS
HVLT	GPRS1900	810	1909.8	10;10;10;10	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1900	810	1909.8	10;10;10;10	Power slot1	16.42	13	19	PASS
HVLT	GPRS1900	810	1909.8	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS1900	810	1909.8	11;11;11;11	Power slot1	14.19	11	17	PASS
HVLT	GPRS1900	810	1909.8	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1900	810	1909.8	12;12;12;12	Power slot1	12.26	8	16	PASS
HVLT	GPRS1900	810	1909.8	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1900	810	1909.8	13;13;13;13	Power slot1	10.18	6	14	PASS
HVLT	GPRS1900	810	1909.8	14;14;14;14	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1900	810	1909.8	14;14;14;14	Power slot1	8.22	4	12	PASS
HVLT	GPRS1900	810	1909.8	15;15;15;15	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1900	810	1909.8	15;15;15;15	Power slot1	6.28	2	10	PASS
HVLT	GPRS1900	810	1909.8	16;16;16;16	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1900	810	1909.8	16;16;16;16	Power slot1	4.26	0	8	PASS
HVLT	GPRS1900	810	1909.8	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1900	810	1909.8	17;17;17;17	Power slot1	2.31	-3	7	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	Power slot1	0.53	-5	5	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	Power slot1	30.3	28	32	PASS
LVHT	GPRS1900	512	1850.2	4;4;4;4	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1900	512	1850.2	4;4;4;4	Power slot1	27.79	25	31	PASS
LVHT	GPRS1900	512	1850.2	5;5;5;5	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1900	512	1850.2	5;5;5;5	Power slot1	26.29	23	29	PASS
LVHT	GPRS1900	512	1850.2	6;6;6;6	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1900	512	1850.2	6;6;6;6	Power slot1	24.39	21	27	PASS
LVHT	GPRS1900	512	1850.2	7;7;7;7	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1900	512	1850.2	7;7;7;7	Power slot1	22.51	19	25	PASS
LVHT	GPRS1900	512	1850.2	8;8;8;8	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1900	512	1850.2	8;8;8;8	Power slot1	20.4	17	23	PASS
LVHT	GPRS1900	512	1850.2	9;9;9;9	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1900	512	1850.2	9;9;9;9	Power slot1	18.46	15	21	PASS
LVHT	GPRS1900	512	1850.2	10;10;10;10	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1900	512	1850.2	10;10;10;10	Power slot1	16.28	13	19	PASS
LVHT	GPRS1900	512	1850.2	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1900	512	1850.2	11;11;11;11	Power slot1	14.22	11	17	PASS
LVHT	GPRS1900	512	1850.2	12;12;12;12	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1900	512	1850.2	12;12;12;12	Power slot1	12.25	8	16	PASS
LVHT	GPRS1900	512	1850.2	13;13;13;13	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1900	512	1850.2	13;13;13;13	Power slot1	10.1	6	14	PASS

LVHT	GPRS1900	512	1850.2	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1900	512	1850.2	14;14;14;14	Power slot1	8.21	4	12	PASS
LVHT	GPRS1900	512	1850.2	15;15;15;15	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1900	512	1850.2	15;15;15;15	Power slot1	6.24	2	10	PASS
LVHT	GPRS1900	512	1850.2	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1900	512	1850.2	16;16;16;16	Power slot1	4.19	0	8	PASS
LVHT	GPRS1900	512	1850.2	17;17;17;17	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1900	512	1850.2	17;17;17;17	Power slot1	2.19	-3	7	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	Power slot1	0.32	-5	5	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	Power slot1	30.2	28	32	PASS
LVHT	GPRS1900	661	1880	4;4;4;4	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1900	661	1880	4;4;4;4	Power slot1	27.91	25	31	PASS
LVHT	GPRS1900	661	1880	5;5;5;5	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1900	661	1880	5;5;5;5	Power slot1	26.33	23	29	PASS
LVHT	GPRS1900	661	1880	6;6;6;6	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1900	661	1880	6;6;6;6	Power slot1	24.45	21	27	PASS
LVHT	GPRS1900	661	1880	7;7;7;7	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1900	661	1880	7;7;7;7	Power slot1	22.45	19	25	PASS
LVHT	GPRS1900	661	1880	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1900	661	1880	8;8;8;8	Power slot1	20.33	17	23	PASS
LVHT	GPRS1900	661	1880	9;9;9;9	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1900	661	1880	9;9;9;9	Power slot1	18.4	15	21	PASS
LVHT	GPRS1900	661	1880	10;10;10;10	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1900	661	1880	10;10;10;10	Power slot1	16.39	13	19	PASS
LVHT	GPRS1900	661	1880	11;11;11;11	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1900	661	1880	11;11;11;11	Power slot1	14.26	11	17	PASS
LVHT	GPRS1900	661	1880	12;12;12;12	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1900	661	1880	12;12;12;12	Power slot1	12.3	8	16	PASS
LVHT	GPRS1900	661	1880	13;13;13;13	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1900	661	1880	13;13;13;13	Power slot1	10.28	6	14	PASS
LVHT	GPRS1900	661	1880	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1900	661	1880	14;14;14;14	Power slot1	8.22	4	12	PASS
LVHT	GPRS1900	661	1880	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1900	661	1880	15;15;15;15	Power slot1	6.34	2	10	PASS
LVHT	GPRS1900	661	1880	16;16;16;16	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1900	661	1880	16;16;16;16	Power slot1	4.27	0	8	PASS
LVHT	GPRS1900	661	1880	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1900	661	1880	17;17;17;17	Power slot1	2.2	-3	7	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	Power slot1	0.39	-5	5	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	Power slot1	30.22	28	32	PASS

LVHT	GPRS1900	810	1909.8	4;4;4;4	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1900	810	1909.8	4;4;4;4	Power slot1	27.92	25	31	PASS
LVHT	GPRS1900	810	1909.8	5;5;5;5	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1900	810	1909.8	5;5;5;5	Power slot1	26.42	23	29	PASS
LVHT	GPRS1900	810	1909.8	6;6;6;6	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1900	810	1909.8	6;6;6;6	Power slot1	24.39	21	27	PASS
LVHT	GPRS1900	810	1909.8	7;7;7;7	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1900	810	1909.8	7;7;7;7	Power slot1	22.54	19	25	PASS
LVHT	GPRS1900	810	1909.8	8;8;8;8	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1900	810	1909.8	8;8;8;8	Power slot1	20.52	17	23	PASS
LVHT	GPRS1900	810	1909.8	9;9;9;9	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1900	810	1909.8	9;9;9;9	Power slot1	18.4	15	21	PASS
LVHT	GPRS1900	810	1909.8	10;10;10;10	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1900	810	1909.8	10;10;10;10	Power slot1	16.46	13	19	PASS
LVHT	GPRS1900	810	1909.8	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1900	810	1909.8	11;11;11;11	Power slot1	14.32	11	17	PASS
LVHT	GPRS1900	810	1909.8	12;12;12;12	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1900	810	1909.8	12;12;12;12	Power slot1	12.12	8	16	PASS
LVHT	GPRS1900	810	1909.8	13;13;13;13	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1900	810	1909.8	13;13;13;13	Power slot1	10.31	6	14	PASS
LVHT	GPRS1900	810	1909.8	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1900	810	1909.8	14;14;14;14	Power slot1	8.35	4	12	PASS
LVHT	GPRS1900	810	1909.8	15;15;15;15	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1900	810	1909.8	15;15;15;15	Power slot1	6.31	2	10	PASS
LVHT	GPRS1900	810	1909.8	16;16;16;16	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1900	810	1909.8	16;16;16;16	Power slot1	4.35	0	8	PASS
LVHT	GPRS1900	810	1909.8	17;17;17;17	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1900	810	1909.8	17;17;17;17	Power slot1	2.24	-3	7	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	Power slot1	0.48	-5	5	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	Power slot1	30.28	28	32	PASS
LVLT	GPRS1900	512	1850.2	4;4;4;4	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1900	512	1850.2	4;4;4;4	Power slot1	27.83	25	31	PASS
LVLT	GPRS1900	512	1850.2	5;5;5;5	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1900	512	1850.2	5;5;5;5	Power slot1	26.34	23	29	PASS
LVLT	GPRS1900	512	1850.2	6;6;6;6	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1900	512	1850.2	6;6;6;6	Power slot1	24.29	21	27	PASS
LVLT	GPRS1900	512	1850.2	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1900	512	1850.2	7;7;7;7	Power slot1	22.43	19	25	PASS
LVLT	GPRS1900	512	1850.2	8;8;8;8	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1900	512	1850.2	8;8;8;8	Power slot1	20.35	17	23	PASS
LVLT	GPRS1900	512	1850.2	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1900	512	1850.2	9;9;9;9	Power slot1	18.48	15	21	PASS

LVLT	GPRS1900	512	1850.2	10;10;10;10	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1900	512	1850.2	10;10;10;10	Power slot1	16.32	13	19	PASS
LVLT	GPRS1900	512	1850.2	11;11;11;11	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1900	512	1850.2	11;11;11;11	Power slot1	14.26	11	17	PASS
LVLT	GPRS1900	512	1850.2	12;12;12;12	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1900	512	1850.2	12;12;12;12	Power slot1	12.17	8	16	PASS
LVLT	GPRS1900	512	1850.2	13;13;13;13	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1900	512	1850.2	13;13;13;13	Power slot1	10.12	6	14	PASS
LVLT	GPRS1900	512	1850.2	14;14;14;14	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1900	512	1850.2	14;14;14;14	Power slot1	8.11	4	12	PASS
LVLT	GPRS1900	512	1850.2	15;15;15;15	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1900	512	1850.2	15;15;15;15	Power slot1	6.24	2	10	PASS
LVLT	GPRS1900	512	1850.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1900	512	1850.2	16;16;16;16	Power slot1	4.07	0	8	PASS
LVLT	GPRS1900	512	1850.2	17;17;17;17	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1900	512	1850.2	17;17;17;17	Power slot1	2.26	-3	7	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	Power slot1	0.26	-5	5	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	Power slot1	30.24	28	32	PASS
LVLT	GPRS1900	661	1880	4;4;4;4	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1900	661	1880	4;4;4;4	Power slot1	27.89	25	31	PASS
LVLT	GPRS1900	661	1880	5;5;5;5	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS1900	661	1880	5;5;5;5	Power slot1	26.32	23	29	PASS
LVLT	GPRS1900	661	1880	6;6;6;6	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1900	661	1880	6;6;6;6	Power slot1	24.44	21	27	PASS
LVLT	GPRS1900	661	1880	7;7;7;7	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1900	661	1880	7;7;7;7	Power slot1	22.41	19	25	PASS
LVLT	GPRS1900	661	1880	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1900	661	1880	8;8;8;8	Power slot1	20.44	17	23	PASS
LVLT	GPRS1900	661	1880	9;9;9;9	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1900	661	1880	9;9;9;9	Power slot1	18.46	15	21	PASS
LVLT	GPRS1900	661	1880	10;10;10;10	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1900	661	1880	10;10;10;10	Power slot1	16.42	13	19	PASS
LVLT	GPRS1900	661	1880	11;11;11;11	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1900	661	1880	11;11;11;11	Power slot1	14.2	11	17	PASS
LVLT	GPRS1900	661	1880	12;12;12;12	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS1900	661	1880	12;12;12;12	Power slot1	12.26	8	16	PASS
LVLT	GPRS1900	661	1880	13;13;13;13	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1900	661	1880	13;13;13;13	Power slot1	10.26	6	14	PASS
LVLT	GPRS1900	661	1880	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1900	661	1880	14;14;14;14	Power slot1	8.21	4	12	PASS
LVLT	GPRS1900	661	1880	15;15;15;15	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1900	661	1880	15;15;15;15	Power slot1	6.19	2	10	PASS

LVLT	GPRS1900	661	1880	16;16;16;16	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1900	661	1880	16;16;16;16	Power slot1	4.18	0	8	PASS
LVLT	GPRS1900	661	1880	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1900	661	1880	17;17;17;17	Power slot1	2.21	-3	7	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	Power slot1	0.27	-5	5	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	Power slot1	30.16	28	32	PASS
LVLT	GPRS1900	810	1909.8	4;4;4;4	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1900	810	1909.8	4;4;4;4	Power slot1	27.95	25	31	PASS
LVLT	GPRS1900	810	1909.8	5;5;5;5	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1900	810	1909.8	5;5;5;5	Power slot1	26.47	23	29	PASS
LVLT	GPRS1900	810	1909.8	6;6;6;6	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1900	810	1909.8	6;6;6;6	Power slot1	24.4	21	27	PASS
LVLT	GPRS1900	810	1909.8	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1900	810	1909.8	7;7;7;7	Power slot1	22.45	19	25	PASS
LVLT	GPRS1900	810	1909.8	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1900	810	1909.8	8;8;8;8	Power slot1	20.36	17	23	PASS
LVLT	GPRS1900	810	1909.8	9;9;9;9	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1900	810	1909.8	9;9;9;9	Power slot1	18.36	15	21	PASS
LVLT	GPRS1900	810	1909.8	10;10;10;10	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1900	810	1909.8	10;10;10;10	Power slot1	16.32	13	19	PASS
LVLT	GPRS1900	810	1909.8	11;11;11;11	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1900	810	1909.8	11;11;11;11	Power slot1	14.33	11	17	PASS
LVLT	GPRS1900	810	1909.8	12;12;12;12	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1900	810	1909.8	12;12;12;12	Power slot1	12.21	8	16	PASS
LVLT	GPRS1900	810	1909.8	13;13;13;13	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1900	810	1909.8	13;13;13;13	Power slot1	10.25	6	14	PASS
LVLT	GPRS1900	810	1909.8	14;14;14;14	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1900	810	1909.8	14;14;14;14	Power slot1	8.28	4	12	PASS
LVLT	GPRS1900	810	1909.8	15;15;15;15	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1900	810	1909.8	15;15;15;15	Power slot1	6.38	2	10	PASS
LVLT	GPRS1900	810	1909.8	16;16;16;16	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1900	810	1909.8	16;16;16;16	Power slot1	4.25	0	8	PASS
LVLT	GPRS1900	810	1909.8	17;17;17;17	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1900	810	1909.8	17;17;17;17	Power slot1	2.38	-3	7	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	Power slot1	0.47	-5	5	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	Power slot1	34.07	31	35	PASS
HVHT	GPRS850	128	824.2	4;4;4;4	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS850	128	824.2	4;4;4;4	Power slot1	31.37	28	34	PASS
HVHT	GPRS850	128	824.2	5;5;5;5	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS850	128	824.2	5;5;5;5	Power slot1	29.58	26	32	PASS

HVHT	GPRS850	128	824.2	6;6;6;6	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS850	128	824.2	6;6;6;6	Power slot1	27.5	24	30	PASS
HVHT	GPRS850	128	824.2	7;7;7;7	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS850	128	824.2	7;7;7;7	Power slot1	25.48	22	28	PASS
HVHT	GPRS850	128	824.2	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS850	128	824.2	8;8;8;8	Power slot1	23.43	20	26	PASS
HVHT	GPRS850	128	824.2	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS850	128	824.2	9;9;9;9	Power slot1	21.49	18	24	PASS
HVHT	GPRS850	128	824.2	10;10;10;10	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS850	128	824.2	10;10;10;10	Power slot1	19.43	16	22	PASS
HVHT	GPRS850	128	824.2	11;11;11;11	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS850	128	824.2	11;11;11;11	Power slot1	17.54	14	20	PASS
HVHT	GPRS850	128	824.2	12;12;12;12	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS850	128	824.2	12;12;12;12	Power slot1	15.41	12	18	PASS
HVHT	GPRS850	128	824.2	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS850	128	824.2	13;13;13;13	Power slot1	13.65	10	16	PASS
HVHT	GPRS850	128	824.2	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS850	128	824.2	14;14;14;14	Power slot1	11.48	6	16	PASS
HVHT	GPRS850	128	824.2	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS850	128	824.2	15;15;15;15	Power slot1	9.71	4	14	PASS
HVHT	GPRS850	128	824.2	16;16;16;16	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS850	128	824.2	16;16;16;16	Power slot1	8.05	2	12	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	Power slot1	6.14	0	10	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	Power slot1	33.66	31	35	PASS
HVHT	GPRS850	190	836.6	4;4;4;4	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS850	190	836.6	4;4;4;4	Power slot1	31.21	28	34	PASS
HVHT	GPRS850	190	836.6	5;5;5;5	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS850	190	836.6	5;5;5;5	Power slot1	29.2	26	32	PASS
HVHT	GPRS850	190	836.6	6;6;6;6	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS850	190	836.6	6;6;6;6	Power slot1	27.09	24	30	PASS
HVHT	GPRS850	190	836.6	7;7;7;7	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS850	190	836.6	7;7;7;7	Power slot1	25.04	22	28	PASS
HVHT	GPRS850	190	836.6	8;8;8;8	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS850	190	836.6	8;8;8;8	Power slot1	23	20	26	PASS
HVHT	GPRS850	190	836.6	9;9;9;9	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS850	190	836.6	9;9;9;9	Power slot1	21.09	18	24	PASS
HVHT	GPRS850	190	836.6	10;10;10;10	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS850	190	836.6	10;10;10;10	Power slot1	19.1	16	22	PASS
HVHT	GPRS850	190	836.6	11;11;11;11	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS850	190	836.6	11;11;11;11	Power slot1	17.09	14	20	PASS
HVHT	GPRS850	190	836.6	12;12;12;12	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS850	190	836.6	12;12;12;12	Power slot1	15.15	12	18	PASS

HVHT	GPRS850	190	836.6	13;13;13;13	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS850	190	836.6	13;13;13;13	Power slot1	13.22	10	16	PASS
HVHT	GPRS850	190	836.6	14;14;14;14	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS850	190	836.6	14;14;14;14	Power slot1	11.35	6	16	PASS
HVHT	GPRS850	190	836.6	15;15;15;15	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS850	190	836.6	15;15;15;15	Power slot1	9.54	4	14	PASS
HVHT	GPRS850	190	836.6	16;16;16;16	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS850	190	836.6	16;16;16;16	Power slot1	7.63	2	12	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	Power slot1	5.91	0	10	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	Power slot1	33.43	31	35	PASS
HVHT	GPRS850	251	848.8	4;4;4;4	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS850	251	848.8	4;4;4;4	Power slot1	31.2	28	34	PASS
HVHT	GPRS850	251	848.8	5;5;5;5	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS850	251	848.8	5;5;5;5	Power slot1	29.29	26	32	PASS
HVHT	GPRS850	251	848.8	6;6;6;6	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS850	251	848.8	6;6;6;6	Power slot1	27.19	24	30	PASS
HVHT	GPRS850	251	848.8	7;7;7;7	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS850	251	848.8	7;7;7;7	Power slot1	25.17	22	28	PASS
HVHT	GPRS850	251	848.8	8;8;8;8	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS850	251	848.8	8;8;8;8	Power slot1	23.1	20	26	PASS
HVHT	GPRS850	251	848.8	9;9;9;9	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS850	251	848.8	9;9;9;9	Power slot1	21.06	18	24	PASS
HVHT	GPRS850	251	848.8	10;10;10;10	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS850	251	848.8	10;10;10;10	Power slot1	19.13	16	22	PASS
HVHT	GPRS850	251	848.8	11;11;11;11	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS850	251	848.8	11;11;11;11	Power slot1	17.23	14	20	PASS
HVHT	GPRS850	251	848.8	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS850	251	848.8	12;12;12;12	Power slot1	15.21	12	18	PASS
HVHT	GPRS850	251	848.8	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS850	251	848.8	13;13;13;13	Power slot1	13.45	10	16	PASS
HVHT	GPRS850	251	848.8	14;14;14;14	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS850	251	848.8	14;14;14;14	Power slot1	11.41	6	16	PASS
HVHT	GPRS850	251	848.8	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS850	251	848.8	15;15;15;15	Power slot1	9.56	4	14	PASS
HVHT	GPRS850	251	848.8	16;16;16;16	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS850	251	848.8	16;16;16;16	Power slot1	7.77	2	12	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	Power slot1	6.02	0	10	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	Power slot1	34.11	31	35	PASS
HVLT	GPRS850	128	824.2	4;4;4;4	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS850	128	824.2	4;4;4;4	Power slot1	31.31	28	34	PASS

HVLT	GPRS850	128	824.2	5;5;5;5	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS850	128	824.2	5;5;5;5	Power slot1	29.54	26	32	PASS
HVLT	GPRS850	128	824.2	6;6;6;6	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS850	128	824.2	6;6;6;6	Power slot1	27.54	24	30	PASS
HVLT	GPRS850	128	824.2	7;7;7;7	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS850	128	824.2	7;7;7;7	Power slot1	25.34	22	28	PASS
HVLT	GPRS850	128	824.2	8;8;8;8	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS850	128	824.2	8;8;8;8	Power slot1	23.3	20	26	PASS
HVLT	GPRS850	128	824.2	9;9;9;9	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS850	128	824.2	9;9;9;9	Power slot1	21.46	18	24	PASS
HVLT	GPRS850	128	824.2	10;10;10;10	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS850	128	824.2	10;10;10;10	Power slot1	19.35	16	22	PASS
HVLT	GPRS850	128	824.2	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS850	128	824.2	11;11;11;11	Power slot1	17.43	14	20	PASS
HVLT	GPRS850	128	824.2	12;12;12;12	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS850	128	824.2	12;12;12;12	Power slot1	15.46	12	18	PASS
HVLT	GPRS850	128	824.2	13;13;13;13	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS850	128	824.2	13;13;13;13	Power slot1	13.52	10	16	PASS
HVLT	GPRS850	128	824.2	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS850	128	824.2	14;14;14;14	Power slot1	11.55	6	16	PASS
HVLT	GPRS850	128	824.2	15;15;15;15	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS850	128	824.2	15;15;15;15	Power slot1	9.73	4	14	PASS
HVLT	GPRS850	128	824.2	16;16;16;16	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS850	128	824.2	16;16;16;16	Power slot1	7.91	2	12	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	Power slot1	6.06	0	10	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	Power slot1	33.6	31	35	PASS
HVLT	GPRS850	190	836.6	4;4;4;4	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS850	190	836.6	4;4;4;4	Power slot1	31.22	28	34	PASS
HVLT	GPRS850	190	836.6	5;5;5;5	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS850	190	836.6	5;5;5;5	Power slot1	29.19	26	32	PASS
HVLT	GPRS850	190	836.6	6;6;6;6	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS850	190	836.6	6;6;6;6	Power slot1	27.15	24	30	PASS
HVLT	GPRS850	190	836.6	7;7;7;7	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS850	190	836.6	7;7;7;7	Power slot1	25.05	22	28	PASS
HVLT	GPRS850	190	836.6	8;8;8;8	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS850	190	836.6	8;8;8;8	Power slot1	23.16	20	26	PASS
HVLT	GPRS850	190	836.6	9;9;9;9	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS850	190	836.6	9;9;9;9	Power slot1	21.1	18	24	PASS
HVLT	GPRS850	190	836.6	10;10;10;10	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS850	190	836.6	10;10;10;10	Power slot1	19.03	16	22	PASS
HVLT	GPRS850	190	836.6	11;11;11;11	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS850	190	836.6	11;11;11;11	Power slot1	17.11	14	20	PASS

HVLT	GPRS850	190	836.6	12;12;12;12	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS850	190	836.6	12;12;12;12	Power slot1	15.1	12	18	PASS
HVLT	GPRS850	190	836.6	13;13;13;13	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS850	190	836.6	13;13;13;13	Power slot1	13.3	10	16	PASS
HVLT	GPRS850	190	836.6	14;14;14;14	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS850	190	836.6	14;14;14;14	Power slot1	11.29	6	16	PASS
HVLT	GPRS850	190	836.6	15;15;15;15	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS850	190	836.6	15;15;15;15	Power slot1	9.46	4	14	PASS
HVLT	GPRS850	190	836.6	16;16;16;16	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS850	190	836.6	16;16;16;16	Power slot1	7.71	2	12	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	Power slot1	5.79	0	10	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	Power slot1	33.5	31	35	PASS
HVLT	GPRS850	251	848.8	4;4;4;4	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS850	251	848.8	4;4;4;4	Power slot1	31.27	28	34	PASS
HVLT	GPRS850	251	848.8	5;5;5;5	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS850	251	848.8	5;5;5;5	Power slot1	29.39	26	32	PASS
HVLT	GPRS850	251	848.8	6;6;6;6	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS850	251	848.8	6;6;6;6	Power slot1	27.19	24	30	PASS
HVLT	GPRS850	251	848.8	7;7;7;7	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS850	251	848.8	7;7;7;7	Power slot1	25.22	22	28	PASS
HVLT	GPRS850	251	848.8	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS850	251	848.8	8;8;8;8	Power slot1	23.08	20	26	PASS
HVLT	GPRS850	251	848.8	9;9;9;9	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS850	251	848.8	9;9;9;9	Power slot1	21.22	18	24	PASS
HVLT	GPRS850	251	848.8	10;10;10;10	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS850	251	848.8	10;10;10;10	Power slot1	19.19	16	22	PASS
HVLT	GPRS850	251	848.8	11;11;11;11	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS850	251	848.8	11;11;11;11	Power slot1	17.3	14	20	PASS
HVLT	GPRS850	251	848.8	12;12;12;12	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS850	251	848.8	12;12;12;12	Power slot1	15.27	12	18	PASS
HVLT	GPRS850	251	848.8	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS850	251	848.8	13;13;13;13	Power slot1	13.34	10	16	PASS
HVLT	GPRS850	251	848.8	14;14;14;14	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS850	251	848.8	14;14;14;14	Power slot1	11.34	6	16	PASS
HVLT	GPRS850	251	848.8	15;15;15;15	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS850	251	848.8	15;15;15;15	Power slot1	9.59	4	14	PASS
HVLT	GPRS850	251	848.8	16;16;16;16	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS850	251	848.8	16;16;16;16	Power slot1	7.94	2	12	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	Power slot1	5.97	0	10	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	Power slot1	34.04	31	35	PASS

LVHT	GPRS850	128	824.2	4;4;4;4	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS850	128	824.2	4;4;4;4	Power slot1	31.33	28	34	PASS
LVHT	GPRS850	128	824.2	5;5;5;5	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS850	128	824.2	5;5;5;5	Power slot1	29.43	26	32	PASS
LVHT	GPRS850	128	824.2	6;6;6;6	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS850	128	824.2	6;6;6;6	Power slot1	27.46	24	30	PASS
LVHT	GPRS850	128	824.2	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS850	128	824.2	7;7;7;7	Power slot1	25.35	22	28	PASS
LVHT	GPRS850	128	824.2	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS850	128	824.2	8;8;8;8	Power slot1	23.33	20	26	PASS
LVHT	GPRS850	128	824.2	9;9;9;9	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS850	128	824.2	9;9;9;9	Power slot1	21.54	18	24	PASS
LVHT	GPRS850	128	824.2	10;10;10;10	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS850	128	824.2	10;10;10;10	Power slot1	19.35	16	22	PASS
LVHT	GPRS850	128	824.2	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS850	128	824.2	11;11;11;11	Power slot1	17.37	14	20	PASS
LVHT	GPRS850	128	824.2	12;12;12;12	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS850	128	824.2	12;12;12;12	Power slot1	15.5	12	18	PASS
LVHT	GPRS850	128	824.2	13;13;13;13	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS850	128	824.2	13;13;13;13	Power slot1	13.5	10	16	PASS
LVHT	GPRS850	128	824.2	14;14;14;14	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS850	128	824.2	14;14;14;14	Power slot1	11.56	6	16	PASS
LVHT	GPRS850	128	824.2	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS850	128	824.2	15;15;15;15	Power slot1	9.71	4	14	PASS
LVHT	GPRS850	128	824.2	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS850	128	824.2	16;16;16;16	Power slot1	7.93	2	12	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	Power slot1	6.2	0	10	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	Power slot1	33.67	31	35	PASS
LVHT	GPRS850	190	836.6	4;4;4;4	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS850	190	836.6	4;4;4;4	Power slot1	31.15	28	34	PASS
LVHT	GPRS850	190	836.6	5;5;5;5	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS850	190	836.6	5;5;5;5	Power slot1	29.16	26	32	PASS
LVHT	GPRS850	190	836.6	6;6;6;6	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS850	190	836.6	6;6;6;6	Power slot1	27.17	24	30	PASS
LVHT	GPRS850	190	836.6	7;7;7;7	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS850	190	836.6	7;7;7;7	Power slot1	25.03	22	28	PASS
LVHT	GPRS850	190	836.6	8;8;8;8	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS850	190	836.6	8;8;8;8	Power slot1	23.06	20	26	PASS
LVHT	GPRS850	190	836.6	9;9;9;9	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS850	190	836.6	9;9;9;9	Power slot1	21.12	18	24	PASS
LVHT	GPRS850	190	836.6	10;10;10;10	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS850	190	836.6	10;10;10;10	Power slot1	19.18	16	22	PASS

LVHT	GPRS850	190	836.6	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS850	190	836.6	11;11;11;11	Power slot1	17.26	14	20	PASS
LVHT	GPRS850	190	836.6	12;12;12;12	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS850	190	836.6	12;12;12;12	Power slot1	15.16	12	18	PASS
LVHT	GPRS850	190	836.6	13;13;13;13	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS850	190	836.6	13;13;13;13	Power slot1	13.35	10	16	PASS
LVHT	GPRS850	190	836.6	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS850	190	836.6	14;14;14;14	Power slot1	11.44	6	16	PASS
LVHT	GPRS850	190	836.6	15;15;15;15	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS850	190	836.6	15;15;15;15	Power slot1	9.49	4	14	PASS
LVHT	GPRS850	190	836.6	16;16;16;16	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS850	190	836.6	16;16;16;16	Power slot1	7.65	2	12	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	Power slot1	5.97	0	10	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	Power slot1	33.4	31	35	PASS
LVHT	GPRS850	251	848.8	4;4;4;4	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS850	251	848.8	4;4;4;4	Power slot1	31.21	28	34	PASS
LVHT	GPRS850	251	848.8	5;5;5;5	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS850	251	848.8	5;5;5;5	Power slot1	29.28	26	32	PASS
LVHT	GPRS850	251	848.8	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS850	251	848.8	6;6;6;6	Power slot1	27.29	24	30	PASS
LVHT	GPRS850	251	848.8	7;7;7;7	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS850	251	848.8	7;7;7;7	Power slot1	25.08	22	28	PASS
LVHT	GPRS850	251	848.8	8;8;8;8	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS850	251	848.8	8;8;8;8	Power slot1	23.05	20	26	PASS
LVHT	GPRS850	251	848.8	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS850	251	848.8	9;9;9;9	Power slot1	21.23	18	24	PASS
LVHT	GPRS850	251	848.8	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS850	251	848.8	10;10;10;10	Power slot1	19.07	16	22	PASS
LVHT	GPRS850	251	848.8	11;11;11;11	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS850	251	848.8	11;11;11;11	Power slot1	17.22	14	20	PASS
LVHT	GPRS850	251	848.8	12;12;12;12	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS850	251	848.8	12;12;12;12	Power slot1	15.27	12	18	PASS
LVHT	GPRS850	251	848.8	13;13;13;13	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS850	251	848.8	13;13;13;13	Power slot1	13.4	10	16	PASS
LVHT	GPRS850	251	848.8	14;14;14;14	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS850	251	848.8	14;14;14;14	Power slot1	11.44	6	16	PASS
LVHT	GPRS850	251	848.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS850	251	848.8	15;15;15;15	Power slot1	9.71	4	14	PASS
LVHT	GPRS850	251	848.8	16;16;16;16	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS850	251	848.8	16;16;16;16	Power slot1	7.91	2	12	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	Power slot1	6.09	0	10	PASS

LVLT	GPRS850	128	824.2	3;3;3;3	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	Power slot1	34.05	31	35	PASS
LVLT	GPRS850	128	824.2	4;4;4;4	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS850	128	824.2	4;4;4;4	Power slot1	31.44	28	34	PASS
LVLT	GPRS850	128	824.2	5;5;5;5	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS850	128	824.2	5;5;5;5	Power slot1	29.46	26	32	PASS
LVLT	GPRS850	128	824.2	6;6;6;6	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS850	128	824.2	6;6;6;6	Power slot1	27.52	24	30	PASS
LVLT	GPRS850	128	824.2	7;7;7;7	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS850	128	824.2	7;7;7;7	Power slot1	25.44	22	28	PASS
LVLT	GPRS850	128	824.2	8;8;8;8	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS850	128	824.2	8;8;8;8	Power slot1	23.43	20	26	PASS
LVLT	GPRS850	128	824.2	9;9;9;9	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS850	128	824.2	9;9;9;9	Power slot1	21.46	18	24	PASS
LVLT	GPRS850	128	824.2	10;10;10;10	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS850	128	824.2	10;10;10;10	Power slot1	19.38	16	22	PASS
LVLT	GPRS850	128	824.2	11;11;11;11	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS850	128	824.2	11;11;11;11	Power slot1	17.56	14	20	PASS
LVLT	GPRS850	128	824.2	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS850	128	824.2	12;12;12;12	Power slot1	15.49	12	18	PASS
LVLT	GPRS850	128	824.2	13;13;13;13	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS850	128	824.2	13;13;13;13	Power slot1	13.48	10	16	PASS
LVLT	GPRS850	128	824.2	14;14;14;14	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS850	128	824.2	14;14;14;14	Power slot1	11.58	6	16	PASS
LVLT	GPRS850	128	824.2	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS850	128	824.2	15;15;15;15	Power slot1	9.84	4	14	PASS
LVLT	GPRS850	128	824.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS850	128	824.2	16;16;16;16	Power slot1	7.99	2	12	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	Power slot1	6.2	0	10	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	Power slot1	33.49	31	35	PASS
LVLT	GPRS850	190	836.6	4;4;4;4	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS850	190	836.6	4;4;4;4	Power slot1	31.14	28	34	PASS
LVLT	GPRS850	190	836.6	5;5;5;5	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS850	190	836.6	5;5;5;5	Power slot1	29.22	26	32	PASS
LVLT	GPRS850	190	836.6	6;6;6;6	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS850	190	836.6	6;6;6;6	Power slot1	27.22	24	30	PASS
LVLT	GPRS850	190	836.6	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS850	190	836.6	7;7;7;7	Power slot1	25.16	22	28	PASS
LVLT	GPRS850	190	836.6	8;8;8;8	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS850	190	836.6	8;8;8;8	Power slot1	23.03	20	26	PASS
LVLT	GPRS850	190	836.6	9;9;9;9	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS850	190	836.6	9;9;9;9	Power slot1	21.02	18	24	PASS

LVLT	GPRS850	190	836.6	10;10;10;10	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS850	190	836.6	10;10;10;10	Power slot1	19.09	16	22	PASS
LVLT	GPRS850	190	836.6	11;11;11;11	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS850	190	836.6	11;11;11;11	Power slot1	17.11	14	20	PASS
LVLT	GPRS850	190	836.6	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS850	190	836.6	12;12;12;12	Power slot1	15.1	12	18	PASS
LVLT	GPRS850	190	836.6	13;13;13;13	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS850	190	836.6	13;13;13;13	Power slot1	13.37	10	16	PASS
LVLT	GPRS850	190	836.6	14;14;14;14	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS850	190	836.6	14;14;14;14	Power slot1	11.3	6	16	PASS
LVLT	GPRS850	190	836.6	15;15;15;15	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS850	190	836.6	15;15;15;15	Power slot1	9.48	4	14	PASS
LVLT	GPRS850	190	836.6	16;16;16;16	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS850	190	836.6	16;16;16;16	Power slot1	7.64	2	12	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	Power slot1	5.91	0	10	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	Power slot1	33.43	31	35	PASS
LVLT	GPRS850	251	848.8	4;4;4;4	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS850	251	848.8	4;4;4;4	Power slot1	31.24	28	34	PASS
LVLT	GPRS850	251	848.8	5;5;5;5	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS850	251	848.8	5;5;5;5	Power slot1	29.24	26	32	PASS
LVLT	GPRS850	251	848.8	6;6;6;6	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS850	251	848.8	6;6;6;6	Power slot1	27.2	24	30	PASS
LVLT	GPRS850	251	848.8	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS850	251	848.8	7;7;7;7	Power slot1	25.24	22	28	PASS
LVLT	GPRS850	251	848.8	8;8;8;8	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS850	251	848.8	8;8;8;8	Power slot1	23.18	20	26	PASS
LVLT	GPRS850	251	848.8	9;9;9;9	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS850	251	848.8	9;9;9;9	Power slot1	21.12	18	24	PASS
LVLT	GPRS850	251	848.8	10;10;10;10	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS850	251	848.8	10;10;10;10	Power slot1	19.04	16	22	PASS
LVLT	GPRS850	251	848.8	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS850	251	848.8	11;11;11;11	Power slot1	17.29	14	20	PASS
LVLT	GPRS850	251	848.8	12;12;12;12	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS850	251	848.8	12;12;12;12	Power slot1	15.37	12	18	PASS
LVLT	GPRS850	251	848.8	13;13;13;13	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS850	251	848.8	13;13;13;13	Power slot1	13.4	10	16	PASS
LVLT	GPRS850	251	848.8	14;14;14;14	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS850	251	848.8	14;14;14;14	Power slot1	11.49	6	16	PASS
LVLT	GPRS850	251	848.8	15;15;15;15	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS850	251	848.8	15;15;15;15	Power slot1	9.58	4	14	PASS
LVLT	GPRS850	251	848.8	16;16;16;16	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS850	251	848.8	16;16;16;16	Power slot1	7.8	2	12	PASS

LVLT	GPRS850	251	848.8	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	Power slot1	5.99	0	10	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.78	31	35	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	30.56	28	34	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	28.72	26	32	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.69	24	30	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	24.61	22	28	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.54	20	26	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.46	18	24	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.6	16	22	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.8	14	20	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.59	12	18	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.59	10	16	PASS
HVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.43	6	16	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.68	4	14	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.45	2	12	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.72	0	10	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.9	31	35	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.66	28	34	PASS
HVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.98	26	32	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.89	24	30	PASS
HVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	25.05	22	28	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.84	20	26	PASS

HVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.95	18	24	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.84	16	22	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.94	14	20	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.79	12	18	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	13	10	16	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.71	6	16	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.93	4	14	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.79	2	12	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.89	0	10	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	33.1	31	35	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.72	28	34	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	29.05	26	32	PASS
HVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.89	24	30	PASS
HVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.86	20	26	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.69	18	24	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.88	16	22	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.96	14	20	PASS
HVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.83	12	18	PASS
HVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	124	914.8	13;13;13;13	Power slot1	12.76	10	16	PASS
HVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.65	6	16	PASS
HVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.57	4	14	PASS
HVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.13	0	0	PASS

HVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.48	2	12	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.68	0	10	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.77	31	35	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	30.42	28	34	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	28.68	26	32	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.61	24	30	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	24.62	22	28	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.61	20	26	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.61	18	24	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.66	16	22	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.72	14	20	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.61	12	18	PASS
HVLT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.61	10	16	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.54	6	16	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.68	4	14	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.42	2	12	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.71	0	10	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Power slot1	33.05	31	35	PASS
HVLT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.76	28	34	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.98	26	32	PASS
HVLT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.98	24	30	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	Power slot1	25.02	22	28	PASS
HVLT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.03	0	0	PASS

HVLT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.95	20	26	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.88	18	24	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.97	16	22	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.88	14	20	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.94	12	18	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.9	10	16	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.87	6	16	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.89	4	14	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.67	2	12	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.94	0	10	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.99	31	35	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.65	28	34	PASS
HVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.94	26	32	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.83	24	30	PASS
HVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.85	20	26	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.72	18	24	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.86	16	22	PASS
HVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.93	14	20	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.68	12	18	PASS
HVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	124	914.8	13;13;13;13	Power slot1	12.75	10	16	PASS
HVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.8	6	16	PASS
HVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.62	4	14	PASS

HVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.45	2	12	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.58	0	10	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.75	31	35	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	30.58	28	34	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	28.68	26	32	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.72	24	30	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	24.64	22	28	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.67	20	26	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.57	18	24	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.72	16	22	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.78	14	20	PASS
LVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.67	12	18	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.65	10	16	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.47	6	16	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.64	4	14	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.47	2	12	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.63	0	10	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.88	31	35	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.68	28	34	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	29.05	26	32	PASS
LVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.94	24	30	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	24.95	22	28	PASS

LVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.84	20	26	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.84	18	24	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.83	16	22	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	17	14	20	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.87	12	18	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.95	10	16	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.78	6	16	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.9	4	14	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.68	2	12	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.8	0	10	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	33.1	31	35	PASS
LVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.8	28	34	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.93	26	32	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.88	24	30	PASS
LVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.91	20	26	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.86	18	24	PASS
LVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.95	16	22	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.91	14	20	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.78	12	18	PASS
LVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	124	914.8	13;13;13;13	Power slot1	12.81	10	16	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.74	6	16	PASS
LVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.1	0	0	PASS

LVHT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.57	4	14	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.49	2	12	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.73	0	10	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.8	31	35	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	30.57	28	34	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	28.84	26	32	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.62	24	30	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	24.74	22	28	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.67	20	26	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.62	18	24	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.56	16	22	PASS
LVLT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.77	14	20	PASS
LVLT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.62	12	18	PASS
LVLT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.65	10	16	PASS
LVLT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.62	6	16	PASS
LVLT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.69	4	14	PASS
LVLT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.57	2	12	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.55	0	10	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.92	31	35	PASS
LVLT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.66	28	34	PASS
LVLT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	38	897.6	5;5;5;5	Power slot1	29.1	26	32	PASS
LVLT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.87	24	30	PASS
LVLT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.18	0	0	PASS

LVLT	GPRS900	38	897.6	7;7;7;7	Power slot1	25.05	22	28	PASS
LVLT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.88	20	26	PASS
LVLT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.84	18	24	PASS
LVLT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.93	16	22	PASS
LVLT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	38	897.6	11;11;11;11	Power slot1	17	14	20	PASS
LVLT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.86	12	18	PASS
LVLT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.96	10	16	PASS
LVLT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.77	6	16	PASS
LVLT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.86	4	14	PASS
LVLT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.65	2	12	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.83	0	10	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	33.14	31	35	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.8	28	34	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	29.01	26	32	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.88	24	30	PASS
LVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.84	20	26	PASS
LVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.8	18	24	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.89	16	22	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.83	14	20	PASS
LVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.83	12	18	PASS
LVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	124	914.8	13;13;13;13	Power slot1	12.88	10	16	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.72	6	16	PASS

LVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.66	4	14	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.54	2	12	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.61	0	10	PASS

**Clause 4.2.11 Modulation Spectrum in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-78.31	-60	-54.68	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-76.4	-60	-52.95	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-74.73	-60	-51.1	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-74.46	-60	-50.94	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-73.18	-60	-49.56	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-72.54	-60	-48.99	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-70.44	-60	-46.85	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-63.16	-60	-39.54	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.79	-33	-18.17	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.27	-30	-13.72	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-10.62	0.5	13.04	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	100	-9.5	0.5	13.88	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	200	-37.43	-30	-14.01	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	250	-41.23	-33	-17.85	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-63.16	-60	-39.65	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-70.19	-60	-46.71	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	800	-71.9	-60	-48.41	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-73.1	-60	-49.61	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-73.91	-60	-50.26	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-74.36	-60	-50.83	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-76.21	-60	-52.79	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-77.92	-60	-54.51	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-68.48	-60	-74.25	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-66.77	-60	-72.68	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-66.55	-60	-72.35	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-67.06	-60	-72.96	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-66.48	-60	-72.36	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-67.82	-60	-73.79	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-66.43	-60	-72.29	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-61.21	-60	-67.25	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-40	-33	-45.84	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.53	-30	-42.45	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.37	0.5	-14.35	-36	PASS

HVHT	GPRS1800	512	1710.2	18;18;18;18	100	-8.49	0.5	-14.45	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	200	-36.31	-30	-42.23	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	250	-40.73	-33	-46.66	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-61.44	-60	-67.37	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-65.12	-60	-71.02	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	800	-68.06	-60	-73.86	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-65.71	-60	-71.59	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-67.01	-60	-72.82	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-66.18	-60	-72.26	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-65.99	-60	-71.93	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-68.03	-60	-73.84	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-79.56	-60	-55.55	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-75.66	-60	-51.76	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-75.68	-60	-51.89	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-73.4	-60	-49.37	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-74.35	-60	-50.3	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-72.77	-60	-48.74	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-71.34	-60	-47.41	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-64.81	-60	-40.83	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-43.13	-33	-19.07	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.74	-30	-13.75	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-10.05	0.5	14.02	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	100	-9.4	0.5	14.38	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	200	-37.87	-30	-13.97	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	250	-42.64	-33	-18.73	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-65.1	-60	-41.08	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-71.51	-60	-47.55	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	800	-71.14	-60	-47.15	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-74.78	-60	-50.73	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-73.04	-60	-49.04	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-76.08	-60	-52.12	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-75.38	-60	-51.4	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-78.22	-60	-54.27	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-67.97	-60	-73.81	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-67.85	-60	-73.65	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-65.98	-60	-71.78	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-68.37	-60	-74.18	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-66.5	-60	-72.19	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-68.11	-60	-74.01	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-67.62	-60	-73.43	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-63.27	-60	-69.09	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.43	-33	-47.23	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.99	-30	-42.88	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-9.19	0.5	-15.09	-36	PASS

HVHT	GPRS1800	698	1747.4	18;18;18;18	100	-8.88	0.5	-14.73	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	200	-36.41	-30	-42.26	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	250	-41.23	-33	-47.16	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-62.24	-60	-68.09	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-66.43	-60	-72.15	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	800	-68.67	-60	-74.46	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-65.46	-60	-71.36	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-67.37	-60	-73.21	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-65.12	-60	-71	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-67.89	-60	-73.7	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-68.15	-60	-73.99	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-78.34	-60	-54.64	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-75.39	-60	-51.72	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-76.01	-60	-52.47	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-72.91	-60	-49.22	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-73.46	-60	-49.88	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-70.53	-60	-46.95	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-70.54	-60	-46.97	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-63.26	-60	-39.87	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-40.83	-33	-17.33	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.99	-30	-13.44	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.55	0.5	15.05	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	100	-9.51	0.5	13.98	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	200	-36.9	-30	-13.32	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	250	-41.14	-33	-17.41	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-64.35	-60	-40.88	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-70.58	-60	-47.02	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	800	-70.06	-60	-46.58	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-73.8	-60	-50.3	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-71.97	-60	-48.44	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-76.11	-60	-52.45	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-74.95	-60	-51.51	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-79.21	-60	-55.55	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.14	-60	-74.15	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1600	-68.6	-60	-73.72	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1400	-67.42	-60	-72.37	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-68.81	-60	-74	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1000	-65.75	-60	-70.76	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-800	-68.65	-60	-73.67	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-67.33	-60	-72.22	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-63.39	-60	-68.39	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-250	-41.93	-33	-46.96	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-200	-38.07	-30	-43.1	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-100	-9.52	0.5	-14.63	-36	PASS

HVHT	GPRS1800	885	1784.8	18;18;18;18	100	-9.91	0.5	-14.78	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	200	-37.53	-30	-42.55	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	250	-41.55	-33	-46.42	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	400	-63.47	-60	-68.48	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	600	-67.44	-60	-72.46	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	800	-68.37	-60	-73.52	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1000	-65.74	-60	-70.84	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-68.41	-60	-73.29	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1400	-66.89	-60	-71.92	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1600	-68.16	-60	-73.09	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-67.9	-60	-72.85	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-78.22	-60	-54.73	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-76.4	-60	-52.97	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-74.62	-60	-51.21	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-74.44	-60	-50.96	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-73.15	-60	-49.61	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-72.57	-60	-49.1	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-70.45	-60	-46.75	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-63.05	-60	-39.62	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.76	-33	-18.12	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.35	-30	-13.84	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-10.57	0.5	12.99	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	100	-9.48	0.5	14.02	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	200	-37.5	-30	-14.04	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	250	-41.25	-33	-17.73	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-63.15	-60	-39.69	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-70.15	-60	-46.7	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	800	-72.01	-60	-48.54	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-72.99	-60	-49.62	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-73.72	-60	-50.4	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-74.36	-60	-50.86	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-76.3	-60	-52.79	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-77.9	-60	-54.52	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-68.38	-60	-74.38	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-66.67	-60	-72.69	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-66.46	-60	-72.44	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-67.2	-60	-72.95	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-66.53	-60	-72.41	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-67.86	-60	-73.66	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-66.5	-60	-72.43	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-61.16	-60	-67.11	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-39.89	-33	-45.74	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.56	-30	-42.58	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.47	0.5	-14.18	-36	PASS

HVLT	GPRS1800	512	1710.2	18;18;18;18	100	-8.49	0.5	-14.34	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	200	-36.32	-30	-42.31	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	250	-40.79	-33	-46.69	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-61.4	-60	-67.42	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-65.14	-60	-71.18	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	800	-67.93	-60	-73.83	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-65.68	-60	-71.52	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-66.94	-60	-72.83	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-66.34	-60	-72.15	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-66.09	-60	-71.89	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-67.98	-60	-73.9	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-79.44	-60	-55.58	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-75.59	-60	-51.64	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-75.87	-60	-51.82	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-73.34	-60	-49.36	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-74.32	-60	-50.35	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-72.88	-60	-48.8	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-71.47	-60	-47.43	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-64.81	-60	-40.86	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-42.97	-33	-18.97	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.78	-30	-13.74	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-9.89	0.5	13.94	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	100	-9.4	0.5	14.47	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	200	-37.85	-30	-13.99	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	250	-42.77	-33	-18.82	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-65.04	-60	-41.22	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-71.34	-60	-47.49	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	800	-71.23	-60	-47.29	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-74.79	-60	-50.72	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.98	-60	-49.03	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-76.13	-60	-52.14	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-75.3	-60	-51.42	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-78.22	-60	-54.28	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-67.83	-60	-73.71	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-67.85	-60	-73.55	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-65.99	-60	-71.91	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-68.23	-60	-74.18	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-66.43	-60	-72.35	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-68.13	-60	-74.01	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-67.64	-60	-73.45	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-63.17	-60	-69.05	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.43	-33	-47.27	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-37.05	-30	-42.9	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-9.21	0.5	-15.06	-36	PASS

HVLT	GPRS1800	698	1747.4	18;18;18;18	100	-8.85	0.5	-14.73	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	200	-36.43	-30	-42.27	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	250	-41.32	-33	-47.21	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-62.28	-60	-68.1	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-66.29	-60	-72.16	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	800	-68.56	-60	-74.44	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-65.52	-60	-71.43	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-67.4	-60	-73.24	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-65.2	-60	-71	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-67.97	-60	-73.73	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-68.17	-60	-74.12	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-78.25	-60	-54.65	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-75.35	-60	-51.85	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-75.89	-60	-52.36	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-72.92	-60	-49.29	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-73.42	-60	-49.85	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-70.53	-60	-47.04	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-70.47	-60	-46.96	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-63.35	-60	-39.88	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-40.88	-33	-17.33	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.95	-30	-13.35	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.64	0.5	15.03	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	100	-9.62	0.5	13.94	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	200	-36.87	-30	-13.36	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	250	-41.08	-33	-17.59	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-64.32	-60	-40.74	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-70.72	-60	-47.02	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	800	-70	-60	-46.42	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-73.89	-60	-50.31	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-72.01	-60	-48.6	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-76.09	-60	-52.41	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-74.96	-60	-51.49	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-79.05	-60	-55.68	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.13	-60	-74.12	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1600	-68.54	-60	-73.75	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1400	-67.35	-60	-72.44	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-68.96	-60	-73.88	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1000	-65.82	-60	-70.88	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-800	-68.49	-60	-73.56	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-67.24	-60	-72.34	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-63.34	-60	-68.44	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-250	-41.89	-33	-46.99	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-200	-37.98	-30	-43	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-100	-9.55	0.5	-14.62	-36	PASS

HVLT	GPRS1800	885	1784.8	18;18;18;18	100	-9.85	0.5	-14.87	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	200	-37.43	-30	-42.64	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	250	-41.51	-33	-46.51	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	400	-63.5	-60	-68.48	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	600	-67.34	-60	-72.56	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	800	-68.34	-60	-73.5	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1000	-65.79	-60	-70.84	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-68.3	-60	-73.4	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1400	-66.94	-60	-72.01	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1600	-68.08	-60	-73.15	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-67.83	-60	-72.88	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-78.23	-60	-54.73	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-76.44	-60	-52.89	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-74.75	-60	-51.24	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-74.42	-60	-50.88	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-73.12	-60	-49.61	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-72.45	-60	-49.08	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-70.33	-60	-46.75	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-63.03	-60	-39.51	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.82	-33	-18.13	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.22	-30	-13.72	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-10.54	0.5	13.04	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	100	-9.51	0.5	13.88	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	200	-37.44	-30	-14.08	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	250	-41.28	-33	-17.7	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-63.24	-60	-39.7	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-70.23	-60	-46.61	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	800	-72.01	-60	-48.54	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-73.17	-60	-49.58	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-73.74	-60	-50.28	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-74.21	-60	-50.69	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-76.28	-60	-52.69	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-77.99	-60	-54.39	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-68.3	-60	-74.38	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-66.8	-60	-72.51	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-66.48	-60	-72.45	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-67.11	-60	-72.96	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-66.63	-60	-72.47	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-67.75	-60	-73.71	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-66.46	-60	-72.34	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-61.34	-60	-67.2	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-39.9	-33	-45.74	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.58	-30	-42.55	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.38	0.5	-14.36	-36	PASS

LVHT	GPRS1800	512	1710.2	18;18;18;18	100	-8.48	0.5	-14.42	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	200	-36.34	-30	-42.32	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	250	-40.66	-33	-46.68	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-61.36	-60	-67.26	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-65.25	-60	-71.05	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	800	-67.99	-60	-73.99	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-65.69	-60	-71.46	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-67.05	-60	-72.83	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-66.29	-60	-72.23	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-65.99	-60	-71.97	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-67.98	-60	-73.84	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-79.55	-60	-55.5	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-75.6	-60	-51.75	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-75.77	-60	-51.78	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-73.37	-60	-49.33	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-74.39	-60	-50.28	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-72.85	-60	-48.74	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-71.49	-60	-47.47	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-64.82	-60	-40.87	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-43.11	-33	-19.1	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.62	-30	-13.81	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-10.03	0.5	13.92	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	100	-9.4	0.5	14.48	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	200	-37.94	-30	-14.03	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	250	-42.75	-33	-18.82	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-65.1	-60	-41.16	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-71.4	-60	-47.51	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	800	-71.21	-60	-47.14	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-74.76	-60	-50.82	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.98	-60	-48.99	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-76.01	-60	-52.15	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-75.3	-60	-51.37	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-78.21	-60	-54.21	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-67.83	-60	-73.79	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-67.77	-60	-73.63	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-65.98	-60	-71.84	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-68.37	-60	-74.15	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-66.47	-60	-72.28	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-68.13	-60	-73.91	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-67.57	-60	-73.47	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-63.2	-60	-69.12	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.4	-33	-47.3	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-37.15	-30	-42.84	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-9.28	0.5	-15	-36	PASS

LVHT	GPRS1800	698	1747.4	18;18;18;18	100	-8.81	0.5	-14.69	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	200	-36.49	-30	-42.18	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	250	-41.33	-33	-47.18	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-62.34	-60	-68.13	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-66.37	-60	-72.15	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	800	-68.58	-60	-74.51	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-65.5	-60	-71.45	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-67.31	-60	-73.14	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-65.2	-60	-71.13	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-67.96	-60	-73.83	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-68.15	-60	-73.98	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-78.31	-60	-54.73	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-75.32	-60	-51.83	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-76.02	-60	-52.38	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-72.76	-60	-49.26	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-73.47	-60	-49.91	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-70.59	-60	-46.91	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-70.38	-60	-46.93	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-63.36	-60	-39.76	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-41	-33	-17.3	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.86	-30	-13.36	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.7	0.5	15.03	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	100	-9.7	0.5	13.88	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	200	-36.9	-30	-13.37	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	250	-41.03	-33	-17.46	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-64.34	-60	-40.7	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-70.67	-60	-47.19	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	800	-70.16	-60	-46.53	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-73.8	-60	-50.3	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-72.15	-60	-48.43	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-76.12	-60	-52.45	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-74.95	-60	-51.4	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-79.19	-60	-55.63	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.14	-60	-74.04	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1600	-68.64	-60	-73.7	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1400	-67.45	-60	-72.36	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-68.98	-60	-73.9	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1000	-65.81	-60	-70.85	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-800	-68.48	-60	-73.61	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-67.23	-60	-72.26	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-63.29	-60	-68.36	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-250	-41.95	-33	-46.96	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-200	-38.12	-30	-43.08	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-100	-9.67	0.5	-14.71	-36	PASS

LVHT	GPRS1800	885	1784.8	18;18;18;18	100	-9.76	0.5	-14.87	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	200	-37.5	-30	-42.45	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	250	-41.46	-33	-46.59	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	400	-63.44	-60	-68.55	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	600	-67.36	-60	-72.51	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	800	-68.4	-60	-73.43	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1000	-65.84	-60	-70.76	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-68.41	-60	-73.39	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1400	-66.92	-60	-71.92	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1600	-68.01	-60	-73.07	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-67.8	-60	-72.87	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-78.16	-60	-54.61	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-76.58	-60	-53.05	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-74.8	-60	-51.21	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-74.43	-60	-50.91	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-73.17	-60	-49.71	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-72.45	-60	-48.98	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-70.37	-60	-46.77	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-63.17	-60	-39.54	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.74	-33	-18.17	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.36	-30	-13.7	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-10.47	0.5	13.01	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	100	-9.57	0.5	13.9	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	200	-37.56	-30	-14.05	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	250	-41.22	-33	-17.76	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-63.23	-60	-39.6	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-70.09	-60	-46.69	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	800	-71.87	-60	-48.45	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-73.05	-60	-49.48	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-73.88	-60	-50.25	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-74.31	-60	-50.76	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-76.29	-60	-52.77	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-77.96	-60	-54.52	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-68.48	-60	-74.25	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-66.67	-60	-72.69	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-66.48	-60	-72.43	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-67.15	-60	-73.12	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-66.57	-60	-72.38	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-67.77	-60	-73.82	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-66.48	-60	-72.29	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-61.18	-60	-67.08	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-39.92	-33	-45.89	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.62	-30	-42.5	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.42	0.5	-14.27	-36	PASS

LVLT	GPRS1800	512	1710.2	18;18;18;18	100	-8.51	0.5	-14.35	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	200	-36.48	-30	-42.37	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	250	-40.76	-33	-46.63	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-61.49	-60	-67.33	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-65.22	-60	-71.1	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	800	-68.04	-60	-73.93	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-65.7	-60	-71.51	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-66.95	-60	-72.8	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-66.36	-60	-72.25	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-66.04	-60	-71.86	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-67.93	-60	-73.99	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-79.44	-60	-55.48	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-75.67	-60	-51.73	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-75.69	-60	-51.81	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-73.21	-60	-49.39	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-74.43	-60	-50.3	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-72.74	-60	-48.81	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-71.52	-60	-47.41	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-64.65	-60	-40.81	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-42.99	-33	-18.99	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.66	-30	-13.68	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-9.97	0.5	13.96	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	100	-9.45	0.5	14.39	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	200	-37.89	-30	-14.03	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	250	-42.72	-33	-18.68	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-65.18	-60	-41.19	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-71.5	-60	-47.46	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	800	-71.16	-60	-47.22	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-74.8	-60	-50.77	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.96	-60	-49.1	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-76.04	-60	-52.05	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-75.33	-60	-51.48	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-78.22	-60	-54.24	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-67.87	-60	-73.72	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-67.78	-60	-73.59	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-65.92	-60	-71.77	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-68.3	-60	-74.11	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-66.52	-60	-72.36	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-68.14	-60	-74.03	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-67.49	-60	-73.46	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-63.23	-60	-69.04	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.46	-33	-47.28	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-37.13	-30	-42.85	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-9.2	0.5	-15.14	-36	PASS

LVLT	GPRS1800	698	1747.4	18;18;18;18	100	-8.72	0.5	-14.65	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	200	-36.4	-30	-42.26	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	250	-41.3	-33	-47.15	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-62.4	-60	-68.07	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-66.4	-60	-72.19	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	800	-68.73	-60	-74.53	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-65.55	-60	-71.46	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-67.3	-60	-73.15	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-65.13	-60	-71.09	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-67.86	-60	-73.77	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-68.25	-60	-74.05	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-78.38	-60	-54.64	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-75.36	-60	-51.82	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-75.91	-60	-52.49	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-72.8	-60	-49.31	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-73.4	-60	-49.91	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-70.5	-60	-47.01	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-70.4	-60	-46.98	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-63.42	-60	-39.82	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-40.95	-33	-17.26	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.96	-30	-13.47	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.55	0.5	15.05	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	100	-9.66	0.5	13.98	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	200	-36.85	-30	-13.39	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	250	-40.97	-33	-17.51	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-64.4	-60	-40.72	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-70.59	-60	-47.17	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	800	-70	-60	-46.57	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-73.89	-60	-50.3	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-71.99	-60	-48.61	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-76.01	-60	-52.6	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-75.05	-60	-51.38	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-79.1	-60	-55.59	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.05	-60	-74.18	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1600	-68.63	-60	-73.64	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1400	-67.4	-60	-72.44	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-68.98	-60	-73.84	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1000	-65.85	-60	-70.83	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-800	-68.51	-60	-73.71	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-67.18	-60	-72.19	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-63.33	-60	-68.42	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-250	-41.92	-33	-46.95	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-200	-38.12	-30	-43	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-100	-9.55	0.5	-14.64	-36	PASS

LVLT	GPRS1800	885	1784.8	18;18;18;18	100	-9.82	0.5	-14.86	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	200	-37.46	-30	-42.52	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	250	-41.47	-33	-46.57	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	400	-63.5	-60	-68.5	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	600	-67.37	-60	-72.38	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	800	-68.47	-60	-73.43	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1000	-65.82	-60	-70.76	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-68.24	-60	-73.39	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1400	-66.81	-60	-71.9	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1600	-68.04	-60	-73.05	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-67.94	-60	-72.93	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-1800	-79.71	-60	-56.59	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-1600	-78.23	-60	-55.25	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-1400	-76.8	-60	-53.9	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-1200	-75.24	-60	-52.21	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-1000	-75.49	-60	-52.43	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-800	-73.43	-60	-50.46	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-600	-71.51	-60	-48.52	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-400	-64.81	-60	-41.71	-36	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-250	-42.86	-33	-19.8	-36	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-200	-37.36	-30	-14.24	-36	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-100	-9.81	0.5	13.14	-36	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	100	-10.45	0.5	12.65	-36	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	200	-37.35	-30	-14.22	-36	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	250	-41.44	-33	-18.39	-36	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	400	-64.75	-60	-41.79	-36	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	600	-71.5	-60	-48.37	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	800	-71.33	-60	-48.24	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	1000	-75.21	-60	-52.12	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	1200	-74.3	-60	-51.29	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	1400	-76.97	-60	-53.88	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	1600	-77.29	-60	-54.4	-55	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	1800	-79.74	-60	-56.72	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-1800	-67.58	-60	-75.04	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-1600	-68.22	-60	-75.85	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-1400	-66.96	-60	-74.41	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-1200	-67.3	-60	-74.59	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-1000	-66.8	-60	-74.28	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-800	-65.67	-60	-73.16	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-600	-67.64	-60	-75.06	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-400	-61.36	-60	-68.64	-36	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-250	-40.92	-33	-48.36	-36	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-200	-37.18	-30	-44.51	-36	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-100	-7.81	0.5	-15.28	-36	PASS

HVHT	GPRS1900	512	1850.2	18;18;18;18	100	-10.15	0.5	-17.52	-36	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	200	-37.17	-30	-44.7	-36	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	250	-41.41	-33	-48.81	-36	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	400	-62.84	-60	-70.24	-36	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	600	-67.56	-60	-75.06	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	800	-67.01	-60	-74.53	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	1000	-67.09	-60	-74.49	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	1200	-66.75	-60	-74.26	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	1400	-66.31	-60	-73.89	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	1600	-67.2	-60	-74.77	-55	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	1800	-67.63	-60	-75.16	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-1800	-78.26	-60	-55.82	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-1600	-76.89	-60	-54.71	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-1400	-76.26	-60	-54.03	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-1200	-74.31	-60	-52	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-1000	-73.72	-60	-51.47	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-800	-71.25	-60	-48.99	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-600	-69.78	-60	-47.51	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-400	-63.51	-60	-41.17	-36	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-250	-40.88	-33	-18.65	-36	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-200	-36.47	-30	-14.16	-36	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-100	-8.23	0.5	14.01	-36	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	100	-8.76	0.5	13.52	-36	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	200	-35.88	-30	-13.54	-36	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	250	-41.67	-33	-19.23	-36	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	400	-63.99	-60	-41.85	-36	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	600	-70.24	-60	-48.05	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	800	-70.22	-60	-47.81	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	1000	-74.09	-60	-51.7	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	1200	-73.22	-60	-51.06	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	1400	-76.88	-60	-54.61	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	1600	-76.44	-60	-54.1	-55	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	1800	-78.55	-60	-56.37	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-1800	-66.83	-60	-74.86	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-1600	-67.08	-60	-75.01	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-1400	-65.47	-60	-73.49	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-1200	-66.88	-60	-74.89	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-1000	-65.81	-60	-73.79	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-800	-66.86	-60	-75.04	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-600	-66.17	-60	-74.03	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-400	-61.08	-60	-69.24	-36	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-250	-40.85	-33	-48.83	-36	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-200	-35.92	-30	-43.84	-36	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-100	-8.69	0.5	-16.77	-36	PASS

HVHT	GPRS1900	661	1880	18;18;18;18	100	-8.1	0.5	-16.06	-36	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	200	-36.22	-30	-44.14	-36	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	250	-40.96	-33	-48.99	-36	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	400	-61.22	-60	-69.16	-36	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	600	-66.48	-60	-74.42	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	800	-66.1	-60	-74.07	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	1000	-66.13	-60	-74.2	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	1200	-66.96	-60	-74.9	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	1400	-65.46	-60	-73.48	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	1600	-67.36	-60	-75.38	-55	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	1800	-66.54	-60	-74.63	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-1800	-77.38	-60	-55.23	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-1600	-76.47	-60	-54.17	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-1400	-76.53	-60	-54.14	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-1200	-73.31	-60	-51.19	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-1000	-73.75	-60	-51.36	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-800	-71.66	-60	-49.43	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-600	-70.7	-60	-48.39	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-400	-62.61	-60	-40.26	-36	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-250	-41.02	-33	-18.72	-36	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-200	-36.56	-30	-14.34	-36	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-100	-8.59	0.5	13.63	-36	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	100	-8.95	0.5	13.28	-36	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	200	-36.24	-30	-14.12	-36	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	250	-42.44	-33	-20.25	-36	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	400	-63.27	-60	-41.15	-36	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	600	-69.6	-60	-47.37	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	800	-70.59	-60	-48.44	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	1000	-74.25	-60	-52.02	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	1200	-72.87	-60	-50.6	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	1400	-75.71	-60	-53.41	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	1600	-75.93	-60	-53.63	-55	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	1800	-78.29	-60	-56.04	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-1800	-68.14	-60	-75.51	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-1600	-68.26	-60	-75.83	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-1400	-66.15	-60	-73.55	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-1200	-67.38	-60	-74.86	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-1000	-67.07	-60	-74.64	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-800	-66.46	-60	-73.8	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-600	-66.93	-60	-74.5	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-400	-61.37	-60	-68.82	-36	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-250	-41.61	-33	-49.07	-36	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-200	-37.11	-30	-44.63	-36	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-100	-8.53	0.5	-16.05	-36	PASS

HVHT	GPRS1900	810	1909.8	18;18;18;18	100	-9.19	0.5	-16.6	-36	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	200	-36.51	-30	-43.94	-36	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	250	-41.46	-33	-48.8	-36	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	400	-61.61	-60	-69.1	-36	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	600	-66.51	-60	-73.92	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	800	-66.7	-60	-74.06	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	1000	-65.84	-60	-73.33	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	1200	-66.73	-60	-74.19	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	1400	-66.13	-60	-73.59	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	1600	-68	-60	-75.38	-55	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	1800	-67.42	-60	-74.9	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-1800	-79.63	-60	-56.6	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-1600	-78.21	-60	-55.25	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-1400	-76.76	-60	-53.89	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-1200	-75.32	-60	-52.22	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-1000	-75.43	-60	-52.38	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-800	-73.39	-60	-50.52	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-600	-71.56	-60	-48.39	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-400	-64.84	-60	-41.76	-36	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-250	-42.77	-33	-19.68	-36	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-200	-37.19	-30	-14.27	-36	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-100	-9.83	0.5	13.22	-36	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	100	-10.4	0.5	12.61	-36	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	200	-37.33	-30	-14.28	-36	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	250	-41.58	-33	-18.53	-36	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	400	-64.73	-60	-41.68	-36	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	600	-71.56	-60	-48.47	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	800	-71.31	-60	-48.33	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	1000	-75.26	-60	-52.26	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	1200	-74.33	-60	-51.3	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	1400	-76.98	-60	-53.88	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	1600	-77.36	-60	-54.42	-55	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	1800	-79.79	-60	-56.76	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-1800	-67.59	-60	-75.13	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-1600	-68.29	-60	-75.74	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-1400	-66.78	-60	-74.28	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-1200	-67.25	-60	-74.64	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-1000	-66.86	-60	-74.19	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-800	-65.78	-60	-73.15	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-600	-67.69	-60	-75	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-400	-61.18	-60	-68.74	-36	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-250	-40.98	-33	-48.31	-36	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-200	-37.22	-30	-44.57	-36	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-100	-7.89	0.5	-15.34	-36	PASS

HVLT	GPRS1900	512	1850.2	18;18;18;18	100	-10.03	0.5	-17.48	-36	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	200	-37.2	-30	-44.6	-36	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	250	-41.42	-33	-48.9	-36	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	400	-62.71	-60	-70.27	-36	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	600	-67.72	-60	-75.07	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	800	-67.08	-60	-74.64	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	1000	-67.12	-60	-74.58	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	1200	-66.74	-60	-74.3	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	1400	-66.43	-60	-73.8	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	1600	-67.33	-60	-74.78	-55	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	1800	-67.67	-60	-75.03	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-1800	-78.24	-60	-55.87	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-1600	-76.97	-60	-54.61	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-1400	-76.26	-60	-53.93	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-1200	-74.26	-60	-51.92	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-1000	-73.9	-60	-51.46	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-800	-71.42	-60	-48.94	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-600	-69.8	-60	-47.42	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-400	-63.38	-60	-41.28	-36	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-250	-40.95	-33	-18.71	-36	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-200	-36.45	-30	-14.2	-36	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-100	-8.17	0.5	14.11	-36	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	100	-8.88	0.5	13.57	-36	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	200	-35.8	-30	-13.47	-36	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	250	-41.59	-33	-19.24	-36	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	400	-64.02	-60	-41.78	-36	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	600	-70.36	-60	-48.13	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	800	-70.24	-60	-47.82	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	1000	-74.07	-60	-51.67	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	1200	-73.25	-60	-50.98	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	1400	-76.97	-60	-54.77	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	1600	-76.32	-60	-54.15	-55	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	1800	-78.58	-60	-56.24	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-1800	-66.97	-60	-74.93	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-1600	-66.95	-60	-75.08	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-1400	-65.45	-60	-73.49	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-1200	-66.93	-60	-74.97	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-1000	-65.83	-60	-73.8	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-800	-66.99	-60	-74.91	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-600	-66.1	-60	-74.15	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-400	-61.06	-60	-69.11	-36	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-250	-40.84	-33	-48.76	-36	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-200	-36.01	-30	-43.89	-36	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-100	-8.77	0.5	-16.85	-36	PASS

HVLT	GPRS1900	661	1880	18;18;18;18	100	-8.04	0.5	-16.07	-36	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	200	-36.15	-30	-44.23	-36	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	250	-41.05	-33	-48.93	-36	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	400	-61.19	-60	-69.19	-36	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	600	-66.43	-60	-74.52	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	800	-66.17	-60	-74.12	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	1000	-66.13	-60	-74.24	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	1200	-67.01	-60	-74.95	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	1400	-65.49	-60	-73.51	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	1600	-67.44	-60	-75.41	-55	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	1800	-66.59	-60	-74.65	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-1800	-77.46	-60	-55.14	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-1600	-76.52	-60	-54.27	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-1400	-76.47	-60	-54.16	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-1200	-73.28	-60	-51.13	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-1000	-73.7	-60	-51.34	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-800	-71.65	-60	-49.48	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-600	-70.64	-60	-48.26	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-400	-62.55	-60	-40.35	-36	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-250	-40.93	-33	-18.82	-36	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-200	-36.68	-30	-14.33	-36	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-100	-8.64	0.5	13.8	-36	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	100	-8.96	0.5	13.2	-36	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	200	-36.37	-30	-14.06	-36	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	250	-42.47	-33	-20.19	-36	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	400	-63.37	-60	-41.02	-36	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	600	-69.58	-60	-47.22	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	800	-70.63	-60	-48.36	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	1000	-74.38	-60	-52.05	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	1200	-72.92	-60	-50.59	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	1400	-75.72	-60	-53.35	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	1600	-75.78	-60	-53.64	-55	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	1800	-78.24	-60	-56.12	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-1800	-67.99	-60	-75.46	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-1600	-68.36	-60	-75.82	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-1400	-66.06	-60	-73.49	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-1200	-67.5	-60	-74.84	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-1000	-67.18	-60	-74.5	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-800	-66.42	-60	-73.85	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-600	-67.02	-60	-74.46	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-400	-61.35	-60	-68.82	-36	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-250	-41.61	-33	-49.1	-36	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-200	-37.14	-30	-44.52	-36	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-100	-8.54	0.5	-16	-36	PASS

HVLT	GPRS1900	810	1909.8	18;18;18;18	100	-9.2	0.5	-16.62	-36	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	200	-36.45	-30	-44.05	-36	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	250	-41.29	-33	-48.92	-36	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	400	-61.51	-60	-69.07	-36	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	600	-66.46	-60	-73.96	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	800	-66.78	-60	-74.19	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	1000	-65.87	-60	-73.3	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	1200	-66.77	-60	-74.22	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	1400	-65.96	-60	-73.56	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	1600	-67.95	-60	-75.37	-55	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	1800	-67.36	-60	-74.87	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-1800	-79.67	-60	-56.69	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-1600	-78.16	-60	-55.29	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-1400	-76.76	-60	-53.85	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-1200	-75.17	-60	-52.32	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-1000	-75.37	-60	-52.43	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-800	-73.44	-60	-50.51	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-600	-71.53	-60	-48.45	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-400	-64.83	-60	-41.86	-36	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-250	-42.72	-33	-19.76	-36	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-200	-37.28	-30	-14.19	-36	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-100	-9.81	0.5	13.03	-36	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	100	-10.36	0.5	12.59	-36	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	200	-37.22	-30	-14.32	-36	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	250	-41.47	-33	-18.45	-36	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	400	-64.79	-60	-41.76	-36	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	600	-71.43	-60	-48.52	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	800	-71.31	-60	-48.3	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	1000	-75.3	-60	-52.2	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	1200	-74.29	-60	-51.3	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	1400	-76.94	-60	-53.86	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	1600	-77.42	-60	-54.34	-55	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	1800	-79.73	-60	-56.72	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-1800	-67.5	-60	-75.03	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-1600	-68.36	-60	-75.82	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-1400	-66.96	-60	-74.34	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-1200	-67.2	-60	-74.66	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-1000	-66.79	-60	-74.3	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-800	-65.7	-60	-73.21	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-600	-67.63	-60	-75.13	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-400	-61.33	-60	-68.7	-36	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-250	-40.84	-33	-48.43	-36	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-200	-37.06	-30	-44.63	-36	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-100	-7.88	0.5	-15.34	-36	PASS

LVHT	GPRS1900	512	1850.2	18;18;18;18	100	-10.02	0.5	-17.48	-36	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	200	-37.22	-30	-44.65	-36	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	250	-41.37	-33	-48.86	-36	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	400	-62.82	-60	-70.18	-36	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	600	-67.59	-60	-75.13	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	800	-67.13	-60	-74.64	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	1000	-67.03	-60	-74.58	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	1200	-66.92	-60	-74.32	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	1400	-66.37	-60	-73.81	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	1600	-67.26	-60	-74.82	-55	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	1800	-67.59	-60	-75.12	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-1800	-78.1	-60	-55.85	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-1600	-76.98	-60	-54.64	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-1400	-76.31	-60	-53.94	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-1200	-74.17	-60	-51.85	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-1000	-73.78	-60	-51.54	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-800	-71.38	-60	-49.04	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-600	-69.7	-60	-47.49	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-400	-63.43	-60	-41.21	-36	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-250	-40.86	-33	-18.71	-36	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-200	-36.55	-30	-14.22	-36	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-100	-8.22	0.5	14.05	-36	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	100	-8.89	0.5	13.44	-36	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	200	-35.82	-30	-13.62	-36	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	250	-41.56	-33	-19.29	-36	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	400	-64	-60	-41.8	-36	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	600	-70.29	-60	-48.08	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	800	-70.12	-60	-47.92	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	1000	-74.01	-60	-51.71	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	1200	-73.28	-60	-51.09	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	1400	-76.88	-60	-54.68	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	1600	-76.32	-60	-54.08	-55	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	1800	-78.56	-60	-56.22	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-1800	-66.81	-60	-74.94	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-1600	-67.04	-60	-75	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-1400	-65.41	-60	-73.5	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-1200	-66.83	-60	-74.89	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-1000	-65.77	-60	-73.89	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-800	-67.03	-60	-74.92	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-600	-66.07	-60	-74.03	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-400	-61.07	-60	-69.2	-36	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-250	-40.87	-33	-48.83	-36	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-200	-35.96	-30	-43.95	-36	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-100	-8.71	0.5	-16.67	-36	PASS

LVHT	GPRS1900	661	1880	18;18;18;18	100	-8.06	0.5	-16.08	-36	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	200	-36.07	-30	-44.04	-36	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	250	-40.95	-33	-48.93	-36	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	400	-61.28	-60	-69.18	-36	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	600	-66.45	-60	-74.43	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	800	-66.04	-60	-74.15	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	1000	-66.23	-60	-74.25	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	1200	-66.87	-60	-75.01	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	1400	-65.37	-60	-73.48	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	1600	-67.37	-60	-75.42	-55	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	1800	-66.6	-60	-74.64	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-1800	-77.52	-60	-55.27	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-1600	-76.59	-60	-54.23	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-1400	-76.57	-60	-54.18	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-1200	-73.36	-60	-51.06	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-1000	-73.68	-60	-51.46	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-800	-71.7	-60	-49.31	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-600	-70.63	-60	-48.34	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-400	-62.55	-60	-40.3	-36	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-250	-41.04	-33	-18.72	-36	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-200	-36.71	-30	-14.48	-36	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-100	-8.52	0.5	13.68	-36	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	100	-8.89	0.5	13.26	-36	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	200	-36.35	-30	-14.06	-36	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	250	-42.49	-33	-20.16	-36	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	400	-63.36	-60	-41	-36	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	600	-69.5	-60	-47.34	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	800	-70.63	-60	-48.38	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	1000	-74.33	-60	-52.03	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	1200	-72.86	-60	-50.73	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	1400	-75.62	-60	-53.43	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	1600	-75.9	-60	-53.52	-55	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	1800	-78.38	-60	-56.08	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-1800	-68.17	-60	-75.53	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-1600	-68.19	-60	-75.79	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-1400	-66.12	-60	-73.62	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-1200	-67.55	-60	-74.87	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-1000	-67.16	-60	-74.56	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-800	-66.33	-60	-73.79	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-600	-67.03	-60	-74.4	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-400	-61.32	-60	-68.73	-36	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-250	-41.6	-33	-49	-36	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-200	-37.09	-30	-44.52	-36	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-100	-8.54	0.5	-15.92	-36	PASS

LVHT	GPRS1900	810	1909.8	18;18;18;18	100	-9.23	0.5	-16.58	-36	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	200	-36.59	-30	-43.87	-36	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	250	-41.31	-33	-48.9	-36	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	400	-61.51	-60	-69.03	-36	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	600	-66.49	-60	-73.95	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	800	-66.77	-60	-74.16	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	1000	-65.82	-60	-73.21	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	1200	-66.73	-60	-74.28	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	1400	-66.08	-60	-73.42	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	1600	-67.88	-60	-75.27	-55	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	1800	-67.49	-60	-74.81	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-1800	-79.66	-60	-56.72	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-1600	-78.14	-60	-55.24	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-1400	-76.77	-60	-53.91	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-1200	-75.31	-60	-52.17	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-1000	-75.47	-60	-52.36	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-800	-73.47	-60	-50.57	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-600	-71.51	-60	-48.39	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-400	-64.73	-60	-41.73	-36	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-250	-42.73	-33	-19.72	-36	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-200	-37.29	-30	-14.37	-36	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-100	-9.9	0.5	13.06	-36	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	100	-10.47	0.5	12.64	-36	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	200	-37.28	-30	-14.34	-36	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	250	-41.47	-33	-18.53	-36	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	400	-64.62	-60	-41.66	-36	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	600	-71.39	-60	-48.54	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	800	-71.32	-60	-48.36	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	1000	-75.32	-60	-52.18	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	1200	-74.39	-60	-51.32	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	1400	-76.9	-60	-54	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	1600	-77.35	-60	-54.44	-55	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	1800	-79.88	-60	-56.87	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-1800	-67.52	-60	-74.98	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-1600	-68.3	-60	-75.71	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-1400	-66.8	-60	-74.25	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-1200	-67.3	-60	-74.62	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-1000	-66.84	-60	-74.24	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-800	-65.65	-60	-73.22	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-600	-67.55	-60	-75.15	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-400	-61.21	-60	-68.69	-36	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-250	-40.91	-33	-48.29	-36	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-200	-37.07	-30	-44.63	-36	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-100	-7.85	0.5	-15.36	-36	PASS

LVLT	GPRS1900	512	1850.2	18;18;18;18	100	-10.08	0.5	-17.6	-36	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	200	-37.13	-30	-44.77	-36	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	250	-41.33	-33	-48.85	-36	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	400	-62.83	-60	-70.24	-36	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	600	-67.63	-60	-75.12	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	800	-67.15	-60	-74.59	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	1000	-66.97	-60	-74.49	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	1200	-66.8	-60	-74.23	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	1400	-66.41	-60	-73.92	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	1600	-67.27	-60	-74.82	-55	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	1800	-67.56	-60	-75.18	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-1800	-78.2	-60	-55.86	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-1600	-76.84	-60	-54.72	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-1400	-76.24	-60	-53.9	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-1200	-74.25	-60	-51.93	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-1000	-73.86	-60	-51.49	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-800	-71.36	-60	-49.04	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-600	-69.79	-60	-47.51	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-400	-63.41	-60	-41.14	-36	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-250	-41.01	-33	-18.62	-36	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-200	-36.51	-30	-14.2	-36	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-100	-8.12	0.5	14.09	-36	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	100	-8.89	0.5	13.47	-36	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	200	-35.89	-30	-13.59	-36	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	250	-41.68	-33	-19.24	-36	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	400	-64.03	-60	-41.7	-36	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	600	-70.28	-60	-48.05	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	800	-70.17	-60	-47.91	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	1000	-74.03	-60	-51.81	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	1200	-73.34	-60	-50.98	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	1400	-76.93	-60	-54.72	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	1600	-76.51	-60	-54.05	-55	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	1800	-78.66	-60	-56.29	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-1800	-66.78	-60	-74.88	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-1600	-67.06	-60	-75.05	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-1400	-65.34	-60	-73.42	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-1200	-66.79	-60	-74.8	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-1000	-65.81	-60	-73.88	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-800	-67	-60	-74.86	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-600	-66.09	-60	-74.12	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-400	-61.07	-60	-69.16	-36	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-250	-40.72	-33	-48.75	-36	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-200	-35.82	-30	-43.93	-36	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-100	-8.67	0.5	-16.68	-36	PASS

LVLT	GPRS1900	661	1880	18;18;18;18	100	-8.21	0.5	-16.18	-36	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	200	-36.08	-30	-44.13	-36	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	250	-41.01	-33	-48.99	-36	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	400	-61.33	-60	-69.3	-36	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	600	-66.45	-60	-74.57	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	800	-66.1	-60	-74.07	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	1000	-66.23	-60	-74.19	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	1200	-67.03	-60	-74.87	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	1400	-65.4	-60	-73.38	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	1600	-67.31	-60	-75.31	-55	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	1800	-66.53	-60	-74.69	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-1800	-77.54	-60	-55.15	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-1600	-76.46	-60	-54.2	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-1400	-76.46	-60	-54.28	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-1200	-73.36	-60	-51.13	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-1000	-73.59	-60	-51.39	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-800	-71.6	-60	-49.47	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-600	-70.62	-60	-48.26	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-400	-62.6	-60	-40.35	-36	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-250	-41.1	-33	-18.83	-36	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-200	-36.56	-30	-14.41	-36	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-100	-8.51	0.5	13.64	-36	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	100	-8.98	0.5	13.36	-36	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	200	-36.24	-30	-14.13	-36	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	250	-42.5	-33	-20.14	-36	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	400	-63.25	-60	-41.15	-36	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	600	-69.55	-60	-47.41	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	800	-70.71	-60	-48.29	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	1000	-74.41	-60	-52.17	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	1200	-72.87	-60	-50.62	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	1400	-75.59	-60	-53.37	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	1600	-75.81	-60	-53.65	-55	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	1800	-78.4	-60	-56.01	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-1800	-67.99	-60	-75.58	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-1600	-68.33	-60	-75.83	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-1400	-66.14	-60	-73.6	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-1200	-67.4	-60	-74.89	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-1000	-67.19	-60	-74.55	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-800	-66.39	-60	-73.77	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-600	-67.01	-60	-74.37	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-400	-61.21	-60	-68.74	-36	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-250	-41.5	-33	-49.02	-36	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-200	-37.07	-30	-44.48	-36	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-100	-8.61	0.5	-15.96	-36	PASS

LVLT	GPRS1900	810	1909.8	18;18;18;18	100	-9.3	0.5	-16.66	-36	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	200	-36.43	-30	-43.98	-36	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	250	-41.35	-33	-48.86	-36	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	400	-61.64	-60	-69.14	-36	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	600	-66.5	-60	-74.02	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	800	-66.79	-60	-74.12	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	1000	-65.7	-60	-73.25	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	1200	-66.66	-60	-74.25	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	1400	-66.04	-60	-73.52	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	1600	-67.98	-60	-75.29	-55	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	1800	-67.53	-60	-74.91	-55	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-1800	-79.85	-60	-53.66	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-1600	-80.1	-60	-53.67	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-1400	-77.41	-60	-51.2	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-1200	-76.93	-60	-50.76	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-1000	-75.1	-60	-48.88	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-800	-74.08	-60	-47.81	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-600	-72.92	-60	-46.77	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-400	-67.1	-60	-40.69	-36	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-250	-41.19	-33	-14.95	-36	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-200	-37.19	-30	-10.76	-36	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-100	-8.69	0.5	17.45	-36	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	100	-9.51	0.5	16.7	-36	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	200	-37.3	-30	-11.05	-36	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	250	-41.18	-33	-14.93	-36	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	400	-66.54	-60	-40.31	-36	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	600	-72.38	-60	-46.21	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	800	-73.79	-60	-47.46	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	1000	-74.78	-60	-48.47	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	1200	-76.55	-60	-50.37	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	1400	-76.03	-60	-49.66	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	1600	-79.75	-60	-53.42	-51	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	1800	-80.45	-60	-54.16	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-1800	-70.43	-60	-72.01	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-1600	-70.4	-60	-71.89	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-1400	-65.85	-60	-67.5	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-1200	-68.89	-60	-70.47	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-1000	-66.87	-60	-68.32	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-800	-67.83	-60	-69.35	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-600	-68.71	-60	-70.14	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-400	-63.56	-60	-65.11	-36	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-250	-40.91	-33	-42.48	-36	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-200	-37.39	-30	-38.81	-36	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-100	-9.04	0.5	-10.6	-36	PASS

HVHT	GPRS850	128	824.2	17;17;17;17	100	-8.37	0.5	-9.88	-36	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	200	-37.21	-30	-38.72	-36	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	250	-41.84	-33	-43.24	-36	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	400	-64.7	-60	-66.23	-36	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	600	-69.5	-60	-71.07	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	800	-67.61	-60	-69.2	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	1000	-66.99	-60	-68.63	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	1200	-69.69	-60	-71.19	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	1400	-65.74	-60	-67.2	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	1600	-70.73	-60	-72.12	-51	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	1800	-69.98	-60	-71.46	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-1800	-80.01	-60	-54.73	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-1600	-79.26	-60	-53.91	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-1400	-76.53	-60	-51.29	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-1200	-77.58	-60	-52.06	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-1000	-74.43	-60	-48.96	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-800	-74.44	-60	-48.98	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-600	-72.84	-60	-47.57	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-400	-65.91	-60	-40.57	-36	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-250	-41.05	-33	-15.7	-36	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-200	-36.33	-30	-11.08	-36	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-100	-8.32	0.5	16.86	-36	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	100	-8.59	0.5	16.84	-36	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	200	-36.98	-30	-11.69	-36	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	250	-41.61	-33	-16.32	-36	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	400	-66.02	-60	-40.67	-36	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	600	-72.83	-60	-47.42	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	800	-73.15	-60	-47.68	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	1000	-74.02	-60	-48.6	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	1200	-76.32	-60	-50.86	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	1400	-75.08	-60	-49.63	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	1600	-79.38	-60	-54.07	-51	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	1800	-79.33	-60	-53.77	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-1800	-69.92	-60	-72.28	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-1600	-69.77	-60	-72.18	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-1400	-65.5	-60	-67.87	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-1200	-68.14	-60	-70.61	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-1000	-67.09	-60	-69.51	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-800	-66.29	-60	-68.77	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-600	-69.14	-60	-71.54	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-400	-62.36	-60	-64.73	-36	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-250	-40.71	-33	-43.04	-36	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-200	-36.92	-30	-39.23	-36	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-100	-7.95	0.5	-10.48	-36	PASS

HVHT	GPRS850	190	836.6	17;17;17;17	100	-8.92	0.5	-11.23	-36	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	200	-37.01	-30	-39.41	-36	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	250	-41.46	-33	-43.8	-36	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	400	-64.1	-60	-66.41	-36	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	600	-68.48	-60	-70.82	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	800	-67.88	-60	-70.16	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	1000	-66.17	-60	-68.62	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	1200	-67.78	-60	-70.26	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	1400	-66.14	-60	-68.41	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	1600	-69.61	-60	-71.91	-51	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	1800	-69.09	-60	-71.34	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-1800	-80.66	-60	-54.74	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-1600	-80.06	-60	-54.15	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-1400	-77.34	-60	-51.23	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-1200	-78.09	-60	-52.18	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-1000	-75.78	-60	-49.81	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-800	-74.16	-60	-48.22	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-600	-73.52	-60	-47.56	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-400	-65.98	-60	-40.04	-36	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-250	-41.05	-33	-15.03	-36	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-200	-37.2	-30	-11.38	-36	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-100	-9.27	0.5	16.71	-36	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	100	-8.91	0.5	16.97	-36	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	200	-37.82	-30	-11.95	-36	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	250	-40.79	-33	-14.93	-36	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	400	-66.9	-60	-41.03	-36	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	600	-72.71	-60	-46.71	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	800	-74.05	-60	-48.01	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	1000	-74.61	-60	-48.77	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	1200	-77.65	-60	-51.77	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	1400	-76.53	-60	-50.49	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	1600	-79.76	-60	-53.88	-51	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	1800	-79.68	-60	-53.77	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-1800	-69.92	-60	-71.5	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-1600	-70.51	-60	-72.11	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-1400	-65.7	-60	-67.39	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-1200	-69.53	-60	-71.15	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-1000	-66.82	-60	-68.43	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-800	-68.13	-60	-69.74	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-600	-68.94	-60	-70.48	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-400	-63.1	-60	-64.59	-36	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-250	-40.61	-33	-42.27	-36	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-200	-37.38	-30	-39.03	-36	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-100	-9.65	0.5	-11.27	-36	PASS

HVHT	GPRS850	251	848.8	17;17;17;17	100	-8.46	0.5	-10.19	-36	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	200	-37.5	-30	-39.11	-36	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	250	-41.11	-33	-42.72	-36	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	400	-64.98	-60	-66.63	-36	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	600	-69.09	-60	-70.79	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	800	-68.44	-60	-70.28	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	1000	-67.4	-60	-69.02	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	1200	-68.62	-60	-70.4	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	1400	-66.33	-60	-68.09	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	1600	-70.49	-60	-72.2	-51	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	1800	-69.54	-60	-71.31	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-1800	-79.81	-60	-53.47	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-1600	-80.11	-60	-53.83	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-1400	-77.32	-60	-51.14	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-1200	-77.05	-60	-50.73	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-1000	-75.05	-60	-48.87	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-800	-74.05	-60	-47.71	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-600	-72.92	-60	-46.71	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-400	-66.98	-60	-40.76	-36	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-250	-41.24	-33	-15.07	-36	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-200	-37.13	-30	-10.92	-36	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-100	-8.86	0.5	17.47	-36	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	100	-9.67	0.5	16.75	-36	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	200	-37.38	-30	-10.98	-36	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	250	-41.27	-33	-14.88	-36	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	400	-66.53	-60	-40.23	-36	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	600	-72.48	-60	-46.18	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	800	-73.69	-60	-47.46	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	1000	-74.82	-60	-48.45	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	1200	-76.56	-60	-50.26	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	1400	-76.11	-60	-49.67	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	1600	-79.67	-60	-53.37	-51	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	1800	-80.37	-60	-54.18	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-1800	-70.53	-60	-72.01	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-1600	-70.48	-60	-72.07	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-1400	-65.83	-60	-67.33	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-1200	-68.84	-60	-70.43	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-1000	-66.92	-60	-68.26	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-800	-67.71	-60	-69.33	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-600	-68.56	-60	-70.19	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-400	-63.45	-60	-65.1	-36	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-250	-40.96	-33	-42.46	-36	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-200	-37.37	-30	-38.83	-36	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-100	-9.13	0.5	-10.6	-36	PASS

HVLT	GPRS850	128	824.2	17;17;17;17	100	-8.38	0.5	-9.88	-36	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	200	-37.31	-30	-38.82	-36	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	250	-41.7	-33	-43.2	-36	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	400	-64.75	-60	-66.16	-36	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	600	-69.54	-60	-71.1	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	800	-67.68	-60	-69.14	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	1000	-67.05	-60	-68.5	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	1200	-69.74	-60	-71.1	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	1400	-65.7	-60	-67.16	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	1600	-70.7	-60	-72.06	-51	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	1800	-70.11	-60	-71.62	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-1800	-79.94	-60	-54.59	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-1600	-79.2	-60	-53.86	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-1400	-76.54	-60	-51.17	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-1200	-77.53	-60	-52.2	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-1000	-74.4	-60	-49.07	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-800	-74.37	-60	-49.09	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-600	-72.84	-60	-47.45	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-400	-65.79	-60	-40.44	-36	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-250	-41.22	-33	-15.69	-36	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-200	-36.43	-30	-11	-36	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-100	-8.42	0.5	17.01	-36	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	100	-8.51	0.5	16.74	-36	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	200	-36.98	-30	-11.7	-36	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	250	-41.55	-33	-16.26	-36	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	400	-66.03	-60	-40.68	-36	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	600	-72.87	-60	-47.57	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	800	-73.22	-60	-47.72	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	1000	-73.89	-60	-48.65	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	1200	-76.29	-60	-50.96	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	1400	-75.03	-60	-49.8	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	1600	-79.55	-60	-54.17	-51	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	1800	-79.18	-60	-53.93	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-1800	-69.92	-60	-72.22	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-1600	-69.84	-60	-72.15	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-1400	-65.53	-60	-67.75	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-1200	-68.14	-60	-70.6	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-1000	-67.13	-60	-69.53	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-800	-66.36	-60	-68.85	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-600	-69.09	-60	-71.57	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-400	-62.31	-60	-64.73	-36	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-250	-40.66	-33	-43.06	-36	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-200	-36.85	-30	-39.19	-36	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-100	-8.01	0.5	-10.47	-36	PASS

HVLT	GPRS850	190	836.6	17;17;17;17	100	-8.96	0.5	-11.19	-36	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	200	-37.02	-30	-39.43	-36	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	250	-41.37	-33	-43.66	-36	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	400	-64.15	-60	-66.55	-36	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	600	-68.42	-60	-70.83	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	800	-67.88	-60	-70.11	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	1000	-66.28	-60	-68.68	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	1200	-67.93	-60	-70.23	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	1400	-66.05	-60	-68.53	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	1600	-69.43	-60	-71.97	-51	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	1800	-69.01	-60	-71.39	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-1800	-80.84	-60	-54.72	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-1600	-80.16	-60	-54.28	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-1400	-77.3	-60	-51.37	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-1200	-78.11	-60	-52.14	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-1000	-75.74	-60	-49.9	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-800	-74.26	-60	-48.24	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-600	-73.63	-60	-47.67	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-400	-65.94	-60	-40.04	-36	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-250	-41.02	-33	-14.97	-36	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-200	-37.34	-30	-11.27	-36	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-100	-9.35	0.5	16.65	-36	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	100	-8.99	0.5	16.98	-36	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	200	-37.94	-30	-11.84	-36	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	250	-40.84	-33	-14.91	-36	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	400	-67	-60	-41.04	-36	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	600	-72.65	-60	-46.72	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	800	-73.93	-60	-48.01	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	1000	-74.59	-60	-48.61	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	1200	-77.77	-60	-51.76	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	1400	-76.43	-60	-50.59	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	1600	-79.69	-60	-53.85	-51	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	1800	-79.72	-60	-53.68	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-1800	-69.96	-60	-71.58	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-1600	-70.47	-60	-72.14	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-1400	-65.72	-60	-67.49	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-1200	-69.49	-60	-71.23	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-1000	-66.93	-60	-68.45	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-800	-68.1	-60	-69.66	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-600	-68.84	-60	-70.59	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-400	-62.92	-60	-64.67	-36	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-250	-40.71	-33	-42.3	-36	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-200	-37.24	-30	-38.99	-36	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-100	-9.6	0.5	-11.17	-36	PASS

HVLT	GPRS850	251	848.8	17;17;17;17	100	-8.41	0.5	-10.1	-36	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	200	-37.43	-30	-39.03	-36	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	250	-41.19	-33	-42.71	-36	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	400	-65.01	-60	-66.68	-36	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	600	-69.06	-60	-70.7	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	800	-68.46	-60	-70.25	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	1000	-67.35	-60	-69.06	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	1200	-68.75	-60	-70.22	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	1400	-66.3	-60	-68.08	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	1600	-70.54	-60	-72.26	-51	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	1800	-69.63	-60	-71.36	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-1800	-79.74	-60	-53.52	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-1600	-79.97	-60	-53.66	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-1400	-77.49	-60	-51.2	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-1200	-76.88	-60	-50.75	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-1000	-75.17	-60	-48.85	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-800	-74.04	-60	-47.68	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-600	-73	-60	-46.6	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-400	-66.99	-60	-40.8	-36	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-250	-41.18	-33	-15.08	-36	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-200	-37.05	-30	-10.92	-36	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-100	-8.84	0.5	17.57	-36	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	100	-9.54	0.5	16.77	-36	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	200	-37.22	-30	-11.04	-36	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	250	-41.26	-33	-14.83	-36	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	400	-66.53	-60	-40.4	-36	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	600	-72.33	-60	-46.12	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	800	-73.86	-60	-47.52	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	1000	-74.74	-60	-48.52	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	1200	-76.66	-60	-50.35	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	1400	-75.97	-60	-49.83	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	1600	-79.8	-60	-53.55	-51	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	1800	-80.49	-60	-54.21	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-1800	-70.43	-60	-71.99	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-1600	-70.47	-60	-72.06	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-1400	-65.89	-60	-67.43	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-1200	-68.92	-60	-70.29	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-1000	-66.84	-60	-68.32	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-800	-67.88	-60	-69.35	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-600	-68.54	-60	-70.07	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-400	-63.63	-60	-65	-36	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-250	-41.03	-33	-42.54	-36	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-200	-37.39	-30	-38.79	-36	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-100	-9.06	0.5	-10.46	-36	PASS

LVHT	GPRS850	128	824.2	17;17;17;17	100	-8.37	0.5	-9.89	-36	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	200	-37.28	-30	-38.77	-36	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	250	-41.85	-33	-43.25	-36	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	400	-64.7	-60	-66.11	-36	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	600	-69.61	-60	-71.1	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	800	-67.66	-60	-69.17	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	1000	-67.12	-60	-68.56	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	1200	-69.61	-60	-71.09	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	1400	-65.79	-60	-67.26	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	1600	-70.6	-60	-72.06	-51	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	1800	-70.12	-60	-71.54	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-1800	-80.03	-60	-54.68	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-1600	-79.28	-60	-53.89	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-1400	-76.64	-60	-51.33	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-1200	-77.42	-60	-52.24	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-1000	-74.36	-60	-49.03	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-800	-74.27	-60	-48.93	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-600	-72.83	-60	-47.43	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-400	-65.82	-60	-40.56	-36	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-250	-41.17	-33	-15.71	-36	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-200	-36.34	-30	-10.96	-36	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-100	-8.41	0.5	17.03	-36	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	100	-8.55	0.5	16.79	-36	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	200	-36.98	-30	-11.63	-36	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	250	-41.59	-33	-16.33	-36	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	400	-66.03	-60	-40.8	-36	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	600	-72.93	-60	-47.5	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	800	-73.06	-60	-47.79	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	1000	-74.01	-60	-48.52	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	1200	-76.35	-60	-50.88	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	1400	-75.17	-60	-49.78	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	1600	-79.41	-60	-54.2	-51	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	1800	-79.23	-60	-53.95	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-1800	-69.86	-60	-72.26	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-1600	-69.72	-60	-72.25	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-1400	-65.5	-60	-67.72	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-1200	-68.28	-60	-70.47	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-1000	-67.21	-60	-69.58	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-800	-66.29	-60	-68.76	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-600	-69.14	-60	-71.51	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-400	-62.34	-60	-64.71	-36	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-250	-40.78	-33	-43.08	-36	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-200	-36.89	-30	-39.23	-36	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-100	-8.11	0.5	-10.43	-36	PASS

LVHT	GPRS850	190	836.6	17;17;17;17	100	-8.97	0.5	-11.3	-36	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	200	-37.07	-30	-39.4	-36	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	250	-41.43	-33	-43.7	-36	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	400	-64.03	-60	-66.47	-36	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	600	-68.33	-60	-70.78	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	800	-67.81	-60	-70.13	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	1000	-66.29	-60	-68.65	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	1200	-67.77	-60	-70.17	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	1400	-65.96	-60	-68.37	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	1600	-69.61	-60	-71.96	-51	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	1800	-69.05	-60	-71.38	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-1800	-80.78	-60	-54.73	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-1600	-80.18	-60	-54.21	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-1400	-77.19	-60	-51.33	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-1200	-77.98	-60	-52.18	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-1000	-75.73	-60	-49.91	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-800	-74.18	-60	-48.21	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-600	-73.65	-60	-47.63	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-400	-65.99	-60	-40.04	-36	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-250	-40.94	-33	-15.07	-36	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-200	-37.32	-30	-11.24	-36	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-100	-9.28	0.5	16.67	-36	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	100	-8.98	0.5	17.15	-36	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	200	-37.86	-30	-11.91	-36	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	250	-40.79	-33	-14.9	-36	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	400	-66.91	-60	-41.04	-36	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	600	-72.71	-60	-46.63	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	800	-74.05	-60	-48.03	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	1000	-74.57	-60	-48.64	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	1200	-77.72	-60	-51.68	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	1400	-76.39	-60	-50.52	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	1600	-79.74	-60	-53.72	-51	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	1800	-79.69	-60	-53.8	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-1800	-69.87	-60	-71.62	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-1600	-70.62	-60	-72.22	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-1400	-65.81	-60	-67.4	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-1200	-69.6	-60	-71.11	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-1000	-66.74	-60	-68.53	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-800	-67.96	-60	-69.62	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-600	-68.87	-60	-70.58	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-400	-62.92	-60	-64.68	-36	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-250	-40.72	-33	-42.39	-36	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-200	-37.37	-30	-38.97	-36	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-100	-9.55	0.5	-11.17	-36	PASS

LVHT	GPRS850	251	848.8	17;17;17;17	100	-8.46	0.5	-10.11	-36	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	200	-37.42	-30	-39.05	-36	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	250	-41.04	-33	-42.7	-36	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	400	-64.96	-60	-66.53	-36	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	600	-69.17	-60	-70.77	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	800	-68.47	-60	-70.12	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	1000	-67.46	-60	-69.13	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	1200	-68.68	-60	-70.28	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	1400	-66.39	-60	-68.08	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	1600	-70.62	-60	-72.24	-51	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	1800	-69.53	-60	-71.2	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-1800	-79.83	-60	-53.65	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-1600	-80	-60	-53.78	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-1400	-77.49	-60	-51.13	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-1200	-77.07	-60	-50.72	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-1000	-75.06	-60	-48.77	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-800	-74.03	-60	-47.78	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-600	-72.91	-60	-46.66	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-400	-66.99	-60	-40.78	-36	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-250	-41.34	-33	-14.94	-36	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-200	-37.21	-30	-10.92	-36	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-100	-8.74	0.5	17.5	-36	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	100	-9.68	0.5	16.69	-36	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	200	-37.35	-30	-11.05	-36	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	250	-41.17	-33	-14.87	-36	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	400	-66.57	-60	-40.24	-36	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	600	-72.46	-60	-46.05	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	800	-73.84	-60	-47.61	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	1000	-74.84	-60	-48.45	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	1200	-76.57	-60	-50.32	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	1400	-75.93	-60	-49.84	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	1600	-79.72	-60	-53.42	-51	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	1800	-80.42	-60	-54.25	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-1800	-70.47	-60	-71.92	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-1600	-70.58	-60	-72.06	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-1400	-65.89	-60	-67.42	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-1200	-68.79	-60	-70.39	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-1000	-66.92	-60	-68.42	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-800	-67.72	-60	-69.38	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-600	-68.54	-60	-70.22	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-400	-63.62	-60	-65	-36	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-250	-41.05	-33	-42.49	-36	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-200	-37.31	-30	-38.83	-36	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-100	-9.05	0.5	-10.52	-36	PASS

LVLT	GPRS850	128	824.2	17;17;17;17	100	-8.5	0.5	-9.92	-36	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	200	-37.24	-30	-38.83	-36	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	250	-41.72	-33	-43.24	-36	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	400	-64.6	-60	-66.26	-36	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	600	-69.48	-60	-70.92	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	800	-67.59	-60	-69.07	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	1000	-66.97	-60	-68.56	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	1200	-69.7	-60	-71.21	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	1400	-65.64	-60	-67.32	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	1600	-70.57	-60	-72.08	-51	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	1800	-69.97	-60	-71.62	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-1800	-80.07	-60	-54.75	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-1600	-79.22	-60	-53.85	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-1400	-76.62	-60	-51.29	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-1200	-77.42	-60	-52.22	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-1000	-74.31	-60	-48.91	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-800	-74.32	-60	-48.91	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-600	-72.83	-60	-47.51	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-400	-65.85	-60	-40.49	-36	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-250	-41.08	-33	-15.8	-36	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-200	-36.34	-30	-11.09	-36	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-100	-8.44	0.5	17.01	-36	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	100	-8.65	0.5	16.68	-36	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	200	-37.09	-30	-11.62	-36	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	250	-41.69	-33	-16.23	-36	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	400	-66.13	-60	-40.66	-36	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	600	-72.81	-60	-47.47	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	800	-73.07	-60	-47.85	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	1000	-74	-60	-48.61	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	1200	-76.28	-60	-51	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	1400	-75.18	-60	-49.73	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	1600	-79.57	-60	-54.1	-51	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	1800	-79.3	-60	-53.81	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-1800	-69.9	-60	-72.13	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-1600	-69.72	-60	-72.25	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-1400	-65.38	-60	-67.84	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-1200	-68.23	-60	-70.56	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-1000	-67.24	-60	-69.5	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-800	-66.34	-60	-68.79	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-600	-69.11	-60	-71.54	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-400	-62.38	-60	-64.7	-36	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-250	-40.83	-33	-43.17	-36	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-200	-36.77	-30	-39.13	-36	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-100	-8.12	0.5	-10.52	-36	PASS

LVLT	GPRS850	190	836.6	17;17;17;17	100	-8.93	0.5	-11.24	-36	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	200	-37.17	-30	-39.54	-36	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	250	-41.42	-33	-43.69	-36	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	400	-64.1	-60	-66.53	-36	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	600	-68.5	-60	-70.71	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	800	-67.75	-60	-70.17	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	1000	-66.15	-60	-68.69	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	1200	-67.76	-60	-70.27	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	1400	-65.97	-60	-68.34	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	1600	-69.51	-60	-71.94	-51	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	1800	-69	-60	-71.28	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-1800	-80.79	-60	-54.89	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-1600	-80.1	-60	-54.11	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-1400	-77.26	-60	-51.35	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-1200	-78.07	-60	-52.04	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-1000	-75.75	-60	-49.88	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-800	-74.23	-60	-48.37	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-600	-73.56	-60	-47.69	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-400	-65.89	-60	-39.99	-36	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-250	-41.07	-33	-15.02	-36	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-200	-37.34	-30	-11.4	-36	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-100	-9.23	0.5	16.75	-36	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	100	-8.86	0.5	17.02	-36	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	200	-37.83	-30	-11.91	-36	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	250	-40.79	-33	-14.84	-36	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	400	-66.99	-60	-40.95	-36	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	600	-72.7	-60	-46.65	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	800	-73.99	-60	-48.09	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	1000	-74.7	-60	-48.78	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	1200	-77.74	-60	-51.78	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	1400	-76.51	-60	-50.57	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	1600	-79.7	-60	-53.83	-51	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	1800	-79.79	-60	-53.77	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-1800	-69.86	-60	-71.53	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-1600	-70.54	-60	-72.15	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-1400	-65.81	-60	-67.47	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-1200	-69.45	-60	-71.26	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-1000	-66.91	-60	-68.51	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-800	-68.1	-60	-69.71	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-600	-68.95	-60	-70.57	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-400	-63.05	-60	-64.75	-36	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-250	-40.73	-33	-42.33	-36	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-200	-37.35	-30	-38.89	-36	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-100	-9.53	0.5	-11.2	-36	PASS

LVLT	GPRS850	251	848.8	17;17;17;17	100	-8.48	0.5	-10.15	-36	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	200	-37.54	-30	-39.01	-36	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	250	-41.17	-33	-42.74	-36	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	400	-64.99	-60	-66.69	-36	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	600	-69.17	-60	-70.81	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	800	-68.48	-60	-70.22	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	1000	-67.4	-60	-69	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	1200	-68.75	-60	-70.35	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	1400	-66.34	-60	-68.1	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	1600	-70.49	-60	-72.28	-51	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	1800	-69.58	-60	-71.36	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-80.66	-60	-56.35	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1600	-80.28	-60	-56.05	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1400	-79.11	-60	-54.84	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-79.36	-60	-55.12	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1000	-76.4	-60	-51.97	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-800	-75.05	-60	-50.84	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-74.1	-60	-49.7	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-66.95	-60	-42.56	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-250	-42.22	-33	-17.97	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-200	-36.47	-30	-12.36	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-100	-8.19	0.5	16.08	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	100	-8.17	0.5	16.09	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	200	-37.22	-30	-12.91	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	250	-41.02	-33	-16.62	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-66.96	-60	-42.67	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-73.18	-60	-48.78	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	800	-74.41	-60	-50.1	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1000	-75.5	-60	-51.26	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-77.74	-60	-53.36	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1400	-78.26	-60	-54.11	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1600	-80.49	-60	-56.11	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1800	-80.23	-60	-55.85	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-74.18	-60	-77.01	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1600	-73	-60	-75.75	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1400	-68.16	-60	-70.96	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-67.74	-60	-70.71	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1000	-71.18	-60	-74.06	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-800	-70.64	-60	-73.44	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-65.15	-60	-68.17	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-400	-65.81	-60	-68.69	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-250	-41.75	-33	-44.7	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-200	-37.48	-30	-40.37	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-100	-9.16	0.5	-12.1	-36	PASS

HVHT	GPRS900	975	880.2	17;17;17;17	100	-9.5	0.5	-12.42	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	200	-37.31	-30	-40.28	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	250	-41.91	-33	-44.83	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-66.63	-60	-69.49	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-64.84	-60	-67.83	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	800	-70	-60	-72.96	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1000	-70.88	-60	-73.75	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-68.09	-60	-71.05	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1400	-67.52	-60	-70.5	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1600	-72.85	-60	-75.6	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-74.64	-60	-77.52	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-81.3	-60	-56.38	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1600	-81.26	-60	-56.34	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1400	-80.28	-60	-55.19	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-79.12	-60	-54.09	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1000	-76.72	-60	-51.86	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-800	-75.85	-60	-50.89	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-74.25	-60	-49.2	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-400	-67.3	-60	-42.37	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-250	-41.25	-33	-16.44	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-200	-37.24	-30	-12.23	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-100	-8.83	0.5	15.99	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	100	-8.24	0.5	16.8	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	200	-37.39	-30	-12.34	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	250	-41.65	-33	-16.66	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-67.41	-60	-42.56	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-74.21	-60	-49.24	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	800	-75.4	-60	-50.48	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1000	-75.9	-60	-51.05	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-79.35	-60	-54.48	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1400	-79.72	-60	-54.66	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1600	-81.1	-60	-56.01	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1800	-81	-60	-56.05	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-75.08	-60	-77.89	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1600	-73.29	-60	-76.06	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1400	-65.7	-60	-68.49	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-68.79	-60	-71.52	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1000	-70.96	-60	-73.83	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-800	-69.74	-60	-72.59	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-600	-66.43	-60	-69.23	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-400	-66.64	-60	-69.58	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-250	-41.79	-33	-44.76	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-200	-37.38	-30	-40.25	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-100	-9.34	0.5	-12.25	-36	PASS

HVHT	GPRS900	38	897.6	17;17;17;17	100	-8.83	0.5	-11.76	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	200	-37.88	-30	-40.79	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	250	-42.99	-33	-45.79	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-65.89	-60	-68.63	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-66.07	-60	-68.9	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	800	-69.35	-60	-72.24	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1000	-70.51	-60	-73.42	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-69.07	-60	-72.01	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1400	-66.34	-60	-69.2	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1600	-72.12	-60	-74.94	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-74.43	-60	-77.41	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-80.89	-60	-55.3	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1600	-82.23	-60	-56.83	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1400	-80.27	-60	-54.91	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-79.34	-60	-53.8	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1000	-78.38	-60	-52.87	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-800	-76.9	-60	-51.37	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-74.88	-60	-49.37	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-67.61	-60	-42.17	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-250	-41.61	-33	-16.01	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.61	-30	-12.12	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-100	-9.62	0.5	15.9	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	100	-9.32	0.5	16.23	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	200	-37.23	-30	-11.67	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	250	-41.96	-33	-16.42	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-67.37	-60	-41.83	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	600	-75.08	-60	-49.46	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	800	-76.07	-60	-50.69	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1000	-75.71	-60	-50.18	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-78.7	-60	-53.2	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1400	-80.49	-60	-55.05	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1600	-81.35	-60	-55.84	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1800	-80.91	-60	-55.27	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-74.14	-60	-77.34	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1600	-73.63	-60	-76.76	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1400	-66.81	-60	-70.08	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-69.1	-60	-72.33	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1000	-70.65	-60	-73.81	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-800	-69.53	-60	-72.71	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-66.18	-60	-69.24	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-400	-66.45	-60	-69.48	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-250	-41.33	-33	-44.49	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-200	-36.99	-30	-40.21	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-100	-9.52	0.5	-12.68	-36	PASS

HVHT	GPRS900	124	914.8	17;17;17;17	100	-9.03	0.5	-12.12	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	200	-37.03	-30	-40.13	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	250	-41.35	-33	-44.61	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-65.72	-60	-68.77	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-65.77	-60	-68.88	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	800	-70.18	-60	-73.33	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1000	-70.94	-60	-74.09	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-68.66	-60	-71.88	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1400	-66.3	-60	-69.6	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1600	-72.68	-60	-75.71	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-74.1	-60	-77.21	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-80.59	-60	-56.23	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1600	-80.31	-60	-55.99	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1400	-79.14	-60	-54.81	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-79.34	-60	-55.09	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1000	-76.38	-60	-52.1	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-800	-74.96	-60	-50.87	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-73.97	-60	-49.83	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-66.81	-60	-42.74	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-250	-42.23	-33	-17.99	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-200	-36.6	-30	-12.34	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-100	-8.15	0.5	16.17	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	100	-8.13	0.5	16.18	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	200	-37.33	-30	-13.05	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	250	-40.96	-33	-16.69	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-66.94	-60	-42.82	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-73.17	-60	-48.79	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	800	-74.36	-60	-50.16	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1000	-75.41	-60	-51.27	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-77.77	-60	-53.41	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1400	-78.22	-60	-54.13	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1600	-80.52	-60	-56.2	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1800	-80.15	-60	-55.84	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-74.16	-60	-77.08	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1600	-72.95	-60	-75.83	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1400	-68	-60	-71.05	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-67.87	-60	-70.61	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1000	-71.21	-60	-74.14	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-800	-70.54	-60	-73.46	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-600	-65.26	-60	-68.08	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-400	-65.84	-60	-68.78	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-250	-41.78	-33	-44.61	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-200	-37.48	-30	-40.4	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-100	-9.3	0.5	-12.19	-36	PASS

HVLT	GPRS900	975	880.2	17;17;17;17	100	-9.58	0.5	-12.43	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	200	-37.33	-30	-40.13	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	250	-41.86	-33	-44.78	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-66.7	-60	-69.59	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-64.98	-60	-67.7	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	800	-69.99	-60	-72.94	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1000	-71.02	-60	-73.79	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-68.07	-60	-71.12	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1400	-67.55	-60	-70.38	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1600	-72.86	-60	-75.7	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-74.62	-60	-77.38	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-81.27	-60	-56.26	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1600	-81.15	-60	-56.26	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1400	-80.31	-60	-55.25	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-79.12	-60	-54.22	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1000	-76.81	-60	-51.75	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-800	-75.89	-60	-50.97	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-74.25	-60	-49.35	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-67.15	-60	-42.36	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-250	-41.38	-33	-16.42	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-200	-37.26	-30	-12.36	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-100	-8.97	0.5	15.97	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	100	-8.08	0.5	16.87	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	200	-37.36	-30	-12.53	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	250	-41.57	-33	-16.63	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-67.5	-60	-42.48	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-74.03	-60	-49.08	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	800	-75.32	-60	-50.5	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1000	-75.94	-60	-50.99	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-79.51	-60	-54.51	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1400	-79.65	-60	-54.68	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1600	-81.01	-60	-56.03	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1800	-80.98	-60	-56.14	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-75.01	-60	-77.95	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1600	-73.32	-60	-76.1	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1400	-65.71	-60	-68.53	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-68.74	-60	-71.55	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1000	-70.83	-60	-73.67	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-800	-69.67	-60	-72.54	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-66.47	-60	-69.18	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-400	-66.59	-60	-69.61	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-250	-41.92	-33	-44.8	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-200	-37.43	-30	-40.22	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-100	-9.42	0.5	-12.25	-36	PASS

HVLT	GPRS900	38	897.6	17;17;17;17	100	-8.8	0.5	-11.74	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	200	-37.79	-30	-40.71	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	250	-43.02	-33	-45.7	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	400	-65.74	-60	-68.63	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-66.09	-60	-69.01	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	800	-69.4	-60	-72.18	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1000	-70.5	-60	-73.52	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-69.02	-60	-71.9	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1400	-66.29	-60	-69.04	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1600	-72.09	-60	-74.93	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-74.6	-60	-77.28	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-80.77	-60	-55.2	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1600	-82.33	-60	-56.83	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1400	-80.35	-60	-54.82	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-79.42	-60	-53.88	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1000	-78.36	-60	-52.88	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-800	-76.92	-60	-51.51	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-74.77	-60	-49.42	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-67.54	-60	-42.06	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-250	-41.61	-33	-16.05	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.59	-30	-12.2	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-100	-9.65	0.5	15.89	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	100	-9.22	0.5	16.34	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	200	-37.19	-30	-11.71	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	250	-42.03	-33	-16.47	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-67.25	-60	-41.83	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-75.08	-60	-49.55	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	800	-76.11	-60	-50.58	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1000	-75.61	-60	-50	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-78.71	-60	-53.04	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1400	-80.51	-60	-55	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1600	-81.47	-60	-55.79	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1800	-80.85	-60	-55.3	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-74.07	-60	-77.2	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1600	-73.65	-60	-76.66	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1400	-66.78	-60	-69.93	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-69.14	-60	-72.26	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1000	-70.66	-60	-73.9	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-800	-69.58	-60	-72.78	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-66.18	-60	-69.24	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-400	-66.49	-60	-69.52	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-250	-41.36	-33	-44.52	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-200	-36.98	-30	-40.19	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-100	-9.53	0.5	-12.61	-36	PASS

HVLT	GPRS900	124	914.8	17;17;17;17	100	-8.93	0.5	-12.12	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	200	-36.98	-30	-40.03	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	250	-41.43	-33	-44.58	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-65.54	-60	-68.79	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-65.72	-60	-68.95	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	800	-70.06	-60	-73.19	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1000	-71.1	-60	-74.19	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-68.69	-60	-71.86	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1400	-66.39	-60	-69.43	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1600	-72.64	-60	-75.79	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-73.98	-60	-77.15	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-80.6	-60	-56.3	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1600	-80.27	-60	-55.98	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1400	-79.19	-60	-54.88	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-79.2	-60	-55.04	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1000	-76.35	-60	-52.13	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-800	-75.11	-60	-50.73	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-73.95	-60	-49.72	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-66.94	-60	-42.73	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-250	-42.17	-33	-17.86	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-200	-36.56	-30	-12.24	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-100	-8.21	0.5	16.11	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	100	-8.16	0.5	16.11	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	200	-37.26	-30	-12.99	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	250	-40.99	-33	-16.59	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-67.05	-60	-42.84	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-73.16	-60	-48.9	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	800	-74.42	-60	-50.13	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1000	-75.43	-60	-51.27	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-77.71	-60	-53.38	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1400	-78.32	-60	-53.99	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1600	-80.47	-60	-56.16	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1800	-80.09	-60	-55.98	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-74.29	-60	-77.01	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1600	-73	-60	-75.76	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1400	-68.05	-60	-70.95	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-67.69	-60	-70.67	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1000	-71.3	-60	-74.11	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-800	-70.73	-60	-73.6	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-65.31	-60	-68.17	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-400	-65.91	-60	-68.68	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-250	-41.82	-33	-44.56	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-200	-37.51	-30	-40.36	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-100	-9.34	0.5	-12.03	-36	PASS

LVHT	GPRS900	975	880.2	17;17;17;17	100	-9.58	0.5	-12.44	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	200	-37.39	-30	-40.26	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	250	-41.91	-33	-44.75	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-66.66	-60	-69.5	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-64.93	-60	-67.8	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	800	-70.1	-60	-73.02	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1000	-70.95	-60	-73.79	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-68.17	-60	-71.01	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1400	-67.6	-60	-70.4	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1600	-72.87	-60	-75.62	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-74.65	-60	-77.47	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-81.25	-60	-56.34	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1600	-81.11	-60	-56.3	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1400	-80.21	-60	-55.26	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-79.13	-60	-54.22	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1000	-76.74	-60	-51.74	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-800	-75.99	-60	-51.06	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-74.18	-60	-49.38	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-400	-67.23	-60	-42.29	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-250	-41.43	-33	-16.46	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-200	-37.16	-30	-12.35	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-100	-8.8	0.5	16.08	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	100	-8.11	0.5	16.71	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	200	-37.31	-30	-12.4	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	250	-41.56	-33	-16.58	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-67.4	-60	-42.48	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-74.17	-60	-49.21	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	800	-75.33	-60	-50.41	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1000	-75.98	-60	-50.98	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-79.47	-60	-54.52	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1400	-79.71	-60	-54.63	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1600	-81.1	-60	-56.17	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1800	-81.15	-60	-56.06	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-75.19	-60	-77.99	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1600	-73.19	-60	-76.17	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1400	-65.53	-60	-68.46	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-68.71	-60	-71.51	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1000	-70.86	-60	-73.72	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-800	-69.73	-60	-72.62	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-66.31	-60	-69.18	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-400	-66.67	-60	-69.45	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-250	-41.94	-33	-44.66	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-200	-37.33	-30	-40.14	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-100	-9.47	0.5	-12.23	-36	PASS

LVHT	GPRS900	38	897.6	17;17;17;17	100	-8.88	0.5	-11.76	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	200	-37.78	-30	-40.79	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	250	-42.98	-33	-45.74	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-65.73	-60	-68.78	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-66.18	-60	-68.9	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	800	-69.32	-60	-72.09	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1000	-70.49	-60	-73.44	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1200	-69.02	-60	-72.02	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1400	-66.22	-60	-69.22	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1600	-71.93	-60	-74.91	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-74.5	-60	-77.44	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-80.83	-60	-55.36	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1600	-82.27	-60	-56.8	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1400	-80.27	-60	-54.84	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-79.35	-60	-53.9	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1000	-78.4	-60	-52.93	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-800	-76.99	-60	-51.5	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-74.93	-60	-49.28	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-67.62	-60	-42	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-250	-41.58	-33	-15.97	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.57	-30	-12.07	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-100	-9.61	0.5	15.92	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	100	-9.17	0.5	16.4	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	200	-37.2	-30	-11.67	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	250	-41.88	-33	-16.37	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-67.38	-60	-41.75	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-74.96	-60	-49.41	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	800	-76.19	-60	-50.51	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1000	-75.57	-60	-50.03	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-78.66	-60	-53.02	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1400	-80.44	-60	-54.96	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1600	-81.48	-60	-55.85	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1800	-80.9	-60	-55.38	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-74.11	-60	-77.19	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1600	-73.61	-60	-76.81	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1400	-66.81	-60	-69.93	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-69.15	-60	-72.38	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1000	-70.66	-60	-73.73	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-800	-69.58	-60	-72.67	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-66.18	-60	-69.25	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-400	-66.45	-60	-69.47	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-250	-41.33	-33	-44.36	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-200	-37.07	-30	-40.1	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-100	-9.5	0.5	-12.62	-36	PASS

LVHT	GPRS900	124	914.8	17;17;17;17	100	-8.85	0.5	-12.15	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	200	-37.07	-30	-40.09	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	250	-41.41	-33	-44.56	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-65.54	-60	-68.81	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-65.79	-60	-68.85	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	800	-70.18	-60	-73.27	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1000	-71	-60	-74.21	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-68.69	-60	-71.76	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1400	-66.46	-60	-69.57	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1600	-72.56	-60	-75.74	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-74.04	-60	-77.21	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-80.48	-60	-56.26	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1600	-80.23	-60	-56.13	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1400	-79.21	-60	-54.81	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-79.36	-60	-54.95	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1000	-76.28	-60	-51.99	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-800	-75.09	-60	-50.69	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-74.1	-60	-49.8	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-66.81	-60	-42.64	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-250	-42.2	-33	-17.91	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-200	-36.63	-30	-12.3	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-100	-8.06	0.5	16.08	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	100	-8.11	0.5	16.21	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	200	-37.24	-30	-13.01	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	250	-40.89	-33	-16.68	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	400	-66.94	-60	-42.75	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	600	-73.04	-60	-48.81	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	800	-74.55	-60	-50.13	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1000	-75.51	-60	-51.2	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1200	-77.66	-60	-53.5	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1400	-78.23	-60	-53.99	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1600	-80.44	-60	-56.13	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1800	-80.27	-60	-56.01	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1800	-74.14	-60	-77.06	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1600	-73.02	-60	-75.76	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1400	-68.18	-60	-70.9	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1200	-67.74	-60	-70.59	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1000	-71.25	-60	-74.06	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-800	-70.57	-60	-73.45	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-600	-65.32	-60	-68.03	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-400	-65.88	-60	-68.69	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-250	-41.84	-33	-44.64	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-200	-37.53	-30	-40.37	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-100	-9.32	0.5	-12.11	-36	PASS

LVLT	GPRS900	975	880.2	17;17;17;17	100	-9.41	0.5	-12.39	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	200	-37.4	-30	-40.19	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	250	-41.88	-33	-44.86	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	400	-66.61	-60	-69.57	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	600	-64.83	-60	-67.89	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	800	-70.16	-60	-72.94	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1000	-71	-60	-73.91	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1200	-68.16	-60	-71.12	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1400	-67.55	-60	-70.34	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1600	-72.73	-60	-75.59	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1800	-74.6	-60	-77.46	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1800	-81.21	-60	-56.38	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1600	-81.23	-60	-56.19	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1400	-80.16	-60	-55.36	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1200	-79.11	-60	-54.1	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1000	-76.68	-60	-51.7	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-800	-75.85	-60	-51.04	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-600	-74.2	-60	-49.25	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-400	-67.22	-60	-42.29	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-250	-41.42	-33	-16.41	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-200	-37.34	-30	-12.23	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-100	-8.84	0.5	16.13	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	100	-8.09	0.5	16.82	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	200	-37.33	-30	-12.44	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	250	-41.58	-33	-16.69	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-67.53	-60	-42.57	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	600	-74.13	-60	-49.22	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	800	-75.45	-60	-50.46	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1000	-75.96	-60	-50.94	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-79.49	-60	-54.39	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1400	-79.67	-60	-54.68	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1600	-80.99	-60	-56.19	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1800	-81.09	-60	-56.16	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-75.06	-60	-77.86	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1600	-73.3	-60	-76.08	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1400	-65.65	-60	-68.41	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-68.67	-60	-71.63	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1000	-70.84	-60	-73.79	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-800	-69.67	-60	-72.63	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-66.37	-60	-69.21	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-400	-66.75	-60	-69.56	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-250	-41.82	-33	-44.72	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-200	-37.27	-30	-40.19	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-100	-9.47	0.5	-12.27	-36	PASS

LVLT	GPRS900	38	897.6	17;17;17;17	100	-8.73	0.5	-11.74	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	200	-37.88	-30	-40.62	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	250	-42.97	-33	-45.85	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-65.91	-60	-68.7	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-66.17	-60	-68.92	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	800	-69.33	-60	-72.17	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1000	-70.51	-60	-73.38	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-69.15	-60	-71.92	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1400	-66.22	-60	-69.2	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1600	-72.06	-60	-74.95	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-74.52	-60	-77.3	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-80.74	-60	-55.33	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1600	-82.37	-60	-56.78	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1400	-80.26	-60	-54.89	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-79.33	-60	-53.94	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1000	-78.48	-60	-52.81	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-800	-76.89	-60	-51.53	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-74.95	-60	-49.41	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-67.64	-60	-42.09	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-250	-41.54	-33	-16.02	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.7	-30	-12.13	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-100	-9.68	0.5	16	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	100	-9.18	0.5	16.23	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	200	-37.21	-30	-11.82	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	250	-42.05	-33	-16.54	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-67.24	-60	-41.71	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-75.09	-60	-49.58	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	800	-76.21	-60	-50.7	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1000	-75.64	-60	-50.15	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-78.58	-60	-53.03	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1400	-80.56	-60	-54.89	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1600	-81.43	-60	-55.81	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1800	-80.84	-60	-55.3	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1800	-74.09	-60	-77.18	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1600	-73.52	-60	-76.81	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1400	-66.89	-60	-70.04	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1200	-69.17	-60	-72.27	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1000	-70.57	-60	-73.89	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-800	-69.56	-60	-72.66	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-600	-66.14	-60	-69.37	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-400	-66.41	-60	-69.52	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-250	-41.41	-33	-44.36	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-200	-37.05	-30	-40.22	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-100	-9.46	0.5	-12.55	-36	PASS

LVLT	GPRS900	124	914.8	17;17;17;17	100	-8.86	0.5	-12.18	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	200	-36.94	-30	-40.18	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	250	-41.38	-33	-44.51	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	400	-65.66	-60	-68.82	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	600	-65.89	-60	-68.97	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	800	-70.15	-60	-73.36	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1000	-71	-60	-74.24	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1200	-68.72	-60	-71.93	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1400	-66.34	-60	-69.52	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1600	-72.7	-60	-75.79	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1800	-74.11	-60	-77.26	-51	PASS

#### Clause 4.2.11 Switching Spectrum in GPRS multi slot configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	30.77		PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-42.99	-26.08	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-40.28	-23.08	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-37.41	-23.08	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-26.76	-21.08	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-28.1	-21.08	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-36.63	-23.08	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-38.96	-23.08	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-44.46	-26.08	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	2.36		PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-60.75	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-58.14	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-51.91	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-48.46	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-46.4	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-50.9	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-57.57	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-61.79	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	31.3		PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-43.33	-25.66	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-37.55	-22.66	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-37.79	-22.66	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-29.34	-20.66	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-28.43	-20.66	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-37.83	-22.66	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-37.49	-22.66	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-43.24	-25.66	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	2.21		PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-61.88	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-58.14	-32	PASS

HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-52.71	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-48.16	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-46.66	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-51.53	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-57.98	-32	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-61.47	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	31.62		PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-43.58	-25.34	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-37.61	-22.34	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-35.83	-22.34	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-28.65	-20.34	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-27.27	-20.34	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-35.88	-22.34	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.77	-22.34	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-44.05	-25.34	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	2.39		PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-60.97	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-57.86	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-52.57	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-48.85	-23	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	400	-46.6	-23	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	600	-51.27	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-57.93	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-62.11	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	30.72		PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-42.97	-26.08	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-40.2	-23.08	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-37.34	-23.08	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-26.79	-21.08	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-28.07	-21.08	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-36.79	-23.08	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-38.86	-23.08	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-44.46	-26.08	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	2.42		PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-60.81	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-58.18	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-51.8	-26	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-48.4	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-46.46	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-50.87	-26	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-57.61	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-61.83	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	31.3		PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-43.4	-25.66	PASS

HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-37.47	-22.66	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-37.76	-22.66	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-29.36	-20.66	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-28.56	-20.66	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-37.87	-22.66	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-37.52	-22.66	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-43.29	-25.66	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	2.25		PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-61.79	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-58.18	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-52.66	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-48.07	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-46.7	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-51.56	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-57.84	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-61.54	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	31.59		PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-43.47	-25.34	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-37.45	-22.34	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-35.83	-22.34	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-28.7	-20.34	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-27.25	-20.34	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-35.95	-22.34	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.7	-22.34	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-44.13	-25.34	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	2.3		PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-60.86	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-57.78	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-52.48	-26	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-48.91	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	400	-46.59	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	600	-51.37	-26	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-57.9	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-62.13	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	30.84		PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-42.96	-26.08	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-40.31	-23.08	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-37.39	-23.08	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-26.67	-21.08	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-28.16	-21.08	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-36.82	-23.08	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-38.94	-23.08	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-44.49	-26.08	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	2.27		PASS

LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-60.78	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-58.08	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-51.85	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-48.32	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-46.38	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-50.94	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-57.53	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-61.81	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	31.22		PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-43.4	-25.66	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-37.51	-22.66	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-37.86	-22.66	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-29.22	-20.66	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-28.53	-20.66	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-37.88	-22.66	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-37.63	-22.66	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-43.42	-25.66	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	2.11		PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-61.87	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-58.26	-32	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-52.55	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-48.2	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-46.72	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-51.46	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-57.89	-32	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-61.5	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	31.57		PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-43.55	-25.34	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-37.43	-22.34	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-35.83	-22.34	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-28.58	-20.34	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-27.33	-20.34	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-36.03	-22.34	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.64	-22.34	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-44.06	-25.34	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	2.31		PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-60.93	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-57.95	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-52.51	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-48.75	-23	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	400	-46.53	-23	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	600	-51.35	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-57.8	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-62.11	-36	PASS

LVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	30.72		PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-42.94	-26.08	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-40.25	-23.08	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-37.5	-23.08	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-26.77	-21.08	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-28.09	-21.08	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-36.7	-23.08	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-38.91	-23.08	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-44.49	-26.08	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	2.39		PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-60.68	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-58.13	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-51.9	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-48.38	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-46.38	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-50.77	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-57.57	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-61.78	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	31.3		PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-43.41	-25.66	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-37.52	-22.66	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-37.8	-22.66	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-29.3	-20.66	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-28.43	-20.66	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-37.91	-22.66	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-37.65	-22.66	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-43.31	-25.66	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	2.12		PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-61.8	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-58.12	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-52.66	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-48.2	-23	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-46.72	-23	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-51.59	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-57.83	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-61.42	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	31.65		PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-43.41	-25.34	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-37.52	-22.34	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-35.75	-22.34	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-28.55	-20.34	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-27.24	-20.34	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-35.91	-22.34	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.74	-22.34	PASS

LVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-44.14	-25.34	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	2.4		PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-61.02	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-57.91	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-52.42	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-48.8	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	400	-46.49	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	600	-51.33	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-57.78	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-62.21	-36	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	Ref Power	30.32		PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-1800	-45.92	-26.56	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-1200	-40.21	-23.56	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-600	-38.33	-23.56	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	-400	-29.93	-21.56	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	400	-27.84	-21.56	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	600	-36.38	-23.56	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	1200	-40.51	-23.56	PASS
HVHT	GPRS1900	512	1850.2	3;3;3;3	1800	-46.48	-26.56	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	Ref Power	0.34		PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-1800	-60.03	-36	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-1200	-56.86	-32	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-600	-52.2	-26	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	-400	-49.02	-23	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	400	-47.42	-23	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	600	-50.44	-26	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	1200	-55.52	-32	PASS
HVHT	GPRS1900	512	1850.2	18;18;18;18	1800	-58.08	-36	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	Ref Power	30.36		PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-1800	-45.3	-26.59	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-1200	-41.37	-23.59	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-600	-38.18	-23.59	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	-400	-29.65	-21.59	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	400	-28.49	-21.59	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	600	-38.09	-23.59	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	1200	-40.52	-23.59	PASS
HVHT	GPRS1900	661	1880	3;3;3;3	1800	-45.44	-26.59	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	Ref Power	0.47		PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-1800	-58.66	-36	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-1200	-57.02	-32	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-600	-52.05	-26	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	-400	-49.76	-23	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	400	-47.43	-23	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	600	-50.65	-26	PASS

HVHT	GPRS1900	661	1880	18;18;18;18	1200	-56.3	-32	PASS
HVHT	GPRS1900	661	1880	18;18;18;18	1800	-59.94	-36	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	Ref Power	30.45		PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-1800	-45.2	-26.52	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-1200	-40.23	-23.52	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-600	-37.7	-23.52	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	-400	-29.64	-21.52	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	400	-28.47	-21.52	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	600	-37.35	-23.52	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	1200	-39.95	-23.52	PASS
HVHT	GPRS1900	810	1909.8	3;3;3;3	1800	-44.39	-26.52	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	Ref Power	0.53		PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-1800	-59.35	-36	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-1200	-56.14	-32	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-600	-51.92	-26	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	-400	-49.37	-23	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	400	-47.14	-23	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	600	-50.92	-26	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	1200	-55.4	-32	PASS
HVHT	GPRS1900	810	1909.8	18;18;18;18	1800	-58.72	-36	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	Ref Power	30.42		PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-1800	-45.81	-26.56	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-1200	-40.2	-23.56	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-600	-38.41	-23.56	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	-400	-29.96	-21.56	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	400	-27.87	-21.56	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	600	-36.37	-23.56	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	1200	-40.65	-23.56	PASS
HVLT	GPRS1900	512	1850.2	3;3;3;3	1800	-46.38	-26.56	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	Ref Power	0.25		PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-1800	-59.97	-36	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-1200	-56.95	-32	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-600	-52.33	-26	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	-400	-49.07	-23	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	400	-47.4	-23	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	600	-50.38	-26	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	1200	-55.41	-32	PASS
HVLT	GPRS1900	512	1850.2	18;18;18;18	1800	-58.06	-36	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	Ref Power	30.35		PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-1800	-45.19	-26.59	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-1200	-41.48	-23.59	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-600	-38.15	-23.59	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	-400	-29.53	-21.59	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	400	-28.5	-21.59	PASS

HVLT	GPRS1900	661	1880	3;3;3;3	600	-38.03	-23.59	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	1200	-40.56	-23.59	PASS
HVLT	GPRS1900	661	1880	3;3;3;3	1800	-45.38	-26.59	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	Ref Power	0.49		PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-1800	-58.6	-36	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-1200	-57.11	-32	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-600	-52.12	-26	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	-400	-49.66	-23	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	400	-47.47	-23	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	600	-50.58	-26	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	1200	-56.25	-32	PASS
HVLT	GPRS1900	661	1880	18;18;18;18	1800	-59.91	-36	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	Ref Power	30.36		PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-1800	-45.12	-26.52	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-1200	-40.15	-23.52	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-600	-37.66	-23.52	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	-400	-29.59	-21.52	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	400	-28.52	-21.52	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	600	-37.43	-23.52	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	1200	-40.04	-23.52	PASS
HVLT	GPRS1900	810	1909.8	3;3;3;3	1800	-44.4	-26.52	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	Ref Power	0.49		PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-1800	-59.38	-36	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-1200	-56.06	-32	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-600	-52.01	-26	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	-400	-49.47	-23	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	400	-47.16	-23	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	600	-50.86	-26	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	1200	-55.5	-32	PASS
HVLT	GPRS1900	810	1909.8	18;18;18;18	1800	-58.71	-36	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	Ref Power	30.25		PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-1800	-45.76	-26.56	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-1200	-40.15	-23.56	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-600	-38.44	-23.56	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	-400	-29.91	-21.56	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	400	-27.9	-21.56	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	600	-36.29	-23.56	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	1200	-40.55	-23.56	PASS
LVHT	GPRS1900	512	1850.2	3;3;3;3	1800	-46.48	-26.56	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	Ref Power	0.29		PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-1800	-59.97	-36	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-1200	-56.92	-32	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-600	-52.24	-26	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	-400	-48.92	-23	PASS

LVHT	GPRS1900	512	1850.2	18;18;18;18	400	-47.42	-23	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	600	-50.47	-26	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	1200	-55.54	-32	PASS
LVHT	GPRS1900	512	1850.2	18;18;18;18	1800	-58.06	-36	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	Ref Power	30.33		PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-1800	-45.29	-26.59	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-1200	-41.43	-23.59	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-600	-38.23	-23.59	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	-400	-29.69	-21.59	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	400	-28.56	-21.59	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	600	-38.02	-23.59	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	1200	-40.48	-23.59	PASS
LVHT	GPRS1900	661	1880	3;3;3;3	1800	-45.42	-26.59	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	Ref Power	0.51		PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-1800	-58.6	-36	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-1200	-57.12	-32	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-600	-52.13	-26	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	-400	-49.76	-23	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	400	-47.52	-23	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	600	-50.64	-26	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	1200	-56.32	-32	PASS
LVHT	GPRS1900	661	1880	18;18;18;18	1800	-59.99	-36	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	Ref Power	30.35		PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-1800	-45.27	-26.52	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-1200	-40.13	-23.52	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-600	-37.59	-23.52	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	-400	-29.58	-21.52	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	400	-28.49	-21.52	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	600	-37.42	-23.52	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	1200	-40	-23.52	PASS
LVHT	GPRS1900	810	1909.8	3;3;3;3	1800	-44.33	-26.52	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	Ref Power	0.54		PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-1800	-59.36	-36	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-1200	-56.13	-32	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-600	-51.85	-26	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	-400	-49.37	-23	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	400	-47.09	-23	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	600	-50.98	-26	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	1200	-55.57	-32	PASS
LVHT	GPRS1900	810	1909.8	18;18;18;18	1800	-58.63	-36	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	Ref Power	30.24		PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-1800	-45.89	-26.56	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-1200	-40.3	-23.56	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	-600	-38.39	-23.56	PASS

LVLT	GPRS1900	512	1850.2	3;3;3;3	-400	-29.9	-21.56	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	400	-27.86	-21.56	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	600	-36.38	-23.56	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	1200	-40.52	-23.56	PASS
LVLT	GPRS1900	512	1850.2	3;3;3;3	1800	-46.37	-26.56	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	Ref Power	0.3		PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-1800	-60.02	-36	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-1200	-56.94	-32	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-600	-52.33	-26	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	-400	-48.97	-23	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	400	-47.47	-23	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	600	-50.39	-26	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	1200	-55.48	-32	PASS
LVLT	GPRS1900	512	1850.2	18;18;18;18	1800	-58.04	-36	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	Ref Power	30.31		PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-1800	-45.31	-26.59	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-1200	-41.4	-23.59	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-600	-38.29	-23.59	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	-400	-29.67	-21.59	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	400	-28.49	-21.59	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	600	-38.03	-23.59	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	1200	-40.44	-23.59	PASS
LVLT	GPRS1900	661	1880	3;3;3;3	1800	-45.46	-26.59	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	Ref Power	0.52		PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-1800	-58.67	-36	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-1200	-57.05	-32	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-600	-52.13	-26	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	-400	-49.84	-23	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	400	-47.42	-23	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	600	-50.68	-26	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	1200	-56.15	-32	PASS
LVLT	GPRS1900	661	1880	18;18;18;18	1800	-59.95	-36	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	Ref Power	30.37		PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-1800	-45.21	-26.52	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-1200	-40.1	-23.52	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-600	-37.71	-23.52	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	-400	-29.65	-21.52	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	400	-28.39	-21.52	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	600	-37.53	-23.52	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	1200	-39.92	-23.52	PASS
LVLT	GPRS1900	810	1909.8	3;3;3;3	1800	-44.26	-26.52	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	Ref Power	0.45		PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-1800	-59.47	-36	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-1200	-55.99	-32	PASS

LVLT	GPRS1900	810	1909.8	18;18;18;18	-600	-51.85	-26	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	-400	-49.44	-23	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	400	-47.21	-23	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	600	-50.87	-26	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	1200	-55.4	-32	PASS
LVLT	GPRS1900	810	1909.8	18;18;18;18	1800	-58.68	-36	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	Ref Power	34.15		PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-1800	-43.11	-24	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-1200	-38.03	-21	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-600	-34.1	-21	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	-400	-28.23	-17.76	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	400	-28.27	-17.76	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	600	-33.6	-21	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	1200	-38.58	-21	PASS
HVHT	GPRS850	128	824.2	3;3;3;3	1800	-42.33	-24	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	Ref Power	6.28		PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-1800	-46.49	-36	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-1200	-44.1	-32	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-600	-39.56	-26	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	-400	-36.92	-23	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	400	-33.81	-23	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	600	-37.63	-26	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	1200	-43.17	-32	PASS
HVHT	GPRS850	128	824.2	17;17;17;17	1800	-45.66	-36	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	Ref Power	33.75		PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-1800	-43.22	-24	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-1200	-41.39	-21	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-600	-36.35	-21	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	-400	-30.24	-18.22	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	400	-30.31	-18.22	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	600	-36.3	-21	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	1200	-40.87	-21	PASS
HVHT	GPRS850	190	836.6	3;3;3;3	1800	-43	-24	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	Ref Power	5.96		PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-1800	-46.85	-36	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-1200	-44.33	-32	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-600	-39.6	-26	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	-400	-37.33	-23	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	400	-34.33	-23	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	600	-37.78	-26	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	1200	-43.01	-32	PASS
HVHT	GPRS850	190	836.6	17;17;17;17	1800	-45.9	-36	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	Ref Power	33.74		PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-1800	-43.48	-24	PASS

HVHT	GPRS850	251	848.8	3;3;3;3	-1200	-40.46	-21	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-600	-36.37	-21	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	-400	-31	-18.24	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	400	-29.66	-18.24	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	600	-35.98	-21	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	1200	-40.48	-21	PASS
HVHT	GPRS850	251	848.8	3;3;3;3	1800	-43.8	-24	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	Ref Power	6.11		PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-1800	-47.04	-36	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-1200	-44.48	-32	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-600	-39.68	-26	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	-400	-37.01	-23	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	400	-34.12	-23	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	600	-37.57	-26	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	1200	-43.09	-32	PASS
HVHT	GPRS850	251	848.8	17;17;17;17	1800	-45.42	-36	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	Ref Power	34.05		PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-1800	-43.08	-24	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-1200	-37.98	-21	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-600	-34	-21	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	-400	-28.26	-17.76	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	400	-28.32	-17.76	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	600	-33.7	-21	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	1200	-38.7	-21	PASS
HVLT	GPRS850	128	824.2	3;3;3;3	1800	-42.28	-24	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	Ref Power	6.28		PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-1800	-46.44	-36	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-1200	-44.13	-32	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-600	-39.64	-26	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	-400	-36.88	-23	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	400	-33.96	-23	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	600	-37.55	-26	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	1200	-43.19	-32	PASS
HVLT	GPRS850	128	824.2	17;17;17;17	1800	-45.81	-36	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	Ref Power	33.61		PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-1800	-43.23	-24	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-1200	-41.4	-21	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-600	-36.35	-21	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	-400	-30.14	-18.22	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	400	-30.41	-18.22	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	600	-36.21	-21	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	1200	-40.89	-21	PASS
HVLT	GPRS850	190	836.6	3;3;3;3	1800	-42.88	-24	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	Ref Power	5.94		PASS

HVLT	GPRS850	190	836.6	17;17;17;17	-1800	-46.87	-36	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-1200	-44.33	-32	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-600	-39.63	-26	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	-400	-37.21	-23	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	400	-34.23	-23	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	600	-37.95	-26	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	1200	-42.95	-32	PASS
HVLT	GPRS850	190	836.6	17;17;17;17	1800	-45.9	-36	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	Ref Power	33.71		PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-1800	-43.35	-24	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-1200	-40.55	-21	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-600	-36.37	-21	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	-400	-31.1	-18.24	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	400	-29.59	-18.24	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	600	-35.8	-21	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	1200	-40.37	-21	PASS
HVLT	GPRS850	251	848.8	3;3;3;3	1800	-43.87	-24	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	Ref Power	6.13		PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-1800	-47.03	-36	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-1200	-44.49	-32	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-600	-39.72	-26	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	-400	-37.17	-23	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	400	-34.01	-23	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	600	-37.59	-26	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	1200	-43.1	-32	PASS
HVLT	GPRS850	251	848.8	17;17;17;17	1800	-45.49	-36	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	Ref Power	34.1		PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-1800	-42.94	-24	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-1200	-37.98	-21	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-600	-34.11	-21	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	-400	-28.15	-17.76	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	400	-28.44	-17.76	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	600	-33.74	-21	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	1200	-38.57	-21	PASS
LVHT	GPRS850	128	824.2	3;3;3;3	1800	-42.3	-24	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	Ref Power	6.1		PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-1800	-46.46	-36	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-1200	-44.1	-32	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-600	-39.64	-26	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	-400	-37	-23	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	400	-33.87	-23	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	600	-37.54	-26	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	1200	-43.26	-32	PASS
LVHT	GPRS850	128	824.2	17;17;17;17	1800	-45.79	-36	PASS

LVHT	GPRS850	190	836.6	3;3;3;3	Ref Power	33.59		PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-1800	-43.29	-24	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-1200	-41.38	-21	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-600	-36.54	-21	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	-400	-30.24	-18.22	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	400	-30.31	-18.22	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	600	-36.3	-21	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	1200	-40.73	-21	PASS
LVHT	GPRS850	190	836.6	3;3;3;3	1800	-42.9	-24	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	Ref Power	6.02		PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-1800	-46.98	-36	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-1200	-44.34	-32	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-600	-39.66	-26	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	-400	-37.2	-23	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	400	-34.32	-23	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	600	-37.79	-26	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	1200	-42.91	-32	PASS
LVHT	GPRS850	190	836.6	17;17;17;17	1800	-45.89	-36	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	Ref Power	33.74		PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-1800	-43.47	-24	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-1200	-40.59	-21	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-600	-36.37	-21	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	-400	-30.96	-18.24	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	400	-29.57	-18.24	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	600	-35.9	-21	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	1200	-40.38	-21	PASS
LVHT	GPRS850	251	848.8	3;3;3;3	1800	-43.87	-24	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	Ref Power	6.06		PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-1800	-47	-36	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-1200	-44.48	-32	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-600	-39.61	-26	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	-400	-37.08	-23	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	400	-33.98	-23	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	600	-37.54	-26	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	1200	-43.19	-32	PASS
LVHT	GPRS850	251	848.8	17;17;17;17	1800	-45.6	-36	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	Ref Power	34.15		PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-1800	-43.07	-24	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-1200	-38.03	-21	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-600	-34.01	-21	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	-400	-28.2	-17.76	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	400	-28.39	-17.76	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	600	-33.62	-21	PASS
LVLT	GPRS850	128	824.2	3;3;3;3	1200	-38.63	-21	PASS

LVLT	GPRS850	128	824.2	3;3;3;3	1800	-42.23	-24	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	Ref Power	6.2		PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-1800	-46.49	-36	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-1200	-44.21	-32	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-600	-39.68	-26	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	-400	-36.96	-23	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	400	-33.84	-23	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	600	-37.65	-26	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	1200	-43.36	-32	PASS
LVLT	GPRS850	128	824.2	17;17;17;17	1800	-45.74	-36	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	Ref Power	33.64		PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-1800	-43.32	-24	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-1200	-41.49	-21	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-600	-36.43	-21	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	-400	-30.17	-18.22	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	400	-30.44	-18.22	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	600	-36.31	-21	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	1200	-40.85	-21	PASS
LVLT	GPRS850	190	836.6	3;3;3;3	1800	-43.02	-24	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	Ref Power	6.01		PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-1800	-47.03	-36	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-1200	-44.29	-32	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-600	-39.75	-26	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	-400	-37.26	-23	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	400	-34.23	-23	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	600	-37.91	-26	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	1200	-42.96	-32	PASS
LVLT	GPRS850	190	836.6	17;17;17;17	1800	-45.86	-36	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	Ref Power	33.7		PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-1800	-43.39	-24	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-1200	-40.51	-21	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-600	-36.26	-21	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	-400	-31	-18.24	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	400	-29.68	-18.24	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	600	-35.88	-21	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	1200	-40.4	-21	PASS
LVLT	GPRS850	251	848.8	3;3;3;3	1800	-43.71	-24	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	Ref Power	6.09		PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-1800	-47.1	-36	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-1200	-44.48	-32	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-600	-39.71	-26	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	-400	-37.12	-23	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	400	-34.11	-23	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	600	-37.65	-26	PASS

LVLT	GPRS850	251	848.8	17;17;17;17	1200	-43.16	-32	PASS
LVLT	GPRS850	251	848.8	17;17;17;17	1800	-45.48	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.85		PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-44.15	-24	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-42.89	-21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-38.38	-21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-32.51	-18.99	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-30.53	-18.99	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-36.75	-21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-40.58	-21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1800	-42.99	-24	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.71		PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-50.6	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-47.93	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-43.37	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-400	-40.75	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-37.92	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-41.35	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-46.72	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-49.54	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	33.14		PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-45.17	-24	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-42.02	-21	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-37.73	-21	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-400	-33.33	-18.82	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-30.46	-18.82	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-36.89	-21	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-39.64	-21	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1800	-42.86	-24	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	5.02		PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-50.53	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-48.17	-32	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-600	-43.16	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-400	-40.51	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-37.92	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-41.27	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-46.93	-32	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-49.09	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	33.21		PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-43.52	-24	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-42.64	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-38.12	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-30.36	-18.69	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-30.34	-18.69	PASS

HVHT	GPRS900	124	914.8	3;3;3;3	600	-35.76	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-39.6	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1800	-42.76	-24	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.74		PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-50.77	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-48.02	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-43.75	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-400	-40.92	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-37.9	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-41.27	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-46.55	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-49.57	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.96		PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-44.11	-24	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-43.07	-21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-38.41	-21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-32.5	-18.99	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-30.56	-18.99	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-36.88	-21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-40.58	-21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1800	-42.98	-24	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.75		PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-50.55	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-48	-32	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-600	-43.41	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-400	-40.81	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-37.77	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-41.27	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-46.63	-32	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-49.49	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	33.05		PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-45.15	-24	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-42.03	-21	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-37.77	-21	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-33.36	-18.82	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-30.44	-18.82	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-36.73	-21	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-39.57	-21	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1800	-42.77	-24	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.95		PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-50.58	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-48.08	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-43.25	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-400	-40.46	-23	PASS

HVLT	GPRS900	38	897.6	17;17;17;17	400	-37.81	-23	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-41.31	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-46.98	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-49.09	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	33.28		PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-43.53	-24	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-42.71	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-38.1	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-30.33	-18.69	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-30.23	-18.69	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-35.91	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-39.69	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1800	-42.75	-24	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.71		PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-50.74	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-48.15	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-43.81	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-400	-40.92	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-37.78	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-41.21	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-46.63	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-49.59	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.9		PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-44.22	-24	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-43.04	-21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-38.34	-21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-32.44	-18.99	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-30.67	-18.99	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-36.83	-21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-40.47	-21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1800	-43.12	-24	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.68		PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-50.5	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-48.01	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-43.41	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-400	-40.83	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-37.81	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-41.42	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-46.63	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-49.39	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.99		PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-45.24	-24	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-42	-21	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-37.67	-21	PASS

LVHT	GPRS900	38	897.6	3;3;3;3	-400	-33.49	-18.82	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-30.37	-18.82	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-36.87	-21	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-39.67	-21	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1800	-42.75	-24	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.99		PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-50.48	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-48.06	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-43.16	-26	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-400	-40.54	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-37.79	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-41.24	-26	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1200	-46.95	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-49.01	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	33.24		PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-43.58	-24	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-42.72	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-38.19	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-30.21	-18.69	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-30.36	-18.69	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-35.77	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-39.64	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1800	-42.65	-24	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.71		PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-50.73	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-48.06	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-43.92	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-400	-40.91	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-37.87	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-41.18	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-46.62	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-49.52	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.86		PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-44.17	-24	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-42.93	-21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-38.37	-21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-32.45	-18.99	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	400	-30.54	-18.99	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	600	-36.78	-21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1200	-40.49	-21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1800	-42.97	-24	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.8		PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1800	-50.52	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1200	-48	-32	PASS

LVLT	GPRS900	975	880.2	17;17;17;17	-600	-43.26	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-400	-40.7	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	400	-37.77	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	600	-41.4	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1200	-46.69	-32	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1800	-49.45	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	33.05		PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1800	-45.24	-24	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1200	-41.9	-21	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-600	-37.8	-21	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-400	-33.46	-18.82	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-30.53	-18.82	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	600	-36.76	-21	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-39.58	-21	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1800	-42.86	-24	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.94		PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-50.56	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-48.04	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-43.3	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-400	-40.54	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-37.78	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-41.27	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-46.98	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-49.02	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	33.25		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-43.53	-24	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-42.71	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-38.23	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-30.24	-18.69	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-30.37	-18.69	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-35.78	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-39.68	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1800	-42.67	-24	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.72		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1800	-50.66	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1200	-48.01	-32	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-600	-43.87	-26	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-400	-40.81	-23	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	400	-37.74	-23	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	600	-41.24	-26	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1200	-46.65	-32	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1800	-49.58	-36	PASS

**Clause 4.2.1 Transmitter-Frequency error and phase error**

Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.75	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	1.26	0	5	PASS
HVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.23	0	20	PASS
HVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	23.83	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	1.21	0	5	PASS
HVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	3.94	0	20	PASS
HVLT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.72	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	1.38	0	5	PASS
HVLT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.17	0	20	PASS
HVLT	GSM1800	698	1747.4	15	Frequency Error (Hz)	23.83	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	1.16	0	5	PASS
HVLT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	3.81	0	20	PASS
LVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.76	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	1.29	0	5	PASS
LVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.27	0	20	PASS
LVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	23.7	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	1.07	0	5	PASS
LVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	3.9	0	20	PASS
LVLT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.65	-174.74	174.74	PASS
LVLT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	1.34	0	5	PASS
LVLT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.28	0	20	PASS
LVLT	GSM1800	698	1747.4	15	Frequency Error (Hz)	23.82	-174.74	174.74	PASS
LVLT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	1.14	0	5	PASS
LVLT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	3.76	0	20	PASS
Vibration-X	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.79	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	0	RMS Phase Error	1.37	0	5	PASS

					(Degree)				
Vibration-X	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.23	0	20	PASS
Vibration-X	GSM1800	698	1747.4	15	Frequency Error (Hz)	23.72	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	1.16	0	5	PASS
Vibration-X	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	3.81	0	20	PASS
Vibration-Y	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.8	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	1.3	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.16	0	20	PASS
Vibration-Y	GSM1800	698	1747.4	15	Frequency Error (Hz)	23.75	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	1.14	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	3.93	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.65	-174.74	174.74	PASS
Vibration-Z	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	1.36	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.22	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	15	Frequency Error (Hz)	23.74	-174.74	174.74	PASS
Vibration-Z	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	1.11	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	3.91	0	20	PASS
HVHT	GSM1900	661	1880	0	Frequency Error (Hz)	-10.21	-188	188	PASS
HVHT	GSM1900	661	1880	0	RMS Phase Error (Degree)	1.11	0	5	PASS
HVHT	GSM1900	661	1880	0	Peak Phase Error (Degree)	5.42	0	20	PASS
HVHT	GSM1900	661	1880	15	Frequency Error (Hz)	19.89	-188	188	PASS
HVHT	GSM1900	661	1880	15	RMS Phase Error (Degree)	1.25	0	5	PASS
HVHT	GSM1900	661	1880	15	Peak Phase Error (Degree)	3.89	0	20	PASS
HVLT	GSM1900	661	1880	0	Frequency Error (Hz)	-10.1	-188	188	PASS
HVLT	GSM1900	661	1880	0	RMS Phase Error (Degree)	1.11	0	5	PASS
HVLT	GSM1900	661	1880	0	Peak Phase Error (Degree)	5.23	0	20	PASS
HVLT	GSM1900	661	1880	15	Frequency Error (Hz)	19.97	-188	188	PASS

HVLT	GSM1900	661	1880	15	RMS Phase Error (Degree)	1.16	0	5	PASS
HVLT	GSM1900	661	1880	15	Peak Phase Error (Degree)	3.9	0	20	PASS
LVHT	GSM1900	661	1880	0	Frequency Error (Hz)	-10.23	-188	188	PASS
LVHT	GSM1900	661	1880	0	RMS Phase Error (Degree)	1.09	0	5	PASS
LVHT	GSM1900	661	1880	0	Peak Phase Error (Degree)	5.4	0	20	PASS
LVHT	GSM1900	661	1880	15	Frequency Error (Hz)	19.8	-188	188	PASS
LVHT	GSM1900	661	1880	15	RMS Phase Error (Degree)	1.08	0	5	PASS
LVHT	GSM1900	661	1880	15	Peak Phase Error (Degree)	3.8	0	20	PASS
LVLT	GSM1900	661	1880	0	Frequency Error (Hz)	-10.23	-188	188	PASS
LVLT	GSM1900	661	1880	0	RMS Phase Error (Degree)	1.27	0	5	PASS
LVLT	GSM1900	661	1880	0	Peak Phase Error (Degree)	5.23	0	20	PASS
LVLT	GSM1900	661	1880	15	Frequency Error (Hz)	19.81	-188	188	PASS
LVLT	GSM1900	661	1880	15	RMS Phase Error (Degree)	1.24	0	5	PASS
LVLT	GSM1900	661	1880	15	Peak Phase Error (Degree)	3.82	0	20	PASS
Vibration-X	GSM1900	661	1880	0	Frequency Error (Hz)	-10.19	-188	188	PASS
Vibration-X	GSM1900	661	1880	0	RMS Phase Error (Degree)	1.11	0	5	PASS
Vibration-X	GSM1900	661	1880	0	Peak Phase Error (Degree)	5.33	0	20	PASS
Vibration-X	GSM1900	661	1880	15	Frequency Error (Hz)	19.88	-188	188	PASS
Vibration-X	GSM1900	661	1880	15	RMS Phase Error (Degree)	1.24	0	5	PASS
Vibration-X	GSM1900	661	1880	15	Peak Phase Error (Degree)	3.92	0	20	PASS
Vibration-Y	GSM1900	661	1880	0	Frequency Error (Hz)	-10.14	-188	188	PASS
Vibration-Y	GSM1900	661	1880	0	RMS Phase Error (Degree)	1.09	0	5	PASS
Vibration-Y	GSM1900	661	1880	0	Peak Phase Error (Degree)	5.24	0	20	PASS
Vibration-Y	GSM1900	661	1880	15	Frequency Error (Hz)	19.95	-188	188	PASS
Vibration-Y	GSM1900	661	1880	15	RMS Phase Error (Degree)	1.17	0	5	PASS
Vibration-Y	GSM1900	661	1880	15	Peak Phase Error (Degree)	3.95	0	20	PASS

Vibration-Z	GSM1900	661	1880	0	Frequency Error (Hz)	-10.08	-188	188	PASS
Vibration-Z	GSM1900	661	1880	0	RMS Phase Error (Degree)	1.08	0	5	PASS
Vibration-Z	GSM1900	661	1880	0	Peak Phase Error (Degree)	5.23	0	20	PASS
Vibration-Z	GSM1900	661	1880	15	Frequency Error (Hz)	19.9	-188	188	PASS
Vibration-Z	GSM1900	661	1880	15	RMS Phase Error (Degree)	1.25	0	5	PASS
Vibration-Z	GSM1900	661	1880	15	Peak Phase Error (Degree)	3.89	0	20	PASS
HVHT	GSM850	190	836.6	5	Frequency Error (Hz)	6.72	-83.66	83.66	PASS
HVHT	GSM850	190	836.6	5	RMS Phase Error (Degree)	0.89	0	5	PASS
HVHT	GSM850	190	836.6	5	Peak Phase Error (Degree)	2.71	0	20	PASS
HVHT	GSM850	190	836.6	19	Frequency Error (Hz)	-2.23	-83.66	83.66	PASS
HVHT	GSM850	190	836.6	19	RMS Phase Error (Degree)	0.91	0	5	PASS
HVHT	GSM850	190	836.6	19	Peak Phase Error (Degree)	2.66	0	20	PASS
HVLT	GSM850	190	836.6	5	Frequency Error (Hz)	6.78	-83.66	83.66	PASS
HVLT	GSM850	190	836.6	5	RMS Phase Error (Degree)	0.88	0	5	PASS
HVLT	GSM850	190	836.6	5	Peak Phase Error (Degree)	2.67	0	20	PASS
HVLT	GSM850	190	836.6	19	Frequency Error (Hz)	-2.17	-83.66	83.66	PASS
HVLT	GSM850	190	836.6	19	RMS Phase Error (Degree)	0.96	0	5	PASS
HVLT	GSM850	190	836.6	19	Peak Phase Error (Degree)	2.61	0	20	PASS
LVHT	GSM850	190	836.6	5	Frequency Error (Hz)	6.79	-83.66	83.66	PASS
LVHT	GSM850	190	836.6	5	RMS Phase Error (Degree)	0.94	0	5	PASS
LVHT	GSM850	190	836.6	5	Peak Phase Error (Degree)	2.74	0	20	PASS
LVHT	GSM850	190	836.6	19	Frequency Error (Hz)	-2.25	-83.66	83.66	PASS
LVHT	GSM850	190	836.6	19	RMS Phase Error (Degree)	1.01	0	5	PASS
LVHT	GSM850	190	836.6	19	Peak Phase Error (Degree)	2.49	0	20	PASS
LVLT	GSM850	190	836.6	5	Frequency Error (Hz)	6.7	-83.66	83.66	PASS
LVLT	GSM850	190	836.6	5	RMS Phase Error (Degree)	0.95	0	5	PASS
LVLT	GSM850	190	836.6	5	Peak Phase Error	2.77	0	20	PASS

					(Degree)				
LVL	GSM850	190	836.6	19	Frequency Error (Hz)	-2.21	-83.66	83.66	PASS
LVL	GSM850	190	836.6	19	RMS Phase Error (Degree)	0.91	0	5	PASS
LVL	GSM850	190	836.6	19	Peak Phase Error (Degree)	2.51	0	20	PASS
Vibration-X	GSM850	190	836.6	5	Frequency Error (Hz)	6.8	-83.66	83.66	PASS
Vibration-X	GSM850	190	836.6	5	RMS Phase Error (Degree)	0.95	0	5	PASS
Vibration-X	GSM850	190	836.6	5	Peak Phase Error (Degree)	2.8	0	20	PASS
Vibration-X	GSM850	190	836.6	19	Frequency Error (Hz)	-2.23	-83.66	83.66	PASS
Vibration-X	GSM850	190	836.6	19	RMS Phase Error (Degree)	1.01	0	5	PASS
Vibration-X	GSM850	190	836.6	19	Peak Phase Error (Degree)	2.55	0	20	PASS
Vibration-Y	GSM850	190	836.6	5	Frequency Error (Hz)	6.7	-83.66	83.66	PASS
Vibration-Y	GSM850	190	836.6	5	RMS Phase Error (Degree)	0.89	0	5	PASS
Vibration-Y	GSM850	190	836.6	5	Peak Phase Error (Degree)	2.71	0	20	PASS
Vibration-Y	GSM850	190	836.6	19	Frequency Error (Hz)	-2.18	-83.66	83.66	PASS
Vibration-Y	GSM850	190	836.6	19	RMS Phase Error (Degree)	0.84	0	5	PASS
Vibration-Y	GSM850	190	836.6	19	Peak Phase Error (Degree)	2.66	0	20	PASS
Vibration-Z	GSM850	190	836.6	5	Frequency Error (Hz)	6.8	-83.66	83.66	PASS
Vibration-Z	GSM850	190	836.6	5	RMS Phase Error (Degree)	0.77	0	5	PASS
Vibration-Z	GSM850	190	836.6	5	Peak Phase Error (Degree)	2.8	0	20	PASS
Vibration-Z	GSM850	190	836.6	19	Frequency Error (Hz)	-2.22	-83.66	83.66	PASS
Vibration-Z	GSM850	190	836.6	19	RMS Phase Error (Degree)	0.94	0	5	PASS
Vibration-Z	GSM850	190	836.6	19	Peak Phase Error (Degree)	2.65	0	20	PASS
HVHT	GSM900	38	897.6	5	Frequency Error (Hz)	9.85	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.7	0	5	PASS
HVHT	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.87	0	20	PASS
HVHT	GSM900	38	897.6	19	Frequency Error (Hz)	9.29	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.7	0	5	PASS

HVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.22	0	20	PASS
HVLT	GSM900	38	897.6	5	Frequency Error (Hz)	9.79	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.61	0	5	PASS
HVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.79	0	20	PASS
HVLT	GSM900	38	897.6	19	Frequency Error (Hz)	9.2	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.64	0	5	PASS
HVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.27	0	20	PASS
LVHT	GSM900	38	897.6	5	Frequency Error (Hz)	9.89	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.66	0	5	PASS
LVHT	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.75	0	20	PASS
LVHT	GSM900	38	897.6	19	Frequency Error (Hz)	9.16	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.58	0	5	PASS
LVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.21	0	20	PASS
LVLT	GSM900	38	897.6	5	Frequency Error (Hz)	9.78	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.67	0	5	PASS
LVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.71	0	20	PASS
LVLT	GSM900	38	897.6	19	Frequency Error (Hz)	9.28	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.76	0	5	PASS
LVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.34	0	20	PASS
Vibration-X	GSM900	38	897.6	5	Frequency Error (Hz)	9.91	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.65	0	5	PASS
Vibration-X	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.78	0	20	PASS
Vibration-X	GSM900	38	897.6	19	Frequency Error (Hz)	9.11	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.68	0	5	PASS
Vibration-X	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.3	0	20	PASS
Vibration-Y	GSM900	38	897.6	5	Frequency Error (Hz)	9.74	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	5	RMS Phase Error	0.62	0	5	PASS

					(Degree)				
Vibration-Y	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.7	0	20	PASS
Vibration-Y	GSM900	38	897.6	19	Frequency Error (Hz)	9.15	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.57	0	5	PASS
Vibration-Y	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.35	0	20	PASS
Vibration-Z	GSM900	38	897.6	5	Frequency Error (Hz)	9.91	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.57	0	5	PASS
Vibration-Z	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.69	0	20	PASS
Vibration-Z	GSM900	38	897.6	19	Frequency Error (Hz)	9.25	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.66	0	5	PASS
Vibration-Z	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.27	0	20	PASS

#### Clause 4.2.2 Transmitter-Frequency error under multi path

Condition	Band	Type	Channel	Frequency (MHz)	PCL	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	GSM1800	RA130 @RACH	698	1747.4	0	14.12	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens1	698	1747.4	0	-3.69	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens2	698	1747.4	0	-3.09	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens3	698	1747.4	0	-11.63	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens4	698	1747.4	0	-1.09	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens5	698	1747.4	0	4.27	-574.74	574.74	PASS
HVHT	GSM1800	HT100 @RACH	698	1747.4	0	-7.37	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens1	698	1747.4	0	-12.98	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens2	698	1747.4	0	4.62	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens3	698	1747.4	0	-14.11	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens4	698	1747.4	0	-2.47	-524.74	524.74	PASS

HVHT	GSM1800	HT100 @Sens5	698	1747.4	0	3.25	-524.74	524.74	PASS
HVHT	GSM1800	TU50 @RACH	698	1747.4	0	-4.21	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens1	698	1747.4	0	-17.1	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens2	698	1747.4	0	-8.29	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-23.65	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens4	698	1747.4	0	-2.74	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens5	698	1747.4	0	-7.27	-434.74	434.74	PASS
HVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	-17.74	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @1	698	1747.4	0	-6.75	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @2	698	1747.4	0	-3.62	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @3	698	1747.4	0	-4.47	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @4	698	1747.4	0	1.16	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @5	698	1747.4	0	-15.27	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @6	698	1747.4	0	-4.38	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @7	698	1747.4	0	-6.2	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @8	698	1747.4	0	-7.32	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @9	698	1747.4	0	-1.68	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @10	698	1747.4	0	-12.33	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @11	698	1747.4	0	-3.09	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @12	698	1747.4	0	0.47	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @13	698	1747.4	0	-8.6	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @14	698	1747.4	0	-1.86	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @15	698	1747.4	0	4.89	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @16	698	1747.4	0	-2.9	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @17	698	1747.4	0	-10.27	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @18	698	1747.4	0	-11.02	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @19	698	1747.4	0	-10.53	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @20	698	1747.4	0	-0.07	-494.74	494.74	PASS
HVLT	GSM1800	RA130 @RACH	698	1747.4	0	14.19	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens1	698	1747.4	0	-3.6	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens2	698	1747.4	0	-2.98	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens3	698	1747.4	0	-11.57	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens4	698	1747.4	0	-0.99	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens5	698	1747.4	0	4.16	-574.74	574.74	PASS
HVLT	GSM1800	HT100 @RACH	698	1747.4	0	-7.51	-524.74	524.74	PASS

HVLT	GSM1800	HT100 @Sens1	698	1747.4	0	-12.98	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens2	698	1747.4	0	4.56	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens3	698	1747.4	0	-14.07	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens4	698	1747.4	0	-2.58	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens5	698	1747.4	0	3.32	-524.74	524.74	PASS
HVLT	GSM1800	TU50 @RACH	698	1747.4	0	-4.23	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens1	698	1747.4	0	-17.13	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens2	698	1747.4	0	-8.32	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens3	698	1747.4	0	-23.61	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens4	698	1747.4	0	-2.69	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens5	698	1747.4	0	-7.38	-434.74	434.74	PASS
HVLT	GSM1800	TU1_5 @RACH	698	1747.4	0	-17.64	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @1	698	1747.4	0	-6.77	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @2	698	1747.4	0	-3.56	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @3	698	1747.4	0	-4.63	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @4	698	1747.4	0	1.11	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @5	698	1747.4	0	-15.37	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @6	698	1747.4	0	-4.28	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @7	698	1747.4	0	-6.09	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @8	698	1747.4	0	-7.43	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @9	698	1747.4	0	-1.7	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @10	698	1747.4	0	-12.21	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @11	698	1747.4	0	-3.08	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @12	698	1747.4	0	0.42	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @13	698	1747.4	0	-8.7	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @14	698	1747.4	0	-1.79	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @15	698	1747.4	0	4.89	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @16	698	1747.4	0	-2.87	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @17	698	1747.4	0	-10.19	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @18	698	1747.4	0	-11.03	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @19	698	1747.4	0	-10.42	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @20	698	1747.4	0	-0.08	-494.74	494.74	PASS
LVHT	GSM1800	RA130 @RACH	698	1747.4	0	14.2	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens1	698	1747.4	0	-3.62	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens2	698	1747.4	0	-2.99	-574.74	574.74	PASS

LVHT	GSM1800	RA130 @Sens3	698	1747.4	0	-11.52	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens4	698	1747.4	0	-1.13	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens5	698	1747.4	0	4.16	-574.74	574.74	PASS
LVHT	GSM1800	HT100 @RACH	698	1747.4	0	-7.4	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens1	698	1747.4	0	-12.98	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens2	698	1747.4	0	4.67	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens3	698	1747.4	0	-14.08	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens4	698	1747.4	0	-2.58	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens5	698	1747.4	0	3.17	-524.74	524.74	PASS
LVHT	GSM1800	TU50 @RACH	698	1747.4	0	-4.19	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens1	698	1747.4	0	-17.17	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens2	698	1747.4	0	-8.24	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-23.63	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens4	698	1747.4	0	-2.68	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens5	698	1747.4	0	-7.37	-434.74	434.74	PASS
LVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	-17.74	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @1	698	1747.4	0	-6.8	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @2	698	1747.4	0	-3.46	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @3	698	1747.4	0	-4.66	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @4	698	1747.4	0	1	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @5	698	1747.4	0	-15.29	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @6	698	1747.4	0	-4.4	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @7	698	1747.4	0	-6.09	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @8	698	1747.4	0	-7.46	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @9	698	1747.4	0	-1.75	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @10	698	1747.4	0	-12.31	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @11	698	1747.4	0	-3.07	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @12	698	1747.4	0	0.5	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @13	698	1747.4	0	-8.6	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @14	698	1747.4	0	-1.73	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @15	698	1747.4	0	5.02	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @16	698	1747.4	0	-2.93	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @17	698	1747.4	0	-10.25	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @18	698	1747.4	0	-10.95	-494.74	494.74	PASS

LVHT	GSM1800	TU1_5 @19	698	1747.4	0	-10.48	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @20	698	1747.4	0	-0.06	-494.74	494.74	PASS
LVLT	GSM1800	RA130 @RACH	698	1747.4	0	14.21	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens1	698	1747.4	0	-3.54	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens2	698	1747.4	0	-3.03	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens3	698	1747.4	0	-11.56	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens4	698	1747.4	0	-1.1	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens5	698	1747.4	0	4.1	-574.74	574.74	PASS
LVLT	GSM1800	HT100 @RACH	698	1747.4	0	-7.44	-524.74	524.74	PASS
LVLT	GSM1800	HT100 @Sens1	698	1747.4	0	-13.01	-524.74	524.74	PASS
LVLT	GSM1800	HT100 @Sens2	698	1747.4	0	4.65	-524.74	524.74	PASS
LVLT	GSM1800	HT100 @Sens3	698	1747.4	0	-14.04	-524.74	524.74	PASS
LVLT	GSM1800	HT100 @Sens4	698	1747.4	0	-2.52	-524.74	524.74	PASS
LVLT	GSM1800	HT100 @Sens5	698	1747.4	0	3.24	-524.74	524.74	PASS
LVLT	GSM1800	TU50 @RACH	698	1747.4	0	-4.22	-434.74	434.74	PASS
LVLT	GSM1800	TU50 @Sens1	698	1747.4	0	-17.08	-434.74	434.74	PASS
LVLT	GSM1800	TU50 @Sens2	698	1747.4	0	-8.38	-434.74	434.74	PASS
LVLT	GSM1800	TU50 @Sens3	698	1747.4	0	-23.66	-434.74	434.74	PASS
LVLT	GSM1800	TU50 @Sens4	698	1747.4	0	-2.67	-434.74	434.74	PASS
LVLT	GSM1800	TU50 @Sens5	698	1747.4	0	-7.29	-434.74	434.74	PASS
LVLT	GSM1800	TU1_5 @RACH	698	1747.4	0	-17.78	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @1	698	1747.4	0	-6.69	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @2	698	1747.4	0	-3.59	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @3	698	1747.4	0	-4.47	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @4	698	1747.4	0	1.08	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @5	698	1747.4	0	-15.42	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @6	698	1747.4	0	-4.41	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @7	698	1747.4	0	-6.17	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @8	698	1747.4	0	-7.49	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @9	698	1747.4	0	-1.67	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @10	698	1747.4	0	-12.23	-494.74	494.74	PASS

LVLT	GSM1800	TU1_5 @11	698	1747.4	0	-3.16	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @12	698	1747.4	0	0.53	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @13	698	1747.4	0	-8.7	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @14	698	1747.4	0	-1.8	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @15	698	1747.4	0	4.88	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @16	698	1747.4	0	-2.85	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @17	698	1747.4	0	-10.27	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @18	698	1747.4	0	-10.87	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @19	698	1747.4	0	-10.34	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @20	698	1747.4	0	0.09	-494.74	494.74	PASS
HVHT	GSM1900	RA130 @RACH	661	1880	0	-12.09	-608	608	PASS
HVHT	GSM1900	RA130 @Sens1	661	1880	0	0.08	-608	608	PASS
HVHT	GSM1900	RA130 @Sens2	661	1880	0	15.59	-608	608	PASS
HVHT	GSM1900	RA130 @Sens3	661	1880	0	-13.81	-608	608	PASS
HVHT	GSM1900	RA130 @Sens4	661	1880	0	-19.59	-608	608	PASS
HVHT	GSM1900	RA130 @Sens5	661	1880	0	5.18	-608	608	PASS
HVHT	GSM1900	HT100 @RACH	661	1880	0	2.33	-558	558	PASS
HVHT	GSM1900	HT100 @Sens1	661	1880	0	18.2	-558	558	PASS
HVHT	GSM1900	HT100 @Sens2	661	1880	0	-7.99	-558	558	PASS
HVHT	GSM1900	HT100 @Sens3	661	1880	0	8.47	-558	558	PASS
HVHT	GSM1900	HT100 @Sens4	661	1880	0	9.53	-558	558	PASS
HVHT	GSM1900	HT100 @Sens5	661	1880	0	-5.8	-558	558	PASS
HVHT	GSM1900	TU50 @RACH	661	1880	0	-9.92	-468	468	PASS
HVHT	GSM1900	TU50 @Sens1	661	1880	0	13.52	-468	468	PASS
HVHT	GSM1900	TU50 @Sens2	661	1880	0	2.87	-468	468	PASS
HVHT	GSM1900	TU50 @Sens3	661	1880	0	-8.01	-468	468	PASS
HVHT	GSM1900	TU50 @Sens4	661	1880	0	0.76	-468	468	PASS
HVHT	GSM1900	TU50 @Sens5	661	1880	0	10.16	-468	468	PASS
HVHT	GSM1900	TU1_5 @RACH	661	1880	0	10.72	-518	518	PASS
HVHT	GSM1900	TU1_5 @1	661	1880	0	1.22	-518	518	PASS
HVHT	GSM1900	TU1_5 @2	661	1880	0	3.72	-518	518	PASS

HVHT	GSM1900	TU1_5 @3	661	1880	0	5.29	-518	518	PASS
HVHT	GSM1900	TU1_5 @4	661	1880	0	-9.75	-518	518	PASS
HVHT	GSM1900	TU1_5 @5	661	1880	0	13.31	-518	518	PASS
HVHT	GSM1900	TU1_5 @6	661	1880	0	-8.4	-518	518	PASS
HVHT	GSM1900	TU1_5 @7	661	1880	0	10.57	-518	518	PASS
HVHT	GSM1900	TU1_5 @8	661	1880	0	6.05	-518	518	PASS
HVHT	GSM1900	TU1_5 @9	661	1880	0	-13.52	-518	518	PASS
HVHT	GSM1900	TU1_5 @10	661	1880	0	4.7	-518	518	PASS
HVHT	GSM1900	TU1_5 @11	661	1880	0	-1.67	-518	518	PASS
HVHT	GSM1900	TU1_5 @12	661	1880	0	-9.57	-518	518	PASS
HVHT	GSM1900	TU1_5 @13	661	1880	0	-4.18	-518	518	PASS
HVHT	GSM1900	TU1_5 @14	661	1880	0	-0.4	-518	518	PASS
HVHT	GSM1900	TU1_5 @15	661	1880	0	-8.62	-518	518	PASS
HVHT	GSM1900	TU1_5 @16	661	1880	0	2.89	-518	518	PASS
HVHT	GSM1900	TU1_5 @17	661	1880	0	-1.19	-518	518	PASS
HVHT	GSM1900	TU1_5 @18	661	1880	0	-4.41	-518	518	PASS
HVHT	GSM1900	TU1_5 @19	661	1880	0	-2.05	-518	518	PASS
HVHT	GSM1900	TU1_5 @20	661	1880	0	-6.51	-518	518	PASS
HVLT	GSM1900	RA130 @RACH	661	1880	0	-12.06	-608	608	PASS
HVLT	GSM1900	RA130 @Sens1	661	1880	0	0.23	-608	608	PASS
HVLT	GSM1900	RA130 @Sens2	661	1880	0	15.63	-608	608	PASS
HVLT	GSM1900	RA130 @Sens3	661	1880	0	-13.85	-608	608	PASS
HVLT	GSM1900	RA130 @Sens4	661	1880	0	-19.68	-608	608	PASS
HVLT	GSM1900	RA130 @Sens5	661	1880	0	5.24	-608	608	PASS
HVLT	GSM1900	HT100 @RACH	661	1880	0	2.47	-558	558	PASS
HVLT	GSM1900	HT100 @Sens1	661	1880	0	18.33	-558	558	PASS
HVLT	GSM1900	HT100 @Sens2	661	1880	0	-8.03	-558	558	PASS
HVLT	GSM1900	HT100 @Sens3	661	1880	0	8.47	-558	558	PASS
HVLT	GSM1900	HT100 @Sens4	661	1880	0	9.49	-558	558	PASS
HVLT	GSM1900	HT100 @Sens5	661	1880	0	-5.74	-558	558	PASS
HVLT	GSM1900	TU50 @RACH	661	1880	0	-9.93	-468	468	PASS
HVLT	GSM1900	TU50 @Sens1	661	1880	0	13.46	-468	468	PASS

HVLT	GSM1900	TU50 @Sens2	661	1880	0	2.82	-468	468	PASS
HVLT	GSM1900	TU50 @Sens3	661	1880	0	-8.04	-468	468	PASS
HVLT	GSM1900	TU50 @Sens4	661	1880	0	0.77	-468	468	PASS
HVLT	GSM1900	TU50 @Sens5	661	1880	0	10.21	-468	468	PASS
HVLT	GSM1900	TU1_5 @RACH	661	1880	0	10.6	-518	518	PASS
HVLT	GSM1900	TU1_5 @1	661	1880	0	1.39	-518	518	PASS
HVLT	GSM1900	TU1_5 @2	661	1880	0	3.66	-518	518	PASS
HVLT	GSM1900	TU1_5 @3	661	1880	0	5.22	-518	518	PASS
HVLT	GSM1900	TU1_5 @4	661	1880	0	-9.75	-518	518	PASS
HVLT	GSM1900	TU1_5 @5	661	1880	0	13.23	-518	518	PASS
HVLT	GSM1900	TU1_5 @6	661	1880	0	-8.41	-518	518	PASS
HVLT	GSM1900	TU1_5 @7	661	1880	0	10.56	-518	518	PASS
HVLT	GSM1900	TU1_5 @8	661	1880	0	5.89	-518	518	PASS
HVLT	GSM1900	TU1_5 @9	661	1880	0	-13.53	-518	518	PASS
HVLT	GSM1900	TU1_5 @10	661	1880	0	4.69	-518	518	PASS
HVLT	GSM1900	TU1_5 @11	661	1880	0	-1.74	-518	518	PASS
HVLT	GSM1900	TU1_5 @12	661	1880	0	-9.55	-518	518	PASS
HVLT	GSM1900	TU1_5 @13	661	1880	0	-4.16	-518	518	PASS
HVLT	GSM1900	TU1_5 @14	661	1880	0	-0.44	-518	518	PASS
HVLT	GSM1900	TU1_5 @15	661	1880	0	-8.57	-518	518	PASS
HVLT	GSM1900	TU1_5 @16	661	1880	0	2.75	-518	518	PASS
HVLT	GSM1900	TU1_5 @17	661	1880	0	-1.2	-518	518	PASS
HVLT	GSM1900	TU1_5 @18	661	1880	0	-4.29	-518	518	PASS
HVLT	GSM1900	TU1_5 @19	661	1880	0	-2.14	-518	518	PASS
HVLT	GSM1900	TU1_5 @20	661	1880	0	-6.49	-518	518	PASS
LVHT	GSM1900	RA130 @RACH	661	1880	0	-11.98	-608	608	PASS
LVHT	GSM1900	RA130 @Sens1	661	1880	0	0.21	-608	608	PASS
LVHT	GSM1900	RA130 @Sens2	661	1880	0	15.64	-608	608	PASS
LVHT	GSM1900	RA130 @Sens3	661	1880	0	-13.78	-608	608	PASS
LVHT	GSM1900	RA130 @Sens4	661	1880	0	-19.7	-608	608	PASS
LVHT	GSM1900	RA130 @Sens5	661	1880	0	5.25	-608	608	PASS
LVHT	GSM1900	HT100 @RACH	661	1880	0	2.35	-558	558	PASS
LVHT	GSM1900	HT100 @Sens1	661	1880	0	18.27	-558	558	PASS
LVHT	GSM1900	HT100 @Sens2	661	1880	0	-8.06	-558	558	PASS

LVHT	GSM1900	HT100 @Sens3	661	1880	0	8.44	-558	558	PASS
LVHT	GSM1900	HT100 @Sens4	661	1880	0	9.49	-558	558	PASS
LVHT	GSM1900	HT100 @Sens5	661	1880	0	-5.87	-558	558	PASS
LVHT	GSM1900	TU50 @RACH	661	1880	0	-9.95	-468	468	PASS
LVHT	GSM1900	TU50 @Sens1	661	1880	0	13.51	-468	468	PASS
LVHT	GSM1900	TU50 @Sens2	661	1880	0	2.86	-468	468	PASS
LVHT	GSM1900	TU50 @Sens3	661	1880	0	-7.94	-468	468	PASS
LVHT	GSM1900	TU50 @Sens4	661	1880	0	0.8	-468	468	PASS
LVHT	GSM1900	TU50 @Sens5	661	1880	0	10.35	-468	468	PASS
LVHT	GSM1900	TU1_5 @RACH	661	1880	0	10.69	-518	518	PASS
LVHT	GSM1900	TU1_5 @1	661	1880	0	1.32	-518	518	PASS
LVHT	GSM1900	TU1_5 @2	661	1880	0	3.83	-518	518	PASS
LVHT	GSM1900	TU1_5 @3	661	1880	0	5.3	-518	518	PASS
LVHT	GSM1900	TU1_5 @4	661	1880	0	-9.83	-518	518	PASS
LVHT	GSM1900	TU1_5 @5	661	1880	0	13.15	-518	518	PASS
LVHT	GSM1900	TU1_5 @6	661	1880	0	-8.5	-518	518	PASS
LVHT	GSM1900	TU1_5 @7	661	1880	0	10.39	-518	518	PASS
LVHT	GSM1900	TU1_5 @8	661	1880	0	5.96	-518	518	PASS
LVHT	GSM1900	TU1_5 @9	661	1880	0	-13.44	-518	518	PASS
LVHT	GSM1900	TU1_5 @10	661	1880	0	4.71	-518	518	PASS
LVHT	GSM1900	TU1_5 @11	661	1880	0	-1.77	-518	518	PASS
LVHT	GSM1900	TU1_5 @12	661	1880	0	-9.57	-518	518	PASS
LVHT	GSM1900	TU1_5 @13	661	1880	0	-4.19	-518	518	PASS
LVHT	GSM1900	TU1_5 @14	661	1880	0	-0.56	-518	518	PASS
LVHT	GSM1900	TU1_5 @15	661	1880	0	-8.59	-518	518	PASS
LVHT	GSM1900	TU1_5 @16	661	1880	0	2.88	-518	518	PASS
LVHT	GSM1900	TU1_5 @17	661	1880	0	-1.18	-518	518	PASS
LVHT	GSM1900	TU1_5 @18	661	1880	0	-4.41	-518	518	PASS
LVHT	GSM1900	TU1_5 @19	661	1880	0	-2.06	-518	518	PASS
LVHT	GSM1900	TU1_5 @20	661	1880	0	-6.41	-518	518	PASS
LVLT	GSM1900	RA130 @RACH	661	1880	0	-12	-608	608	PASS
LVLT	GSM1900	RA130 @Sens1	661	1880	0	0.21	-608	608	PASS
LVLT	GSM1900	RA130 @Sens2	661	1880	0	15.76	-608	608	PASS
LVLT	GSM1900	RA130 @Sens3	661	1880	0	-13.81	-608	608	PASS
LVLT	GSM1900	RA130 @Sens4	661	1880	0	-19.56	-608	608	PASS

LVLT	GSM1900	RA130 @Sens5	661	1880	0	5.25	-608	608	PASS
LVLT	GSM1900	HT100 @RACH	661	1880	0	2.37	-558	558	PASS
LVLT	GSM1900	HT100 @Sens1	661	1880	0	18.26	-558	558	PASS
LVLT	GSM1900	HT100 @Sens2	661	1880	0	-8.14	-558	558	PASS
LVLT	GSM1900	HT100 @Sens3	661	1880	0	8.37	-558	558	PASS
LVLT	GSM1900	HT100 @Sens4	661	1880	0	9.38	-558	558	PASS
LVLT	GSM1900	HT100 @Sens5	661	1880	0	-5.74	-558	558	PASS
LVLT	GSM1900	TU50 @RACH	661	1880	0	-9.86	-468	468	PASS
LVLT	GSM1900	TU50 @Sens1	661	1880	0	13.38	-468	468	PASS
LVLT	GSM1900	TU50 @Sens2	661	1880	0	2.78	-468	468	PASS
LVLT	GSM1900	TU50 @Sens3	661	1880	0	-7.95	-468	468	PASS
LVLT	GSM1900	TU50 @Sens4	661	1880	0	0.77	-468	468	PASS
LVLT	GSM1900	TU50 @Sens5	661	1880	0	10.27	-468	468	PASS
LVLT	GSM1900	TU1_5 @RACH	661	1880	0	10.7	-518	518	PASS
LVLT	GSM1900	TU1_5 @1	661	1880	0	1.32	-518	518	PASS
LVLT	GSM1900	TU1_5 @2	661	1880	0	3.71	-518	518	PASS
LVLT	GSM1900	TU1_5 @3	661	1880	0	5.24	-518	518	PASS
LVLT	GSM1900	TU1_5 @4	661	1880	0	-9.76	-518	518	PASS
LVLT	GSM1900	TU1_5 @5	661	1880	0	13.18	-518	518	PASS
LVLT	GSM1900	TU1_5 @6	661	1880	0	-8.47	-518	518	PASS
LVLT	GSM1900	TU1_5 @7	661	1880	0	10.57	-518	518	PASS
LVLT	GSM1900	TU1_5 @8	661	1880	0	5.89	-518	518	PASS
LVLT	GSM1900	TU1_5 @9	661	1880	0	-13.35	-518	518	PASS
LVLT	GSM1900	TU1_5 @10	661	1880	0	4.77	-518	518	PASS
LVLT	GSM1900	TU1_5 @11	661	1880	0	-1.76	-518	518	PASS
LVLT	GSM1900	TU1_5 @12	661	1880	0	-9.67	-518	518	PASS
LVLT	GSM1900	TU1_5 @13	661	1880	0	-4.17	-518	518	PASS
LVLT	GSM1900	TU1_5 @14	661	1880	0	-0.52	-518	518	PASS
LVLT	GSM1900	TU1_5 @15	661	1880	0	-8.52	-518	518	PASS
LVLT	GSM1900	TU1_5 @16	661	1880	0	2.78	-518	518	PASS
LVLT	GSM1900	TU1_5 @17	661	1880	0	-1.25	-518	518	PASS
LVLT	GSM1900	TU1_5 @18	661	1880	0	-4.39	-518	518	PASS
LVLT	GSM1900	TU1_5 @19	661	1880	0	-1.98	-518	518	PASS
LVLT	GSM1900	TU1_5 @20	661	1880	0	-6.47	-518	518	PASS
HVHT	GSM850	RA250 @RACH	190	836.6	5	4.74	-383.66	383.66	PASS

HVHT	GSM850	RA250 @Sens1	190	836.6	5	-8	-383.66	383.66	PASS
HVHT	GSM850	RA250 @Sens2	190	836.6	5	4.89	-383.66	383.66	PASS
HVHT	GSM850	RA250 @Sens3	190	836.6	5	-4.62	-383.66	383.66	PASS
HVHT	GSM850	RA250 @Sens4	190	836.6	5	-3.63	-383.66	383.66	PASS
HVHT	GSM850	RA250 @Sens5	190	836.6	5	-5.45	-383.66	383.66	PASS
HVHT	GSM850	HT100 @RACH	190	836.6	5	-2.15	-263.66	263.66	PASS
HVHT	GSM850	HT100 @Sens1	190	836.6	5	3.79	-263.66	263.66	PASS
HVHT	GSM850	HT100 @Sens2	190	836.6	5	1.37	-263.66	263.66	PASS
HVHT	GSM850	HT100 @Sens3	190	836.6	5	-6.49	-263.66	263.66	PASS
HVHT	GSM850	HT100 @Sens4	190	836.6	5	-15.38	-263.66	263.66	PASS
HVHT	GSM850	HT100 @Sens5	190	836.6	5	-4.72	-263.66	263.66	PASS
HVHT	GSM850	TU50 @RACH	190	836.6	5	-1.25	-243.66	243.66	PASS
HVHT	GSM850	TU50 @Sens1	190	836.6	5	-5.88	-243.66	243.66	PASS
HVHT	GSM850	TU50 @Sens2	190	836.6	5	-11.91	-243.66	243.66	PASS
HVHT	GSM850	TU50 @Sens3	190	836.6	5	-0.5	-243.66	243.66	PASS
HVHT	GSM850	TU50 @Sens4	190	836.6	5	-11.22	-243.66	243.66	PASS
HVHT	GSM850	TU50 @Sens5	190	836.6	5	-4.46	-243.66	243.66	PASS
HVHT	GSM850	TU3 @RACH	190	836.6	5	-0.7	-313.66	313.66	PASS
HVHT	GSM850	TU3 @1	190	836.6	5	-1.85	-313.66	313.66	PASS
HVHT	GSM850	TU3 @2	190	836.6	5	-7.73	-313.66	313.66	PASS
HVHT	GSM850	TU3 @3	190	836.6	5	-15.26	-313.66	313.66	PASS
HVHT	GSM850	TU3 @4	190	836.6	5	-6.24	-313.66	313.66	PASS
HVHT	GSM850	TU3 @5	190	836.6	5	-11.94	-313.66	313.66	PASS
HVHT	GSM850	TU3 @6	190	836.6	5	-5.49	-313.66	313.66	PASS
HVHT	GSM850	TU3 @7	190	836.6	5	-16.95	-313.66	313.66	PASS
HVHT	GSM850	TU3 @8	190	836.6	5	-8.78	-313.66	313.66	PASS
HVHT	GSM850	TU3 @9	190	836.6	5	-8.5	-313.66	313.66	PASS
HVHT	GSM850	TU3 @10	190	836.6	5	-14.29	-313.66	313.66	PASS
HVHT	GSM850	TU3 @11	190	836.6	5	-3.81	-313.66	313.66	PASS
HVHT	GSM850	TU3 @12	190	836.6	5	0.7	-313.66	313.66	PASS
HVHT	GSM850	TU3 @13	190	836.6	5	1.85	-313.66	313.66	PASS
HVHT	GSM850	TU3 @14	190	836.6	5	0.16	-313.66	313.66	PASS
HVHT	GSM850	TU3 @15	190	836.6	5	-2.78	-313.66	313.66	PASS

HVHT	GSM850	TU3 @16	190	836.6	5	-13.01	-313.66	313.66	PASS
HVHT	GSM850	TU3 @17	190	836.6	5	-3.4	-313.66	313.66	PASS
HVHT	GSM850	TU3 @18	190	836.6	5	-0.68	-313.66	313.66	PASS
HVHT	GSM850	TU3 @19	190	836.6	5	4.53	-313.66	313.66	PASS
HVHT	GSM850	TU3 @20	190	836.6	5	-4.54	-313.66	313.66	PASS
HVLT	GSM850	RA250 @RACH	190	836.6	5	4.56	-383.66	383.66	PASS
HVLT	GSM850	RA250 @Sens1	190	836.6	5	-7.93	-383.66	383.66	PASS
HVLT	GSM850	RA250 @Sens2	190	836.6	5	4.81	-383.66	383.66	PASS
HVLT	GSM850	RA250 @Sens3	190	836.6	5	-4.59	-383.66	383.66	PASS
HVLT	GSM850	RA250 @Sens4	190	836.6	5	-3.53	-383.66	383.66	PASS
HVLT	GSM850	RA250 @Sens5	190	836.6	5	-5.38	-383.66	383.66	PASS
HVLT	GSM850	HT100 @RACH	190	836.6	5	-2.14	-263.66	263.66	PASS
HVLT	GSM850	HT100 @Sens1	190	836.6	5	3.72	-263.66	263.66	PASS
HVLT	GSM850	HT100 @Sens2	190	836.6	5	1.37	-263.66	263.66	PASS
HVLT	GSM850	HT100 @Sens3	190	836.6	5	-6.53	-263.66	263.66	PASS
HVLT	GSM850	HT100 @Sens4	190	836.6	5	-15.55	-263.66	263.66	PASS
HVLT	GSM850	HT100 @Sens5	190	836.6	5	-4.65	-263.66	263.66	PASS
HVLT	GSM850	TU50 @RACH	190	836.6	5	-1.29	-243.66	243.66	PASS
HVLT	GSM850	TU50 @Sens1	190	836.6	5	-5.89	-243.66	243.66	PASS
HVLT	GSM850	TU50 @Sens2	190	836.6	5	-11.79	-243.66	243.66	PASS
HVLT	GSM850	TU50 @Sens3	190	836.6	5	-0.54	-243.66	243.66	PASS
HVLT	GSM850	TU50 @Sens4	190	836.6	5	-11.25	-243.66	243.66	PASS
HVLT	GSM850	TU50 @Sens5	190	836.6	5	-4.38	-243.66	243.66	PASS
HVLT	GSM850	TU3 @RACH	190	836.6	5	-0.69	-313.66	313.66	PASS
HVLT	GSM850	TU3 @1	190	836.6	5	-1.77	-313.66	313.66	PASS
HVLT	GSM850	TU3 @2	190	836.6	5	-7.85	-313.66	313.66	PASS
HVLT	GSM850	TU3 @3	190	836.6	5	-15.26	-313.66	313.66	PASS
HVLT	GSM850	TU3 @4	190	836.6	5	-6.3	-313.66	313.66	PASS
HVLT	GSM850	TU3 @5	190	836.6	5	-11.96	-313.66	313.66	PASS
HVLT	GSM850	TU3 @6	190	836.6	5	-5.54	-313.66	313.66	PASS
HVLT	GSM850	TU3 @7	190	836.6	5	-17.02	-313.66	313.66	PASS
HVLT	GSM850	TU3 @8	190	836.6	5	-8.76	-313.66	313.66	PASS

HVLT	GSM850	TU3 @9	190	836.6	5	-8.38	-313.66	313.66	PASS
HVLT	GSM850	TU3 @10	190	836.6	5	-14.34	-313.66	313.66	PASS
HVLT	GSM850	TU3 @11	190	836.6	5	-3.67	-313.66	313.66	PASS
HVLT	GSM850	TU3 @12	190	836.6	5	0.79	-313.66	313.66	PASS
HVLT	GSM850	TU3 @13	190	836.6	5	1.78	-313.66	313.66	PASS
HVLT	GSM850	TU3 @14	190	836.6	5	0.25	-313.66	313.66	PASS
HVLT	GSM850	TU3 @15	190	836.6	5	-2.8	-313.66	313.66	PASS
HVLT	GSM850	TU3 @16	190	836.6	5	-13.14	-313.66	313.66	PASS
HVLT	GSM850	TU3 @17	190	836.6	5	-3.5	-313.66	313.66	PASS
HVLT	GSM850	TU3 @18	190	836.6	5	-0.68	-313.66	313.66	PASS
HVLT	GSM850	TU3 @19	190	836.6	5	4.49	-313.66	313.66	PASS
HVLT	GSM850	TU3 @20	190	836.6	5	-4.71	-313.66	313.66	PASS
LVHT	GSM850	RA250 @RACH	190	836.6	5	4.7	-383.66	383.66	PASS
LVHT	GSM850	RA250 @Sens1	190	836.6	5	-7.91	-383.66	383.66	PASS
LVHT	GSM850	RA250 @Sens2	190	836.6	5	4.88	-383.66	383.66	PASS
LVHT	GSM850	RA250 @Sens3	190	836.6	5	-4.76	-383.66	383.66	PASS
LVHT	GSM850	RA250 @Sens4	190	836.6	5	-3.68	-383.66	383.66	PASS
LVHT	GSM850	RA250 @Sens5	190	836.6	5	-5.39	-383.66	383.66	PASS
LVHT	GSM850	HT100 @RACH	190	836.6	5	-2.1	-263.66	263.66	PASS
LVHT	GSM850	HT100 @Sens1	190	836.6	5	3.7	-263.66	263.66	PASS
LVHT	GSM850	HT100 @Sens2	190	836.6	5	1.38	-263.66	263.66	PASS
LVHT	GSM850	HT100 @Sens3	190	836.6	5	-6.6	-263.66	263.66	PASS
LVHT	GSM850	HT100 @Sens4	190	836.6	5	-15.41	-263.66	263.66	PASS
LVHT	GSM850	HT100 @Sens5	190	836.6	5	-4.78	-263.66	263.66	PASS
LVHT	GSM850	TU50 @RACH	190	836.6	5	-1.17	-243.66	243.66	PASS
LVHT	GSM850	TU50 @Sens1	190	836.6	5	-5.98	-243.66	243.66	PASS
LVHT	GSM850	TU50 @Sens2	190	836.6	5	-11.77	-243.66	243.66	PASS
LVHT	GSM850	TU50 @Sens3	190	836.6	5	-0.38	-243.66	243.66	PASS
LVHT	GSM850	TU50 @Sens4	190	836.6	5	-11.24	-243.66	243.66	PASS
LVHT	GSM850	TU50 @Sens5	190	836.6	5	-4.35	-243.66	243.66	PASS
LVHT	GSM850	TU3 @RACH	190	836.6	5	-0.8	-313.66	313.66	PASS
LVHT	GSM850	TU3 @1	190	836.6	5	-1.79	-313.66	313.66	PASS

LVHT	GSM850	TU3 @2	190	836.6	5	-7.73	-313.66	313.66	PASS
LVHT	GSM850	TU3 @3	190	836.6	5	-15.28	-313.66	313.66	PASS
LVHT	GSM850	TU3 @4	190	836.6	5	-6.36	-313.66	313.66	PASS
LVHT	GSM850	TU3 @5	190	836.6	5	-11.91	-313.66	313.66	PASS
LVHT	GSM850	TU3 @6	190	836.6	5	-5.59	-313.66	313.66	PASS
LVHT	GSM850	TU3 @7	190	836.6	5	-17.06	-313.66	313.66	PASS
LVHT	GSM850	TU3 @8	190	836.6	5	-8.77	-313.66	313.66	PASS
LVHT	GSM850	TU3 @9	190	836.6	5	-8.48	-313.66	313.66	PASS
LVHT	GSM850	TU3 @10	190	836.6	5	-14.33	-313.66	313.66	PASS
LVHT	GSM850	TU3 @11	190	836.6	5	-3.82	-313.66	313.66	PASS
LVHT	GSM850	TU3 @12	190	836.6	5	0.8	-313.66	313.66	PASS
LVHT	GSM850	TU3 @13	190	836.6	5	1.71	-313.66	313.66	PASS
LVHT	GSM850	TU3 @14	190	836.6	5	0.2	-313.66	313.66	PASS
LVHT	GSM850	TU3 @15	190	836.6	5	-2.83	-313.66	313.66	PASS
LVHT	GSM850	TU3 @16	190	836.6	5	-13.16	-313.66	313.66	PASS
LVHT	GSM850	TU3 @17	190	836.6	5	-3.36	-313.66	313.66	PASS
LVHT	GSM850	TU3 @18	190	836.6	5	-0.65	-313.66	313.66	PASS
LVHT	GSM850	TU3 @19	190	836.6	5	4.61	-313.66	313.66	PASS
LVHT	GSM850	TU3 @20	190	836.6	5	-4.66	-313.66	313.66	PASS
LVLТ	GSM850	RA250 @RACH	190	836.6	5	4.67	-383.66	383.66	PASS
LVLТ	GSM850	RA250 @Sens1	190	836.6	5	-7.99	-383.66	383.66	PASS
LVLТ	GSM850	RA250 @Sens2	190	836.6	5	4.78	-383.66	383.66	PASS
LVLТ	GSM850	RA250 @Sens3	190	836.6	5	-4.67	-383.66	383.66	PASS
LVLТ	GSM850	RA250 @Sens4	190	836.6	5	-3.65	-383.66	383.66	PASS
LVLТ	GSM850	RA250 @Sens5	190	836.6	5	-5.38	-383.66	383.66	PASS
LVLТ	GSM850	HT100 @RACH	190	836.6	5	-2.13	-263.66	263.66	PASS
LVLТ	GSM850	HT100 @Sens1	190	836.6	5	3.76	-263.66	263.66	PASS
LVLТ	GSM850	HT100 @Sens2	190	836.6	5	1.4	-263.66	263.66	PASS
LVLТ	GSM850	HT100 @Sens3	190	836.6	5	-6.57	-263.66	263.66	PASS
LVLТ	GSM850	HT100 @Sens4	190	836.6	5	-15.49	-263.66	263.66	PASS
LVLТ	GSM850	HT100 @Sens5	190	836.6	5	-4.71	-263.66	263.66	PASS
LVLТ	GSM850	TU50 @RACH	190	836.6	5	-1.18	-243.66	243.66	PASS

LVL	GSM850	TU50 @Sens1	190	836.6	5	-5.84	-243.66	243.66	PASS
LVL	GSM850	TU50 @Sens2	190	836.6	5	-11.78	-243.66	243.66	PASS
LVL	GSM850	TU50 @Sens3	190	836.6	5	-0.37	-243.66	243.66	PASS
LVL	GSM850	TU50 @Sens4	190	836.6	5	-11.19	-243.66	243.66	PASS
LVL	GSM850	TU50 @Sens5	190	836.6	5	-4.29	-243.66	243.66	PASS
LVL	GSM850	TU3 @RACH	190	836.6	5	-0.67	-313.66	313.66	PASS
LVL	GSM850	TU3 @1	190	836.6	5	-1.84	-313.66	313.66	PASS
LVL	GSM850	TU3 @2	190	836.6	5	-7.84	-313.66	313.66	PASS
LVL	GSM850	TU3 @3	190	836.6	5	-15.13	-313.66	313.66	PASS
LVL	GSM850	TU3 @4	190	836.6	5	-6.27	-313.66	313.66	PASS
LVL	GSM850	TU3 @5	190	836.6	5	-11.9	-313.66	313.66	PASS
LVL	GSM850	TU3 @6	190	836.6	5	-5.47	-313.66	313.66	PASS
LVL	GSM850	TU3 @7	190	836.6	5	-16.95	-313.66	313.66	PASS
LVL	GSM850	TU3 @8	190	836.6	5	-8.73	-313.66	313.66	PASS
LVL	GSM850	TU3 @9	190	836.6	5	-8.45	-313.66	313.66	PASS
LVL	GSM850	TU3 @10	190	836.6	5	-14.33	-313.66	313.66	PASS
LVL	GSM850	TU3 @11	190	836.6	5	-3.75	-313.66	313.66	PASS
LVL	GSM850	TU3 @12	190	836.6	5	0.66	-313.66	313.66	PASS
LVL	GSM850	TU3 @13	190	836.6	5	1.83	-313.66	313.66	PASS
LVL	GSM850	TU3 @14	190	836.6	5	0.17	-313.66	313.66	PASS
LVL	GSM850	TU3 @15	190	836.6	5	-2.85	-313.66	313.66	PASS
LVL	GSM850	TU3 @16	190	836.6	5	-13.08	-313.66	313.66	PASS
LVL	GSM850	TU3 @17	190	836.6	5	-3.38	-313.66	313.66	PASS
LVL	GSM850	TU3 @18	190	836.6	5	-0.58	-313.66	313.66	PASS
LVL	GSM850	TU3 @19	190	836.6	5	4.51	-313.66	313.66	PASS
LVL	GSM850	TU3 @20	190	836.6	5	-4.57	-313.66	313.66	PASS
HVHT	GSM900	RA250 @RACH	38	897.6	5	10	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens1	38	897.6	5	4.44	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens2	38	897.6	5	-4.69	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens3	38	897.6	5	3.45	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens4	38	897.6	5	-29.25	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens5	38	897.6	5	6.06	-389.76	389.76	PASS
HVHT	GSM900	HT100 @RACH	38	897.6	5	4.22	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens1	38	897.6	5	-0.8	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens2	38	897.6	5	5.96	-269.76	269.76	PASS

HVHT	GSM900	HT100 @Sens3	38	897.6	5	1.85	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens4	38	897.6	5	7.72	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens5	38	897.6	5	6.21	-269.76	269.76	PASS
HVHT	GSM900	TU50 @RACH	38	897.6	5	0.37	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens1	38	897.6	5	14.62	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens2	38	897.6	5	-10.36	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens3	38	897.6	5	9.61	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens4	38	897.6	5	0.4	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens5	38	897.6	5	9.29	-249.76	249.76	PASS
HVHT	GSM900	TU3 @RACH	38	897.6	5	4.29	-319.76	319.76	PASS
HVHT	GSM900	TU3 @1	38	897.6	5	7.5	-319.76	319.76	PASS
HVHT	GSM900	TU3 @2	38	897.6	5	-2.37	-319.76	319.76	PASS
HVHT	GSM900	TU3 @3	38	897.6	5	-3.58	-319.76	319.76	PASS
HVHT	GSM900	TU3 @4	38	897.6	5	5.66	-319.76	319.76	PASS
HVHT	GSM900	TU3 @5	38	897.6	5	14.35	-319.76	319.76	PASS
HVHT	GSM900	TU3 @6	38	897.6	5	2.48	-319.76	319.76	PASS
HVHT	GSM900	TU3 @7	38	897.6	5	-1.13	-319.76	319.76	PASS
HVHT	GSM900	TU3 @8	38	897.6	5	2.94	-319.76	319.76	PASS
HVHT	GSM900	TU3 @9	38	897.6	5	-1.02	-319.76	319.76	PASS
HVHT	GSM900	TU3 @10	38	897.6	5	-2.54	-319.76	319.76	PASS
HVHT	GSM900	TU3 @11	38	897.6	5	-2.43	-319.76	319.76	PASS
HVHT	GSM900	TU3 @12	38	897.6	5	6.07	-319.76	319.76	PASS
HVHT	GSM900	TU3 @13	38	897.6	5	-1.32	-319.76	319.76	PASS
HVHT	GSM900	TU3 @14	38	897.6	5	2.17	-319.76	319.76	PASS
HVHT	GSM900	TU3 @15	38	897.6	5	-4.5	-319.76	319.76	PASS
HVHT	GSM900	TU3 @16	38	897.6	5	2.4	-319.76	319.76	PASS
HVHT	GSM900	TU3 @17	38	897.6	5	-0.37	-319.76	319.76	PASS
HVHT	GSM900	TU3 @18	38	897.6	5	2.48	-319.76	319.76	PASS
HVHT	GSM900	TU3 @19	38	897.6	5	-0.43	-319.76	319.76	PASS
HVHT	GSM900	TU3 @20	38	897.6	5	4.07	-319.76	319.76	PASS
HVLT	GSM900	RA250 @RACH	38	897.6	5	9.93	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens1	38	897.6	5	4.39	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens2	38	897.6	5	-4.65	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens3	38	897.6	5	3.36	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens4	38	897.6	5	-29.3	-389.76	389.76	PASS
HVLT	GSM900	RA250	38	897.6	5	5.97	-389.76	389.76	PASS

		@Sens5							
HVLT	GSM900	HT100 @RACH	38	897.6	5	4.21	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens1	38	897.6	5	-0.81	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens2	38	897.6	5	5.8	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens3	38	897.6	5	1.85	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens4	38	897.6	5	7.76	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens5	38	897.6	5	6.31	-269.76	269.76	PASS
HVLT	GSM900	TU50 @RACH	38	897.6	5	0.26	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens1	38	897.6	5	14.6	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens2	38	897.6	5	-10.38	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens3	38	897.6	5	9.57	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens4	38	897.6	5	0.45	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens5	38	897.6	5	9.15	-249.76	249.76	PASS
HVLT	GSM900	TU3 @RACH	38	897.6	5	4.33	-319.76	319.76	PASS
HVLT	GSM900	TU3 @1	38	897.6	5	7.46	-319.76	319.76	PASS
HVLT	GSM900	TU3 @2	38	897.6	5	-2.56	-319.76	319.76	PASS
HVLT	GSM900	TU3 @3	38	897.6	5	-3.58	-319.76	319.76	PASS
HVLT	GSM900	TU3 @4	38	897.6	5	5.59	-319.76	319.76	PASS
HVLT	GSM900	TU3 @5	38	897.6	5	14.33	-319.76	319.76	PASS
HVLT	GSM900	TU3 @6	38	897.6	5	2.53	-319.76	319.76	PASS
HVLT	GSM900	TU3 @7	38	897.6	5	-1.14	-319.76	319.76	PASS
HVLT	GSM900	TU3 @8	38	897.6	5	2.83	-319.76	319.76	PASS
HVLT	GSM900	TU3 @9	38	897.6	5	-0.91	-319.76	319.76	PASS
HVLT	GSM900	TU3 @10	38	897.6	5	-2.66	-319.76	319.76	PASS
HVLT	GSM900	TU3 @11	38	897.6	5	-2.36	-319.76	319.76	PASS
HVLT	GSM900	TU3 @12	38	897.6	5	6.08	-319.76	319.76	PASS
HVLT	GSM900	TU3 @13	38	897.6	5	-1.29	-319.76	319.76	PASS
HVLT	GSM900	TU3 @14	38	897.6	5	2.15	-319.76	319.76	PASS
HVLT	GSM900	TU3 @15	38	897.6	5	-4.57	-319.76	319.76	PASS
HVLT	GSM900	TU3 @16	38	897.6	5	2.3	-319.76	319.76	PASS
HVLT	GSM900	TU3 @17	38	897.6	5	-0.31	-319.76	319.76	PASS
HVLT	GSM900	TU3 @18	38	897.6	5	2.49	-319.76	319.76	PASS
HVLT	GSM900	TU3 @19	38	897.6	5	-0.52	-319.76	319.76	PASS
HVLT	GSM900	TU3 @20	38	897.6	5	4.05	-319.76	319.76	PASS
LVHT	GSM900	RA250 @RACH	38	897.6	5	10	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens1	38	897.6	5	4.39	-389.76	389.76	PASS

LVHT	GSM900	RA250 @Sens2	38	897.6	5	-4.68	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens3	38	897.6	5	3.5	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens4	38	897.6	5	-29.34	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens5	38	897.6	5	5.91	-389.76	389.76	PASS
LVHT	GSM900	HT100 @RACH	38	897.6	5	4.17	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens1	38	897.6	5	-0.77	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens2	38	897.6	5	5.85	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens3	38	897.6	5	1.94	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens4	38	897.6	5	7.75	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens5	38	897.6	5	6.2	-269.76	269.76	PASS
LVHT	GSM900	TU50 @RACH	38	897.6	5	0.35	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens1	38	897.6	5	14.58	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens2	38	897.6	5	-10.34	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens3	38	897.6	5	9.6	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens4	38	897.6	5	0.38	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens5	38	897.6	5	9.13	-249.76	249.76	PASS
LVHT	GSM900	TU3 @RACH	38	897.6	5	4.36	-319.76	319.76	PASS
LVHT	GSM900	TU3 @1	38	897.6	5	7.47	-319.76	319.76	PASS
LVHT	GSM900	TU3 @2	38	897.6	5	-2.51	-319.76	319.76	PASS
LVHT	GSM900	TU3 @3	38	897.6	5	-3.56	-319.76	319.76	PASS
LVHT	GSM900	TU3 @4	38	897.6	5	5.53	-319.76	319.76	PASS
LVHT	GSM900	TU3 @5	38	897.6	5	14.27	-319.76	319.76	PASS
LVHT	GSM900	TU3 @6	38	897.6	5	2.52	-319.76	319.76	PASS
LVHT	GSM900	TU3 @7	38	897.6	5	-1.18	-319.76	319.76	PASS
LVHT	GSM900	TU3 @8	38	897.6	5	2.97	-319.76	319.76	PASS
LVHT	GSM900	TU3 @9	38	897.6	5	-1.07	-319.76	319.76	PASS
LVHT	GSM900	TU3 @10	38	897.6	5	-2.61	-319.76	319.76	PASS
LVHT	GSM900	TU3 @11	38	897.6	5	-2.37	-319.76	319.76	PASS
LVHT	GSM900	TU3 @12	38	897.6	5	5.97	-319.76	319.76	PASS
LVHT	GSM900	TU3 @13	38	897.6	5	-1.39	-319.76	319.76	PASS
LVHT	GSM900	TU3 @14	38	897.6	5	2.13	-319.76	319.76	PASS
LVHT	GSM900	TU3 @15	38	897.6	5	-4.56	-319.76	319.76	PASS
LVHT	GSM900	TU3 @16	38	897.6	5	2.41	-319.76	319.76	PASS
LVHT	GSM900	TU3 @17	38	897.6	5	-0.28	-319.76	319.76	PASS

LVHT	GSM900	TU3 @18	38	897.6	5	2.49	-319.76	319.76	PASS
LVHT	GSM900	TU3 @19	38	897.6	5	-0.37	-319.76	319.76	PASS
LVHT	GSM900	TU3 @20	38	897.6	5	3.9	-319.76	319.76	PASS
LVLТ	GSM900	RA250 @RACH	38	897.6	5	9.82	-389.76	389.76	PASS
LVLТ	GSM900	RA250 @Sens1	38	897.6	5	4.38	-389.76	389.76	PASS
LVLТ	GSM900	RA250 @Sens2	38	897.6	5	-4.58	-389.76	389.76	PASS
LVLТ	GSM900	RA250 @Sens3	38	897.6	5	3.43	-389.76	389.76	PASS
LVLТ	GSM900	RA250 @Sens4	38	897.6	5	-29.21	-389.76	389.76	PASS
LVLТ	GSM900	RA250 @Sens5	38	897.6	5	5.89	-389.76	389.76	PASS
LVLТ	GSM900	HT100 @RACH	38	897.6	5	4.15	-269.76	269.76	PASS
LVLТ	GSM900	HT100 @Sens1	38	897.6	5	-0.73	-269.76	269.76	PASS
LVLТ	GSM900	HT100 @Sens2	38	897.6	5	5.91	-269.76	269.76	PASS
LVLТ	GSM900	HT100 @Sens3	38	897.6	5	1.77	-269.76	269.76	PASS
LVLТ	GSM900	HT100 @Sens4	38	897.6	5	7.72	-269.76	269.76	PASS
LVLТ	GSM900	HT100 @Sens5	38	897.6	5	6.27	-269.76	269.76	PASS
LVLТ	GSM900	TU50 @RACH	38	897.6	5	0.26	-249.76	249.76	PASS
LVLТ	GSM900	TU50 @Sens1	38	897.6	5	14.59	-249.76	249.76	PASS
LVLТ	GSM900	TU50 @Sens2	38	897.6	5	-10.38	-249.76	249.76	PASS
LVLТ	GSM900	TU50 @Sens3	38	897.6	5	9.52	-249.76	249.76	PASS
LVLТ	GSM900	TU50 @Sens4	38	897.6	5	0.54	-249.76	249.76	PASS
LVLТ	GSM900	TU50 @Sens5	38	897.6	5	9.14	-249.76	249.76	PASS
LVLТ	GSM900	TU3 @RACH	38	897.6	5	4.34	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @1	38	897.6	5	7.5	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @2	38	897.6	5	-2.54	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @3	38	897.6	5	-3.47	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @4	38	897.6	5	5.53	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @5	38	897.6	5	14.34	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @6	38	897.6	5	2.43	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @7	38	897.6	5	-1.11	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @8	38	897.6	5	2.92	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @9	38	897.6	5	-1.03	-319.76	319.76	PASS
LVLТ	GSM900	TU3 @10	38	897.6	5	-2.71	-319.76	319.76	PASS

LVLT	GSM900	TU3 @11	38	897.6	5	-2.3	-319.76	319.76	PASS
LVLT	GSM900	TU3 @12	38	897.6	5	6.05	-319.76	319.76	PASS
LVLT	GSM900	TU3 @13	38	897.6	5	-1.37	-319.76	319.76	PASS
LVLT	GSM900	TU3 @14	38	897.6	5	2.17	-319.76	319.76	PASS
LVLT	GSM900	TU3 @15	38	897.6	5	-4.5	-319.76	319.76	PASS
LVLT	GSM900	TU3 @16	38	897.6	5	2.44	-319.76	319.76	PASS
LVLT	GSM900	TU3 @17	38	897.6	5	-0.42	-319.76	319.76	PASS
LVLT	GSM900	TU3 @18	38	897.6	5	2.5	-319.76	319.76	PASS
LVLT	GSM900	TU3 @19	38	897.6	5	-0.38	-319.76	319.76	PASS
LVLT	GSM900	TU3 @20	38	897.6	5	3.91	-319.76	319.76	PASS

#### Clause 4.2.5 Transmitter output power and burst timing

Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	512	1710.2	0	Power	30.57	28	32	PASS
HVHT	GSM1800	512	1710.2	0	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	512	1710.2	1	Power	28.14	25	31	PASS
HVHT	GSM1800	512	1710.2	1	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	512	1710.2	2	Power	26.57	23	29	PASS
HVHT	GSM1800	512	1710.2	2	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	512	1710.2	3	Power	24.4	21	27	PASS
HVHT	GSM1800	512	1710.2	3	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	512	1710.2	4	Power	22.38	19	25	PASS
HVHT	GSM1800	512	1710.2	4	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	512	1710.2	5	Power	20.53	17	23	PASS
HVHT	GSM1800	512	1710.2	5	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1800	512	1710.2	6	Power	18.45	15	21	PASS
HVHT	GSM1800	512	1710.2	6	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	512	1710.2	7	Power	16.41	13	19	PASS
HVHT	GSM1800	512	1710.2	7	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	512	1710.2	8	Power	14.44	11	17	PASS
HVHT	GSM1800	512	1710.2	8	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	512	1710.2	9	Power	12.4	8	16	PASS
HVHT	GSM1800	512	1710.2	9	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	512	1710.2	10	Power	10.56	6	14	PASS
HVHT	GSM1800	512	1710.2	10	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	512	1710.2	11	Power	8.67	4	12	PASS
HVHT	GSM1800	512	1710.2	11	PvT(%)	-0.08	0	0	PASS
HVHT	GSM1800	512	1710.2	12	Power	6.76	2	10	PASS
HVHT	GSM1800	512	1710.2	12	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	512	1710.2	13	Power	4.93	0	8	PASS
HVHT	GSM1800	512	1710.2	13	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	512	1710.2	14	Power	3.26	-3	7	PASS
HVHT	GSM1800	512	1710.2	14	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	512	1710.2	15	Power	1.61	-5	5	PASS

HVHT	GSM1800	512	1710.2	15	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	698	1747.4	0	Power	31.11	28	32	PASS
HVHT	GSM1800	698	1747.4	0	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	698	1747.4	1	Power	28.13	25	31	PASS
HVHT	GSM1800	698	1747.4	1	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	698	1747.4	2	Power	26.55	23	29	PASS
HVHT	GSM1800	698	1747.4	2	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1800	698	1747.4	3	Power	24.3	21	27	PASS
HVHT	GSM1800	698	1747.4	3	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	698	1747.4	4	Power	22.31	19	25	PASS
HVHT	GSM1800	698	1747.4	4	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	698	1747.4	5	Power	20.3	17	23	PASS
HVHT	GSM1800	698	1747.4	5	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	698	1747.4	6	Power	18.27	15	21	PASS
HVHT	GSM1800	698	1747.4	6	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	698	1747.4	7	Power	16.34	13	19	PASS
HVHT	GSM1800	698	1747.4	7	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	698	1747.4	8	Power	14.3	11	17	PASS
HVHT	GSM1800	698	1747.4	8	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	698	1747.4	9	Power	12.38	8	16	PASS
HVHT	GSM1800	698	1747.4	9	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1800	698	1747.4	10	Power	10.41	6	14	PASS
HVHT	GSM1800	698	1747.4	10	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1800	698	1747.4	11	Power	8.55	4	12	PASS
HVHT	GSM1800	698	1747.4	11	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	698	1747.4	12	Power	6.7	2	10	PASS
HVHT	GSM1800	698	1747.4	12	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	698	1747.4	13	Power	4.91	0	8	PASS
HVHT	GSM1800	698	1747.4	13	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	698	1747.4	14	Power	3.06	-3	7	PASS
HVHT	GSM1800	698	1747.4	14	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1800	698	1747.4	15	Power	1.16	-5	5	PASS
HVHT	GSM1800	698	1747.4	15	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	885	1784.8	0	Power	31.36	28	32	PASS
HVHT	GSM1800	885	1784.8	0	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	885	1784.8	1	Power	28.49	25	31	PASS
HVHT	GSM1800	885	1784.8	1	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1800	885	1784.8	2	Power	26.74	23	29	PASS
HVHT	GSM1800	885	1784.8	2	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1800	885	1784.8	3	Power	24.43	21	27	PASS
HVHT	GSM1800	885	1784.8	3	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	885	1784.8	4	Power	22.44	19	25	PASS
HVHT	GSM1800	885	1784.8	4	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	885	1784.8	5	Power	20.48	17	23	PASS

HVHT	GSM1800	885	1784.8	5	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	885	1784.8	6	Power	18.39	15	21	PASS
HVHT	GSM1800	885	1784.8	6	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	885	1784.8	7	Power	16.33	13	19	PASS
HVHT	GSM1800	885	1784.8	7	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	885	1784.8	8	Power	14.37	11	17	PASS
HVHT	GSM1800	885	1784.8	8	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	885	1784.8	9	Power	12.41	8	16	PASS
HVHT	GSM1800	885	1784.8	9	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	885	1784.8	10	Power	10.5	6	14	PASS
HVHT	GSM1800	885	1784.8	10	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	885	1784.8	11	Power	8.54	4	12	PASS
HVHT	GSM1800	885	1784.8	11	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1800	885	1784.8	12	Power	6.67	2	10	PASS
HVHT	GSM1800	885	1784.8	12	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1800	885	1784.8	13	Power	4.85	0	8	PASS
HVHT	GSM1800	885	1784.8	13	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	885	1784.8	14	Power	3.13	-3	7	PASS
HVHT	GSM1800	885	1784.8	14	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	885	1784.8	15	Power	1.38	-5	5	PASS
HVHT	GSM1800	885	1784.8	15	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	512	1710.2	0	Power	30.67	28	32	PASS
HVLT	GSM1800	512	1710.2	0	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	512	1710.2	1	Power	28.07	25	31	PASS
HVLT	GSM1800	512	1710.2	1	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	512	1710.2	2	Power	26.54	23	29	PASS
HVLT	GSM1800	512	1710.2	2	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	512	1710.2	3	Power	24.41	21	27	PASS
HVLT	GSM1800	512	1710.2	3	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	512	1710.2	4	Power	22.45	19	25	PASS
HVLT	GSM1800	512	1710.2	4	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	512	1710.2	5	Power	20.39	17	23	PASS
HVLT	GSM1800	512	1710.2	5	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	512	1710.2	6	Power	18.46	15	21	PASS
HVLT	GSM1800	512	1710.2	6	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	512	1710.2	7	Power	16.53	13	19	PASS
HVLT	GSM1800	512	1710.2	7	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	512	1710.2	8	Power	14.49	11	17	PASS
HVLT	GSM1800	512	1710.2	8	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1800	512	1710.2	9	Power	12.39	8	16	PASS
HVLT	GSM1800	512	1710.2	9	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	512	1710.2	10	Power	10.48	6	14	PASS
HVLT	GSM1800	512	1710.2	10	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	512	1710.2	11	Power	8.6	4	12	PASS

HVLT	GSM1800	512	1710.2	11	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	512	1710.2	12	Power	6.84	2	10	PASS
HVLT	GSM1800	512	1710.2	12	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	512	1710.2	13	Power	5.02	0	8	PASS
HVLT	GSM1800	512	1710.2	13	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	512	1710.2	14	Power	3.24	-3	7	PASS
HVLT	GSM1800	512	1710.2	14	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	512	1710.2	15	Power	1.47	-5	5	PASS
HVLT	GSM1800	512	1710.2	15	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	698	1747.4	0	Power	31.04	28	32	PASS
HVLT	GSM1800	698	1747.4	0	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	698	1747.4	1	Power	28.16	25	31	PASS
HVLT	GSM1800	698	1747.4	1	PvT(%)	-0.17	0	0	PASS
HVLT	GSM1800	698	1747.4	2	Power	26.53	23	29	PASS
HVLT	GSM1800	698	1747.4	2	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1800	698	1747.4	3	Power	24.33	21	27	PASS
HVLT	GSM1800	698	1747.4	3	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	698	1747.4	4	Power	22.44	19	25	PASS
HVLT	GSM1800	698	1747.4	4	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	698	1747.4	5	Power	20.35	17	23	PASS
HVLT	GSM1800	698	1747.4	5	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	698	1747.4	6	Power	18.21	15	21	PASS
HVLT	GSM1800	698	1747.4	6	PvT(%)	-0.18	0	0	PASS
HVLT	GSM1800	698	1747.4	7	Power	16.38	13	19	PASS
HVLT	GSM1800	698	1747.4	7	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	698	1747.4	8	Power	14.21	11	17	PASS
HVLT	GSM1800	698	1747.4	8	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	698	1747.4	9	Power	12.26	8	16	PASS
HVLT	GSM1800	698	1747.4	9	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	698	1747.4	10	Power	10.54	6	14	PASS
HVLT	GSM1800	698	1747.4	10	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	698	1747.4	11	Power	8.45	4	12	PASS
HVLT	GSM1800	698	1747.4	11	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	698	1747.4	12	Power	6.51	2	10	PASS
HVLT	GSM1800	698	1747.4	12	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	698	1747.4	13	Power	4.75	0	8	PASS
HVLT	GSM1800	698	1747.4	13	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1800	698	1747.4	14	Power	3.05	-3	7	PASS
HVLT	GSM1800	698	1747.4	14	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	698	1747.4	15	Power	1.28	-5	5	PASS
HVLT	GSM1800	698	1747.4	15	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	885	1784.8	0	Power	31.52	28	32	PASS
HVLT	GSM1800	885	1784.8	0	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	885	1784.8	1	Power	28.43	25	31	PASS

HVLT	GSM1800	885	1784.8	1	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1800	885	1784.8	2	Power	26.62	23	29	PASS
HVLT	GSM1800	885	1784.8	2	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	885	1784.8	3	Power	24.45	21	27	PASS
HVLT	GSM1800	885	1784.8	3	PvT(%)	-0.2	0	0	PASS
HVLT	GSM1800	885	1784.8	4	Power	22.54	19	25	PASS
HVLT	GSM1800	885	1784.8	4	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	885	1784.8	5	Power	20.36	17	23	PASS
HVLT	GSM1800	885	1784.8	5	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	885	1784.8	6	Power	18.35	15	21	PASS
HVLT	GSM1800	885	1784.8	6	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	885	1784.8	7	Power	16.39	13	19	PASS
HVLT	GSM1800	885	1784.8	7	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	885	1784.8	8	Power	14.36	11	17	PASS
HVLT	GSM1800	885	1784.8	8	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	885	1784.8	9	Power	12.31	8	16	PASS
HVLT	GSM1800	885	1784.8	9	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	885	1784.8	10	Power	10.62	6	14	PASS
HVLT	GSM1800	885	1784.8	10	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	885	1784.8	11	Power	8.57	4	12	PASS
HVLT	GSM1800	885	1784.8	11	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	885	1784.8	12	Power	6.73	2	10	PASS
HVLT	GSM1800	885	1784.8	12	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	885	1784.8	13	Power	4.79	0	8	PASS
HVLT	GSM1800	885	1784.8	13	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	885	1784.8	14	Power	3.16	-3	7	PASS
HVLT	GSM1800	885	1784.8	14	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	885	1784.8	15	Power	1.36	-5	5	PASS
HVLT	GSM1800	885	1784.8	15	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	512	1710.2	0	Power	30.63	28	32	PASS
LVHT	GSM1800	512	1710.2	0	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	512	1710.2	1	Power	28.18	25	31	PASS
LVHT	GSM1800	512	1710.2	1	PvT(%)	-0.03	0	0	PASS
LVHT	GSM1800	512	1710.2	2	Power	26.48	23	29	PASS
LVHT	GSM1800	512	1710.2	2	PvT(%)	-0.19	0	0	PASS
LVHT	GSM1800	512	1710.2	3	Power	24.49	21	27	PASS
LVHT	GSM1800	512	1710.2	3	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	512	1710.2	4	Power	22.37	19	25	PASS
LVHT	GSM1800	512	1710.2	4	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	512	1710.2	5	Power	20.4	17	23	PASS
LVHT	GSM1800	512	1710.2	5	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	512	1710.2	6	Power	18.38	15	21	PASS
LVHT	GSM1800	512	1710.2	6	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	512	1710.2	7	Power	16.48	13	19	PASS

LVHT	GSM1800	512	1710.2	7	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	512	1710.2	8	Power	14.6	11	17	PASS
LVHT	GSM1800	512	1710.2	8	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	512	1710.2	9	Power	12.38	8	16	PASS
LVHT	GSM1800	512	1710.2	9	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1800	512	1710.2	10	Power	10.63	6	14	PASS
LVHT	GSM1800	512	1710.2	10	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	512	1710.2	11	Power	8.64	4	12	PASS
LVHT	GSM1800	512	1710.2	11	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	512	1710.2	12	Power	6.69	2	10	PASS
LVHT	GSM1800	512	1710.2	12	PvT(%)	-0.19	0	0	PASS
LVHT	GSM1800	512	1710.2	13	Power	5.02	0	8	PASS
LVHT	GSM1800	512	1710.2	13	PvT(%)	-0.03	0	0	PASS
LVHT	GSM1800	512	1710.2	14	Power	3.35	-3	7	PASS
LVHT	GSM1800	512	1710.2	14	PvT(%)	-0.03	0	0	PASS
LVHT	GSM1800	512	1710.2	15	Power	1.59	-5	5	PASS
LVHT	GSM1800	512	1710.2	15	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	698	1747.4	0	Power	31.1	28	32	PASS
LVHT	GSM1800	698	1747.4	0	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	698	1747.4	1	Power	28.21	25	31	PASS
LVHT	GSM1800	698	1747.4	1	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	698	1747.4	2	Power	26.49	23	29	PASS
LVHT	GSM1800	698	1747.4	2	PvT(%)	-0.03	0	0	PASS
LVHT	GSM1800	698	1747.4	3	Power	24.47	21	27	PASS
LVHT	GSM1800	698	1747.4	3	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	698	1747.4	4	Power	22.27	19	25	PASS
LVHT	GSM1800	698	1747.4	4	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	698	1747.4	5	Power	20.4	17	23	PASS
LVHT	GSM1800	698	1747.4	5	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	698	1747.4	6	Power	18.3	15	21	PASS
LVHT	GSM1800	698	1747.4	6	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	698	1747.4	7	Power	16.24	13	19	PASS
LVHT	GSM1800	698	1747.4	7	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	698	1747.4	8	Power	14.21	11	17	PASS
LVHT	GSM1800	698	1747.4	8	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	698	1747.4	9	Power	12.3	8	16	PASS
LVHT	GSM1800	698	1747.4	9	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	698	1747.4	10	Power	10.5	6	14	PASS
LVHT	GSM1800	698	1747.4	10	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	698	1747.4	11	Power	8.5	4	12	PASS
LVHT	GSM1800	698	1747.4	11	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	698	1747.4	12	Power	6.63	2	10	PASS
LVHT	GSM1800	698	1747.4	12	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	698	1747.4	13	Power	4.89	0	8	PASS

LVHT	GSM1800	698	1747.4	13	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	698	1747.4	14	Power	3	-3	7	PASS
LVHT	GSM1800	698	1747.4	14	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	698	1747.4	15	Power	1.2	-5	5	PASS
LVHT	GSM1800	698	1747.4	15	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	885	1784.8	0	Power	31.52	28	32	PASS
LVHT	GSM1800	885	1784.8	0	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	885	1784.8	1	Power	28.31	25	31	PASS
LVHT	GSM1800	885	1784.8	1	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	885	1784.8	2	Power	26.66	23	29	PASS
LVHT	GSM1800	885	1784.8	2	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	885	1784.8	3	Power	24.38	21	27	PASS
LVHT	GSM1800	885	1784.8	3	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	885	1784.8	4	Power	22.41	19	25	PASS
LVHT	GSM1800	885	1784.8	4	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	885	1784.8	5	Power	20.36	17	23	PASS
LVHT	GSM1800	885	1784.8	5	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	885	1784.8	6	Power	18.44	15	21	PASS
LVHT	GSM1800	885	1784.8	6	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	885	1784.8	7	Power	16.38	13	19	PASS
LVHT	GSM1800	885	1784.8	7	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	885	1784.8	8	Power	14.41	11	17	PASS
LVHT	GSM1800	885	1784.8	8	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	885	1784.8	9	Power	12.38	8	16	PASS
LVHT	GSM1800	885	1784.8	9	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	885	1784.8	10	Power	10.59	6	14	PASS
LVHT	GSM1800	885	1784.8	10	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	885	1784.8	11	Power	8.65	4	12	PASS
LVHT	GSM1800	885	1784.8	11	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	885	1784.8	12	Power	6.82	2	10	PASS
LVHT	GSM1800	885	1784.8	12	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	885	1784.8	13	Power	4.92	0	8	PASS
LVHT	GSM1800	885	1784.8	13	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	885	1784.8	14	Power	3.31	-3	7	PASS
LVHT	GSM1800	885	1784.8	14	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	885	1784.8	15	Power	1.51	-5	5	PASS
LVHT	GSM1800	885	1784.8	15	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	512	1710.2	0	Power	30.63	28	32	PASS
LVLT	GSM1800	512	1710.2	0	PvT(%)	-0.02	0	0	PASS
LVLT	GSM1800	512	1710.2	1	Power	28.07	25	31	PASS
LVLT	GSM1800	512	1710.2	1	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	512	1710.2	2	Power	26.65	23	29	PASS
LVLT	GSM1800	512	1710.2	2	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	512	1710.2	3	Power	24.4	21	27	PASS

LVLT	GSM1800	512	1710.2	3	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	512	1710.2	4	Power	22.49	19	25	PASS
LVLT	GSM1800	512	1710.2	4	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	512	1710.2	5	Power	20.44	17	23	PASS
LVLT	GSM1800	512	1710.2	5	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1800	512	1710.2	6	Power	18.34	15	21	PASS
LVLT	GSM1800	512	1710.2	6	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	512	1710.2	7	Power	16.55	13	19	PASS
LVLT	GSM1800	512	1710.2	7	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	512	1710.2	8	Power	14.49	11	17	PASS
LVLT	GSM1800	512	1710.2	8	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1800	512	1710.2	9	Power	12.44	8	16	PASS
LVLT	GSM1800	512	1710.2	9	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	512	1710.2	10	Power	10.52	6	14	PASS
LVLT	GSM1800	512	1710.2	10	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	512	1710.2	11	Power	8.57	4	12	PASS
LVLT	GSM1800	512	1710.2	11	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1800	512	1710.2	12	Power	6.82	2	10	PASS
LVLT	GSM1800	512	1710.2	12	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	512	1710.2	13	Power	5.04	0	8	PASS
LVLT	GSM1800	512	1710.2	13	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	512	1710.2	14	Power	3.2	-3	7	PASS
LVLT	GSM1800	512	1710.2	14	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	512	1710.2	15	Power	1.48	-5	5	PASS
LVLT	GSM1800	512	1710.2	15	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1800	698	1747.4	0	Power	31.14	28	32	PASS
LVLT	GSM1800	698	1747.4	0	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	698	1747.4	1	Power	28.11	25	31	PASS
LVLT	GSM1800	698	1747.4	1	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	698	1747.4	2	Power	26.63	23	29	PASS
LVLT	GSM1800	698	1747.4	2	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	698	1747.4	3	Power	24.46	21	27	PASS
LVLT	GSM1800	698	1747.4	3	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	698	1747.4	4	Power	22.27	19	25	PASS
LVLT	GSM1800	698	1747.4	4	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1800	698	1747.4	5	Power	20.25	17	23	PASS
LVLT	GSM1800	698	1747.4	5	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1800	698	1747.4	6	Power	18.32	15	21	PASS
LVLT	GSM1800	698	1747.4	6	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	698	1747.4	7	Power	16.32	13	19	PASS
LVLT	GSM1800	698	1747.4	7	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1800	698	1747.4	8	Power	14.26	11	17	PASS
LVLT	GSM1800	698	1747.4	8	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1800	698	1747.4	9	Power	12.28	8	16	PASS

LVLT	GSM1800	698	1747.4	9	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	698	1747.4	10	Power	10.52	6	14	PASS
LVLT	GSM1800	698	1747.4	10	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1800	698	1747.4	11	Power	8.59	4	12	PASS
LVLT	GSM1800	698	1747.4	11	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	698	1747.4	12	Power	6.6	2	10	PASS
LVLT	GSM1800	698	1747.4	12	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	698	1747.4	13	Power	4.78	0	8	PASS
LVLT	GSM1800	698	1747.4	13	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1800	698	1747.4	14	Power	3.14	-3	7	PASS
LVLT	GSM1800	698	1747.4	14	PvT(%)	-0.05	0	0	PASS
LVLT	GSM1800	698	1747.4	15	Power	1.32	-5	5	PASS
LVLT	GSM1800	698	1747.4	15	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	0	Power	31.47	28	32	PASS
LVLT	GSM1800	885	1784.8	0	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	885	1784.8	1	Power	28.41	25	31	PASS
LVLT	GSM1800	885	1784.8	1	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1800	885	1784.8	2	Power	26.69	23	29	PASS
LVLT	GSM1800	885	1784.8	2	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1800	885	1784.8	3	Power	24.34	21	27	PASS
LVLT	GSM1800	885	1784.8	3	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	885	1784.8	4	Power	22.4	19	25	PASS
LVLT	GSM1800	885	1784.8	4	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	885	1784.8	5	Power	20.49	17	23	PASS
LVLT	GSM1800	885	1784.8	5	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	885	1784.8	6	Power	18.44	15	21	PASS
LVLT	GSM1800	885	1784.8	6	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	885	1784.8	7	Power	16.46	13	19	PASS
LVLT	GSM1800	885	1784.8	7	PvT(%)	-0.19	0	0	PASS
LVLT	GSM1800	885	1784.8	8	Power	14.26	11	17	PASS
LVLT	GSM1800	885	1784.8	8	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	9	Power	12.24	8	16	PASS
LVLT	GSM1800	885	1784.8	9	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	885	1784.8	10	Power	10.64	6	14	PASS
LVLT	GSM1800	885	1784.8	10	PvT(%)	-0.05	0	0	PASS
LVLT	GSM1800	885	1784.8	11	Power	8.63	4	12	PASS
LVLT	GSM1800	885	1784.8	11	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1800	885	1784.8	12	Power	6.75	2	10	PASS
LVLT	GSM1800	885	1784.8	12	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	885	1784.8	13	Power	4.81	0	8	PASS
LVLT	GSM1800	885	1784.8	13	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1800	885	1784.8	14	Power	3.25	-3	7	PASS
LVLT	GSM1800	885	1784.8	14	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	15	Power	1.34	-5	5	PASS

LVLT	GSM1800	885	1784.8	15	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1900	512	1850.2	0	Power	30.44	28	32	PASS
HVHT	GSM1900	512	1850.2	0	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1900	512	1850.2	1	Power	28.04	25	31	PASS
HVHT	GSM1900	512	1850.2	1	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1900	512	1850.2	2	Power	26.59	23	29	PASS
HVHT	GSM1900	512	1850.2	2	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1900	512	1850.2	3	Power	24.62	21	27	PASS
HVHT	GSM1900	512	1850.2	3	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1900	512	1850.2	4	Power	22.74	19	25	PASS
HVHT	GSM1900	512	1850.2	4	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1900	512	1850.2	5	Power	20.71	17	23	PASS
HVHT	GSM1900	512	1850.2	5	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1900	512	1850.2	6	Power	18.84	15	21	PASS
HVHT	GSM1900	512	1850.2	6	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1900	512	1850.2	7	Power	16.69	13	19	PASS
HVHT	GSM1900	512	1850.2	7	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1900	512	1850.2	8	Power	14.44	11	17	PASS
HVHT	GSM1900	512	1850.2	8	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1900	512	1850.2	9	Power	12.54	8	16	PASS
HVHT	GSM1900	512	1850.2	9	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1900	512	1850.2	10	Power	10.51	6	14	PASS
HVHT	GSM1900	512	1850.2	10	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1900	512	1850.2	11	Power	8.47	4	12	PASS
HVHT	GSM1900	512	1850.2	11	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1900	512	1850.2	12	Power	6.51	2	10	PASS
HVHT	GSM1900	512	1850.2	12	PvT(%)	-0.16	0	0	PASS
HVHT	GSM1900	512	1850.2	13	Power	4.41	0	8	PASS
HVHT	GSM1900	512	1850.2	13	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1900	512	1850.2	14	Power	2.48	-3	7	PASS
HVHT	GSM1900	512	1850.2	14	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1900	512	1850.2	15	Power	0.59	-5	5	PASS
HVHT	GSM1900	512	1850.2	15	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1900	661	1880	0	Power	30.44	28	32	PASS
HVHT	GSM1900	661	1880	0	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1900	661	1880	1	Power	28.06	25	31	PASS
HVHT	GSM1900	661	1880	1	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1900	661	1880	2	Power	26.64	23	29	PASS
HVHT	GSM1900	661	1880	2	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1900	661	1880	3	Power	24.7	21	27	PASS
HVHT	GSM1900	661	1880	3	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1900	661	1880	4	Power	22.81	19	25	PASS
HVHT	GSM1900	661	1880	4	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1900	661	1880	5	Power	20.62	17	23	PASS

HVHT	GSM1900	661	1880	5	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1900	661	1880	6	Power	18.71	15	21	PASS
HVHT	GSM1900	661	1880	6	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1900	661	1880	7	Power	16.73	13	19	PASS
HVHT	GSM1900	661	1880	7	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1900	661	1880	8	Power	14.59	11	17	PASS
HVHT	GSM1900	661	1880	8	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1900	661	1880	9	Power	12.48	8	16	PASS
HVHT	GSM1900	661	1880	9	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1900	661	1880	10	Power	10.41	6	14	PASS
HVHT	GSM1900	661	1880	10	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1900	661	1880	11	Power	8.56	4	12	PASS
HVHT	GSM1900	661	1880	11	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1900	661	1880	12	Power	6.48	2	10	PASS
HVHT	GSM1900	661	1880	12	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1900	661	1880	13	Power	4.43	0	8	PASS
HVHT	GSM1900	661	1880	13	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1900	661	1880	14	Power	2.48	-3	7	PASS
HVHT	GSM1900	661	1880	14	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1900	661	1880	15	Power	0.52	-5	5	PASS
HVHT	GSM1900	661	1880	15	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1900	810	1909.8	0	Power	30.53	28	32	PASS
HVHT	GSM1900	810	1909.8	0	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1900	810	1909.8	1	Power	28.24	25	31	PASS
HVHT	GSM1900	810	1909.8	1	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1900	810	1909.8	2	Power	26.73	23	29	PASS
HVHT	GSM1900	810	1909.8	2	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1900	810	1909.8	3	Power	24.62	21	27	PASS
HVHT	GSM1900	810	1909.8	3	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1900	810	1909.8	4	Power	22.8	19	25	PASS
HVHT	GSM1900	810	1909.8	4	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1900	810	1909.8	5	Power	20.7	17	23	PASS
HVHT	GSM1900	810	1909.8	5	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1900	810	1909.8	6	Power	18.68	15	21	PASS
HVHT	GSM1900	810	1909.8	6	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1900	810	1909.8	7	Power	16.72	13	19	PASS
HVHT	GSM1900	810	1909.8	7	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1900	810	1909.8	8	Power	14.47	11	17	PASS
HVHT	GSM1900	810	1909.8	8	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1900	810	1909.8	9	Power	12.4	8	16	PASS
HVHT	GSM1900	810	1909.8	9	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1900	810	1909.8	10	Power	10.4	6	14	PASS
HVHT	GSM1900	810	1909.8	10	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1900	810	1909.8	11	Power	8.42	4	12	PASS

HVHT	GSM1900	810	1909.8	11	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1900	810	1909.8	12	Power	6.46	2	10	PASS
HVHT	GSM1900	810	1909.8	12	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1900	810	1909.8	13	Power	4.55	0	8	PASS
HVHT	GSM1900	810	1909.8	13	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1900	810	1909.8	14	Power	2.72	-3	7	PASS
HVHT	GSM1900	810	1909.8	14	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1900	810	1909.8	15	Power	0.7	-5	5	PASS
HVHT	GSM1900	810	1909.8	15	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1900	512	1850.2	0	Power	30.56	28	32	PASS
HVLT	GSM1900	512	1850.2	0	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1900	512	1850.2	1	Power	28.05	25	31	PASS
HVLT	GSM1900	512	1850.2	1	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1900	512	1850.2	2	Power	26.71	23	29	PASS
HVLT	GSM1900	512	1850.2	2	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1900	512	1850.2	3	Power	24.58	21	27	PASS
HVLT	GSM1900	512	1850.2	3	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1900	512	1850.2	4	Power	22.62	19	25	PASS
HVLT	GSM1900	512	1850.2	4	PvT(%)	-0.17	0	0	PASS
HVLT	GSM1900	512	1850.2	5	Power	20.6	17	23	PASS
HVLT	GSM1900	512	1850.2	5	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1900	512	1850.2	6	Power	18.7	15	21	PASS
HVLT	GSM1900	512	1850.2	6	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1900	512	1850.2	7	Power	16.68	13	19	PASS
HVLT	GSM1900	512	1850.2	7	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1900	512	1850.2	8	Power	14.41	11	17	PASS
HVLT	GSM1900	512	1850.2	8	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1900	512	1850.2	9	Power	12.5	8	16	PASS
HVLT	GSM1900	512	1850.2	9	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1900	512	1850.2	10	Power	10.39	6	14	PASS
HVLT	GSM1900	512	1850.2	10	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1900	512	1850.2	11	Power	8.46	4	12	PASS
HVLT	GSM1900	512	1850.2	11	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1900	512	1850.2	12	Power	6.49	2	10	PASS
HVLT	GSM1900	512	1850.2	12	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1900	512	1850.2	13	Power	4.47	0	8	PASS
HVLT	GSM1900	512	1850.2	13	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1900	512	1850.2	14	Power	2.53	-3	7	PASS
HVLT	GSM1900	512	1850.2	14	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1900	512	1850.2	15	Power	0.59	-5	5	PASS
HVLT	GSM1900	512	1850.2	15	PvT(%)	-0.17	0	0	PASS
HVLT	GSM1900	661	1880	0	Power	30.51	28	32	PASS
HVLT	GSM1900	661	1880	0	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1900	661	1880	1	Power	28.12	25	31	PASS

HVLT	GSM1900	661	1880	1	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1900	661	1880	2	Power	26.61	23	29	PASS
HVLT	GSM1900	661	1880	2	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1900	661	1880	3	Power	24.64	21	27	PASS
HVLT	GSM1900	661	1880	3	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1900	661	1880	4	Power	22.75	19	25	PASS
HVLT	GSM1900	661	1880	4	PvT(%)	-0.18	0	0	PASS
HVLT	GSM1900	661	1880	5	Power	20.63	17	23	PASS
HVLT	GSM1900	661	1880	5	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1900	661	1880	6	Power	18.77	15	21	PASS
HVLT	GSM1900	661	1880	6	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1900	661	1880	7	Power	16.56	13	19	PASS
HVLT	GSM1900	661	1880	7	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1900	661	1880	8	Power	14.54	11	17	PASS
HVLT	GSM1900	661	1880	8	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1900	661	1880	9	Power	12.41	8	16	PASS
HVLT	GSM1900	661	1880	9	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1900	661	1880	10	Power	10.54	6	14	PASS
HVLT	GSM1900	661	1880	10	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1900	661	1880	11	Power	8.57	4	12	PASS
HVLT	GSM1900	661	1880	11	PvT(%)	-0.18	0	0	PASS
HVLT	GSM1900	661	1880	12	Power	6.5	2	10	PASS
HVLT	GSM1900	661	1880	12	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1900	661	1880	13	Power	4.44	0	8	PASS
HVLT	GSM1900	661	1880	13	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1900	661	1880	14	Power	2.56	-3	7	PASS
HVLT	GSM1900	661	1880	14	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1900	661	1880	15	Power	0.54	-5	5	PASS
HVLT	GSM1900	661	1880	15	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1900	810	1909.8	0	Power	30.48	28	32	PASS
HVLT	GSM1900	810	1909.8	0	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1900	810	1909.8	1	Power	28.13	25	31	PASS
HVLT	GSM1900	810	1909.8	1	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1900	810	1909.8	2	Power	26.6	23	29	PASS
HVLT	GSM1900	810	1909.8	2	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1900	810	1909.8	3	Power	24.67	21	27	PASS
HVLT	GSM1900	810	1909.8	3	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1900	810	1909.8	4	Power	22.68	19	25	PASS
HVLT	GSM1900	810	1909.8	4	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1900	810	1909.8	5	Power	20.78	17	23	PASS
HVLT	GSM1900	810	1909.8	5	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1900	810	1909.8	6	Power	18.66	15	21	PASS
HVLT	GSM1900	810	1909.8	6	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1900	810	1909.8	7	Power	16.57	13	19	PASS

HVLT	GSM1900	810	1909.8	7	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1900	810	1909.8	8	Power	14.51	11	17	PASS
HVLT	GSM1900	810	1909.8	8	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1900	810	1909.8	9	Power	12.56	8	16	PASS
HVLT	GSM1900	810	1909.8	9	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1900	810	1909.8	10	Power	10.41	6	14	PASS
HVLT	GSM1900	810	1909.8	10	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1900	810	1909.8	11	Power	8.46	4	12	PASS
HVLT	GSM1900	810	1909.8	11	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1900	810	1909.8	12	Power	6.6	2	10	PASS
HVLT	GSM1900	810	1909.8	12	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1900	810	1909.8	13	Power	4.46	0	8	PASS
HVLT	GSM1900	810	1909.8	13	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1900	810	1909.8	14	Power	2.7	-3	7	PASS
HVLT	GSM1900	810	1909.8	14	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1900	810	1909.8	15	Power	0.65	-5	5	PASS
HVLT	GSM1900	810	1909.8	15	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1900	512	1850.2	0	Power	30.55	28	32	PASS
LVHT	GSM1900	512	1850.2	0	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1900	512	1850.2	1	Power	28.14	25	31	PASS
LVHT	GSM1900	512	1850.2	1	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1900	512	1850.2	2	Power	26.58	23	29	PASS
LVHT	GSM1900	512	1850.2	2	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1900	512	1850.2	3	Power	24.6	21	27	PASS
LVHT	GSM1900	512	1850.2	3	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1900	512	1850.2	4	Power	22.7	19	25	PASS
LVHT	GSM1900	512	1850.2	4	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1900	512	1850.2	5	Power	20.78	17	23	PASS
LVHT	GSM1900	512	1850.2	5	PvT(%)	-0.09	0	0	PASS
LVHT	GSM1900	512	1850.2	6	Power	18.67	15	21	PASS
LVHT	GSM1900	512	1850.2	6	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1900	512	1850.2	7	Power	16.57	13	19	PASS
LVHT	GSM1900	512	1850.2	7	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1900	512	1850.2	8	Power	14.47	11	17	PASS
LVHT	GSM1900	512	1850.2	8	PvT(%)	-0.19	0	0	PASS
LVHT	GSM1900	512	1850.2	9	Power	12.46	8	16	PASS
LVHT	GSM1900	512	1850.2	9	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1900	512	1850.2	10	Power	10.41	6	14	PASS
LVHT	GSM1900	512	1850.2	10	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1900	512	1850.2	11	Power	8.49	4	12	PASS
LVHT	GSM1900	512	1850.2	11	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1900	512	1850.2	12	Power	6.42	2	10	PASS
LVHT	GSM1900	512	1850.2	12	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1900	512	1850.2	13	Power	4.37	0	8	PASS

LVHT	GSM1900	512	1850.2	13	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1900	512	1850.2	14	Power	2.55	-3	7	PASS
LVHT	GSM1900	512	1850.2	14	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1900	512	1850.2	15	Power	0.5	-5	5	PASS
LVHT	GSM1900	512	1850.2	15	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1900	661	1880	0	Power	30.49	28	32	PASS
LVHT	GSM1900	661	1880	0	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1900	661	1880	1	Power	28.19	25	31	PASS
LVHT	GSM1900	661	1880	1	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1900	661	1880	2	Power	26.65	23	29	PASS
LVHT	GSM1900	661	1880	2	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1900	661	1880	3	Power	24.66	21	27	PASS
LVHT	GSM1900	661	1880	3	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1900	661	1880	4	Power	22.7	19	25	PASS
LVHT	GSM1900	661	1880	4	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1900	661	1880	5	Power	20.75	17	23	PASS
LVHT	GSM1900	661	1880	5	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1900	661	1880	6	Power	18.73	15	21	PASS
LVHT	GSM1900	661	1880	6	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1900	661	1880	7	Power	16.74	13	19	PASS
LVHT	GSM1900	661	1880	7	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1900	661	1880	8	Power	14.5	11	17	PASS
LVHT	GSM1900	661	1880	8	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1900	661	1880	9	Power	12.44	8	16	PASS
LVHT	GSM1900	661	1880	9	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1900	661	1880	10	Power	10.57	6	14	PASS
LVHT	GSM1900	661	1880	10	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1900	661	1880	11	Power	8.48	4	12	PASS
LVHT	GSM1900	661	1880	11	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1900	661	1880	12	Power	6.49	2	10	PASS
LVHT	GSM1900	661	1880	12	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1900	661	1880	13	Power	4.51	0	8	PASS
LVHT	GSM1900	661	1880	13	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1900	661	1880	14	Power	2.47	-3	7	PASS
LVHT	GSM1900	661	1880	14	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1900	661	1880	15	Power	0.65	-5	5	PASS
LVHT	GSM1900	661	1880	15	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1900	810	1909.8	0	Power	30.54	28	32	PASS
LVHT	GSM1900	810	1909.8	0	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1900	810	1909.8	1	Power	28.29	25	31	PASS
LVHT	GSM1900	810	1909.8	1	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1900	810	1909.8	2	Power	26.64	23	29	PASS
LVHT	GSM1900	810	1909.8	2	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1900	810	1909.8	3	Power	24.71	21	27	PASS

LVHT	GSM1900	810	1909.8	3	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1900	810	1909.8	4	Power	22.76	19	25	PASS
LVHT	GSM1900	810	1909.8	4	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1900	810	1909.8	5	Power	20.62	17	23	PASS
LVHT	GSM1900	810	1909.8	5	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1900	810	1909.8	6	Power	18.6	15	21	PASS
LVHT	GSM1900	810	1909.8	6	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1900	810	1909.8	7	Power	16.55	13	19	PASS
LVHT	GSM1900	810	1909.8	7	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1900	810	1909.8	8	Power	14.47	11	17	PASS
LVHT	GSM1900	810	1909.8	8	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1900	810	1909.8	9	Power	12.56	8	16	PASS
LVHT	GSM1900	810	1909.8	9	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1900	810	1909.8	10	Power	10.54	6	14	PASS
LVHT	GSM1900	810	1909.8	10	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1900	810	1909.8	11	Power	8.45	4	12	PASS
LVHT	GSM1900	810	1909.8	11	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1900	810	1909.8	12	Power	6.6	2	10	PASS
LVHT	GSM1900	810	1909.8	12	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1900	810	1909.8	13	Power	4.49	0	8	PASS
LVHT	GSM1900	810	1909.8	13	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1900	810	1909.8	14	Power	2.6	-3	7	PASS
LVHT	GSM1900	810	1909.8	14	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1900	810	1909.8	15	Power	0.64	-5	5	PASS
LVHT	GSM1900	810	1909.8	15	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1900	512	1850.2	0	Power	30.44	28	32	PASS
LVLT	GSM1900	512	1850.2	0	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1900	512	1850.2	1	Power	28.08	25	31	PASS
LVLT	GSM1900	512	1850.2	1	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1900	512	1850.2	2	Power	26.58	23	29	PASS
LVLT	GSM1900	512	1850.2	2	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1900	512	1850.2	3	Power	24.67	21	27	PASS
LVLT	GSM1900	512	1850.2	3	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1900	512	1850.2	4	Power	22.77	19	25	PASS
LVLT	GSM1900	512	1850.2	4	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1900	512	1850.2	5	Power	20.76	17	23	PASS
LVLT	GSM1900	512	1850.2	5	PvT(%)	-0.02	0	0	PASS
LVLT	GSM1900	512	1850.2	6	Power	18.77	15	21	PASS
LVLT	GSM1900	512	1850.2	6	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1900	512	1850.2	7	Power	16.58	13	19	PASS
LVLT	GSM1900	512	1850.2	7	PvT(%)	-0.05	0	0	PASS
LVLT	GSM1900	512	1850.2	8	Power	14.53	11	17	PASS
LVLT	GSM1900	512	1850.2	8	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1900	512	1850.2	9	Power	12.39	8	16	PASS

LVLT	GSM1900	512	1850.2	9	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1900	512	1850.2	10	Power	10.51	6	14	PASS
LVLT	GSM1900	512	1850.2	10	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1900	512	1850.2	11	Power	8.41	4	12	PASS
LVLT	GSM1900	512	1850.2	11	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1900	512	1850.2	12	Power	6.49	2	10	PASS
LVLT	GSM1900	512	1850.2	12	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1900	512	1850.2	13	Power	4.37	0	8	PASS
LVLT	GSM1900	512	1850.2	13	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1900	512	1850.2	14	Power	2.48	-3	7	PASS
LVLT	GSM1900	512	1850.2	14	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1900	512	1850.2	15	Power	0.62	-5	5	PASS
LVLT	GSM1900	512	1850.2	15	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1900	661	1880	0	Power	30.46	28	32	PASS
LVLT	GSM1900	661	1880	0	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1900	661	1880	1	Power	28.18	25	31	PASS
LVLT	GSM1900	661	1880	1	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1900	661	1880	2	Power	26.76	23	29	PASS
LVLT	GSM1900	661	1880	2	PvT(%)	-0.1	0	0	PASS
LVLT	GSM1900	661	1880	3	Power	24.7	21	27	PASS
LVLT	GSM1900	661	1880	3	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1900	661	1880	4	Power	22.81	19	25	PASS
LVLT	GSM1900	661	1880	4	PvT(%)	-0.1	0	0	PASS
LVLT	GSM1900	661	1880	5	Power	20.65	17	23	PASS
LVLT	GSM1900	661	1880	5	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1900	661	1880	6	Power	18.68	15	21	PASS
LVLT	GSM1900	661	1880	6	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1900	661	1880	7	Power	16.57	13	19	PASS
LVLT	GSM1900	661	1880	7	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1900	661	1880	8	Power	14.63	11	17	PASS
LVLT	GSM1900	661	1880	8	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1900	661	1880	9	Power	12.4	8	16	PASS
LVLT	GSM1900	661	1880	9	PvT(%)	-0.1	0	0	PASS
LVLT	GSM1900	661	1880	10	Power	10.58	6	14	PASS
LVLT	GSM1900	661	1880	10	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1900	661	1880	11	Power	8.44	4	12	PASS
LVLT	GSM1900	661	1880	11	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1900	661	1880	12	Power	6.5	2	10	PASS
LVLT	GSM1900	661	1880	12	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1900	661	1880	13	Power	4.51	0	8	PASS
LVLT	GSM1900	661	1880	13	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1900	661	1880	14	Power	2.63	-3	7	PASS
LVLT	GSM1900	661	1880	14	PvT(%)	-0.19	0	0	PASS
LVLT	GSM1900	661	1880	15	Power	0.71	-5	5	PASS

LVLT	GSM1900	661	1880	15	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1900	810	1909.8	0	Power	30.43	28	32	PASS
LVLT	GSM1900	810	1909.8	0	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1900	810	1909.8	1	Power	28.18	25	31	PASS
LVLT	GSM1900	810	1909.8	1	PvT(%)	-0.05	0	0	PASS
LVLT	GSM1900	810	1909.8	2	Power	26.64	23	29	PASS
LVLT	GSM1900	810	1909.8	2	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1900	810	1909.8	3	Power	24.76	21	27	PASS
LVLT	GSM1900	810	1909.8	3	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1900	810	1909.8	4	Power	22.75	19	25	PASS
LVLT	GSM1900	810	1909.8	4	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1900	810	1909.8	5	Power	20.67	17	23	PASS
LVLT	GSM1900	810	1909.8	5	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1900	810	1909.8	6	Power	18.65	15	21	PASS
LVLT	GSM1900	810	1909.8	6	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1900	810	1909.8	7	Power	16.72	13	19	PASS
LVLT	GSM1900	810	1909.8	7	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1900	810	1909.8	8	Power	14.58	11	17	PASS
LVLT	GSM1900	810	1909.8	8	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1900	810	1909.8	9	Power	12.51	8	16	PASS
LVLT	GSM1900	810	1909.8	9	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1900	810	1909.8	10	Power	10.37	6	14	PASS
LVLT	GSM1900	810	1909.8	10	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1900	810	1909.8	11	Power	8.47	4	12	PASS
LVLT	GSM1900	810	1909.8	11	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1900	810	1909.8	12	Power	6.52	2	10	PASS
LVLT	GSM1900	810	1909.8	12	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1900	810	1909.8	13	Power	4.48	0	8	PASS
LVLT	GSM1900	810	1909.8	13	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1900	810	1909.8	14	Power	2.67	-3	7	PASS
LVLT	GSM1900	810	1909.8	14	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1900	810	1909.8	15	Power	0.73	-5	5	PASS
LVLT	GSM1900	810	1909.8	15	PvT(%)	-0.04	0	0	PASS
HVHT	GSM850	128	824.2	5	Power	33.92	31	35	PASS
HVHT	GSM850	128	824.2	5	PvT(%)	-0.19	0	0	PASS
HVHT	GSM850	128	824.2	6	Power	31.4	28	34	PASS
HVHT	GSM850	128	824.2	6	PvT(%)	-0.04	0	0	PASS
HVHT	GSM850	128	824.2	7	Power	29.49	26	32	PASS
HVHT	GSM850	128	824.2	7	PvT(%)	-0.14	0	0	PASS
HVHT	GSM850	128	824.2	8	Power	27.59	24	30	PASS
HVHT	GSM850	128	824.2	8	PvT(%)	-0.14	0	0	PASS
HVHT	GSM850	128	824.2	9	Power	25.41	22	28	PASS
HVHT	GSM850	128	824.2	9	PvT(%)	-0.19	0	0	PASS
HVHT	GSM850	128	824.2	10	Power	23.48	20	26	PASS

HVHT	GSM850	128	824.2	10	PvT(%)	-0.16	0	0	PASS
HVHT	GSM850	128	824.2	11	Power	21.47	18	24	PASS
HVHT	GSM850	128	824.2	11	PvT(%)	-0.07	0	0	PASS
HVHT	GSM850	128	824.2	12	Power	19.49	16	22	PASS
HVHT	GSM850	128	824.2	12	PvT(%)	-0.07	0	0	PASS
HVHT	GSM850	128	824.2	13	Power	17.47	14	20	PASS
HVHT	GSM850	128	824.2	13	PvT(%)	-0.14	0	0	PASS
HVHT	GSM850	128	824.2	14	Power	15.52	12	18	PASS
HVHT	GSM850	128	824.2	14	PvT(%)	-0.04	0	0	PASS
HVHT	GSM850	128	824.2	15	Power	13.71	10	16	PASS
HVHT	GSM850	128	824.2	15	PvT(%)	-0.02	0	0	PASS
HVHT	GSM850	128	824.2	16	Power	11.6	6	16	PASS
HVHT	GSM850	128	824.2	16	PvT(%)	-0.04	0	0	PASS
HVHT	GSM850	128	824.2	17	Power	9.73	4	14	PASS
HVHT	GSM850	128	824.2	17	PvT(%)	-0.08	0	0	PASS
HVHT	GSM850	128	824.2	18	Power	8.01	2	12	PASS
HVHT	GSM850	128	824.2	18	PvT(%)	-0.01	0	0	PASS
HVHT	GSM850	128	824.2	19	Power	6.12	0	10	PASS
HVHT	GSM850	128	824.2	19	PvT(%)	-0.15	0	0	PASS
HVHT	GSM850	190	836.6	5	Power	33.52	31	35	PASS
HVHT	GSM850	190	836.6	5	PvT(%)	-0.15	0	0	PASS
HVHT	GSM850	190	836.6	6	Power	31.23	28	34	PASS
HVHT	GSM850	190	836.6	6	PvT(%)	-0.07	0	0	PASS
HVHT	GSM850	190	836.6	7	Power	29.33	26	32	PASS
HVHT	GSM850	190	836.6	7	PvT(%)	-0.14	0	0	PASS
HVHT	GSM850	190	836.6	8	Power	27.2	24	30	PASS
HVHT	GSM850	190	836.6	8	PvT(%)	-0.05	0	0	PASS
HVHT	GSM850	190	836.6	9	Power	25.13	22	28	PASS
HVHT	GSM850	190	836.6	9	PvT(%)	-0.13	0	0	PASS
HVHT	GSM850	190	836.6	10	Power	23.12	20	26	PASS
HVHT	GSM850	190	836.6	10	PvT(%)	-0.12	0	0	PASS
HVHT	GSM850	190	836.6	11	Power	21.21	18	24	PASS
HVHT	GSM850	190	836.6	11	PvT(%)	-0.11	0	0	PASS
HVHT	GSM850	190	836.6	12	Power	19.24	16	22	PASS
HVHT	GSM850	190	836.6	12	PvT(%)	-0.1	0	0	PASS
HVHT	GSM850	190	836.6	13	Power	17.16	14	20	PASS
HVHT	GSM850	190	836.6	13	PvT(%)	-0.13	0	0	PASS
HVHT	GSM850	190	836.6	14	Power	15.26	12	18	PASS
HVHT	GSM850	190	836.6	14	PvT(%)	-0.16	0	0	PASS
HVHT	GSM850	190	836.6	15	Power	13.4	10	16	PASS
HVHT	GSM850	190	836.6	15	PvT(%)	-0.16	0	0	PASS
HVHT	GSM850	190	836.6	16	Power	11.26	6	16	PASS
HVHT	GSM850	190	836.6	16	PvT(%)	-0.11	0	0	PASS
HVHT	GSM850	190	836.6	17	Power	9.59	4	14	PASS

HVHT	GSM850	190	836.6	17	PvT(%)	-0.13	0	0	PASS
HVHT	GSM850	190	836.6	18	Power	7.8	2	12	PASS
HVHT	GSM850	190	836.6	18	PvT(%)	-0.1	0	0	PASS
HVHT	GSM850	190	836.6	19	Power	5.98	0	10	PASS
HVHT	GSM850	190	836.6	19	PvT(%)	-0.1	0	0	PASS
HVHT	GSM850	251	848.8	5	Power	33.62	31	35	PASS
HVHT	GSM850	251	848.8	5	PvT(%)	-0.2	0	0	PASS
HVHT	GSM850	251	848.8	6	Power	31.21	28	34	PASS
HVHT	GSM850	251	848.8	6	PvT(%)	-0.18	0	0	PASS
HVHT	GSM850	251	848.8	7	Power	29.37	26	32	PASS
HVHT	GSM850	251	848.8	7	PvT(%)	-0.11	0	0	PASS
HVHT	GSM850	251	848.8	8	Power	27.29	24	30	PASS
HVHT	GSM850	251	848.8	8	PvT(%)	-0.05	0	0	PASS
HVHT	GSM850	251	848.8	9	Power	25.31	22	28	PASS
HVHT	GSM850	251	848.8	9	PvT(%)	-0.09	0	0	PASS
HVHT	GSM850	251	848.8	10	Power	23.15	20	26	PASS
HVHT	GSM850	251	848.8	10	PvT(%)	-0.1	0	0	PASS
HVHT	GSM850	251	848.8	11	Power	21.27	18	24	PASS
HVHT	GSM850	251	848.8	11	PvT(%)	-0.16	0	0	PASS
HVHT	GSM850	251	848.8	12	Power	19.19	16	22	PASS
HVHT	GSM850	251	848.8	12	PvT(%)	-0.1	0	0	PASS
HVHT	GSM850	251	848.8	13	Power	17.38	14	20	PASS
HVHT	GSM850	251	848.8	13	PvT(%)	-0.19	0	0	PASS
HVHT	GSM850	251	848.8	14	Power	15.44	12	18	PASS
HVHT	GSM850	251	848.8	14	PvT(%)	-0.08	0	0	PASS
HVHT	GSM850	251	848.8	15	Power	13.43	10	16	PASS
HVHT	GSM850	251	848.8	15	PvT(%)	-0.02	0	0	PASS
HVHT	GSM850	251	848.8	16	Power	11.43	6	16	PASS
HVHT	GSM850	251	848.8	16	PvT(%)	-0.2	0	0	PASS
HVHT	GSM850	251	848.8	17	Power	9.69	4	14	PASS
HVHT	GSM850	251	848.8	17	PvT(%)	-0.14	0	0	PASS
HVHT	GSM850	251	848.8	18	Power	7.82	2	12	PASS
HVHT	GSM850	251	848.8	18	PvT(%)	-0.16	0	0	PASS
HVHT	GSM850	251	848.8	19	Power	6.15	0	10	PASS
HVHT	GSM850	251	848.8	19	PvT(%)	-0.12	0	0	PASS
HVLT	GSM850	128	824.2	5	Power	34.04	31	35	PASS
HVLT	GSM850	128	824.2	5	PvT(%)	-0.12	0	0	PASS
HVLT	GSM850	128	824.2	6	Power	31.47	28	34	PASS
HVLT	GSM850	128	824.2	6	PvT(%)	-0.01	0	0	PASS
HVLT	GSM850	128	824.2	7	Power	29.63	26	32	PASS
HVLT	GSM850	128	824.2	7	PvT(%)	-0.05	0	0	PASS
HVLT	GSM850	128	824.2	8	Power	27.44	24	30	PASS
HVLT	GSM850	128	824.2	8	PvT(%)	-0.12	0	0	PASS
HVLT	GSM850	128	824.2	9	Power	25.48	22	28	PASS

HVLT	GSM850	128	824.2	9	PvT(%)	-0.08	0	0	PASS
HVLT	GSM850	128	824.2	10	Power	23.43	20	26	PASS
HVLT	GSM850	128	824.2	10	PvT(%)	-0.17	0	0	PASS
HVLT	GSM850	128	824.2	11	Power	21.47	18	24	PASS
HVLT	GSM850	128	824.2	11	PvT(%)	-0.08	0	0	PASS
HVLT	GSM850	128	824.2	12	Power	19.43	16	22	PASS
HVLT	GSM850	128	824.2	12	PvT(%)	-0.1	0	0	PASS
HVLT	GSM850	128	824.2	13	Power	17.56	14	20	PASS
HVLT	GSM850	128	824.2	13	PvT(%)	-0.13	0	0	PASS
HVLT	GSM850	128	824.2	14	Power	15.41	12	18	PASS
HVLT	GSM850	128	824.2	14	PvT(%)	-0.13	0	0	PASS
HVLT	GSM850	128	824.2	15	Power	13.7	10	16	PASS
HVLT	GSM850	128	824.2	15	PvT(%)	-0.17	0	0	PASS
HVLT	GSM850	128	824.2	16	Power	11.53	6	16	PASS
HVLT	GSM850	128	824.2	16	PvT(%)	-0.08	0	0	PASS
HVLT	GSM850	128	824.2	17	Power	9.79	4	14	PASS
HVLT	GSM850	128	824.2	17	PvT(%)	-0.02	0	0	PASS
HVLT	GSM850	128	824.2	18	Power	8.03	2	12	PASS
HVLT	GSM850	128	824.2	18	PvT(%)	-0.03	0	0	PASS
HVLT	GSM850	128	824.2	19	Power	6.25	0	10	PASS
HVLT	GSM850	128	824.2	19	PvT(%)	-0.09	0	0	PASS
HVLT	GSM850	190	836.6	5	Power	33.44	31	35	PASS
HVLT	GSM850	190	836.6	5	PvT(%)	-0.13	0	0	PASS
HVLT	GSM850	190	836.6	6	Power	31.11	28	34	PASS
HVLT	GSM850	190	836.6	6	PvT(%)	-0.11	0	0	PASS
HVLT	GSM850	190	836.6	7	Power	29.24	26	32	PASS
HVLT	GSM850	190	836.6	7	PvT(%)	-0.1	0	0	PASS
HVLT	GSM850	190	836.6	8	Power	27.1	24	30	PASS
HVLT	GSM850	190	836.6	8	PvT(%)	-0.04	0	0	PASS
HVLT	GSM850	190	836.6	9	Power	25.19	22	28	PASS
HVLT	GSM850	190	836.6	9	PvT(%)	-0.11	0	0	PASS
HVLT	GSM850	190	836.6	10	Power	23.19	20	26	PASS
HVLT	GSM850	190	836.6	10	PvT(%)	-0.1	0	0	PASS
HVLT	GSM850	190	836.6	11	Power	21.11	18	24	PASS
HVLT	GSM850	190	836.6	11	PvT(%)	-0.04	0	0	PASS
HVLT	GSM850	190	836.6	12	Power	19.08	16	22	PASS
HVLT	GSM850	190	836.6	12	PvT(%)	-0.04	0	0	PASS
HVLT	GSM850	190	836.6	13	Power	17.14	14	20	PASS
HVLT	GSM850	190	836.6	13	PvT(%)	-0.06	0	0	PASS
HVLT	GSM850	190	836.6	14	Power	15.27	12	18	PASS
HVLT	GSM850	190	836.6	14	PvT(%)	-0.15	0	0	PASS
HVLT	GSM850	190	836.6	15	Power	13.36	10	16	PASS
HVLT	GSM850	190	836.6	15	PvT(%)	-0.02	0	0	PASS
HVLT	GSM850	190	836.6	16	Power	11.39	6	16	PASS

HVLT	GSM850	190	836.6	16	PvT(%)	-0.15	0	0	PASS
HVLT	GSM850	190	836.6	17	Power	9.5	4	14	PASS
HVLT	GSM850	190	836.6	17	PvT(%)	-0.07	0	0	PASS
HVLT	GSM850	190	836.6	18	Power	7.73	2	12	PASS
HVLT	GSM850	190	836.6	18	PvT(%)	-0.19	0	0	PASS
HVLT	GSM850	190	836.6	19	Power	5.94	0	10	PASS
HVLT	GSM850	190	836.6	19	PvT(%)	-0.02	0	0	PASS
HVLT	GSM850	251	848.8	5	Power	33.49	31	35	PASS
HVLT	GSM850	251	848.8	5	PvT(%)	-0.13	0	0	PASS
HVLT	GSM850	251	848.8	6	Power	31.3	28	34	PASS
HVLT	GSM850	251	848.8	6	PvT(%)	-0.18	0	0	PASS
HVLT	GSM850	251	848.8	7	Power	29.36	26	32	PASS
HVLT	GSM850	251	848.8	7	PvT(%)	-0.19	0	0	PASS
HVLT	GSM850	251	848.8	8	Power	27.2	24	30	PASS
HVLT	GSM850	251	848.8	8	PvT(%)	-0.02	0	0	PASS
HVLT	GSM850	251	848.8	9	Power	25.19	22	28	PASS
HVLT	GSM850	251	848.8	9	PvT(%)	-0.19	0	0	PASS
HVLT	GSM850	251	848.8	10	Power	23.22	20	26	PASS
HVLT	GSM850	251	848.8	10	PvT(%)	-0.01	0	0	PASS
HVLT	GSM850	251	848.8	11	Power	21.21	18	24	PASS
HVLT	GSM850	251	848.8	11	PvT(%)	-0.1	0	0	PASS
HVLT	GSM850	251	848.8	12	Power	19.24	16	22	PASS
HVLT	GSM850	251	848.8	12	PvT(%)	-0.13	0	0	PASS
HVLT	GSM850	251	848.8	13	Power	17.33	14	20	PASS
HVLT	GSM850	251	848.8	13	PvT(%)	-0.14	0	0	PASS
HVLT	GSM850	251	848.8	14	Power	15.36	12	18	PASS
HVLT	GSM850	251	848.8	14	PvT(%)	-0.08	0	0	PASS
HVLT	GSM850	251	848.8	15	Power	13.52	10	16	PASS
HVLT	GSM850	251	848.8	15	PvT(%)	-0.06	0	0	PASS
HVLT	GSM850	251	848.8	16	Power	11.39	6	16	PASS
HVLT	GSM850	251	848.8	16	PvT(%)	-0.09	0	0	PASS
HVLT	GSM850	251	848.8	17	Power	9.8	4	14	PASS
HVLT	GSM850	251	848.8	17	PvT(%)	-0.16	0	0	PASS
HVLT	GSM850	251	848.8	18	Power	7.92	2	12	PASS
HVLT	GSM850	251	848.8	18	PvT(%)	-0.04	0	0	PASS
HVLT	GSM850	251	848.8	19	Power	6.01	0	10	PASS
HVLT	GSM850	251	848.8	19	PvT(%)	-0.08	0	0	PASS
LVHT	GSM850	128	824.2	5	Power	34.05	31	35	PASS
LVHT	GSM850	128	824.2	5	PvT(%)	-0.15	0	0	PASS
LVHT	GSM850	128	824.2	6	Power	31.37	28	34	PASS
LVHT	GSM850	128	824.2	6	PvT(%)	-0.09	0	0	PASS
LVHT	GSM850	128	824.2	7	Power	29.56	26	32	PASS
LVHT	GSM850	128	824.2	7	PvT(%)	-0.17	0	0	PASS
LVHT	GSM850	128	824.2	8	Power	27.58	24	30	PASS

LVHT	GSM850	128	824.2	8	PvT(%)	-0.18	0	0	PASS
LVHT	GSM850	128	824.2	9	Power	25.52	22	28	PASS
LVHT	GSM850	128	824.2	9	PvT(%)	-0.19	0	0	PASS
LVHT	GSM850	128	824.2	10	Power	23.47	20	26	PASS
LVHT	GSM850	128	824.2	10	PvT(%)	-0.14	0	0	PASS
LVHT	GSM850	128	824.2	11	Power	21.53	18	24	PASS
LVHT	GSM850	128	824.2	11	PvT(%)	-0.09	0	0	PASS
LVHT	GSM850	128	824.2	12	Power	19.4	16	22	PASS
LVHT	GSM850	128	824.2	12	PvT(%)	-0.01	0	0	PASS
LVHT	GSM850	128	824.2	13	Power	17.56	14	20	PASS
LVHT	GSM850	128	824.2	13	PvT(%)	-0.15	0	0	PASS
LVHT	GSM850	128	824.2	14	Power	15.59	12	18	PASS
LVHT	GSM850	128	824.2	14	PvT(%)	-0.06	0	0	PASS
LVHT	GSM850	128	824.2	15	Power	13.6	10	16	PASS
LVHT	GSM850	128	824.2	15	PvT(%)	-0.19	0	0	PASS
LVHT	GSM850	128	824.2	16	Power	11.68	6	16	PASS
LVHT	GSM850	128	824.2	16	PvT(%)	-0.1	0	0	PASS
LVHT	GSM850	128	824.2	17	Power	9.76	4	14	PASS
LVHT	GSM850	128	824.2	17	PvT(%)	-0.01	0	0	PASS
LVHT	GSM850	128	824.2	18	Power	8.07	2	12	PASS
LVHT	GSM850	128	824.2	18	PvT(%)	-0.18	0	0	PASS
LVHT	GSM850	128	824.2	19	Power	6.25	0	10	PASS
LVHT	GSM850	128	824.2	19	PvT(%)	-0.16	0	0	PASS
LVHT	GSM850	190	836.6	5	Power	33.42	31	35	PASS
LVHT	GSM850	190	836.6	5	PvT(%)	-0.16	0	0	PASS
LVHT	GSM850	190	836.6	6	Power	31.11	28	34	PASS
LVHT	GSM850	190	836.6	6	PvT(%)	-0.01	0	0	PASS
LVHT	GSM850	190	836.6	7	Power	29.37	26	32	PASS
LVHT	GSM850	190	836.6	7	PvT(%)	-0.16	0	0	PASS
LVHT	GSM850	190	836.6	8	Power	27.08	24	30	PASS
LVHT	GSM850	190	836.6	8	PvT(%)	-0.02	0	0	PASS
LVHT	GSM850	190	836.6	9	Power	25.14	22	28	PASS
LVHT	GSM850	190	836.6	9	PvT(%)	-0.13	0	0	PASS
LVHT	GSM850	190	836.6	10	Power	23.15	20	26	PASS
LVHT	GSM850	190	836.6	10	PvT(%)	-0.11	0	0	PASS
LVHT	GSM850	190	836.6	11	Power	21.05	18	24	PASS
LVHT	GSM850	190	836.6	11	PvT(%)	-0.05	0	0	PASS
LVHT	GSM850	190	836.6	12	Power	19.07	16	22	PASS
LVHT	GSM850	190	836.6	12	PvT(%)	-0.06	0	0	PASS
LVHT	GSM850	190	836.6	13	Power	17.29	14	20	PASS
LVHT	GSM850	190	836.6	13	PvT(%)	-0.2	0	0	PASS
LVHT	GSM850	190	836.6	14	Power	15.28	12	18	PASS
LVHT	GSM850	190	836.6	14	PvT(%)	-0.1	0	0	PASS
LVHT	GSM850	190	836.6	15	Power	13.3	10	16	PASS

LVHT	GSM850	190	836.6	15	PvT(%)	-0.09	0	0	PASS
LVHT	GSM850	190	836.6	16	Power	11.4	6	16	PASS
LVHT	GSM850	190	836.6	16	PvT(%)	-0.16	0	0	PASS
LVHT	GSM850	190	836.6	17	Power	9.52	4	14	PASS
LVHT	GSM850	190	836.6	17	PvT(%)	-0.03	0	0	PASS
LVHT	GSM850	190	836.6	18	Power	7.75	2	12	PASS
LVHT	GSM850	190	836.6	18	PvT(%)	-0.08	0	0	PASS
LVHT	GSM850	190	836.6	19	Power	5.89	0	10	PASS
LVHT	GSM850	190	836.6	19	PvT(%)	-0.1	0	0	PASS
LVHT	GSM850	251	848.8	5	Power	33.53	31	35	PASS
LVHT	GSM850	251	848.8	5	PvT(%)	-0.05	0	0	PASS
LVHT	GSM850	251	848.8	6	Power	31.24	28	34	PASS
LVHT	GSM850	251	848.8	6	PvT(%)	-0.07	0	0	PASS
LVHT	GSM850	251	848.8	7	Power	29.27	26	32	PASS
LVHT	GSM850	251	848.8	7	PvT(%)	-0.12	0	0	PASS
LVHT	GSM850	251	848.8	8	Power	27.23	24	30	PASS
LVHT	GSM850	251	848.8	8	PvT(%)	-0.06	0	0	PASS
LVHT	GSM850	251	848.8	9	Power	25.26	22	28	PASS
LVHT	GSM850	251	848.8	9	PvT(%)	-0.16	0	0	PASS
LVHT	GSM850	251	848.8	10	Power	23.32	20	26	PASS
LVHT	GSM850	251	848.8	10	PvT(%)	-0.04	0	0	PASS
LVHT	GSM850	251	848.8	11	Power	21.24	18	24	PASS
LVHT	GSM850	251	848.8	11	PvT(%)	-0.09	0	0	PASS
LVHT	GSM850	251	848.8	12	Power	19.15	16	22	PASS
LVHT	GSM850	251	848.8	12	PvT(%)	-0.01	0	0	PASS
LVHT	GSM850	251	848.8	13	Power	17.38	14	20	PASS
LVHT	GSM850	251	848.8	13	PvT(%)	-0.17	0	0	PASS
LVHT	GSM850	251	848.8	14	Power	15.35	12	18	PASS
LVHT	GSM850	251	848.8	14	PvT(%)	-0.09	0	0	PASS
LVHT	GSM850	251	848.8	15	Power	13.37	10	16	PASS
LVHT	GSM850	251	848.8	15	PvT(%)	-0.09	0	0	PASS
LVHT	GSM850	251	848.8	16	Power	11.44	6	16	PASS
LVHT	GSM850	251	848.8	16	PvT(%)	-0.13	0	0	PASS
LVHT	GSM850	251	848.8	17	Power	9.78	4	14	PASS
LVHT	GSM850	251	848.8	17	PvT(%)	-0.11	0	0	PASS
LVHT	GSM850	251	848.8	18	Power	7.87	2	12	PASS
LVHT	GSM850	251	848.8	18	PvT(%)	-0.03	0	0	PASS
LVHT	GSM850	251	848.8	19	Power	6.08	0	10	PASS
LVHT	GSM850	251	848.8	19	PvT(%)	-0.18	0	0	PASS
LVLT	GSM850	128	824.2	5	Power	33.87	31	35	PASS
LVLT	GSM850	128	824.2	5	PvT(%)	-0.14	0	0	PASS
LVLT	GSM850	128	824.2	6	Power	31.45	28	34	PASS
LVLT	GSM850	128	824.2	6	PvT(%)	-0.04	0	0	PASS
LVLT	GSM850	128	824.2	7	Power	29.62	26	32	PASS

LVLT	GSM850	128	824.2	7	PvT(%)	-0.07	0	0	PASS
LVLT	GSM850	128	824.2	8	Power	27.48	24	30	PASS
LVLT	GSM850	128	824.2	8	PvT(%)	-0.11	0	0	PASS
LVLT	GSM850	128	824.2	9	Power	25.35	22	28	PASS
LVLT	GSM850	128	824.2	9	PvT(%)	-0.05	0	0	PASS
LVLT	GSM850	128	824.2	10	Power	23.53	20	26	PASS
LVLT	GSM850	128	824.2	10	PvT(%)	-0.12	0	0	PASS
LVLT	GSM850	128	824.2	11	Power	21.42	18	24	PASS
LVLT	GSM850	128	824.2	11	PvT(%)	-0.11	0	0	PASS
LVLT	GSM850	128	824.2	12	Power	19.49	16	22	PASS
LVLT	GSM850	128	824.2	12	PvT(%)	-0.11	0	0	PASS
LVLT	GSM850	128	824.2	13	Power	17.54	14	20	PASS
LVLT	GSM850	128	824.2	13	PvT(%)	-0.12	0	0	PASS
LVLT	GSM850	128	824.2	14	Power	15.41	12	18	PASS
LVLT	GSM850	128	824.2	14	PvT(%)	-0.01	0	0	PASS
LVLT	GSM850	128	824.2	15	Power	13.66	10	16	PASS
LVLT	GSM850	128	824.2	15	PvT(%)	-0.19	0	0	PASS
LVLT	GSM850	128	824.2	16	Power	11.55	6	16	PASS
LVLT	GSM850	128	824.2	16	PvT(%)	-0.04	0	0	PASS
LVLT	GSM850	128	824.2	17	Power	9.8	4	14	PASS
LVLT	GSM850	128	824.2	17	PvT(%)	-0.13	0	0	PASS
LVLT	GSM850	128	824.2	18	Power	7.96	2	12	PASS
LVLT	GSM850	128	824.2	18	PvT(%)	-0.18	0	0	PASS
LVLT	GSM850	128	824.2	19	Power	6.09	0	10	PASS
LVLT	GSM850	128	824.2	19	PvT(%)	-0.07	0	0	PASS
LVLT	GSM850	190	836.6	5	Power	33.5	31	35	PASS
LVLT	GSM850	190	836.6	5	PvT(%)	-0.19	0	0	PASS
LVLT	GSM850	190	836.6	6	Power	31.16	28	34	PASS
LVLT	GSM850	190	836.6	6	PvT(%)	-0.18	0	0	PASS
LVLT	GSM850	190	836.6	7	Power	29.32	26	32	PASS
LVLT	GSM850	190	836.6	7	PvT(%)	-0.01	0	0	PASS
LVLT	GSM850	190	836.6	8	Power	27.08	24	30	PASS
LVLT	GSM850	190	836.6	8	PvT(%)	-0.11	0	0	PASS
LVLT	GSM850	190	836.6	9	Power	25.23	22	28	PASS
LVLT	GSM850	190	836.6	9	PvT(%)	-0.19	0	0	PASS
LVLT	GSM850	190	836.6	10	Power	23.13	20	26	PASS
LVLT	GSM850	190	836.6	10	PvT(%)	-0.15	0	0	PASS
LVLT	GSM850	190	836.6	11	Power	21.12	18	24	PASS
LVLT	GSM850	190	836.6	11	PvT(%)	-0.15	0	0	PASS
LVLT	GSM850	190	836.6	12	Power	19.25	16	22	PASS
LVLT	GSM850	190	836.6	12	PvT(%)	-0.05	0	0	PASS
LVLT	GSM850	190	836.6	13	Power	17.17	14	20	PASS
LVLT	GSM850	190	836.6	13	PvT(%)	-0.12	0	0	PASS
LVLT	GSM850	190	836.6	14	Power	15.21	12	18	PASS

LVLT	GSM850	190	836.6	14	PvT(%)	-0.03	0	0	PASS
LVLT	GSM850	190	836.6	15	Power	13.26	10	16	PASS
LVLT	GSM850	190	836.6	15	PvT(%)	-0.15	0	0	PASS
LVLT	GSM850	190	836.6	16	Power	11.26	6	16	PASS
LVLT	GSM850	190	836.6	16	PvT(%)	-0.11	0	0	PASS
LVLT	GSM850	190	836.6	17	Power	9.49	4	14	PASS
LVLT	GSM850	190	836.6	17	PvT(%)	-0.01	0	0	PASS
LVLT	GSM850	190	836.6	18	Power	7.7	2	12	PASS
LVLT	GSM850	190	836.6	18	PvT(%)	-0.05	0	0	PASS
LVLT	GSM850	190	836.6	19	Power	5.9	0	10	PASS
LVLT	GSM850	190	836.6	19	PvT(%)	-0.13	0	0	PASS
LVLT	GSM850	251	848.8	5	Power	33.54	31	35	PASS
LVLT	GSM850	251	848.8	5	PvT(%)	-0.15	0	0	PASS
LVLT	GSM850	251	848.8	6	Power	31.27	28	34	PASS
LVLT	GSM850	251	848.8	6	PvT(%)	-0.13	0	0	PASS
LVLT	GSM850	251	848.8	7	Power	29.34	26	32	PASS
LVLT	GSM850	251	848.8	7	PvT(%)	-0.03	0	0	PASS
LVLT	GSM850	251	848.8	8	Power	27.2	24	30	PASS
LVLT	GSM850	251	848.8	8	PvT(%)	-0.2	0	0	PASS
LVLT	GSM850	251	848.8	9	Power	25.28	22	28	PASS
LVLT	GSM850	251	848.8	9	PvT(%)	-0.02	0	0	PASS
LVLT	GSM850	251	848.8	10	Power	23.23	20	26	PASS
LVLT	GSM850	251	848.8	10	PvT(%)	-0.16	0	0	PASS
LVLT	GSM850	251	848.8	11	Power	21.18	18	24	PASS
LVLT	GSM850	251	848.8	11	PvT(%)	-0.01	0	0	PASS
LVLT	GSM850	251	848.8	12	Power	19.21	16	22	PASS
LVLT	GSM850	251	848.8	12	PvT(%)	-0.12	0	0	PASS
LVLT	GSM850	251	848.8	13	Power	17.3	14	20	PASS
LVLT	GSM850	251	848.8	13	PvT(%)	-0.2	0	0	PASS
LVLT	GSM850	251	848.8	14	Power	15.42	12	18	PASS
LVLT	GSM850	251	848.8	14	PvT(%)	-0.05	0	0	PASS
LVLT	GSM850	251	848.8	15	Power	13.37	10	16	PASS
LVLT	GSM850	251	848.8	15	PvT(%)	-0.08	0	0	PASS
LVLT	GSM850	251	848.8	16	Power	11.5	6	16	PASS
LVLT	GSM850	251	848.8	16	PvT(%)	-0.16	0	0	PASS
LVLT	GSM850	251	848.8	17	Power	9.71	4	14	PASS
LVLT	GSM850	251	848.8	17	PvT(%)	-0.17	0	0	PASS
LVLT	GSM850	251	848.8	18	Power	7.98	2	12	PASS
LVLT	GSM850	251	848.8	18	PvT(%)	-0.03	0	0	PASS
LVLT	GSM850	251	848.8	19	Power	6.14	0	10	PASS
LVLT	GSM850	251	848.8	19	PvT(%)	-0.05	0	0	PASS
HVHT	GSM900	975	880.2	5	Power	32.7	31	35	PASS
HVHT	GSM900	975	880.2	5	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	975	880.2	6	Power	30.37	28	34	PASS

HVHT	GSM900	975	880.2	6	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	975	880.2	7	Power	28.63	26	32	PASS
HVHT	GSM900	975	880.2	7	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	975	880.2	8	Power	26.59	24	30	PASS
HVHT	GSM900	975	880.2	8	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	975	880.2	9	Power	24.78	22	28	PASS
HVHT	GSM900	975	880.2	9	PvT(%)	-0.11	0	0	PASS
HVHT	GSM900	975	880.2	10	Power	22.63	20	26	PASS
HVHT	GSM900	975	880.2	10	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	975	880.2	11	Power	20.49	18	24	PASS
HVHT	GSM900	975	880.2	11	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	975	880.2	12	Power	18.64	16	22	PASS
HVHT	GSM900	975	880.2	12	PvT(%)	-0.08	0	0	PASS
HVHT	GSM900	975	880.2	13	Power	16.62	14	20	PASS
HVHT	GSM900	975	880.2	13	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	975	880.2	14	Power	14.58	12	18	PASS
HVHT	GSM900	975	880.2	14	PvT(%)	-0.05	0	0	PASS
HVHT	GSM900	975	880.2	15	Power	12.62	10	16	PASS
HVHT	GSM900	975	880.2	15	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	975	880.2	16	Power	10.38	6	16	PASS
HVHT	GSM900	975	880.2	16	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	975	880.2	17	Power	8.61	4	14	PASS
HVHT	GSM900	975	880.2	17	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	975	880.2	18	Power	6.37	2	12	PASS
HVHT	GSM900	975	880.2	18	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	975	880.2	19	Power	4.61	0	10	PASS
HVHT	GSM900	975	880.2	19	PvT(%)	-0.03	0	0	PASS
HVHT	GSM900	38	897.6	5	Power	32.9	31	35	PASS
HVHT	GSM900	38	897.6	5	PvT(%)	-0.05	0	0	PASS
HVHT	GSM900	38	897.6	6	Power	30.66	28	34	PASS
HVHT	GSM900	38	897.6	6	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	38	897.6	7	Power	29.01	26	32	PASS
HVHT	GSM900	38	897.6	7	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	38	897.6	8	Power	27	24	30	PASS
HVHT	GSM900	38	897.6	8	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	38	897.6	9	Power	25.06	22	28	PASS
HVHT	GSM900	38	897.6	9	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	38	897.6	10	Power	22.87	20	26	PASS
HVHT	GSM900	38	897.6	10	PvT(%)	-0.12	0	0	PASS
HVHT	GSM900	38	897.6	11	Power	20.9	18	24	PASS
HVHT	GSM900	38	897.6	11	PvT(%)	-0.15	0	0	PASS
HVHT	GSM900	38	897.6	12	Power	18.87	16	22	PASS
HVHT	GSM900	38	897.6	12	PvT(%)	-0.08	0	0	PASS
HVHT	GSM900	38	897.6	13	Power	16.83	14	20	PASS

HVHT	GSM900	38	897.6	13	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	38	897.6	14	Power	14.89	12	18	PASS
HVHT	GSM900	38	897.6	14	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	38	897.6	15	Power	12.89	10	16	PASS
HVHT	GSM900	38	897.6	15	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	38	897.6	16	Power	10.66	6	16	PASS
HVHT	GSM900	38	897.6	16	PvT(%)	-0.05	0	0	PASS
HVHT	GSM900	38	897.6	17	Power	8.74	4	14	PASS
HVHT	GSM900	38	897.6	17	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	38	897.6	18	Power	6.58	2	12	PASS
HVHT	GSM900	38	897.6	18	PvT(%)	-0.03	0	0	PASS
HVHT	GSM900	38	897.6	19	Power	4.79	0	10	PASS
HVHT	GSM900	38	897.6	19	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	124	914.8	5	Power	33.19	31	35	PASS
HVHT	GSM900	124	914.8	5	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	124	914.8	6	Power	30.69	28	34	PASS
HVHT	GSM900	124	914.8	6	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	124	914.8	7	Power	28.9	26	32	PASS
HVHT	GSM900	124	914.8	7	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	124	914.8	8	Power	26.88	24	30	PASS
HVHT	GSM900	124	914.8	8	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	124	914.8	9	Power	24.84	22	28	PASS
HVHT	GSM900	124	914.8	9	PvT(%)	-0.12	0	0	PASS
HVHT	GSM900	124	914.8	10	Power	22.91	20	26	PASS
HVHT	GSM900	124	914.8	10	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	124	914.8	11	Power	20.83	18	24	PASS
HVHT	GSM900	124	914.8	11	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	124	914.8	12	Power	18.81	16	22	PASS
HVHT	GSM900	124	914.8	12	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	124	914.8	13	Power	16.88	14	20	PASS
HVHT	GSM900	124	914.8	13	PvT(%)	-0.05	0	0	PASS
HVHT	GSM900	124	914.8	14	Power	14.79	12	18	PASS
HVHT	GSM900	124	914.8	14	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	124	914.8	15	Power	12.74	10	16	PASS
HVHT	GSM900	124	914.8	15	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	124	914.8	16	Power	10.63	6	16	PASS
HVHT	GSM900	124	914.8	16	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	124	914.8	17	Power	8.6	4	14	PASS
HVHT	GSM900	124	914.8	17	PvT(%)	-0.2	0	0	PASS
HVHT	GSM900	124	914.8	18	Power	6.43	2	12	PASS
HVHT	GSM900	124	914.8	18	PvT(%)	-0.13	0	0	PASS
HVHT	GSM900	124	914.8	19	Power	4.61	0	10	PASS
HVHT	GSM900	124	914.8	19	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	975	880.2	5	Power	32.73	31	35	PASS

HVLT	GSM900	975	880.2	5	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	975	880.2	6	Power	30.4	28	34	PASS
HVLT	GSM900	975	880.2	6	PvT(%)	-0.04	0	0	PASS
HVLT	GSM900	975	880.2	7	Power	28.65	26	32	PASS
HVLT	GSM900	975	880.2	7	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	975	880.2	8	Power	26.65	24	30	PASS
HVLT	GSM900	975	880.2	8	PvT(%)	-0.11	0	0	PASS
HVLT	GSM900	975	880.2	9	Power	24.71	22	28	PASS
HVLT	GSM900	975	880.2	9	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	975	880.2	10	Power	22.65	20	26	PASS
HVLT	GSM900	975	880.2	10	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	975	880.2	11	Power	20.5	18	24	PASS
HVLT	GSM900	975	880.2	11	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	975	880.2	12	Power	18.62	16	22	PASS
HVLT	GSM900	975	880.2	12	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	975	880.2	13	Power	16.58	14	20	PASS
HVLT	GSM900	975	880.2	13	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	975	880.2	14	Power	14.62	12	18	PASS
HVLT	GSM900	975	880.2	14	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	975	880.2	15	Power	12.67	10	16	PASS
HVLT	GSM900	975	880.2	15	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	975	880.2	16	Power	10.38	6	16	PASS
HVLT	GSM900	975	880.2	16	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	975	880.2	17	Power	8.58	4	14	PASS
HVLT	GSM900	975	880.2	17	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	975	880.2	18	Power	6.49	2	12	PASS
HVLT	GSM900	975	880.2	18	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	975	880.2	19	Power	4.52	0	10	PASS
HVLT	GSM900	975	880.2	19	PvT(%)	-0.06	0	0	PASS
HVLT	GSM900	38	897.6	5	Power	32.96	31	35	PASS
HVLT	GSM900	38	897.6	5	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	38	897.6	6	Power	30.64	28	34	PASS
HVLT	GSM900	38	897.6	6	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	38	897.6	7	Power	28.91	26	32	PASS
HVLT	GSM900	38	897.6	7	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	38	897.6	8	Power	27.02	24	30	PASS
HVLT	GSM900	38	897.6	8	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	38	897.6	9	Power	24.88	22	28	PASS
HVLT	GSM900	38	897.6	9	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	38	897.6	10	Power	22.86	20	26	PASS
HVLT	GSM900	38	897.6	10	PvT(%)	-0.11	0	0	PASS
HVLT	GSM900	38	897.6	11	Power	20.89	18	24	PASS
HVLT	GSM900	38	897.6	11	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	38	897.6	12	Power	18.92	16	22	PASS

HVLT	GSM900	38	897.6	12	PvT(%)	-0.11	0	0	PASS
HVLT	GSM900	38	897.6	13	Power	16.86	14	20	PASS
HVLT	GSM900	38	897.6	13	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	38	897.6	14	Power	14.87	12	18	PASS
HVLT	GSM900	38	897.6	14	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	38	897.6	15	Power	12.96	10	16	PASS
HVLT	GSM900	38	897.6	15	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	38	897.6	16	Power	10.74	6	16	PASS
HVLT	GSM900	38	897.6	16	PvT(%)	-0.19	0	0	PASS
HVLT	GSM900	38	897.6	17	Power	8.67	4	14	PASS
HVLT	GSM900	38	897.6	17	PvT(%)	-0.19	0	0	PASS
HVLT	GSM900	38	897.6	18	Power	6.62	2	12	PASS
HVLT	GSM900	38	897.6	18	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	38	897.6	19	Power	4.76	0	10	PASS
HVLT	GSM900	38	897.6	19	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	124	914.8	5	Power	33.1	31	35	PASS
HVLT	GSM900	124	914.8	5	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	124	914.8	6	Power	30.65	28	34	PASS
HVLT	GSM900	124	914.8	6	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	124	914.8	7	Power	28.94	26	32	PASS
HVLT	GSM900	124	914.8	7	PvT(%)	-0.18	0	0	PASS
HVLT	GSM900	124	914.8	8	Power	26.94	24	30	PASS
HVLT	GSM900	124	914.8	8	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	124	914.8	9	Power	24.85	22	28	PASS
HVLT	GSM900	124	914.8	9	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	124	914.8	10	Power	22.82	20	26	PASS
HVLT	GSM900	124	914.8	10	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	124	914.8	11	Power	20.78	18	24	PASS
HVLT	GSM900	124	914.8	11	PvT(%)	-0.19	0	0	PASS
HVLT	GSM900	124	914.8	12	Power	18.8	16	22	PASS
HVLT	GSM900	124	914.8	12	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	124	914.8	13	Power	16.84	14	20	PASS
HVLT	GSM900	124	914.8	13	PvT(%)	-0.06	0	0	PASS
HVLT	GSM900	124	914.8	14	Power	14.78	12	18	PASS
HVLT	GSM900	124	914.8	14	PvT(%)	-0.19	0	0	PASS
HVLT	GSM900	124	914.8	15	Power	12.73	10	16	PASS
HVLT	GSM900	124	914.8	15	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	124	914.8	16	Power	10.75	6	16	PASS
HVLT	GSM900	124	914.8	16	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	124	914.8	17	Power	8.51	4	14	PASS
HVLT	GSM900	124	914.8	17	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	124	914.8	18	Power	6.54	2	12	PASS
HVLT	GSM900	124	914.8	18	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	124	914.8	19	Power	4.58	0	10	PASS

HVLT	GSM900	124	914.8	19	PvT(%)	-0.2	0	0	PASS
LVHT	GSM900	975	880.2	5	Power	32.73	31	35	PASS
LVHT	GSM900	975	880.2	5	PvT(%)	-0.02	0	0	PASS
LVHT	GSM900	975	880.2	6	Power	30.5	28	34	PASS
LVHT	GSM900	975	880.2	6	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	975	880.2	7	Power	28.72	26	32	PASS
LVHT	GSM900	975	880.2	7	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	975	880.2	8	Power	26.58	24	30	PASS
LVHT	GSM900	975	880.2	8	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	975	880.2	9	Power	24.78	22	28	PASS
LVHT	GSM900	975	880.2	9	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	975	880.2	10	Power	22.52	20	26	PASS
LVHT	GSM900	975	880.2	10	PvT(%)	-0.12	0	0	PASS
LVHT	GSM900	975	880.2	11	Power	20.63	18	24	PASS
LVHT	GSM900	975	880.2	11	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	975	880.2	12	Power	18.65	16	22	PASS
LVHT	GSM900	975	880.2	12	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	975	880.2	13	Power	16.58	14	20	PASS
LVHT	GSM900	975	880.2	13	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	975	880.2	14	Power	14.52	12	18	PASS
LVHT	GSM900	975	880.2	14	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	975	880.2	15	Power	12.63	10	16	PASS
LVHT	GSM900	975	880.2	15	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	975	880.2	16	Power	10.43	6	16	PASS
LVHT	GSM900	975	880.2	16	PvT(%)	-0.14	0	0	PASS
LVHT	GSM900	975	880.2	17	Power	8.57	4	14	PASS
LVHT	GSM900	975	880.2	17	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	975	880.2	18	Power	6.42	2	12	PASS
LVHT	GSM900	975	880.2	18	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	975	880.2	19	Power	4.57	0	10	PASS
LVHT	GSM900	975	880.2	19	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	38	897.6	5	Power	32.88	31	35	PASS
LVHT	GSM900	38	897.6	5	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	38	897.6	6	Power	30.68	28	34	PASS
LVHT	GSM900	38	897.6	6	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	38	897.6	7	Power	29.03	26	32	PASS
LVHT	GSM900	38	897.6	7	PvT(%)	-0.19	0	0	PASS
LVHT	GSM900	38	897.6	8	Power	26.96	24	30	PASS
LVHT	GSM900	38	897.6	8	PvT(%)	-0.19	0	0	PASS
LVHT	GSM900	38	897.6	9	Power	25	22	28	PASS
LVHT	GSM900	38	897.6	9	PvT(%)	-0.2	0	0	PASS
LVHT	GSM900	38	897.6	10	Power	22.98	20	26	PASS
LVHT	GSM900	38	897.6	10	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	38	897.6	11	Power	20.87	18	24	PASS

LVHT	GSM900	38	897.6	11	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	38	897.6	12	Power	18.99	16	22	PASS
LVHT	GSM900	38	897.6	12	PvT(%)	-0.2	0	0	PASS
LVHT	GSM900	38	897.6	13	Power	16.94	14	20	PASS
LVHT	GSM900	38	897.6	13	PvT(%)	-0.02	0	0	PASS
LVHT	GSM900	38	897.6	14	Power	14.92	12	18	PASS
LVHT	GSM900	38	897.6	14	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	38	897.6	15	Power	12.93	10	16	PASS
LVHT	GSM900	38	897.6	15	PvT(%)	-0.14	0	0	PASS
LVHT	GSM900	38	897.6	16	Power	10.74	6	16	PASS
LVHT	GSM900	38	897.6	16	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	38	897.6	17	Power	8.72	4	14	PASS
LVHT	GSM900	38	897.6	17	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	38	897.6	18	Power	6.69	2	12	PASS
LVHT	GSM900	38	897.6	18	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	38	897.6	19	Power	4.88	0	10	PASS
LVHT	GSM900	38	897.6	19	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	124	914.8	5	Power	33.16	31	35	PASS
LVHT	GSM900	124	914.8	5	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	124	914.8	6	Power	30.7	28	34	PASS
LVHT	GSM900	124	914.8	6	PvT(%)	-0.15	0	0	PASS
LVHT	GSM900	124	914.8	7	Power	28.94	26	32	PASS
LVHT	GSM900	124	914.8	7	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	124	914.8	8	Power	26.84	24	30	PASS
LVHT	GSM900	124	914.8	8	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	124	914.8	9	Power	24.94	22	28	PASS
LVHT	GSM900	124	914.8	9	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	124	914.8	10	Power	22.94	20	26	PASS
LVHT	GSM900	124	914.8	10	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	124	914.8	11	Power	20.71	18	24	PASS
LVHT	GSM900	124	914.8	11	PvT(%)	-0.15	0	0	PASS
LVHT	GSM900	124	914.8	12	Power	18.88	16	22	PASS
LVHT	GSM900	124	914.8	12	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	124	914.8	13	Power	16.92	14	20	PASS
LVHT	GSM900	124	914.8	13	PvT(%)	-0.14	0	0	PASS
LVHT	GSM900	124	914.8	14	Power	14.69	12	18	PASS
LVHT	GSM900	124	914.8	14	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	124	914.8	15	Power	12.75	10	16	PASS
LVHT	GSM900	124	914.8	15	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	124	914.8	16	Power	10.74	6	16	PASS
LVHT	GSM900	124	914.8	16	PvT(%)	-0.19	0	0	PASS
LVHT	GSM900	124	914.8	17	Power	8.5	4	14	PASS
LVHT	GSM900	124	914.8	17	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	124	914.8	18	Power	6.44	2	12	PASS

LVHT	GSM900	124	914.8	18	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	124	914.8	19	Power	4.63	0	10	PASS
LVHT	GSM900	124	914.8	19	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	975	880.2	5	Power	32.81	31	35	PASS
LVLT	GSM900	975	880.2	5	PvT(%)	-0.04	0	0	PASS
LVLT	GSM900	975	880.2	6	Power	30.4	28	34	PASS
LVLT	GSM900	975	880.2	6	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	975	880.2	7	Power	28.72	26	32	PASS
LVLT	GSM900	975	880.2	7	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	975	880.2	8	Power	26.67	24	30	PASS
LVLT	GSM900	975	880.2	8	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	975	880.2	9	Power	24.68	22	28	PASS
LVLT	GSM900	975	880.2	9	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	975	880.2	10	Power	22.52	20	26	PASS
LVLT	GSM900	975	880.2	10	PvT(%)	-0.04	0	0	PASS
LVLT	GSM900	975	880.2	11	Power	20.59	18	24	PASS
LVLT	GSM900	975	880.2	11	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	975	880.2	12	Power	18.68	16	22	PASS
LVLT	GSM900	975	880.2	12	PvT(%)	-0.04	0	0	PASS
LVLT	GSM900	975	880.2	13	Power	16.65	14	20	PASS
LVLT	GSM900	975	880.2	13	PvT(%)	-0.04	0	0	PASS
LVLT	GSM900	975	880.2	14	Power	14.49	12	18	PASS
LVLT	GSM900	975	880.2	14	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	975	880.2	15	Power	12.54	10	16	PASS
LVLT	GSM900	975	880.2	15	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	975	880.2	16	Power	10.49	6	16	PASS
LVLT	GSM900	975	880.2	16	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	975	880.2	17	Power	8.6	4	14	PASS
LVLT	GSM900	975	880.2	17	PvT(%)	-0.09	0	0	PASS
LVLT	GSM900	975	880.2	18	Power	6.46	2	12	PASS
LVLT	GSM900	975	880.2	18	PvT(%)	-0.04	0	0	PASS
LVLT	GSM900	975	880.2	19	Power	4.52	0	10	PASS
LVLT	GSM900	975	880.2	19	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	38	897.6	5	Power	32.91	31	35	PASS
LVLT	GSM900	38	897.6	5	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	38	897.6	6	Power	30.75	28	34	PASS
LVLT	GSM900	38	897.6	6	PvT(%)	-0.18	0	0	PASS
LVLT	GSM900	38	897.6	7	Power	28.99	26	32	PASS
LVLT	GSM900	38	897.6	7	PvT(%)	-0.08	0	0	PASS
LVLT	GSM900	38	897.6	8	Power	26.98	24	30	PASS
LVLT	GSM900	38	897.6	8	PvT(%)	-0.16	0	0	PASS
LVLT	GSM900	38	897.6	9	Power	24.95	22	28	PASS
LVLT	GSM900	38	897.6	9	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	38	897.6	10	Power	23.02	20	26	PASS

LVLT	GSM900	38	897.6	10	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	38	897.6	11	Power	20.8	18	24	PASS
LVLT	GSM900	38	897.6	11	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	38	897.6	12	Power	18.95	16	22	PASS
LVLT	GSM900	38	897.6	12	PvT(%)	-0.11	0	0	PASS
LVLT	GSM900	38	897.6	13	Power	16.84	14	20	PASS
LVLT	GSM900	38	897.6	13	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	38	897.6	14	Power	14.85	12	18	PASS
LVLT	GSM900	38	897.6	14	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	38	897.6	15	Power	13.04	10	16	PASS
LVLT	GSM900	38	897.6	15	PvT(%)	-0.08	0	0	PASS
LVLT	GSM900	38	897.6	16	Power	10.77	6	16	PASS
LVLT	GSM900	38	897.6	16	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	38	897.6	17	Power	8.78	4	14	PASS
LVLT	GSM900	38	897.6	17	PvT(%)	-0.09	0	0	PASS
LVLT	GSM900	38	897.6	18	Power	6.6	2	12	PASS
LVLT	GSM900	38	897.6	18	PvT(%)	-0.04	0	0	PASS
LVLT	GSM900	38	897.6	19	Power	4.81	0	10	PASS
LVLT	GSM900	38	897.6	19	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	124	914.8	5	Power	33.06	31	35	PASS
LVLT	GSM900	124	914.8	5	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	124	914.8	6	Power	30.62	28	34	PASS
LVLT	GSM900	124	914.8	6	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	124	914.8	7	Power	28.88	26	32	PASS
LVLT	GSM900	124	914.8	7	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	124	914.8	8	Power	26.85	24	30	PASS
LVLT	GSM900	124	914.8	8	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	124	914.8	9	Power	24.84	22	28	PASS
LVLT	GSM900	124	914.8	9	PvT(%)	-0.18	0	0	PASS
LVLT	GSM900	124	914.8	10	Power	22.76	20	26	PASS
LVLT	GSM900	124	914.8	10	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	124	914.8	11	Power	20.77	18	24	PASS
LVLT	GSM900	124	914.8	11	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	124	914.8	12	Power	18.74	16	22	PASS
LVLT	GSM900	124	914.8	12	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	124	914.8	13	Power	16.92	14	20	PASS
LVLT	GSM900	124	914.8	13	PvT(%)	-0.09	0	0	PASS
LVLT	GSM900	124	914.8	14	Power	14.74	12	18	PASS
LVLT	GSM900	124	914.8	14	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	124	914.8	15	Power	12.8	10	16	PASS
LVLT	GSM900	124	914.8	15	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	124	914.8	16	Power	10.65	6	16	PASS
LVLT	GSM900	124	914.8	16	PvT(%)	-0.11	0	0	PASS
LVLT	GSM900	124	914.8	17	Power	8.67	4	14	PASS

LVL	GSM900	124	914.8	17	PvT(%)	-0.08	0	0	PASS
LVL	GSM900	124	914.8	18	Power	6.37	2	12	PASS
LVL	GSM900	124	914.8	18	PvT(%)	-0.19	0	0	PASS
LVL	GSM900	124	914.8	19	Power	4.56	0	10	PASS
LVL	GSM900	124	914.8	19	PvT(%)	-0.01	0	0	PASS

#### Clause 4.2.6 Transmitter-Modulation Spectrum

Condition	Band	Channel	Frequency (MHz)	PCL	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	GSM1800	512	1710.2	0	-1800	-76.87	-60	-54.53	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1600	-75.45	-60	-52.98	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1400	-73.58	-60	-51.27	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-72.24	-60	-49.86	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1000	-71.36	-60	-48.98	-55	PASS
HVHT	GSM1800	512	1710.2	0	-800	-70.36	-60	-47.94	-55	PASS
HVHT	GSM1800	512	1710.2	0	-600	-68.3	-60	-45.96	-55	PASS
HVHT	GSM1800	512	1710.2	0	-400	-61.79	-60	-39.55	-36	PASS
HVHT	GSM1800	512	1710.2	0	-250	-40.15	-33	-17.79	-36	PASS
HVHT	GSM1800	512	1710.2	0	-200	-36.68	-30	-14.48	-36	PASS
HVHT	GSM1800	512	1710.2	0	-100	-8.07	0.5	14.37	-36	PASS
HVHT	GSM1800	512	1710.2	0	100	-8.65	0.5	13.51	-36	PASS
HVHT	GSM1800	512	1710.2	0	200	-36.83	-30	-14.47	-36	PASS
HVHT	GSM1800	512	1710.2	0	250	-40.32	-33	-17.98	-36	PASS
HVHT	GSM1800	512	1710.2	0	400	-61.33	-60	-39.07	-36	PASS
HVHT	GSM1800	512	1710.2	0	600	-68.95	-60	-46.53	-55	PASS
HVHT	GSM1800	512	1710.2	0	800	-69.69	-60	-47.27	-55	PASS
HVHT	GSM1800	512	1710.2	0	1000	-71.37	-60	-48.99	-55	PASS
HVHT	GSM1800	512	1710.2	0	1200	-72.69	-60	-50.4	-55	PASS
HVHT	GSM1800	512	1710.2	0	1400	-72.77	-60	-50.42	-55	PASS
HVHT	GSM1800	512	1710.2	0	1600	-74.82	-60	-52.55	-55	PASS
HVHT	GSM1800	512	1710.2	0	1800	-76.81	-60	-54.51	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1800	-67.26	-60	-73.91	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1600	-65.7	-60	-72.36	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1400	-65.94	-60	-72.82	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-66.08	-60	-72.76	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1000	-65.78	-60	-72.55	-55	PASS
HVHT	GSM1800	512	1710.2	15	-800	-65.92	-60	-72.54	-55	PASS
HVHT	GSM1800	512	1710.2	15	-600	-65.02	-60	-71.76	-55	PASS
HVHT	GSM1800	512	1710.2	15	-400	-59.8	-60	-66.63	-36	PASS
HVHT	GSM1800	512	1710.2	15	-250	-41.17	-33	-47.94	-36	PASS
HVHT	GSM1800	512	1710.2	15	-200	-36.36	-30	-42.96	-36	PASS
HVHT	GSM1800	512	1710.2	15	-100	-8.59	0.5	-15.26	-36	PASS
HVHT	GSM1800	512	1710.2	15	100	-8.18	0.5	-14.87	-36	PASS

HVHT	GSM1800	512	1710.2	15	200	-36.26	-30	-42.82	-36	PASS
HVHT	GSM1800	512	1710.2	15	250	-39.64	-33	-46.36	-36	PASS
HVHT	GSM1800	512	1710.2	15	400	-59.88	-60	-66.59	-36	PASS
HVHT	GSM1800	512	1710.2	15	600	-65.28	-60	-71.97	-55	PASS
HVHT	GSM1800	512	1710.2	15	800	-65.12	-60	-71.85	-55	PASS
HVHT	GSM1800	512	1710.2	15	1000	-66.19	-60	-73	-55	PASS
HVHT	GSM1800	512	1710.2	15	1200	-65.89	-60	-72.52	-55	PASS
HVHT	GSM1800	512	1710.2	15	1400	-65.88	-60	-72.62	-55	PASS
HVHT	GSM1800	512	1710.2	15	1600	-65.49	-60	-72.32	-55	PASS
HVHT	GSM1800	512	1710.2	15	1800	-67.35	-60	-74.14	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1800	-78.32	-60	-55.22	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1600	-76.65	-60	-53.64	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1400	-74.15	-60	-51.04	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-73.86	-60	-50.8	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1000	-72.03	-60	-48.88	-55	PASS
HVHT	GSM1800	698	1747.4	0	-800	-71.81	-60	-48.75	-55	PASS
HVHT	GSM1800	698	1747.4	0	-600	-69.93	-60	-47.05	-55	PASS
HVHT	GSM1800	698	1747.4	0	-400	-62.61	-60	-39.47	-36	PASS
HVHT	GSM1800	698	1747.4	0	-250	-41.52	-33	-18.49	-36	PASS
HVHT	GSM1800	698	1747.4	0	-200	-36.83	-30	-13.81	-36	PASS
HVHT	GSM1800	698	1747.4	0	-100	-8.77	0.5	14.14	-36	PASS
HVHT	GSM1800	698	1747.4	0	100	-7.53	0.5	15.54	-36	PASS
HVHT	GSM1800	698	1747.4	0	200	-36.27	-30	-13.23	-36	PASS
HVHT	GSM1800	698	1747.4	0	250	-41.82	-33	-18.86	-36	PASS
HVHT	GSM1800	698	1747.4	0	400	-63.67	-60	-40.64	-36	PASS
HVHT	GSM1800	698	1747.4	0	600	-69.67	-60	-46.81	-55	PASS
HVHT	GSM1800	698	1747.4	0	800	-71.15	-60	-48.26	-55	PASS
HVHT	GSM1800	698	1747.4	0	1000	-71.21	-60	-48.23	-55	PASS
HVHT	GSM1800	698	1747.4	0	1200	-72.25	-60	-49.07	-55	PASS
HVHT	GSM1800	698	1747.4	0	1400	-73.48	-60	-50.5	-55	PASS
HVHT	GSM1800	698	1747.4	0	1600	-76.95	-60	-54.08	-55	PASS
HVHT	GSM1800	698	1747.4	0	1800	-77.92	-60	-54.97	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1800	-67.89	-60	-74.18	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1600	-67.09	-60	-73.43	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1400	-67.05	-60	-73.29	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-66.17	-60	-72.47	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1000	-67.92	-60	-74.25	-55	PASS
HVHT	GSM1800	698	1747.4	15	-800	-65.78	-60	-72.11	-55	PASS
HVHT	GSM1800	698	1747.4	15	-600	-66.2	-60	-72.28	-55	PASS
HVHT	GSM1800	698	1747.4	15	-400	-60.38	-60	-66.57	-36	PASS
HVHT	GSM1800	698	1747.4	15	-250	-40.64	-33	-46.83	-36	PASS
HVHT	GSM1800	698	1747.4	15	-200	-36.68	-30	-42.97	-36	PASS
HVHT	GSM1800	698	1747.4	15	-100	-9.29	0.5	-15.49	-36	PASS
HVHT	GSM1800	698	1747.4	15	100	-9.2	0.5	-15.39	-36	PASS

HVHT	GSM1800	698	1747.4	15	200	-37.18	-30	-43.33	-36	PASS
HVHT	GSM1800	698	1747.4	15	250	-40.59	-33	-46.87	-36	PASS
HVHT	GSM1800	698	1747.4	15	400	-61.14	-60	-67.33	-36	PASS
HVHT	GSM1800	698	1747.4	15	600	-66.46	-60	-72.64	-55	PASS
HVHT	GSM1800	698	1747.4	15	800	-65.37	-60	-71.67	-55	PASS
HVHT	GSM1800	698	1747.4	15	1000	-67.61	-60	-73.74	-55	PASS
HVHT	GSM1800	698	1747.4	15	1200	-66.4	-60	-72.55	-55	PASS
HVHT	GSM1800	698	1747.4	15	1400	-67.15	-60	-73.34	-55	PASS
HVHT	GSM1800	698	1747.4	15	1600	-67.79	-60	-73.93	-55	PASS
HVHT	GSM1800	698	1747.4	15	1800	-68.06	-60	-74.2	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1800	-78.39	-60	-55.19	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1600	-75.98	-60	-52.76	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1400	-74.16	-60	-50.81	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-73.15	-60	-50.12	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1000	-71.57	-60	-48.4	-55	PASS
HVHT	GSM1800	885	1784.8	0	-800	-71.94	-60	-48.59	-55	PASS
HVHT	GSM1800	885	1784.8	0	-600	-70.01	-60	-46.79	-55	PASS
HVHT	GSM1800	885	1784.8	0	-400	-63.43	-60	-40.22	-36	PASS
HVHT	GSM1800	885	1784.8	0	-250	-40.04	-33	-16.9	-36	PASS
HVHT	GSM1800	885	1784.8	0	-200	-36.93	-30	-13.64	-36	PASS
HVHT	GSM1800	885	1784.8	0	-100	-8.72	0.5	14.5	-36	PASS
HVHT	GSM1800	885	1784.8	0	100	-8.87	0.5	14.46	-36	PASS
HVHT	GSM1800	885	1784.8	0	200	-36.69	-30	-13.61	-36	PASS
HVHT	GSM1800	885	1784.8	0	250	-40.6	-33	-17.32	-36	PASS
HVHT	GSM1800	885	1784.8	0	400	-63.44	-60	-40.28	-36	PASS
HVHT	GSM1800	885	1784.8	0	600	-69.94	-60	-46.7	-55	PASS
HVHT	GSM1800	885	1784.8	0	800	-70.69	-60	-47.48	-55	PASS
HVHT	GSM1800	885	1784.8	0	1000	-69.71	-60	-46.48	-55	PASS
HVHT	GSM1800	885	1784.8	0	1200	-73.36	-60	-50.18	-55	PASS
HVHT	GSM1800	885	1784.8	0	1400	-73.68	-60	-50.33	-55	PASS
HVHT	GSM1800	885	1784.8	0	1600	-76.24	-60	-53.07	-55	PASS
HVHT	GSM1800	885	1784.8	0	1800	-77.41	-60	-54.17	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1800	-68.89	-60	-74.64	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1600	-66.51	-60	-72.25	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1400	-67.49	-60	-73.14	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-66.27	-60	-72	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1000	-67.27	-60	-73.14	-55	PASS
HVHT	GSM1800	885	1784.8	15	-800	-65.87	-60	-71.78	-55	PASS
HVHT	GSM1800	885	1784.8	15	-600	-67.16	-60	-72.88	-55	PASS
HVHT	GSM1800	885	1784.8	15	-400	-61.16	-60	-66.75	-36	PASS
HVHT	GSM1800	885	1784.8	15	-250	-41.82	-33	-47.59	-36	PASS
HVHT	GSM1800	885	1784.8	15	-200	-37.16	-30	-42.8	-36	PASS
HVHT	GSM1800	885	1784.8	15	-100	-9.29	0.5	-15.04	-36	PASS
HVHT	GSM1800	885	1784.8	15	100	-10.27	0.5	-16.13	-36	PASS

HVHT	GSM1800	885	1784.8	15	200	-37.58	-30	-43.23	-36	PASS
HVHT	GSM1800	885	1784.8	15	250	-41.59	-33	-47.45	-36	PASS
HVHT	GSM1800	885	1784.8	15	400	-62.29	-60	-68.08	-36	PASS
HVHT	GSM1800	885	1784.8	15	600	-66.93	-60	-72.65	-55	PASS
HVHT	GSM1800	885	1784.8	15	800	-65.41	-60	-71.27	-55	PASS
HVHT	GSM1800	885	1784.8	15	1000	-67.09	-60	-72.74	-55	PASS
HVHT	GSM1800	885	1784.8	15	1200	-66.39	-60	-72.27	-55	PASS
HVHT	GSM1800	885	1784.8	15	1400	-67.13	-60	-72.77	-55	PASS
HVHT	GSM1800	885	1784.8	15	1600	-67.5	-60	-73.2	-55	PASS
HVHT	GSM1800	885	1784.8	15	1800	-68.82	-60	-74.51	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1800	-76.86	-60	-54.61	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1600	-75.4	-60	-53.06	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1400	-73.67	-60	-51.2	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-72.18	-60	-49.92	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1000	-71.28	-60	-48.88	-55	PASS
HVLT	GSM1800	512	1710.2	0	-800	-70.26	-60	-48.1	-55	PASS
HVLT	GSM1800	512	1710.2	0	-600	-68.33	-60	-45.97	-55	PASS
HVLT	GSM1800	512	1710.2	0	-400	-61.78	-60	-39.62	-36	PASS
HVLT	GSM1800	512	1710.2	0	-250	-40.17	-33	-17.84	-36	PASS
HVLT	GSM1800	512	1710.2	0	-200	-36.74	-30	-14.46	-36	PASS
HVLT	GSM1800	512	1710.2	0	-100	-7.98	0.5	14.22	-36	PASS
HVLT	GSM1800	512	1710.2	0	100	-8.7	0.5	13.59	-36	PASS
HVLT	GSM1800	512	1710.2	0	200	-36.7	-30	-14.52	-36	PASS
HVLT	GSM1800	512	1710.2	0	250	-40.28	-33	-17.86	-36	PASS
HVLT	GSM1800	512	1710.2	0	400	-61.34	-60	-38.93	-36	PASS
HVLT	GSM1800	512	1710.2	0	600	-68.87	-60	-46.54	-55	PASS
HVLT	GSM1800	512	1710.2	0	800	-69.64	-60	-47.31	-55	PASS
HVLT	GSM1800	512	1710.2	0	1000	-71.45	-60	-49.11	-55	PASS
HVLT	GSM1800	512	1710.2	0	1200	-72.75	-60	-50.37	-55	PASS
HVLT	GSM1800	512	1710.2	0	1400	-72.69	-60	-50.54	-55	PASS
HVLT	GSM1800	512	1710.2	0	1600	-74.88	-60	-52.54	-55	PASS
HVLT	GSM1800	512	1710.2	0	1800	-76.95	-60	-54.62	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1800	-67.15	-60	-74	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1600	-65.55	-60	-72.36	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1400	-66	-60	-72.74	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-66.02	-60	-72.71	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1000	-65.91	-60	-72.61	-55	PASS
HVLT	GSM1800	512	1710.2	15	-800	-65.92	-60	-72.58	-55	PASS
HVLT	GSM1800	512	1710.2	15	-600	-65.05	-60	-71.79	-55	PASS
HVLT	GSM1800	512	1710.2	15	-400	-59.8	-60	-66.46	-36	PASS
HVLT	GSM1800	512	1710.2	15	-250	-41.15	-33	-47.81	-36	PASS
HVLT	GSM1800	512	1710.2	15	-200	-36.22	-30	-43.01	-36	PASS
HVLT	GSM1800	512	1710.2	15	-100	-8.57	0.5	-15.35	-36	PASS
HVLT	GSM1800	512	1710.2	15	100	-8.18	0.5	-15.06	-36	PASS

HVLT	GSM1800	512	1710.2	15	200	-36.19	-30	-42.89	-36	PASS
HVLT	GSM1800	512	1710.2	15	250	-39.66	-33	-46.4	-36	PASS
HVLT	GSM1800	512	1710.2	15	400	-59.81	-60	-66.53	-36	PASS
HVLT	GSM1800	512	1710.2	15	600	-65.21	-60	-72.09	-55	PASS
HVLT	GSM1800	512	1710.2	15	800	-65.13	-60	-71.8	-55	PASS
HVLT	GSM1800	512	1710.2	15	1000	-66.22	-60	-72.99	-55	PASS
HVLT	GSM1800	512	1710.2	15	1200	-65.89	-60	-72.48	-55	PASS
HVLT	GSM1800	512	1710.2	15	1400	-65.89	-60	-72.5	-55	PASS
HVLT	GSM1800	512	1710.2	15	1600	-65.61	-60	-72.28	-55	PASS
HVLT	GSM1800	512	1710.2	15	1800	-67.43	-60	-74.24	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1800	-78.35	-60	-55.26	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1600	-76.74	-60	-53.66	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1400	-74.12	-60	-51.13	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-73.79	-60	-50.78	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1000	-71.96	-60	-48.97	-55	PASS
HVLT	GSM1800	698	1747.4	0	-800	-71.73	-60	-48.75	-55	PASS
HVLT	GSM1800	698	1747.4	0	-600	-70.02	-60	-46.91	-55	PASS
HVLT	GSM1800	698	1747.4	0	-400	-62.48	-60	-39.46	-36	PASS
HVLT	GSM1800	698	1747.4	0	-250	-41.43	-33	-18.59	-36	PASS
HVLT	GSM1800	698	1747.4	0	-200	-36.85	-30	-13.8	-36	PASS
HVLT	GSM1800	698	1747.4	0	-100	-8.91	0.5	14.25	-36	PASS
HVLT	GSM1800	698	1747.4	0	100	-7.56	0.5	15.46	-36	PASS
HVLT	GSM1800	698	1747.4	0	200	-36.27	-30	-13.25	-36	PASS
HVLT	GSM1800	698	1747.4	0	250	-41.85	-33	-18.88	-36	PASS
HVLT	GSM1800	698	1747.4	0	400	-63.73	-60	-40.62	-36	PASS
HVLT	GSM1800	698	1747.4	0	600	-69.8	-60	-46.64	-55	PASS
HVLT	GSM1800	698	1747.4	0	800	-71.16	-60	-48.17	-55	PASS
HVLT	GSM1800	698	1747.4	0	1000	-71.16	-60	-48.13	-55	PASS
HVLT	GSM1800	698	1747.4	0	1200	-72.24	-60	-49.07	-55	PASS
HVLT	GSM1800	698	1747.4	0	1400	-73.56	-60	-50.54	-55	PASS
HVLT	GSM1800	698	1747.4	0	1600	-76.95	-60	-54.02	-55	PASS
HVLT	GSM1800	698	1747.4	0	1800	-77.9	-60	-54.89	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1800	-67.91	-60	-74.22	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1600	-67.2	-60	-73.38	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1400	-66.95	-60	-73.31	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1200	-66.14	-60	-72.5	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1000	-68.05	-60	-74.14	-55	PASS
HVLT	GSM1800	698	1747.4	15	-800	-65.73	-60	-72.06	-55	PASS
HVLT	GSM1800	698	1747.4	15	-600	-66.21	-60	-72.28	-55	PASS
HVLT	GSM1800	698	1747.4	15	-400	-60.4	-60	-66.73	-36	PASS
HVLT	GSM1800	698	1747.4	15	-250	-40.7	-33	-46.95	-36	PASS
HVLT	GSM1800	698	1747.4	15	-200	-36.8	-30	-42.92	-36	PASS
HVLT	GSM1800	698	1747.4	15	-100	-9.24	0.5	-15.38	-36	PASS
HVLT	GSM1800	698	1747.4	15	100	-9.18	0.5	-15.37	-36	PASS

HVLT	GSM1800	698	1747.4	15	200	-37.28	-30	-43.49	-36	PASS
HVLT	GSM1800	698	1747.4	15	250	-40.59	-33	-46.97	-36	PASS
HVLT	GSM1800	698	1747.4	15	400	-61.17	-60	-67.51	-36	PASS
HVLT	GSM1800	698	1747.4	15	600	-66.45	-60	-72.65	-55	PASS
HVLT	GSM1800	698	1747.4	15	800	-65.48	-60	-71.57	-55	PASS
HVLT	GSM1800	698	1747.4	15	1000	-67.48	-60	-73.71	-55	PASS
HVLT	GSM1800	698	1747.4	15	1200	-66.32	-60	-72.63	-55	PASS
HVLT	GSM1800	698	1747.4	15	1400	-67.07	-60	-73.38	-55	PASS
HVLT	GSM1800	698	1747.4	15	1600	-67.8	-60	-73.84	-55	PASS
HVLT	GSM1800	698	1747.4	15	1800	-67.96	-60	-74.12	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1800	-78.34	-60	-55.2	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1600	-75.87	-60	-52.75	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1400	-74.14	-60	-50.93	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-73.33	-60	-50	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1000	-71.58	-60	-48.23	-55	PASS
HVLT	GSM1800	885	1784.8	0	-800	-71.91	-60	-48.72	-55	PASS
HVLT	GSM1800	885	1784.8	0	-600	-69.86	-60	-46.71	-55	PASS
HVLT	GSM1800	885	1784.8	0	-400	-63.48	-60	-40.16	-36	PASS
HVLT	GSM1800	885	1784.8	0	-250	-40.05	-33	-16.76	-36	PASS
HVLT	GSM1800	885	1784.8	0	-200	-36.93	-30	-13.78	-36	PASS
HVLT	GSM1800	885	1784.8	0	-100	-8.82	0.5	14.56	-36	PASS
HVLT	GSM1800	885	1784.8	0	100	-8.7	0.5	14.36	-36	PASS
HVLT	GSM1800	885	1784.8	0	200	-36.82	-30	-13.66	-36	PASS
HVLT	GSM1800	885	1784.8	0	250	-40.64	-33	-17.3	-36	PASS
HVLT	GSM1800	885	1784.8	0	400	-63.44	-60	-40.16	-36	PASS
HVLT	GSM1800	885	1784.8	0	600	-69.88	-60	-46.74	-55	PASS
HVLT	GSM1800	885	1784.8	0	800	-70.88	-60	-47.55	-55	PASS
HVLT	GSM1800	885	1784.8	0	1000	-69.73	-60	-46.56	-55	PASS
HVLT	GSM1800	885	1784.8	0	1200	-73.43	-60	-50.2	-55	PASS
HVLT	GSM1800	885	1784.8	0	1400	-73.6	-60	-50.44	-55	PASS
HVLT	GSM1800	885	1784.8	0	1600	-76.24	-60	-53.18	-55	PASS
HVLT	GSM1800	885	1784.8	0	1800	-77.4	-60	-54.24	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1800	-68.83	-60	-74.57	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1600	-66.44	-60	-72.24	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1400	-67.52	-60	-73.12	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-66.31	-60	-72.15	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1000	-67.38	-60	-73.09	-55	PASS
HVLT	GSM1800	885	1784.8	15	-800	-65.88	-60	-71.59	-55	PASS
HVLT	GSM1800	885	1784.8	15	-600	-67.14	-60	-72.87	-55	PASS
HVLT	GSM1800	885	1784.8	15	-400	-61.21	-60	-66.88	-36	PASS
HVLT	GSM1800	885	1784.8	15	-250	-41.9	-33	-47.59	-36	PASS
HVLT	GSM1800	885	1784.8	15	-200	-37.24	-30	-42.93	-36	PASS
HVLT	GSM1800	885	1784.8	15	-100	-9.38	0.5	-14.96	-36	PASS
HVLT	GSM1800	885	1784.8	15	100	-10.41	0.5	-16.1	-36	PASS

HVLT	GSM1800	885	1784.8	15	200	-37.48	-30	-43.19	-36	PASS
HVLT	GSM1800	885	1784.8	15	250	-41.65	-33	-47.44	-36	PASS
HVLT	GSM1800	885	1784.8	15	400	-62.43	-60	-68.17	-36	PASS
HVLT	GSM1800	885	1784.8	15	600	-67.07	-60	-72.65	-55	PASS
HVLT	GSM1800	885	1784.8	15	800	-65.57	-60	-71.23	-55	PASS
HVLT	GSM1800	885	1784.8	15	1000	-67.06	-60	-72.74	-55	PASS
HVLT	GSM1800	885	1784.8	15	1200	-66.52	-60	-72.12	-55	PASS
HVLT	GSM1800	885	1784.8	15	1400	-67.08	-60	-72.78	-55	PASS
HVLT	GSM1800	885	1784.8	15	1600	-67.55	-60	-73.19	-55	PASS
HVLT	GSM1800	885	1784.8	15	1800	-68.75	-60	-74.55	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1800	-76.81	-60	-54.62	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1600	-75.29	-60	-52.99	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1400	-73.67	-60	-51.18	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-72.16	-60	-49.9	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1000	-71.28	-60	-48.95	-55	PASS
LVHT	GSM1800	512	1710.2	0	-800	-70.39	-60	-48.04	-55	PASS
LVHT	GSM1800	512	1710.2	0	-600	-68.32	-60	-45.97	-55	PASS
LVHT	GSM1800	512	1710.2	0	-400	-61.78	-60	-39.57	-36	PASS
LVHT	GSM1800	512	1710.2	0	-250	-40.21	-33	-17.76	-36	PASS
LVHT	GSM1800	512	1710.2	0	-200	-36.85	-30	-14.36	-36	PASS
LVHT	GSM1800	512	1710.2	0	-100	-8.01	0.5	14.35	-36	PASS
LVHT	GSM1800	512	1710.2	0	100	-8.81	0.5	13.63	-36	PASS
LVHT	GSM1800	512	1710.2	0	200	-36.72	-30	-14.51	-36	PASS
LVHT	GSM1800	512	1710.2	0	250	-40.16	-33	-17.98	-36	PASS
LVHT	GSM1800	512	1710.2	0	400	-61.35	-60	-39.09	-36	PASS
LVHT	GSM1800	512	1710.2	0	600	-68.8	-60	-46.58	-55	PASS
LVHT	GSM1800	512	1710.2	0	800	-69.52	-60	-47.19	-55	PASS
LVHT	GSM1800	512	1710.2	0	1000	-71.42	-60	-49.02	-55	PASS
LVHT	GSM1800	512	1710.2	0	1200	-72.75	-60	-50.48	-55	PASS
LVHT	GSM1800	512	1710.2	0	1400	-72.72	-60	-50.46	-55	PASS
LVHT	GSM1800	512	1710.2	0	1600	-74.79	-60	-52.53	-55	PASS
LVHT	GSM1800	512	1710.2	0	1800	-76.85	-60	-54.57	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1800	-67.23	-60	-73.97	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1600	-65.55	-60	-72.42	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1400	-65.99	-60	-72.69	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1200	-66.11	-60	-72.81	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1000	-65.84	-60	-72.53	-55	PASS
LVHT	GSM1800	512	1710.2	15	-800	-65.95	-60	-72.65	-55	PASS
LVHT	GSM1800	512	1710.2	15	-600	-65.14	-60	-71.92	-55	PASS
LVHT	GSM1800	512	1710.2	15	-400	-59.91	-60	-66.47	-36	PASS
LVHT	GSM1800	512	1710.2	15	-250	-41.05	-33	-47.87	-36	PASS
LVHT	GSM1800	512	1710.2	15	-200	-36.39	-30	-43.05	-36	PASS
LVHT	GSM1800	512	1710.2	15	-100	-8.51	0.5	-15.24	-36	PASS
LVHT	GSM1800	512	1710.2	15	100	-8.24	0.5	-14.97	-36	PASS

LVHT	GSM1800	512	1710.2	15	200	-36.21	-30	-42.98	-36	PASS
LVHT	GSM1800	512	1710.2	15	250	-39.61	-33	-46.33	-36	PASS
LVHT	GSM1800	512	1710.2	15	400	-59.7	-60	-66.51	-36	PASS
LVHT	GSM1800	512	1710.2	15	600	-65.39	-60	-72.12	-55	PASS
LVHT	GSM1800	512	1710.2	15	800	-65.1	-60	-71.75	-55	PASS
LVHT	GSM1800	512	1710.2	15	1000	-66.31	-60	-73.04	-55	PASS
LVHT	GSM1800	512	1710.2	15	1200	-65.88	-60	-72.5	-55	PASS
LVHT	GSM1800	512	1710.2	15	1400	-65.83	-60	-72.57	-55	PASS
LVHT	GSM1800	512	1710.2	15	1600	-65.48	-60	-72.32	-55	PASS
LVHT	GSM1800	512	1710.2	15	1800	-67.33	-60	-74.19	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1800	-78.21	-60	-55.36	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1600	-76.75	-60	-53.73	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1400	-74.13	-60	-50.95	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-73.81	-60	-50.84	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1000	-71.99	-60	-49.02	-55	PASS
LVHT	GSM1800	698	1747.4	0	-800	-71.75	-60	-48.74	-55	PASS
LVHT	GSM1800	698	1747.4	0	-600	-69.93	-60	-47.01	-55	PASS
LVHT	GSM1800	698	1747.4	0	-400	-62.52	-60	-39.55	-36	PASS
LVHT	GSM1800	698	1747.4	0	-250	-41.43	-33	-18.55	-36	PASS
LVHT	GSM1800	698	1747.4	0	-200	-36.86	-30	-13.74	-36	PASS
LVHT	GSM1800	698	1747.4	0	-100	-8.84	0.5	14.26	-36	PASS
LVHT	GSM1800	698	1747.4	0	100	-7.47	0.5	15.51	-36	PASS
LVHT	GSM1800	698	1747.4	0	200	-36.12	-30	-13.1	-36	PASS
LVHT	GSM1800	698	1747.4	0	250	-41.88	-33	-18.97	-36	PASS
LVHT	GSM1800	698	1747.4	0	400	-63.65	-60	-40.73	-36	PASS
LVHT	GSM1800	698	1747.4	0	600	-69.77	-60	-46.74	-55	PASS
LVHT	GSM1800	698	1747.4	0	800	-71.14	-60	-48.27	-55	PASS
LVHT	GSM1800	698	1747.4	0	1000	-71.22	-60	-48.25	-55	PASS
LVHT	GSM1800	698	1747.4	0	1200	-72.11	-60	-49.15	-55	PASS
LVHT	GSM1800	698	1747.4	0	1400	-73.48	-60	-50.61	-55	PASS
LVHT	GSM1800	698	1747.4	0	1600	-76.92	-60	-53.95	-55	PASS
LVHT	GSM1800	698	1747.4	0	1800	-77.91	-60	-54.81	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1800	-68.05	-60	-74.11	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1600	-67.13	-60	-73.27	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1400	-67.13	-60	-73.35	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-66.2	-60	-72.41	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1000	-68.09	-60	-74.31	-55	PASS
LVHT	GSM1800	698	1747.4	15	-800	-65.76	-60	-71.92	-55	PASS
LVHT	GSM1800	698	1747.4	15	-600	-66.21	-60	-72.35	-55	PASS
LVHT	GSM1800	698	1747.4	15	-400	-60.43	-60	-66.69	-36	PASS
LVHT	GSM1800	698	1747.4	15	-250	-40.7	-33	-46.88	-36	PASS
LVHT	GSM1800	698	1747.4	15	-200	-36.74	-30	-43.05	-36	PASS
LVHT	GSM1800	698	1747.4	15	-100	-9.13	0.5	-15.51	-36	PASS
LVHT	GSM1800	698	1747.4	15	100	-9.2	0.5	-15.38	-36	PASS

LVHT	GSM1800	698	1747.4	15	200	-37.12	-30	-43.41	-36	PASS
LVHT	GSM1800	698	1747.4	15	250	-40.61	-33	-46.9	-36	PASS
LVHT	GSM1800	698	1747.4	15	400	-61.2	-60	-67.45	-36	PASS
LVHT	GSM1800	698	1747.4	15	600	-66.42	-60	-72.65	-55	PASS
LVHT	GSM1800	698	1747.4	15	800	-65.46	-60	-71.76	-55	PASS
LVHT	GSM1800	698	1747.4	15	1000	-67.48	-60	-73.66	-55	PASS
LVHT	GSM1800	698	1747.4	15	1200	-66.43	-60	-72.56	-55	PASS
LVHT	GSM1800	698	1747.4	15	1400	-67.19	-60	-73.26	-55	PASS
LVHT	GSM1800	698	1747.4	15	1600	-67.64	-60	-73.89	-55	PASS
LVHT	GSM1800	698	1747.4	15	1800	-68.01	-60	-74.13	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1800	-78.42	-60	-55.19	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1600	-76	-60	-52.75	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1400	-74.18	-60	-50.9	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-73.2	-60	-50.04	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1000	-71.57	-60	-48.32	-55	PASS
LVHT	GSM1800	885	1784.8	0	-800	-71.94	-60	-48.54	-55	PASS
LVHT	GSM1800	885	1784.8	0	-600	-69.93	-60	-46.64	-55	PASS
LVHT	GSM1800	885	1784.8	0	-400	-63.53	-60	-40.21	-36	PASS
LVHT	GSM1800	885	1784.8	0	-250	-40.07	-33	-16.9	-36	PASS
LVHT	GSM1800	885	1784.8	0	-200	-37	-30	-13.69	-36	PASS
LVHT	GSM1800	885	1784.8	0	-100	-8.82	0.5	14.53	-36	PASS
LVHT	GSM1800	885	1784.8	0	100	-8.79	0.5	14.35	-36	PASS
LVHT	GSM1800	885	1784.8	0	200	-36.69	-30	-13.55	-36	PASS
LVHT	GSM1800	885	1784.8	0	250	-40.68	-33	-17.37	-36	PASS
LVHT	GSM1800	885	1784.8	0	400	-63.46	-60	-40.22	-36	PASS
LVHT	GSM1800	885	1784.8	0	600	-69.96	-60	-46.77	-55	PASS
LVHT	GSM1800	885	1784.8	0	800	-70.75	-60	-47.56	-55	PASS
LVHT	GSM1800	885	1784.8	0	1000	-69.87	-60	-46.62	-55	PASS
LVHT	GSM1800	885	1784.8	0	1200	-73.43	-60	-50.22	-55	PASS
LVHT	GSM1800	885	1784.8	0	1400	-73.69	-60	-50.51	-55	PASS
LVHT	GSM1800	885	1784.8	0	1600	-76.3	-60	-53.12	-55	PASS
LVHT	GSM1800	885	1784.8	0	1800	-77.42	-60	-54.14	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1800	-68.79	-60	-74.56	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1600	-66.52	-60	-72.23	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1400	-67.4	-60	-73.18	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-66.36	-60	-72.05	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1000	-67.36	-60	-73.04	-55	PASS
LVHT	GSM1800	885	1784.8	15	-800	-65.89	-60	-71.64	-55	PASS
LVHT	GSM1800	885	1784.8	15	-600	-67.25	-60	-72.79	-55	PASS
LVHT	GSM1800	885	1784.8	15	-400	-61.15	-60	-66.84	-36	PASS
LVHT	GSM1800	885	1784.8	15	-250	-41.82	-33	-47.59	-36	PASS
LVHT	GSM1800	885	1784.8	15	-200	-37.06	-30	-42.85	-36	PASS
LVHT	GSM1800	885	1784.8	15	-100	-9.38	0.5	-14.96	-36	PASS
LVHT	GSM1800	885	1784.8	15	100	-10.37	0.5	-15.97	-36	PASS

LVHT	GSM1800	885	1784.8	15	200	-37.47	-30	-43.19	-36	PASS
LVHT	GSM1800	885	1784.8	15	250	-41.7	-33	-47.45	-36	PASS
LVHT	GSM1800	885	1784.8	15	400	-62.28	-60	-68.17	-36	PASS
LVHT	GSM1800	885	1784.8	15	600	-66.92	-60	-72.71	-55	PASS
LVHT	GSM1800	885	1784.8	15	800	-65.57	-60	-71.22	-55	PASS
LVHT	GSM1800	885	1784.8	15	1000	-67.1	-60	-72.82	-55	PASS
LVHT	GSM1800	885	1784.8	15	1200	-66.53	-60	-72.17	-55	PASS
LVHT	GSM1800	885	1784.8	15	1400	-67.08	-60	-72.74	-55	PASS
LVHT	GSM1800	885	1784.8	15	1600	-67.56	-60	-73.18	-55	PASS
LVHT	GSM1800	885	1784.8	15	1800	-68.8	-60	-74.46	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1800	-76.85	-60	-54.69	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1600	-75.34	-60	-53.09	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1400	-73.64	-60	-51.18	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1200	-72.18	-60	-49.83	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1000	-71.24	-60	-48.97	-55	PASS
LVLT	GSM1800	512	1710.2	0	-800	-70.37	-60	-47.95	-55	PASS
LVLT	GSM1800	512	1710.2	0	-600	-68.33	-60	-46.05	-55	PASS
LVLT	GSM1800	512	1710.2	0	-400	-61.85	-60	-39.47	-36	PASS
LVLT	GSM1800	512	1710.2	0	-250	-40.08	-33	-17.77	-36	PASS
LVLT	GSM1800	512	1710.2	0	-200	-36.78	-30	-14.41	-36	PASS
LVLT	GSM1800	512	1710.2	0	-100	-7.98	0.5	14.34	-36	PASS
LVLT	GSM1800	512	1710.2	0	100	-8.78	0.5	13.51	-36	PASS
LVLT	GSM1800	512	1710.2	0	200	-36.66	-30	-14.41	-36	PASS
LVLT	GSM1800	512	1710.2	0	250	-40.26	-33	-17.88	-36	PASS
LVLT	GSM1800	512	1710.2	0	400	-61.39	-60	-38.95	-36	PASS
LVLT	GSM1800	512	1710.2	0	600	-68.95	-60	-46.56	-55	PASS
LVLT	GSM1800	512	1710.2	0	800	-69.66	-60	-47.36	-55	PASS
LVLT	GSM1800	512	1710.2	0	1000	-71.32	-60	-49.04	-55	PASS
LVLT	GSM1800	512	1710.2	0	1200	-72.72	-60	-50.34	-55	PASS
LVLT	GSM1800	512	1710.2	0	1400	-72.87	-60	-50.4	-55	PASS
LVLT	GSM1800	512	1710.2	0	1600	-74.93	-60	-52.64	-55	PASS
LVLT	GSM1800	512	1710.2	0	1800	-76.86	-60	-54.52	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1800	-67.13	-60	-73.92	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1600	-65.54	-60	-72.45	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1400	-66.02	-60	-72.74	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1200	-65.98	-60	-72.8	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1000	-65.81	-60	-72.54	-55	PASS
LVLT	GSM1800	512	1710.2	15	-800	-65.79	-60	-72.68	-55	PASS
LVLT	GSM1800	512	1710.2	15	-600	-65.05	-60	-71.84	-55	PASS
LVLT	GSM1800	512	1710.2	15	-400	-59.88	-60	-66.54	-36	PASS
LVLT	GSM1800	512	1710.2	15	-250	-41.15	-33	-47.79	-36	PASS
LVLT	GSM1800	512	1710.2	15	-200	-36.28	-30	-42.95	-36	PASS
LVLT	GSM1800	512	1710.2	15	-100	-8.59	0.5	-15.25	-36	PASS
LVLT	GSM1800	512	1710.2	15	100	-8.22	0.5	-15.01	-36	PASS

LVLT	GSM1800	512	1710.2	15	200	-36.2	-30	-42.82	-36	PASS
LVLT	GSM1800	512	1710.2	15	250	-39.74	-33	-46.35	-36	PASS
LVLT	GSM1800	512	1710.2	15	400	-59.76	-60	-66.51	-36	PASS
LVLT	GSM1800	512	1710.2	15	600	-65.31	-60	-71.98	-55	PASS
LVLT	GSM1800	512	1710.2	15	800	-65.11	-60	-71.77	-55	PASS
LVLT	GSM1800	512	1710.2	15	1000	-66.33	-60	-73.02	-55	PASS
LVLT	GSM1800	512	1710.2	15	1200	-65.8	-60	-72.57	-55	PASS
LVLT	GSM1800	512	1710.2	15	1400	-65.89	-60	-72.55	-55	PASS
LVLT	GSM1800	512	1710.2	15	1600	-65.67	-60	-72.28	-55	PASS
LVLT	GSM1800	512	1710.2	15	1800	-67.34	-60	-74.13	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1800	-78.34	-60	-55.23	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1600	-76.67	-60	-53.79	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1400	-74.02	-60	-51.03	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1200	-73.86	-60	-50.86	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1000	-72	-60	-48.93	-55	PASS
LVLT	GSM1800	698	1747.4	0	-800	-71.82	-60	-48.83	-55	PASS
LVLT	GSM1800	698	1747.4	0	-600	-69.91	-60	-46.95	-55	PASS
LVLT	GSM1800	698	1747.4	0	-400	-62.56	-60	-39.54	-36	PASS
LVLT	GSM1800	698	1747.4	0	-250	-41.55	-33	-18.41	-36	PASS
LVLT	GSM1800	698	1747.4	0	-200	-36.79	-30	-13.72	-36	PASS
LVLT	GSM1800	698	1747.4	0	-100	-8.93	0.5	14.07	-36	PASS
LVLT	GSM1800	698	1747.4	0	100	-7.48	0.5	15.43	-36	PASS
LVLT	GSM1800	698	1747.4	0	200	-36.22	-30	-13.09	-36	PASS
LVLT	GSM1800	698	1747.4	0	250	-41.83	-33	-18.79	-36	PASS
LVLT	GSM1800	698	1747.4	0	400	-63.71	-60	-40.64	-36	PASS
LVLT	GSM1800	698	1747.4	0	600	-69.68	-60	-46.65	-55	PASS
LVLT	GSM1800	698	1747.4	0	800	-71.14	-60	-48.12	-55	PASS
LVLT	GSM1800	698	1747.4	0	1000	-71.13	-60	-48.17	-55	PASS
LVLT	GSM1800	698	1747.4	0	1200	-72.24	-60	-49.22	-55	PASS
LVLT	GSM1800	698	1747.4	0	1400	-73.61	-60	-50.59	-55	PASS
LVLT	GSM1800	698	1747.4	0	1600	-77.06	-60	-54.05	-55	PASS
LVLT	GSM1800	698	1747.4	0	1800	-77.95	-60	-54.9	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1800	-68	-60	-74.24	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1600	-67.14	-60	-73.44	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1400	-66.95	-60	-73.23	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1200	-66.27	-60	-72.53	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1000	-67.92	-60	-74.14	-55	PASS
LVLT	GSM1800	698	1747.4	15	-800	-65.8	-60	-72.07	-55	PASS
LVLT	GSM1800	698	1747.4	15	-600	-66.06	-60	-72.39	-55	PASS
LVLT	GSM1800	698	1747.4	15	-400	-60.39	-60	-66.58	-36	PASS
LVLT	GSM1800	698	1747.4	15	-250	-40.62	-33	-46.9	-36	PASS
LVLT	GSM1800	698	1747.4	15	-200	-36.71	-30	-42.95	-36	PASS
LVLT	GSM1800	698	1747.4	15	-100	-9.13	0.5	-15.46	-36	PASS
LVLT	GSM1800	698	1747.4	15	100	-9.29	0.5	-15.32	-36	PASS

LVLT	GSM1800	698	1747.4	15	200	-37.15	-30	-43.34	-36	PASS
LVLT	GSM1800	698	1747.4	15	250	-40.68	-33	-46.94	-36	PASS
LVLT	GSM1800	698	1747.4	15	400	-61.13	-60	-67.4	-36	PASS
LVLT	GSM1800	698	1747.4	15	600	-66.45	-60	-72.63	-55	PASS
LVLT	GSM1800	698	1747.4	15	800	-65.4	-60	-71.69	-55	PASS
LVLT	GSM1800	698	1747.4	15	1000	-67.61	-60	-73.83	-55	PASS
LVLT	GSM1800	698	1747.4	15	1200	-66.42	-60	-72.54	-55	PASS
LVLT	GSM1800	698	1747.4	15	1400	-67.18	-60	-73.23	-55	PASS
LVLT	GSM1800	698	1747.4	15	1600	-67.68	-60	-73.88	-55	PASS
LVLT	GSM1800	698	1747.4	15	1800	-67.9	-60	-74.3	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1800	-78.42	-60	-55.16	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1600	-75.86	-60	-52.64	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1400	-74.1	-60	-50.93	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1200	-73.25	-60	-49.96	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1000	-71.51	-60	-48.26	-55	PASS
LVLT	GSM1800	885	1784.8	0	-800	-71.84	-60	-48.54	-55	PASS
LVLT	GSM1800	885	1784.8	0	-600	-69.98	-60	-46.7	-55	PASS
LVLT	GSM1800	885	1784.8	0	-400	-63.48	-60	-40.31	-36	PASS
LVLT	GSM1800	885	1784.8	0	-250	-40.08	-33	-16.92	-36	PASS
LVLT	GSM1800	885	1784.8	0	-200	-36.99	-30	-13.76	-36	PASS
LVLT	GSM1800	885	1784.8	0	-100	-8.82	0.5	14.47	-36	PASS
LVLT	GSM1800	885	1784.8	0	100	-8.79	0.5	14.42	-36	PASS
LVLT	GSM1800	885	1784.8	0	200	-36.8	-30	-13.53	-36	PASS
LVLT	GSM1800	885	1784.8	0	250	-40.59	-33	-17.31	-36	PASS
LVLT	GSM1800	885	1784.8	0	400	-63.49	-60	-40.21	-36	PASS
LVLT	GSM1800	885	1784.8	0	600	-69.82	-60	-46.78	-55	PASS
LVLT	GSM1800	885	1784.8	0	800	-70.81	-60	-47.47	-55	PASS
LVLT	GSM1800	885	1784.8	0	1000	-69.81	-60	-46.67	-55	PASS
LVLT	GSM1800	885	1784.8	0	1200	-73.49	-60	-50.2	-55	PASS
LVLT	GSM1800	885	1784.8	0	1400	-73.6	-60	-50.41	-55	PASS
LVLT	GSM1800	885	1784.8	0	1600	-76.4	-60	-53.02	-55	PASS
LVLT	GSM1800	885	1784.8	0	1800	-77.45	-60	-54.14	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1800	-68.81	-60	-74.68	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1600	-66.44	-60	-72.15	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1400	-67.44	-60	-73.28	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1200	-66.32	-60	-72.07	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1000	-67.35	-60	-73.05	-55	PASS
LVLT	GSM1800	885	1784.8	15	-800	-65.86	-60	-71.78	-55	PASS
LVLT	GSM1800	885	1784.8	15	-600	-67.21	-60	-72.92	-55	PASS
LVLT	GSM1800	885	1784.8	15	-400	-61.12	-60	-66.78	-36	PASS
LVLT	GSM1800	885	1784.8	15	-250	-41.74	-33	-47.5	-36	PASS
LVLT	GSM1800	885	1784.8	15	-200	-37.15	-30	-42.81	-36	PASS
LVLT	GSM1800	885	1784.8	15	-100	-9.26	0.5	-15.05	-36	PASS
LVLT	GSM1800	885	1784.8	15	100	-10.3	0.5	-16.1	-36	PASS

LVLT	GSM1800	885	1784.8	15	200	-37.59	-30	-43.28	-36	PASS
LVLT	GSM1800	885	1784.8	15	250	-41.55	-33	-47.28	-36	PASS
LVLT	GSM1800	885	1784.8	15	400	-62.38	-60	-68.07	-36	PASS
LVLT	GSM1800	885	1784.8	15	600	-67.1	-60	-72.81	-55	PASS
LVLT	GSM1800	885	1784.8	15	800	-65.6	-60	-71.22	-55	PASS
LVLT	GSM1800	885	1784.8	15	1000	-67.01	-60	-72.81	-55	PASS
LVLT	GSM1800	885	1784.8	15	1200	-66.39	-60	-72.17	-55	PASS
LVLT	GSM1800	885	1784.8	15	1400	-67.18	-60	-72.88	-55	PASS
LVLT	GSM1800	885	1784.8	15	1600	-67.58	-60	-73.22	-55	PASS
LVLT	GSM1800	885	1784.8	15	1800	-68.81	-60	-74.52	-55	PASS
HVHT	GSM1900	512	1850.2	0	-1800	-79.51	-60	-56.12	-55	PASS
HVHT	GSM1900	512	1850.2	0	-1600	-77.75	-60	-54.47	-55	PASS
HVHT	GSM1900	512	1850.2	0	-1400	-76.59	-60	-53.38	-55	PASS
HVHT	GSM1900	512	1850.2	0	-1200	-74.81	-60	-51.5	-55	PASS
HVHT	GSM1900	512	1850.2	0	-1000	-75.25	-60	-51.88	-55	PASS
HVHT	GSM1900	512	1850.2	0	-800	-73.05	-60	-49.8	-55	PASS
HVHT	GSM1900	512	1850.2	0	-600	-71.58	-60	-48.27	-55	PASS
HVHT	GSM1900	512	1850.2	0	-400	-64.54	-60	-41.21	-36	PASS
HVHT	GSM1900	512	1850.2	0	-250	-40.85	-33	-17.59	-36	PASS
HVHT	GSM1900	512	1850.2	0	-200	-37.67	-30	-14.25	-36	PASS
HVHT	GSM1900	512	1850.2	0	-100	-9.07	0.5	14.37	-36	PASS
HVHT	GSM1900	512	1850.2	0	100	-10.31	0.5	12.82	-36	PASS
HVHT	GSM1900	512	1850.2	0	200	-37.49	-30	-14.15	-36	PASS
HVHT	GSM1900	512	1850.2	0	250	-41.16	-33	-17.76	-36	PASS
HVHT	GSM1900	512	1850.2	0	400	-64.56	-60	-41.29	-36	PASS
HVHT	GSM1900	512	1850.2	0	600	-71.65	-60	-48.27	-55	PASS
HVHT	GSM1900	512	1850.2	0	800	-72.27	-60	-48.84	-55	PASS
HVHT	GSM1900	512	1850.2	0	1000	-75.04	-60	-51.67	-55	PASS
HVHT	GSM1900	512	1850.2	0	1200	-74.79	-60	-51.58	-55	PASS
HVHT	GSM1900	512	1850.2	0	1400	-77.14	-60	-53.84	-55	PASS
HVHT	GSM1900	512	1850.2	0	1600	-77.56	-60	-54.38	-55	PASS
HVHT	GSM1900	512	1850.2	0	1800	-79.92	-60	-56.6	-55	PASS
HVHT	GSM1900	512	1850.2	15	-1800	-67.19	-60	-74.57	-55	PASS
HVHT	GSM1900	512	1850.2	15	-1600	-66.71	-60	-74.05	-55	PASS
HVHT	GSM1900	512	1850.2	15	-1400	-66.28	-60	-73.47	-55	PASS
HVHT	GSM1900	512	1850.2	15	-1200	-66.46	-60	-73.66	-55	PASS
HVHT	GSM1900	512	1850.2	15	-1000	-67.81	-60	-75.09	-55	PASS
HVHT	GSM1900	512	1850.2	15	-800	-66	-60	-73.19	-55	PASS
HVHT	GSM1900	512	1850.2	15	-600	-67.02	-60	-74.42	-55	PASS
HVHT	GSM1900	512	1850.2	15	-400	-60.32	-60	-67.59	-36	PASS
HVHT	GSM1900	512	1850.2	15	-250	-40.93	-33	-48.2	-36	PASS
HVHT	GSM1900	512	1850.2	15	-200	-37.25	-30	-44.45	-36	PASS
HVHT	GSM1900	512	1850.2	15	-100	-9.36	0.5	-16.78	-36	PASS
HVHT	GSM1900	512	1850.2	15	100	-9.1	0.5	-16.52	-36	PASS

HVHT	GSM1900	512	1850.2	15	200	-36.75	-30	-44.24	-36	PASS
HVHT	GSM1900	512	1850.2	15	250	-41.01	-33	-48.24	-36	PASS
HVHT	GSM1900	512	1850.2	15	400	-61.84	-60	-69.09	-36	PASS
HVHT	GSM1900	512	1850.2	15	600	-66.47	-60	-73.94	-55	PASS
HVHT	GSM1900	512	1850.2	15	800	-66.6	-60	-73.89	-55	PASS
HVHT	GSM1900	512	1850.2	15	1000	-67.59	-60	-74.86	-55	PASS
HVHT	GSM1900	512	1850.2	15	1200	-66.39	-60	-73.69	-55	PASS
HVHT	GSM1900	512	1850.2	15	1400	-66.89	-60	-74.3	-55	PASS
HVHT	GSM1900	512	1850.2	15	1600	-67.33	-60	-74.68	-55	PASS
HVHT	GSM1900	512	1850.2	15	1800	-67.29	-60	-74.46	-55	PASS
HVHT	GSM1900	661	1880	0	-1800	-78.11	-60	-55.13	-55	PASS
HVHT	GSM1900	661	1880	0	-1600	-77.46	-60	-54.6	-55	PASS
HVHT	GSM1900	661	1880	0	-1400	-76.72	-60	-53.84	-55	PASS
HVHT	GSM1900	661	1880	0	-1200	-75.04	-60	-52.14	-55	PASS
HVHT	GSM1900	661	1880	0	-1000	-74.48	-60	-51.61	-55	PASS
HVHT	GSM1900	661	1880	0	-800	-72.42	-60	-49.47	-55	PASS
HVHT	GSM1900	661	1880	0	-600	-70.95	-60	-47.91	-55	PASS
HVHT	GSM1900	661	1880	0	-400	-63.8	-60	-40.98	-36	PASS
HVHT	GSM1900	661	1880	0	-250	-40.73	-33	-17.78	-36	PASS
HVHT	GSM1900	661	1880	0	-200	-36.92	-30	-14.05	-36	PASS
HVHT	GSM1900	661	1880	0	-100	-9.32	0.5	13.53	-36	PASS
HVHT	GSM1900	661	1880	0	100	-9.79	0.5	13.22	-36	PASS
HVHT	GSM1900	661	1880	0	200	-36.52	-30	-13.61	-36	PASS
HVHT	GSM1900	661	1880	0	250	-41.54	-33	-18.46	-36	PASS
HVHT	GSM1900	661	1880	0	400	-63.89	-60	-41.06	-36	PASS
HVHT	GSM1900	661	1880	0	600	-70.56	-60	-47.54	-55	PASS
HVHT	GSM1900	661	1880	0	800	-71.04	-60	-48.06	-55	PASS
HVHT	GSM1900	661	1880	0	1000	-74.27	-60	-51.4	-55	PASS
HVHT	GSM1900	661	1880	0	1200	-74.14	-60	-50.98	-55	PASS
HVHT	GSM1900	661	1880	0	1400	-76.13	-60	-53.26	-55	PASS
HVHT	GSM1900	661	1880	0	1600	-77.25	-60	-54.22	-55	PASS
HVHT	GSM1900	661	1880	0	1800	-78.71	-60	-55.68	-55	PASS
HVHT	GSM1900	661	1880	15	-1800	-68.22	-60	-75.46	-55	PASS
HVHT	GSM1900	661	1880	15	-1600	-68.26	-60	-75.47	-55	PASS
HVHT	GSM1900	661	1880	15	-1400	-66	-60	-73.23	-55	PASS
HVHT	GSM1900	661	1880	15	-1200	-67.02	-60	-74.31	-55	PASS
HVHT	GSM1900	661	1880	15	-1000	-66.69	-60	-73.89	-55	PASS
HVHT	GSM1900	661	1880	15	-800	-66.88	-60	-73.98	-55	PASS
HVHT	GSM1900	661	1880	15	-600	-66.91	-60	-74.15	-55	PASS
HVHT	GSM1900	661	1880	15	-400	-60.5	-60	-67.74	-36	PASS
HVHT	GSM1900	661	1880	15	-250	-41.1	-33	-48.36	-36	PASS
HVHT	GSM1900	661	1880	15	-200	-36.81	-30	-43.98	-36	PASS
HVHT	GSM1900	661	1880	15	-100	-8.88	0.5	-16.13	-36	PASS
HVHT	GSM1900	661	1880	15	100	-8.9	0.5	-16.13	-36	PASS

HVHT	GSM1900	661	1880	15	200	-36.48	-30	-43.73	-36	PASS
HVHT	GSM1900	661	1880	15	250	-40.78	-33	-48.1	-36	PASS
HVHT	GSM1900	661	1880	15	400	-62.5	-60	-69.71	-36	PASS
HVHT	GSM1900	661	1880	15	600	-67.16	-60	-74.37	-55	PASS
HVHT	GSM1900	661	1880	15	800	-66.61	-60	-73.88	-55	PASS
HVHT	GSM1900	661	1880	15	1000	-66.33	-60	-73.63	-55	PASS
HVHT	GSM1900	661	1880	15	1200	-66.89	-60	-74.17	-55	PASS
HVHT	GSM1900	661	1880	15	1400	-65.55	-60	-72.8	-55	PASS
HVHT	GSM1900	661	1880	15	1600	-67.71	-60	-74.89	-55	PASS
HVHT	GSM1900	661	1880	15	1800	-66.92	-60	-74.23	-55	PASS
HVHT	GSM1900	810	1909.8	0	-1800	-78.4	-60	-55.62	-55	PASS
HVHT	GSM1900	810	1909.8	0	-1600	-77.11	-60	-54.47	-55	PASS
HVHT	GSM1900	810	1909.8	0	-1400	-75.73	-60	-53.12	-55	PASS
HVHT	GSM1900	810	1909.8	0	-1200	-73.86	-60	-51.21	-55	PASS
HVHT	GSM1900	810	1909.8	0	-1000	-73.74	-60	-51.03	-55	PASS
HVHT	GSM1900	810	1909.8	0	-800	-71.16	-60	-48.49	-55	PASS
HVHT	GSM1900	810	1909.8	0	-600	-69.8	-60	-47.12	-55	PASS
HVHT	GSM1900	810	1909.8	0	-400	-63.17	-60	-40.6	-36	PASS
HVHT	GSM1900	810	1909.8	0	-250	-40.34	-33	-17.6	-36	PASS
HVHT	GSM1900	810	1909.8	0	-200	-36.79	-30	-14.17	-36	PASS
HVHT	GSM1900	810	1909.8	0	-100	-8.74	0.5	13.95	-36	PASS
HVHT	GSM1900	810	1909.8	0	100	-8.99	0.5	13.67	-36	PASS
HVHT	GSM1900	810	1909.8	0	200	-36.39	-30	-13.77	-36	PASS
HVHT	GSM1900	810	1909.8	0	250	-40.85	-33	-18.25	-36	PASS
HVHT	GSM1900	810	1909.8	0	400	-63.26	-60	-40.51	-36	PASS
HVHT	GSM1900	810	1909.8	0	600	-69.65	-60	-47	-55	PASS
HVHT	GSM1900	810	1909.8	0	800	-71.22	-60	-48.52	-55	PASS
HVHT	GSM1900	810	1909.8	0	1000	-73.53	-60	-51.07	-55	PASS
HVHT	GSM1900	810	1909.8	0	1200	-73.24	-60	-50.58	-55	PASS
HVHT	GSM1900	810	1909.8	0	1400	-76.21	-60	-53.55	-55	PASS
HVHT	GSM1900	810	1909.8	0	1600	-76.99	-60	-54.26	-55	PASS
HVHT	GSM1900	810	1909.8	0	1800	-79.02	-60	-56.32	-55	PASS
HVHT	GSM1900	810	1909.8	15	-1800	-66.48	-60	-74.08	-55	PASS
HVHT	GSM1900	810	1909.8	15	-1600	-67.25	-60	-74.79	-55	PASS
HVHT	GSM1900	810	1909.8	15	-1400	-65.7	-60	-73.43	-55	PASS
HVHT	GSM1900	810	1909.8	15	-1200	-66.74	-60	-74.2	-55	PASS
HVHT	GSM1900	810	1909.8	15	-1000	-66.88	-60	-74.43	-55	PASS
HVHT	GSM1900	810	1909.8	15	-800	-65.75	-60	-73.25	-55	PASS
HVHT	GSM1900	810	1909.8	15	-600	-66.5	-60	-74.18	-55	PASS
HVHT	GSM1900	810	1909.8	15	-400	-60.54	-60	-68.03	-36	PASS
HVHT	GSM1900	810	1909.8	15	-250	-41.35	-33	-48.91	-36	PASS
HVHT	GSM1900	810	1909.8	15	-200	-36.49	-30	-44.03	-36	PASS
HVHT	GSM1900	810	1909.8	15	-100	-8.92	0.5	-16.34	-36	PASS
HVHT	GSM1900	810	1909.8	15	100	-8.18	0.5	-15.59	-36	PASS

HVHT	GSM1900	810	1909.8	15	200	-36.41	-30	-43.94	-36	PASS
HVHT	GSM1900	810	1909.8	15	250	-40.85	-33	-48.26	-36	PASS
HVHT	GSM1900	810	1909.8	15	400	-61.81	-60	-69.23	-36	PASS
HVHT	GSM1900	810	1909.8	15	600	-65.94	-60	-73.46	-55	PASS
HVHT	GSM1900	810	1909.8	15	800	-66.07	-60	-73.65	-55	PASS
HVHT	GSM1900	810	1909.8	15	1000	-66.86	-60	-74.41	-55	PASS
HVHT	GSM1900	810	1909.8	15	1200	-66.6	-60	-74.28	-55	PASS
HVHT	GSM1900	810	1909.8	15	1400	-65.42	-60	-73.03	-55	PASS
HVHT	GSM1900	810	1909.8	15	1600	-66.94	-60	-74.56	-55	PASS
HVHT	GSM1900	810	1909.8	15	1800	-67.14	-60	-74.55	-55	PASS
HVLT	GSM1900	512	1850.2	0	-1800	-79.6	-60	-56.3	-55	PASS
HVLT	GSM1900	512	1850.2	0	-1600	-77.75	-60	-54.48	-55	PASS
HVLT	GSM1900	512	1850.2	0	-1400	-76.65	-60	-53.33	-55	PASS
HVLT	GSM1900	512	1850.2	0	-1200	-74.67	-60	-51.36	-55	PASS
HVLT	GSM1900	512	1850.2	0	-1000	-75.22	-60	-51.83	-55	PASS
HVLT	GSM1900	512	1850.2	0	-800	-72.99	-60	-49.86	-55	PASS
HVLT	GSM1900	512	1850.2	0	-600	-71.63	-60	-48.21	-55	PASS
HVLT	GSM1900	512	1850.2	0	-400	-64.71	-60	-41.31	-36	PASS
HVLT	GSM1900	512	1850.2	0	-250	-40.87	-33	-17.7	-36	PASS
HVLT	GSM1900	512	1850.2	0	-200	-37.55	-30	-14.24	-36	PASS
HVLT	GSM1900	512	1850.2	0	-100	-8.99	0.5	14.29	-36	PASS
HVLT	GSM1900	512	1850.2	0	100	-10.37	0.5	12.97	-36	PASS
HVLT	GSM1900	512	1850.2	0	200	-37.35	-30	-14.03	-36	PASS
HVLT	GSM1900	512	1850.2	0	250	-41.08	-33	-17.86	-36	PASS
HVLT	GSM1900	512	1850.2	0	400	-64.7	-60	-41.35	-36	PASS
HVLT	GSM1900	512	1850.2	0	600	-71.65	-60	-48.21	-55	PASS
HVLT	GSM1900	512	1850.2	0	800	-72.16	-60	-48.84	-55	PASS
HVLT	GSM1900	512	1850.2	0	1000	-75.11	-60	-51.66	-55	PASS
HVLT	GSM1900	512	1850.2	0	1200	-74.79	-60	-51.45	-55	PASS
HVLT	GSM1900	512	1850.2	0	1400	-77.15	-60	-53.68	-55	PASS
HVLT	GSM1900	512	1850.2	0	1600	-77.7	-60	-54.21	-55	PASS
HVLT	GSM1900	512	1850.2	0	1800	-79.93	-60	-56.46	-55	PASS
HVLT	GSM1900	512	1850.2	15	-1800	-67.17	-60	-74.58	-55	PASS
HVLT	GSM1900	512	1850.2	15	-1600	-66.74	-60	-74.16	-55	PASS
HVLT	GSM1900	512	1850.2	15	-1400	-66.12	-60	-73.55	-55	PASS
HVLT	GSM1900	512	1850.2	15	-1200	-66.39	-60	-73.76	-55	PASS
HVLT	GSM1900	512	1850.2	15	-1000	-67.7	-60	-75.19	-55	PASS
HVLT	GSM1900	512	1850.2	15	-800	-65.83	-60	-73.2	-55	PASS
HVLT	GSM1900	512	1850.2	15	-600	-67.13	-60	-74.37	-55	PASS
HVLT	GSM1900	512	1850.2	15	-400	-60.28	-60	-67.56	-36	PASS
HVLT	GSM1900	512	1850.2	15	-250	-40.97	-33	-48.16	-36	PASS
HVLT	GSM1900	512	1850.2	15	-200	-37.17	-30	-44.56	-36	PASS
HVLT	GSM1900	512	1850.2	15	-100	-9.31	0.5	-16.77	-36	PASS
HVLT	GSM1900	512	1850.2	15	100	-9.27	0.5	-16.57	-36	PASS

HVLT	GSM1900	512	1850.2	15	200	-36.83	-30	-44.22	-36	PASS
HVLT	GSM1900	512	1850.2	15	250	-40.92	-33	-48.2	-36	PASS
HVLT	GSM1900	512	1850.2	15	400	-61.94	-60	-69.13	-36	PASS
HVLT	GSM1900	512	1850.2	15	600	-66.52	-60	-73.82	-55	PASS
HVLT	GSM1900	512	1850.2	15	800	-66.67	-60	-73.9	-55	PASS
HVLT	GSM1900	512	1850.2	15	1000	-67.67	-60	-74.92	-55	PASS
HVLT	GSM1900	512	1850.2	15	1200	-66.24	-60	-73.7	-55	PASS
HVLT	GSM1900	512	1850.2	15	1400	-66.95	-60	-74.15	-55	PASS
HVLT	GSM1900	512	1850.2	15	1600	-67.26	-60	-74.57	-55	PASS
HVLT	GSM1900	512	1850.2	15	1800	-67.14	-60	-74.44	-55	PASS
HVLT	GSM1900	661	1880	0	-1800	-78.09	-60	-55.19	-55	PASS
HVLT	GSM1900	661	1880	0	-1600	-77.53	-60	-54.64	-55	PASS
HVLT	GSM1900	661	1880	0	-1400	-76.83	-60	-53.87	-55	PASS
HVLT	GSM1900	661	1880	0	-1200	-75.05	-60	-52.13	-55	PASS
HVLT	GSM1900	661	1880	0	-1000	-74.59	-60	-51.51	-55	PASS
HVLT	GSM1900	661	1880	0	-800	-72.32	-60	-49.45	-55	PASS
HVLT	GSM1900	661	1880	0	-600	-70.99	-60	-47.89	-55	PASS
HVLT	GSM1900	661	1880	0	-400	-63.83	-60	-40.85	-36	PASS
HVLT	GSM1900	661	1880	0	-250	-40.71	-33	-17.74	-36	PASS
HVLT	GSM1900	661	1880	0	-200	-37.11	-30	-14.1	-36	PASS
HVLT	GSM1900	661	1880	0	-100	-9.37	0.5	13.59	-36	PASS
HVLT	GSM1900	661	1880	0	100	-9.73	0.5	13.31	-36	PASS
HVLT	GSM1900	661	1880	0	200	-36.6	-30	-13.7	-36	PASS
HVLT	GSM1900	661	1880	0	250	-41.47	-33	-18.49	-36	PASS
HVLT	GSM1900	661	1880	0	400	-63.99	-60	-40.93	-36	PASS
HVLT	GSM1900	661	1880	0	600	-70.54	-60	-47.6	-55	PASS
HVLT	GSM1900	661	1880	0	800	-70.98	-60	-48.05	-55	PASS
HVLT	GSM1900	661	1880	0	1000	-74.35	-60	-51.22	-55	PASS
HVLT	GSM1900	661	1880	0	1200	-74.04	-60	-51.04	-55	PASS
HVLT	GSM1900	661	1880	0	1400	-76.18	-60	-53.13	-55	PASS
HVLT	GSM1900	661	1880	0	1600	-77.29	-60	-54.27	-55	PASS
HVLT	GSM1900	661	1880	0	1800	-78.68	-60	-55.64	-55	PASS
HVLT	GSM1900	661	1880	15	-1800	-68.12	-60	-75.36	-55	PASS
HVLT	GSM1900	661	1880	15	-1600	-68.28	-60	-75.54	-55	PASS
HVLT	GSM1900	661	1880	15	-1400	-65.98	-60	-73.22	-55	PASS
HVLT	GSM1900	661	1880	15	-1200	-67.09	-60	-74.28	-55	PASS
HVLT	GSM1900	661	1880	15	-1000	-66.6	-60	-73.89	-55	PASS
HVLT	GSM1900	661	1880	15	-800	-66.82	-60	-74.01	-55	PASS
HVLT	GSM1900	661	1880	15	-600	-67.03	-60	-74.12	-55	PASS
HVLT	GSM1900	661	1880	15	-400	-60.47	-60	-67.75	-36	PASS
HVLT	GSM1900	661	1880	15	-250	-41.21	-33	-48.34	-36	PASS
HVLT	GSM1900	661	1880	15	-200	-36.7	-30	-44.02	-36	PASS
HVLT	GSM1900	661	1880	15	-100	-8.81	0.5	-15.97	-36	PASS
HVLT	GSM1900	661	1880	15	100	-8.74	0.5	-15.99	-36	PASS

HVLT	GSM1900	661	1880	15	200	-36.59	-30	-43.73	-36	PASS
HVLT	GSM1900	661	1880	15	250	-40.95	-33	-48.02	-36	PASS
HVLT	GSM1900	661	1880	15	400	-62.42	-60	-69.83	-36	PASS
HVLT	GSM1900	661	1880	15	600	-67.18	-60	-74.37	-55	PASS
HVLT	GSM1900	661	1880	15	800	-66.77	-60	-73.86	-55	PASS
HVLT	GSM1900	661	1880	15	1000	-66.34	-60	-73.61	-55	PASS
HVLT	GSM1900	661	1880	15	1200	-66.96	-60	-74.23	-55	PASS
HVLT	GSM1900	661	1880	15	1400	-65.6	-60	-72.71	-55	PASS
HVLT	GSM1900	661	1880	15	1600	-67.7	-60	-74.89	-55	PASS
HVLT	GSM1900	661	1880	15	1800	-67.08	-60	-74.18	-55	PASS
HVLT	GSM1900	810	1909.8	0	-1800	-78.24	-60	-55.66	-55	PASS
HVLT	GSM1900	810	1909.8	0	-1600	-77.02	-60	-54.4	-55	PASS
HVLT	GSM1900	810	1909.8	0	-1400	-75.82	-60	-53.16	-55	PASS
HVLT	GSM1900	810	1909.8	0	-1200	-73.82	-60	-51.26	-55	PASS
HVLT	GSM1900	810	1909.8	0	-1000	-73.7	-60	-50.97	-55	PASS
HVLT	GSM1900	810	1909.8	0	-800	-71.18	-60	-48.55	-55	PASS
HVLT	GSM1900	810	1909.8	0	-600	-69.86	-60	-47.08	-55	PASS
HVLT	GSM1900	810	1909.8	0	-400	-63.33	-60	-40.57	-36	PASS
HVLT	GSM1900	810	1909.8	0	-250	-40.37	-33	-17.76	-36	PASS
HVLT	GSM1900	810	1909.8	0	-200	-36.85	-30	-14.15	-36	PASS
HVLT	GSM1900	810	1909.8	0	-100	-8.72	0.5	14.01	-36	PASS
HVLT	GSM1900	810	1909.8	0	100	-9.06	0.5	13.54	-36	PASS
HVLT	GSM1900	810	1909.8	0	200	-36.55	-30	-13.77	-36	PASS
HVLT	GSM1900	810	1909.8	0	250	-40.79	-33	-18.29	-36	PASS
HVLT	GSM1900	810	1909.8	0	400	-63.2	-60	-40.49	-36	PASS
HVLT	GSM1900	810	1909.8	0	600	-69.5	-60	-46.92	-55	PASS
HVLT	GSM1900	810	1909.8	0	800	-71.1	-60	-48.42	-55	PASS
HVLT	GSM1900	810	1909.8	0	1000	-73.54	-60	-50.93	-55	PASS
HVLT	GSM1900	810	1909.8	0	1200	-73.14	-60	-50.61	-55	PASS
HVLT	GSM1900	810	1909.8	0	1400	-76.23	-60	-53.62	-55	PASS
HVLT	GSM1900	810	1909.8	0	1600	-76.95	-60	-54.23	-55	PASS
HVLT	GSM1900	810	1909.8	0	1800	-79.05	-60	-56.34	-55	PASS
HVLT	GSM1900	810	1909.8	15	-1800	-66.45	-60	-74.03	-55	PASS
HVLT	GSM1900	810	1909.8	15	-1600	-67.16	-60	-74.69	-55	PASS
HVLT	GSM1900	810	1909.8	15	-1400	-65.8	-60	-73.31	-55	PASS
HVLT	GSM1900	810	1909.8	15	-1200	-66.63	-60	-74.23	-55	PASS
HVLT	GSM1900	810	1909.8	15	-1000	-66.83	-60	-74.41	-55	PASS
HVLT	GSM1900	810	1909.8	15	-800	-65.71	-60	-73.16	-55	PASS
HVLT	GSM1900	810	1909.8	15	-600	-66.67	-60	-74.16	-55	PASS
HVLT	GSM1900	810	1909.8	15	-400	-60.52	-60	-68.13	-36	PASS
HVLT	GSM1900	810	1909.8	15	-250	-41.25	-33	-48.83	-36	PASS
HVLT	GSM1900	810	1909.8	15	-200	-36.4	-30	-44.01	-36	PASS
HVLT	GSM1900	810	1909.8	15	-100	-8.81	0.5	-16.44	-36	PASS
HVLT	GSM1900	810	1909.8	15	100	-8.17	0.5	-15.76	-36	PASS

HVLT	GSM1900	810	1909.8	15	200	-36.37	-30	-44.04	-36	PASS
HVLT	GSM1900	810	1909.8	15	250	-40.72	-33	-48.25	-36	PASS
HVLT	GSM1900	810	1909.8	15	400	-61.74	-60	-69.21	-36	PASS
HVLT	GSM1900	810	1909.8	15	600	-65.97	-60	-73.46	-55	PASS
HVLT	GSM1900	810	1909.8	15	800	-65.97	-60	-73.7	-55	PASS
HVLT	GSM1900	810	1909.8	15	1000	-66.83	-60	-74.42	-55	PASS
HVLT	GSM1900	810	1909.8	15	1200	-66.68	-60	-74.11	-55	PASS
HVLT	GSM1900	810	1909.8	15	1400	-65.37	-60	-72.89	-55	PASS
HVLT	GSM1900	810	1909.8	15	1600	-67.03	-60	-74.58	-55	PASS
HVLT	GSM1900	810	1909.8	15	1800	-67.12	-60	-74.65	-55	PASS
LVHT	GSM1900	512	1850.2	0	-1800	-79.5	-60	-56.15	-55	PASS
LVHT	GSM1900	512	1850.2	0	-1600	-77.73	-60	-54.37	-55	PASS
LVHT	GSM1900	512	1850.2	0	-1400	-76.76	-60	-53.31	-55	PASS
LVHT	GSM1900	512	1850.2	0	-1200	-74.78	-60	-51.35	-55	PASS
LVHT	GSM1900	512	1850.2	0	-1000	-75.23	-60	-51.9	-55	PASS
LVHT	GSM1900	512	1850.2	0	-800	-73.05	-60	-49.83	-55	PASS
LVHT	GSM1900	512	1850.2	0	-600	-71.51	-60	-48.31	-55	PASS
LVHT	GSM1900	512	1850.2	0	-400	-64.64	-60	-41.33	-36	PASS
LVHT	GSM1900	512	1850.2	0	-250	-41.02	-33	-17.72	-36	PASS
LVHT	GSM1900	512	1850.2	0	-200	-37.5	-30	-14.32	-36	PASS
LVHT	GSM1900	512	1850.2	0	-100	-9.1	0.5	14.27	-36	PASS
LVHT	GSM1900	512	1850.2	0	100	-10.34	0.5	12.87	-36	PASS
LVHT	GSM1900	512	1850.2	0	200	-37.43	-30	-14.18	-36	PASS
LVHT	GSM1900	512	1850.2	0	250	-41.09	-33	-17.73	-36	PASS
LVHT	GSM1900	512	1850.2	0	400	-64.63	-60	-41.26	-36	PASS
LVHT	GSM1900	512	1850.2	0	600	-71.48	-60	-48.31	-55	PASS
LVHT	GSM1900	512	1850.2	0	800	-72.24	-60	-48.98	-55	PASS
LVHT	GSM1900	512	1850.2	0	1000	-75.07	-60	-51.71	-55	PASS
LVHT	GSM1900	512	1850.2	0	1200	-74.9	-60	-51.62	-55	PASS
LVHT	GSM1900	512	1850.2	0	1400	-76.97	-60	-53.73	-55	PASS
LVHT	GSM1900	512	1850.2	0	1600	-77.63	-60	-54.28	-55	PASS
LVHT	GSM1900	512	1850.2	0	1800	-79.92	-60	-56.47	-55	PASS
LVHT	GSM1900	512	1850.2	15	-1800	-67.26	-60	-74.51	-55	PASS
LVHT	GSM1900	512	1850.2	15	-1600	-66.86	-60	-74.14	-55	PASS
LVHT	GSM1900	512	1850.2	15	-1400	-66.21	-60	-73.59	-55	PASS
LVHT	GSM1900	512	1850.2	15	-1200	-66.41	-60	-73.66	-55	PASS
LVHT	GSM1900	512	1850.2	15	-1000	-67.82	-60	-75.15	-55	PASS
LVHT	GSM1900	512	1850.2	15	-800	-65.93	-60	-73.29	-55	PASS
LVHT	GSM1900	512	1850.2	15	-600	-67.02	-60	-74.45	-55	PASS
LVHT	GSM1900	512	1850.2	15	-400	-60.28	-60	-67.72	-36	PASS
LVHT	GSM1900	512	1850.2	15	-250	-40.93	-33	-48.19	-36	PASS
LVHT	GSM1900	512	1850.2	15	-200	-37.22	-30	-44.47	-36	PASS
LVHT	GSM1900	512	1850.2	15	-100	-9.36	0.5	-16.73	-36	PASS
LVHT	GSM1900	512	1850.2	15	100	-9.16	0.5	-16.51	-36	PASS

LVHT	GSM1900	512	1850.2	15	200	-36.76	-30	-44.1	-36	PASS
LVHT	GSM1900	512	1850.2	15	250	-41.03	-33	-48.37	-36	PASS
LVHT	GSM1900	512	1850.2	15	400	-61.95	-60	-69.23	-36	PASS
LVHT	GSM1900	512	1850.2	15	600	-66.47	-60	-73.87	-55	PASS
LVHT	GSM1900	512	1850.2	15	800	-66.69	-60	-74.05	-55	PASS
LVHT	GSM1900	512	1850.2	15	1000	-67.68	-60	-74.87	-55	PASS
LVHT	GSM1900	512	1850.2	15	1200	-66.27	-60	-73.74	-55	PASS
LVHT	GSM1900	512	1850.2	15	1400	-66.94	-60	-74.25	-55	PASS
LVHT	GSM1900	512	1850.2	15	1600	-67.35	-60	-74.7	-55	PASS
LVHT	GSM1900	512	1850.2	15	1800	-67.13	-60	-74.57	-55	PASS
LVHT	GSM1900	661	1880	0	-1800	-78.13	-60	-55.27	-55	PASS
LVHT	GSM1900	661	1880	0	-1600	-77.5	-60	-54.47	-55	PASS
LVHT	GSM1900	661	1880	0	-1400	-76.81	-60	-53.74	-55	PASS
LVHT	GSM1900	661	1880	0	-1200	-75.14	-60	-52.03	-55	PASS
LVHT	GSM1900	661	1880	0	-1000	-74.61	-60	-51.6	-55	PASS
LVHT	GSM1900	661	1880	0	-800	-72.49	-60	-49.38	-55	PASS
LVHT	GSM1900	661	1880	0	-600	-70.83	-60	-47.87	-55	PASS
LVHT	GSM1900	661	1880	0	-400	-63.87	-60	-40.85	-36	PASS
LVHT	GSM1900	661	1880	0	-250	-40.83	-33	-17.8	-36	PASS
LVHT	GSM1900	661	1880	0	-200	-37.01	-30	-14.12	-36	PASS
LVHT	GSM1900	661	1880	0	-100	-9.38	0.5	13.54	-36	PASS
LVHT	GSM1900	661	1880	0	100	-9.79	0.5	13.38	-36	PASS
LVHT	GSM1900	661	1880	0	200	-36.67	-30	-13.56	-36	PASS
LVHT	GSM1900	661	1880	0	250	-41.59	-33	-18.61	-36	PASS
LVHT	GSM1900	661	1880	0	400	-64.04	-60	-41.09	-36	PASS
LVHT	GSM1900	661	1880	0	600	-70.55	-60	-47.52	-55	PASS
LVHT	GSM1900	661	1880	0	800	-70.96	-60	-48.01	-55	PASS
LVHT	GSM1900	661	1880	0	1000	-74.25	-60	-51.28	-55	PASS
LVHT	GSM1900	661	1880	0	1200	-74.16	-60	-51.12	-55	PASS
LVHT	GSM1900	661	1880	0	1400	-76.18	-60	-53.27	-55	PASS
LVHT	GSM1900	661	1880	0	1600	-77.1	-60	-54.12	-55	PASS
LVHT	GSM1900	661	1880	0	1800	-78.71	-60	-55.58	-55	PASS
LVHT	GSM1900	661	1880	15	-1800	-68.11	-60	-75.43	-55	PASS
LVHT	GSM1900	661	1880	15	-1600	-68.38	-60	-75.59	-55	PASS
LVHT	GSM1900	661	1880	15	-1400	-65.98	-60	-73.2	-55	PASS
LVHT	GSM1900	661	1880	15	-1200	-67.06	-60	-74.32	-55	PASS
LVHT	GSM1900	661	1880	15	-1000	-66.63	-60	-73.85	-55	PASS
LVHT	GSM1900	661	1880	15	-800	-66.74	-60	-74	-55	PASS
LVHT	GSM1900	661	1880	15	-600	-67.05	-60	-74.16	-55	PASS
LVHT	GSM1900	661	1880	15	-400	-60.43	-60	-67.67	-36	PASS
LVHT	GSM1900	661	1880	15	-250	-41.15	-33	-48.51	-36	PASS
LVHT	GSM1900	661	1880	15	-200	-36.76	-30	-44.07	-36	PASS
LVHT	GSM1900	661	1880	15	-100	-8.88	0.5	-16.03	-36	PASS
LVHT	GSM1900	661	1880	15	100	-8.9	0.5	-16.07	-36	PASS

LVHT	GSM1900	661	1880	15	200	-36.47	-30	-43.71	-36	PASS
LVHT	GSM1900	661	1880	15	250	-40.84	-33	-48.07	-36	PASS
LVHT	GSM1900	661	1880	15	400	-62.47	-60	-69.8	-36	PASS
LVHT	GSM1900	661	1880	15	600	-67.19	-60	-74.32	-55	PASS
LVHT	GSM1900	661	1880	15	800	-66.6	-60	-73.98	-55	PASS
LVHT	GSM1900	661	1880	15	1000	-66.48	-60	-73.61	-55	PASS
LVHT	GSM1900	661	1880	15	1200	-66.92	-60	-74.3	-55	PASS
LVHT	GSM1900	661	1880	15	1400	-65.52	-60	-72.78	-55	PASS
LVHT	GSM1900	661	1880	15	1600	-67.7	-60	-75.07	-55	PASS
LVHT	GSM1900	661	1880	15	1800	-66.97	-60	-74.19	-55	PASS
LVHT	GSM1900	810	1909.8	0	-1800	-78.28	-60	-55.78	-55	PASS
LVHT	GSM1900	810	1909.8	0	-1600	-77.06	-60	-54.47	-55	PASS
LVHT	GSM1900	810	1909.8	0	-1400	-75.75	-60	-53.04	-55	PASS
LVHT	GSM1900	810	1909.8	0	-1200	-73.81	-60	-51.1	-55	PASS
LVHT	GSM1900	810	1909.8	0	-1000	-73.7	-60	-50.95	-55	PASS
LVHT	GSM1900	810	1909.8	0	-800	-71.06	-60	-48.48	-55	PASS
LVHT	GSM1900	810	1909.8	0	-600	-69.77	-60	-47.1	-55	PASS
LVHT	GSM1900	810	1909.8	0	-400	-63.3	-60	-40.59	-36	PASS
LVHT	GSM1900	810	1909.8	0	-250	-40.25	-33	-17.67	-36	PASS
LVHT	GSM1900	810	1909.8	0	-200	-36.83	-30	-14.22	-36	PASS
LVHT	GSM1900	810	1909.8	0	-100	-8.67	0.5	13.85	-36	PASS
LVHT	GSM1900	810	1909.8	0	100	-9.02	0.5	13.64	-36	PASS
LVHT	GSM1900	810	1909.8	0	200	-36.45	-30	-13.92	-36	PASS
LVHT	GSM1900	810	1909.8	0	250	-40.75	-33	-18.17	-36	PASS
LVHT	GSM1900	810	1909.8	0	400	-63.24	-60	-40.48	-36	PASS
LVHT	GSM1900	810	1909.8	0	600	-69.55	-60	-47.01	-55	PASS
LVHT	GSM1900	810	1909.8	0	800	-71.08	-60	-48.57	-55	PASS
LVHT	GSM1900	810	1909.8	0	1000	-73.58	-60	-50.89	-55	PASS
LVHT	GSM1900	810	1909.8	0	1200	-73.28	-60	-50.63	-55	PASS
LVHT	GSM1900	810	1909.8	0	1400	-76.36	-60	-53.6	-55	PASS
LVHT	GSM1900	810	1909.8	0	1600	-76.92	-60	-54.4	-55	PASS
LVHT	GSM1900	810	1909.8	0	1800	-79.01	-60	-56.39	-55	PASS
LVHT	GSM1900	810	1909.8	15	-1800	-66.49	-60	-74.04	-55	PASS
LVHT	GSM1900	810	1909.8	15	-1600	-67.26	-60	-74.83	-55	PASS
LVHT	GSM1900	810	1909.8	15	-1400	-65.7	-60	-73.41	-55	PASS
LVHT	GSM1900	810	1909.8	15	-1200	-66.61	-60	-74.31	-55	PASS
LVHT	GSM1900	810	1909.8	15	-1000	-66.83	-60	-74.43	-55	PASS
LVHT	GSM1900	810	1909.8	15	-800	-65.77	-60	-73.23	-55	PASS
LVHT	GSM1900	810	1909.8	15	-600	-66.63	-60	-74.09	-55	PASS
LVHT	GSM1900	810	1909.8	15	-400	-60.49	-60	-68.1	-36	PASS
LVHT	GSM1900	810	1909.8	15	-250	-41.17	-33	-48.74	-36	PASS
LVHT	GSM1900	810	1909.8	15	-200	-36.41	-30	-44.02	-36	PASS
LVHT	GSM1900	810	1909.8	15	-100	-8.93	0.5	-16.42	-36	PASS
LVHT	GSM1900	810	1909.8	15	100	-8.12	0.5	-15.71	-36	PASS

LVHT	GSM1900	810	1909.8	15	200	-36.54	-30	-44.04	-36	PASS
LVHT	GSM1900	810	1909.8	15	250	-40.8	-33	-48.31	-36	PASS
LVHT	GSM1900	810	1909.8	15	400	-61.73	-60	-69.22	-36	PASS
LVHT	GSM1900	810	1909.8	15	600	-65.86	-60	-73.44	-55	PASS
LVHT	GSM1900	810	1909.8	15	800	-65.98	-60	-73.61	-55	PASS
LVHT	GSM1900	810	1909.8	15	1000	-66.89	-60	-74.31	-55	PASS
LVHT	GSM1900	810	1909.8	15	1200	-66.54	-60	-74.13	-55	PASS
LVHT	GSM1900	810	1909.8	15	1400	-65.34	-60	-73.03	-55	PASS
LVHT	GSM1900	810	1909.8	15	1600	-67.04	-60	-74.56	-55	PASS
LVHT	GSM1900	810	1909.8	15	1800	-67.01	-60	-74.6	-55	PASS
LVLT	GSM1900	512	1850.2	0	-1800	-79.52	-60	-56.3	-55	PASS
LVLT	GSM1900	512	1850.2	0	-1600	-77.84	-60	-54.54	-55	PASS
LVLT	GSM1900	512	1850.2	0	-1400	-76.64	-60	-53.44	-55	PASS
LVLT	GSM1900	512	1850.2	0	-1200	-74.77	-60	-51.32	-55	PASS
LVLT	GSM1900	512	1850.2	0	-1000	-75.15	-60	-51.88	-55	PASS
LVLT	GSM1900	512	1850.2	0	-800	-73.06	-60	-49.86	-55	PASS
LVLT	GSM1900	512	1850.2	0	-600	-71.58	-60	-48.23	-55	PASS
LVLT	GSM1900	512	1850.2	0	-400	-64.52	-60	-41.34	-36	PASS
LVLT	GSM1900	512	1850.2	0	-250	-41.03	-33	-17.69	-36	PASS
LVLT	GSM1900	512	1850.2	0	-200	-37.51	-30	-14.19	-36	PASS
LVLT	GSM1900	512	1850.2	0	-100	-9.03	0.5	14.34	-36	PASS
LVLT	GSM1900	512	1850.2	0	100	-10.36	0.5	12.84	-36	PASS
LVLT	GSM1900	512	1850.2	0	200	-37.46	-30	-14.15	-36	PASS
LVLT	GSM1900	512	1850.2	0	250	-41.06	-33	-17.83	-36	PASS
LVLT	GSM1900	512	1850.2	0	400	-64.59	-60	-41.25	-36	PASS
LVLT	GSM1900	512	1850.2	0	600	-71.48	-60	-48.29	-55	PASS
LVLT	GSM1900	512	1850.2	0	800	-72.24	-60	-49.01	-55	PASS
LVLT	GSM1900	512	1850.2	0	1000	-75.01	-60	-51.76	-55	PASS
LVLT	GSM1900	512	1850.2	0	1200	-74.83	-60	-51.46	-55	PASS
LVLT	GSM1900	512	1850.2	0	1400	-77.04	-60	-53.81	-55	PASS
LVLT	GSM1900	512	1850.2	0	1600	-77.69	-60	-54.36	-55	PASS
LVLT	GSM1900	512	1850.2	0	1800	-79.87	-60	-56.54	-55	PASS
LVLT	GSM1900	512	1850.2	15	-1800	-67.1	-60	-74.58	-55	PASS
LVLT	GSM1900	512	1850.2	15	-1600	-66.88	-60	-74.1	-55	PASS
LVLT	GSM1900	512	1850.2	15	-1400	-66.17	-60	-73.48	-55	PASS
LVLT	GSM1900	512	1850.2	15	-1200	-66.4	-60	-73.63	-55	PASS
LVLT	GSM1900	512	1850.2	15	-1000	-67.74	-60	-75.07	-55	PASS
LVLT	GSM1900	512	1850.2	15	-800	-65.83	-60	-73.17	-55	PASS
LVLT	GSM1900	512	1850.2	15	-600	-67.14	-60	-74.34	-55	PASS
LVLT	GSM1900	512	1850.2	15	-400	-60.22	-60	-67.63	-36	PASS
LVLT	GSM1900	512	1850.2	15	-250	-40.89	-33	-48.28	-36	PASS
LVLT	GSM1900	512	1850.2	15	-200	-37.24	-30	-44.59	-36	PASS
LVLT	GSM1900	512	1850.2	15	-100	-9.34	0.5	-16.77	-36	PASS
LVLT	GSM1900	512	1850.2	15	100	-9.19	0.5	-16.56	-36	PASS

LVLT	GSM1900	512	1850.2	15	200	-36.74	-30	-44.13	-36	PASS
LVLT	GSM1900	512	1850.2	15	250	-40.91	-33	-48.34	-36	PASS
LVLT	GSM1900	512	1850.2	15	400	-61.84	-60	-69.16	-36	PASS
LVLT	GSM1900	512	1850.2	15	600	-66.48	-60	-73.91	-55	PASS
LVLT	GSM1900	512	1850.2	15	800	-66.68	-60	-74	-55	PASS
LVLT	GSM1900	512	1850.2	15	1000	-67.66	-60	-75.02	-55	PASS
LVLT	GSM1900	512	1850.2	15	1200	-66.41	-60	-73.74	-55	PASS
LVLT	GSM1900	512	1850.2	15	1400	-66.88	-60	-74.12	-55	PASS
LVLT	GSM1900	512	1850.2	15	1600	-67.35	-60	-74.74	-55	PASS
LVLT	GSM1900	512	1850.2	15	1800	-67.19	-60	-74.45	-55	PASS
LVLT	GSM1900	661	1880	0	-1800	-78.25	-60	-55.12	-55	PASS
LVLT	GSM1900	661	1880	0	-1600	-77.62	-60	-54.51	-55	PASS
LVLT	GSM1900	661	1880	0	-1400	-76.71	-60	-53.89	-55	PASS
LVLT	GSM1900	661	1880	0	-1200	-75.05	-60	-52.2	-55	PASS
LVLT	GSM1900	661	1880	0	-1000	-74.48	-60	-51.62	-55	PASS
LVLT	GSM1900	661	1880	0	-800	-72.38	-60	-49.39	-55	PASS
LVLT	GSM1900	661	1880	0	-600	-70.87	-60	-47.85	-55	PASS
LVLT	GSM1900	661	1880	0	-400	-63.86	-60	-40.98	-36	PASS
LVLT	GSM1900	661	1880	0	-250	-40.64	-33	-17.81	-36	PASS
LVLT	GSM1900	661	1880	0	-200	-37.09	-30	-14.11	-36	PASS
LVLT	GSM1900	661	1880	0	-100	-9.28	0.5	13.68	-36	PASS
LVLT	GSM1900	661	1880	0	100	-9.69	0.5	13.2	-36	PASS
LVLT	GSM1900	661	1880	0	200	-36.57	-30	-13.54	-36	PASS
LVLT	GSM1900	661	1880	0	250	-41.57	-33	-18.58	-36	PASS
LVLT	GSM1900	661	1880	0	400	-63.99	-60	-41.03	-36	PASS
LVLT	GSM1900	661	1880	0	600	-70.48	-60	-47.46	-55	PASS
LVLT	GSM1900	661	1880	0	800	-70.94	-60	-47.96	-55	PASS
LVLT	GSM1900	661	1880	0	1000	-74.37	-60	-51.41	-55	PASS
LVLT	GSM1900	661	1880	0	1200	-74.06	-60	-51.16	-55	PASS
LVLT	GSM1900	661	1880	0	1400	-76.25	-60	-53.21	-55	PASS
LVLT	GSM1900	661	1880	0	1600	-77.11	-60	-54.17	-55	PASS
LVLT	GSM1900	661	1880	0	1800	-78.69	-60	-55.74	-55	PASS
LVLT	GSM1900	661	1880	15	-1800	-68.16	-60	-75.41	-55	PASS
LVLT	GSM1900	661	1880	15	-1600	-68.29	-60	-75.56	-55	PASS
LVLT	GSM1900	661	1880	15	-1400	-65.99	-60	-73.21	-55	PASS
LVLT	GSM1900	661	1880	15	-1200	-67.12	-60	-74.3	-55	PASS
LVLT	GSM1900	661	1880	15	-1000	-66.59	-60	-73.92	-55	PASS
LVLT	GSM1900	661	1880	15	-800	-66.71	-60	-74.07	-55	PASS
LVLT	GSM1900	661	1880	15	-600	-66.99	-60	-74.1	-55	PASS
LVLT	GSM1900	661	1880	15	-400	-60.37	-60	-67.79	-36	PASS
LVLT	GSM1900	661	1880	15	-250	-41.13	-33	-48.45	-36	PASS
LVLT	GSM1900	661	1880	15	-200	-36.77	-30	-44	-36	PASS
LVLT	GSM1900	661	1880	15	-100	-8.77	0.5	-15.98	-36	PASS
LVLT	GSM1900	661	1880	15	100	-8.72	0.5	-15.96	-36	PASS

LVLT	GSM1900	661	1880	15	200	-36.53	-30	-43.78	-36	PASS
LVLT	GSM1900	661	1880	15	250	-40.87	-33	-48.04	-36	PASS
LVLT	GSM1900	661	1880	15	400	-62.42	-60	-69.73	-36	PASS
LVLT	GSM1900	661	1880	15	600	-67.16	-60	-74.38	-55	PASS
LVLT	GSM1900	661	1880	15	800	-66.68	-60	-73.93	-55	PASS
LVLT	GSM1900	661	1880	15	1000	-66.4	-60	-73.73	-55	PASS
LVLT	GSM1900	661	1880	15	1200	-66.98	-60	-74.11	-55	PASS
LVLT	GSM1900	661	1880	15	1400	-65.48	-60	-72.71	-55	PASS
LVLT	GSM1900	661	1880	15	1600	-67.78	-60	-75.02	-55	PASS
LVLT	GSM1900	661	1880	15	1800	-66.95	-60	-74.3	-55	PASS
LVLT	GSM1900	810	1909.8	0	-1800	-78.26	-60	-55.62	-55	PASS
LVLT	GSM1900	810	1909.8	0	-1600	-77.04	-60	-54.44	-55	PASS
LVLT	GSM1900	810	1909.8	0	-1400	-75.85	-60	-53.19	-55	PASS
LVLT	GSM1900	810	1909.8	0	-1200	-73.77	-60	-51.17	-55	PASS
LVLT	GSM1900	810	1909.8	0	-1000	-73.73	-60	-50.99	-55	PASS
LVLT	GSM1900	810	1909.8	0	-800	-71.12	-60	-48.39	-55	PASS
LVLT	GSM1900	810	1909.8	0	-600	-69.73	-60	-47.12	-55	PASS
LVLT	GSM1900	810	1909.8	0	-400	-63.2	-60	-40.53	-36	PASS
LVLT	GSM1900	810	1909.8	0	-250	-40.24	-33	-17.77	-36	PASS
LVLT	GSM1900	810	1909.8	0	-200	-36.86	-30	-14.24	-36	PASS
LVLT	GSM1900	810	1909.8	0	-100	-8.77	0.5	13.93	-36	PASS
LVLT	GSM1900	810	1909.8	0	100	-9.01	0.5	13.64	-36	PASS
LVLT	GSM1900	810	1909.8	0	200	-36.46	-30	-13.74	-36	PASS
LVLT	GSM1900	810	1909.8	0	250	-40.8	-33	-18.14	-36	PASS
LVLT	GSM1900	810	1909.8	0	400	-63.23	-60	-40.55	-36	PASS
LVLT	GSM1900	810	1909.8	0	600	-69.61	-60	-46.96	-55	PASS
LVLT	GSM1900	810	1909.8	0	800	-71.24	-60	-48.48	-55	PASS
LVLT	GSM1900	810	1909.8	0	1000	-73.7	-60	-50.91	-55	PASS
LVLT	GSM1900	810	1909.8	0	1200	-73.16	-60	-50.69	-55	PASS
LVLT	GSM1900	810	1909.8	0	1400	-76.22	-60	-53.59	-55	PASS
LVLT	GSM1900	810	1909.8	0	1600	-76.9	-60	-54.3	-55	PASS
LVLT	GSM1900	810	1909.8	0	1800	-79.04	-60	-56.23	-55	PASS
LVLT	GSM1900	810	1909.8	15	-1800	-66.57	-60	-74.06	-55	PASS
LVLT	GSM1900	810	1909.8	15	-1600	-67.21	-60	-74.67	-55	PASS
LVLT	GSM1900	810	1909.8	15	-1400	-65.81	-60	-73.42	-55	PASS
LVLT	GSM1900	810	1909.8	15	-1200	-66.56	-60	-74.29	-55	PASS
LVLT	GSM1900	810	1909.8	15	-1000	-66.74	-60	-74.38	-55	PASS
LVLT	GSM1900	810	1909.8	15	-800	-65.59	-60	-73.29	-55	PASS
LVLT	GSM1900	810	1909.8	15	-600	-66.67	-60	-74.08	-55	PASS
LVLT	GSM1900	810	1909.8	15	-400	-60.44	-60	-68.18	-36	PASS
LVLT	GSM1900	810	1909.8	15	-250	-41.26	-33	-48.74	-36	PASS
LVLT	GSM1900	810	1909.8	15	-200	-36.49	-30	-43.97	-36	PASS
LVLT	GSM1900	810	1909.8	15	-100	-8.91	0.5	-16.53	-36	PASS
LVLT	GSM1900	810	1909.8	15	100	-8.07	0.5	-15.77	-36	PASS

LVLT	GSM1900	810	1909.8	15	200	-36.45	-30	-43.92	-36	PASS
LVLT	GSM1900	810	1909.8	15	250	-40.67	-33	-48.24	-36	PASS
LVLT	GSM1900	810	1909.8	15	400	-61.77	-60	-69.25	-36	PASS
LVLT	GSM1900	810	1909.8	15	600	-65.91	-60	-73.45	-55	PASS
LVLT	GSM1900	810	1909.8	15	800	-66.07	-60	-73.56	-55	PASS
LVLT	GSM1900	810	1909.8	15	1000	-66.8	-60	-74.3	-55	PASS
LVLT	GSM1900	810	1909.8	15	1200	-66.61	-60	-74.15	-55	PASS
LVLT	GSM1900	810	1909.8	15	1400	-65.4	-60	-73	-55	PASS
LVLT	GSM1900	810	1909.8	15	1600	-66.97	-60	-74.63	-55	PASS
LVLT	GSM1900	810	1909.8	15	1800	-67.05	-60	-74.61	-55	PASS
HVHT	GSM850	128	824.2	5	-1800	-78.72	-60	-53.53	-51	PASS
HVHT	GSM850	128	824.2	5	-1600	-77.57	-60	-52.36	-51	PASS
HVHT	GSM850	128	824.2	5	-1400	-76.38	-60	-51.23	-51	PASS
HVHT	GSM850	128	824.2	5	-1200	-75.13	-60	-49.87	-51	PASS
HVHT	GSM850	128	824.2	5	-1000	-72.84	-60	-47.59	-51	PASS
HVHT	GSM850	128	824.2	5	-800	-72.81	-60	-47.62	-51	PASS
HVHT	GSM850	128	824.2	5	-600	-71.77	-60	-46.59	-51	PASS
HVHT	GSM850	128	824.2	5	-400	-65.48	-60	-40.31	-36	PASS
HVHT	GSM850	128	824.2	5	-250	-40.35	-33	-15.26	-36	PASS
HVHT	GSM850	128	824.2	5	-200	-36.14	-30	-11.03	-36	PASS
HVHT	GSM850	128	824.2	5	-100	-7.79	0.5	17.42	-36	PASS
HVHT	GSM850	128	824.2	5	100	-7.75	0.5	17.36	-36	PASS
HVHT	GSM850	128	824.2	5	200	-36.02	-30	-10.78	-36	PASS
HVHT	GSM850	128	824.2	5	250	-41.94	-33	-16.69	-36	PASS
HVHT	GSM850	128	824.2	5	400	-66.37	-60	-41.24	-36	PASS
HVHT	GSM850	128	824.2	5	600	-71.91	-60	-46.74	-51	PASS
HVHT	GSM850	128	824.2	5	800	-71.81	-60	-46.53	-51	PASS
HVHT	GSM850	128	824.2	5	1000	-72.79	-60	-47.64	-51	PASS
HVHT	GSM850	128	824.2	5	1200	-73.21	-60	-48	-51	PASS
HVHT	GSM850	128	824.2	5	1400	-74.93	-60	-49.76	-51	PASS
HVHT	GSM850	128	824.2	5	1600	-77.75	-60	-52.59	-51	PASS
HVHT	GSM850	128	824.2	5	1800	-79.17	-60	-54.01	-51	PASS
HVHT	GSM850	128	824.2	19	-1800	-67.89	-60	-69.87	-51	PASS
HVHT	GSM850	128	824.2	19	-1600	-65.77	-60	-67.78	-51	PASS
HVHT	GSM850	128	824.2	19	-1400	-62.37	-60	-64.5	-51	PASS
HVHT	GSM850	128	824.2	19	-1200	-65.69	-60	-67.47	-51	PASS
HVHT	GSM850	128	824.2	19	-1000	-60.8	-60	-62.79	-51	PASS
HVHT	GSM850	128	824.2	19	-800	-63.13	-60	-65.01	-51	PASS
HVHT	GSM850	128	824.2	19	-600	-63.6	-60	-65.62	-51	PASS
HVHT	GSM850	128	824.2	19	-400	-54.8	-60	-56.74	-36	PASS
HVHT	GSM850	128	824.2	19	-250	-40.46	-33	-42.48	-36	PASS
HVHT	GSM850	128	824.2	19	-200	-37.12	-30	-38.96	-36	PASS
HVHT	GSM850	128	824.2	19	-100	-8.38	0.5	-10.35	-36	PASS
HVHT	GSM850	128	824.2	19	100	-8.21	0.5	-10.11	-36	PASS

HVHT	GSM850	128	824.2	19	200	-37.04	-30	-38.96	-36	PASS
HVHT	GSM850	128	824.2	19	250	-41.81	-33	-43.92	-36	PASS
HVHT	GSM850	128	824.2	19	400	-54.75	-60	-56.83	-36	PASS
HVHT	GSM850	128	824.2	19	600	-63.53	-60	-65.36	-51	PASS
HVHT	GSM850	128	824.2	19	800	-63.03	-60	-65	-51	PASS
HVHT	GSM850	128	824.2	19	1000	-60.62	-60	-62.63	-51	PASS
HVHT	GSM850	128	824.2	19	1200	-65.94	-60	-67.98	-51	PASS
HVHT	GSM850	128	824.2	19	1400	-62.28	-60	-64.36	-51	PASS
HVHT	GSM850	128	824.2	19	1600	-65.71	-60	-67.6	-51	PASS
HVHT	GSM850	128	824.2	19	1800	-67.57	-60	-69.55	-51	PASS
HVHT	GSM850	190	836.6	5	-1800	-80.08	-60	-54.57	-51	PASS
HVHT	GSM850	190	836.6	5	-1600	-79.22	-60	-53.74	-51	PASS
HVHT	GSM850	190	836.6	5	-1400	-76.66	-60	-51.26	-51	PASS
HVHT	GSM850	190	836.6	5	-1200	-76.21	-60	-50.76	-51	PASS
HVHT	GSM850	190	836.6	5	-1000	-74.69	-60	-49.07	-51	PASS
HVHT	GSM850	190	836.6	5	-800	-73.41	-60	-47.94	-51	PASS
HVHT	GSM850	190	836.6	5	-600	-72.42	-60	-46.91	-51	PASS
HVHT	GSM850	190	836.6	5	-400	-66.66	-60	-41.16	-36	PASS
HVHT	GSM850	190	836.6	5	-250	-41.25	-33	-15.88	-36	PASS
HVHT	GSM850	190	836.6	5	-200	-36.71	-30	-11.18	-36	PASS
HVHT	GSM850	190	836.6	5	-100	-8.46	0.5	16.99	-36	PASS
HVHT	GSM850	190	836.6	5	100	-8.02	0.5	17.44	-36	PASS
HVHT	GSM850	190	836.6	5	200	-37.01	-30	-11.45	-36	PASS
HVHT	GSM850	190	836.6	5	250	-41.35	-33	-15.92	-36	PASS
HVHT	GSM850	190	836.6	5	400	-66.9	-60	-41.55	-36	PASS
HVHT	GSM850	190	836.6	5	600	-73.36	-60	-47.97	-51	PASS
HVHT	GSM850	190	836.6	5	800	-71.93	-60	-46.4	-51	PASS
HVHT	GSM850	190	836.6	5	1000	-74.06	-60	-48.58	-51	PASS
HVHT	GSM850	190	836.6	5	1200	-74.96	-60	-49.47	-51	PASS
HVHT	GSM850	190	836.6	5	1400	-75.88	-60	-50.43	-51	PASS
HVHT	GSM850	190	836.6	5	1600	-78.88	-60	-53.42	-51	PASS
HVHT	GSM850	190	836.6	5	1800	-79.49	-60	-54.06	-51	PASS
HVHT	GSM850	190	836.6	19	-1800	-67.92	-60	-70.52	-51	PASS
HVHT	GSM850	190	836.6	19	-1600	-66.04	-60	-68.67	-51	PASS
HVHT	GSM850	190	836.6	19	-1400	-62.13	-60	-64.64	-51	PASS
HVHT	GSM850	190	836.6	19	-1200	-64.52	-60	-67.14	-51	PASS
HVHT	GSM850	190	836.6	19	-1000	-61.02	-60	-63.52	-51	PASS
HVHT	GSM850	190	836.6	19	-800	-61.77	-60	-64.27	-51	PASS
HVHT	GSM850	190	836.6	19	-600	-62.19	-60	-64.72	-51	PASS
HVHT	GSM850	190	836.6	19	-400	-53.98	-60	-56.45	-36	PASS
HVHT	GSM850	190	836.6	19	-250	-41.09	-33	-43.46	-36	PASS
HVHT	GSM850	190	836.6	19	-200	-36.47	-30	-38.84	-36	PASS
HVHT	GSM850	190	836.6	19	-100	-9.03	0.5	-11.5	-36	PASS
HVHT	GSM850	190	836.6	19	100	-7.55	0.5	-10.01	-36	PASS

HVHT	GSM850	190	836.6	19	200	-36.95	-30	-39.6	-36	PASS
HVHT	GSM850	190	836.6	19	250	-40.33	-33	-42.86	-36	PASS
HVHT	GSM850	190	836.6	19	400	-54.94	-60	-57.41	-36	PASS
HVHT	GSM850	190	836.6	19	600	-62.55	-60	-65.09	-51	PASS
HVHT	GSM850	190	836.6	19	800	-62.44	-60	-64.96	-51	PASS
HVHT	GSM850	190	836.6	19	1000	-60.68	-60	-63.08	-51	PASS
HVHT	GSM850	190	836.6	19	1200	-65.34	-60	-67.81	-51	PASS
HVHT	GSM850	190	836.6	19	1400	-61.96	-60	-64.52	-51	PASS
HVHT	GSM850	190	836.6	19	1600	-66.04	-60	-68.5	-51	PASS
HVHT	GSM850	190	836.6	19	1800	-66.92	-60	-69.47	-51	PASS
HVHT	GSM850	251	848.8	5	-1800	-79.8	-60	-54.25	-51	PASS
HVHT	GSM850	251	848.8	5	-1600	-78.57	-60	-53.02	-51	PASS
HVHT	GSM850	251	848.8	5	-1400	-77.26	-60	-51.73	-51	PASS
HVHT	GSM850	251	848.8	5	-1200	-75.16	-60	-49.65	-51	PASS
HVHT	GSM850	251	848.8	5	-1000	-75.31	-60	-49.67	-51	PASS
HVHT	GSM850	251	848.8	5	-800	-74.77	-60	-49.3	-51	PASS
HVHT	GSM850	251	848.8	5	-600	-73.2	-60	-47.73	-51	PASS
HVHT	GSM850	251	848.8	5	-400	-66.01	-60	-40.56	-36	PASS
HVHT	GSM850	251	848.8	5	-250	-41.05	-33	-15.48	-36	PASS
HVHT	GSM850	251	848.8	5	-200	-37.55	-30	-12.08	-36	PASS
HVHT	GSM850	251	848.8	5	-100	-8.35	0.5	16.96	-36	PASS
HVHT	GSM850	251	848.8	5	100	-8.52	0.5	16.87	-36	PASS
HVHT	GSM850	251	848.8	5	200	-37.35	-30	-11.79	-36	PASS
HVHT	GSM850	251	848.8	5	250	-40.96	-33	-15.47	-36	PASS
HVHT	GSM850	251	848.8	5	400	-66.42	-60	-41.03	-36	PASS
HVHT	GSM850	251	848.8	5	600	-72.99	-60	-47.53	-51	PASS
HVHT	GSM850	251	848.8	5	800	-73.44	-60	-48.03	-51	PASS
HVHT	GSM850	251	848.8	5	1000	-73.34	-60	-47.8	-51	PASS
HVHT	GSM850	251	848.8	5	1200	-74.37	-60	-48.84	-51	PASS
HVHT	GSM850	251	848.8	5	1400	-75.45	-60	-50.05	-51	PASS
HVHT	GSM850	251	848.8	5	1600	-77.3	-60	-51.81	-51	PASS
HVHT	GSM850	251	848.8	5	1800	-80.05	-60	-54.48	-51	PASS
HVHT	GSM850	251	848.8	19	-1800	-69.62	-60	-70.93	-51	PASS
HVHT	GSM850	251	848.8	19	-1600	-66.99	-60	-68.2	-51	PASS
HVHT	GSM850	251	848.8	19	-1400	-63.34	-60	-64.46	-51	PASS
HVHT	GSM850	251	848.8	19	-1200	-65.46	-60	-66.65	-51	PASS
HVHT	GSM850	251	848.8	19	-1000	-62.38	-60	-63.56	-51	PASS
HVHT	GSM850	251	848.8	19	-800	-62.75	-60	-64.01	-51	PASS
HVHT	GSM850	251	848.8	19	-600	-64.24	-60	-65.5	-51	PASS
HVHT	GSM850	251	848.8	19	-400	-55.61	-60	-56.95	-36	PASS
HVHT	GSM850	251	848.8	19	-250	-42.89	-33	-44.23	-36	PASS
HVHT	GSM850	251	848.8	19	-200	-37.08	-30	-38.35	-36	PASS
HVHT	GSM850	251	848.8	19	-100	-9.33	0.5	-10.69	-36	PASS
HVHT	GSM850	251	848.8	19	100	-9.18	0.5	-10.57	-36	PASS

HVHT	GSM850	251	848.8	19	200	-37.68	-30	-38.94	-36	PASS
HVHT	GSM850	251	848.8	19	250	-41.3	-33	-42.6	-36	PASS
HVHT	GSM850	251	848.8	19	400	-56.5	-60	-57.82	-36	PASS
HVHT	GSM850	251	848.8	19	600	-64.16	-60	-65.55	-51	PASS
HVHT	GSM850	251	848.8	19	800	-62.88	-60	-64.16	-51	PASS
HVHT	GSM850	251	848.8	19	1000	-61.53	-60	-62.76	-51	PASS
HVHT	GSM850	251	848.8	19	1200	-65.94	-60	-67.29	-51	PASS
HVHT	GSM850	251	848.8	19	1400	-63.26	-60	-64.68	-51	PASS
HVHT	GSM850	251	848.8	19	1600	-66.76	-60	-67.97	-51	PASS
HVHT	GSM850	251	848.8	19	1800	-69.53	-60	-70.74	-51	PASS
HVLT	GSM850	128	824.2	5	-1800	-78.68	-60	-53.52	-51	PASS
HVLT	GSM850	128	824.2	5	-1600	-77.48	-60	-52.37	-51	PASS
HVLT	GSM850	128	824.2	5	-1400	-76.47	-60	-51.19	-51	PASS
HVLT	GSM850	128	824.2	5	-1200	-75.13	-60	-49.85	-51	PASS
HVLT	GSM850	128	824.2	5	-1000	-72.68	-60	-47.69	-51	PASS
HVLT	GSM850	128	824.2	5	-800	-72.91	-60	-47.7	-51	PASS
HVLT	GSM850	128	824.2	5	-600	-71.86	-60	-46.64	-51	PASS
HVLT	GSM850	128	824.2	5	-400	-65.36	-60	-40.35	-36	PASS
HVLT	GSM850	128	824.2	5	-250	-40.32	-33	-15.34	-36	PASS
HVLT	GSM850	128	824.2	5	-200	-36.16	-30	-10.98	-36	PASS
HVLT	GSM850	128	824.2	5	-100	-7.67	0.5	17.38	-36	PASS
HVLT	GSM850	128	824.2	5	100	-7.71	0.5	17.42	-36	PASS
HVLT	GSM850	128	824.2	5	200	-35.87	-30	-10.88	-36	PASS
HVLT	GSM850	128	824.2	5	250	-41.93	-33	-16.69	-36	PASS
HVLT	GSM850	128	824.2	5	400	-66.37	-60	-41.19	-36	PASS
HVLT	GSM850	128	824.2	5	600	-71.84	-60	-46.81	-51	PASS
HVLT	GSM850	128	824.2	5	800	-71.78	-60	-46.58	-51	PASS
HVLT	GSM850	128	824.2	5	1000	-72.79	-60	-47.78	-51	PASS
HVLT	GSM850	128	824.2	5	1200	-73.18	-60	-48.15	-51	PASS
HVLT	GSM850	128	824.2	5	1400	-74.89	-60	-49.76	-51	PASS
HVLT	GSM850	128	824.2	5	1600	-77.72	-60	-52.6	-51	PASS
HVLT	GSM850	128	824.2	5	1800	-79.24	-60	-54.17	-51	PASS
HVLT	GSM850	128	824.2	19	-1800	-67.77	-60	-69.86	-51	PASS
HVLT	GSM850	128	824.2	19	-1600	-65.89	-60	-67.69	-51	PASS
HVLT	GSM850	128	824.2	19	-1400	-62.5	-60	-64.42	-51	PASS
HVLT	GSM850	128	824.2	19	-1200	-65.57	-60	-67.57	-51	PASS
HVLT	GSM850	128	824.2	19	-1000	-60.92	-60	-62.88	-51	PASS
HVLT	GSM850	128	824.2	19	-800	-63	-60	-65.12	-51	PASS
HVLT	GSM850	128	824.2	19	-600	-63.62	-60	-65.59	-51	PASS
HVLT	GSM850	128	824.2	19	-400	-54.76	-60	-56.73	-36	PASS
HVLT	GSM850	128	824.2	19	-250	-40.44	-33	-42.48	-36	PASS
HVLT	GSM850	128	824.2	19	-200	-37.1	-30	-39.05	-36	PASS
HVLT	GSM850	128	824.2	19	-100	-8.34	0.5	-10.18	-36	PASS
HVLT	GSM850	128	824.2	19	100	-8.13	0.5	-10.15	-36	PASS

HVLT	GSM850	128	824.2	19	200	-36.9	-30	-38.91	-36	PASS
HVLT	GSM850	128	824.2	19	250	-41.87	-33	-43.74	-36	PASS
HVLT	GSM850	128	824.2	19	400	-54.87	-60	-56.86	-36	PASS
HVLT	GSM850	128	824.2	19	600	-63.5	-60	-65.44	-51	PASS
HVLT	GSM850	128	824.2	19	800	-63.01	-60	-65	-51	PASS
HVLT	GSM850	128	824.2	19	1000	-60.69	-60	-62.49	-51	PASS
HVLT	GSM850	128	824.2	19	1200	-65.92	-60	-68.05	-51	PASS
HVLT	GSM850	128	824.2	19	1400	-62.35	-60	-64.24	-51	PASS
HVLT	GSM850	128	824.2	19	1600	-65.57	-60	-67.63	-51	PASS
HVLT	GSM850	128	824.2	19	1800	-67.71	-60	-69.63	-51	PASS
HVLT	GSM850	190	836.6	5	-1800	-80.06	-60	-54.66	-51	PASS
HVLT	GSM850	190	836.6	5	-1600	-79.33	-60	-53.75	-51	PASS
HVLT	GSM850	190	836.6	5	-1400	-76.65	-60	-51.24	-51	PASS
HVLT	GSM850	190	836.6	5	-1200	-76.22	-60	-50.92	-51	PASS
HVLT	GSM850	190	836.6	5	-1000	-74.71	-60	-49.24	-51	PASS
HVLT	GSM850	190	836.6	5	-800	-73.4	-60	-47.98	-51	PASS
HVLT	GSM850	190	836.6	5	-600	-72.49	-60	-46.98	-51	PASS
HVLT	GSM850	190	836.6	5	-400	-66.71	-60	-41.14	-36	PASS
HVLT	GSM850	190	836.6	5	-250	-41.3	-33	-15.74	-36	PASS
HVLT	GSM850	190	836.6	5	-200	-36.69	-30	-11.28	-36	PASS
HVLT	GSM850	190	836.6	5	-100	-8.37	0.5	17	-36	PASS
HVLT	GSM850	190	836.6	5	100	-7.95	0.5	17.42	-36	PASS
HVLT	GSM850	190	836.6	5	200	-36.92	-30	-11.55	-36	PASS
HVLT	GSM850	190	836.6	5	250	-41.36	-33	-15.84	-36	PASS
HVLT	GSM850	190	836.6	5	400	-67.02	-60	-41.46	-36	PASS
HVLT	GSM850	190	836.6	5	600	-73.39	-60	-47.91	-51	PASS
HVLT	GSM850	190	836.6	5	800	-71.83	-60	-46.44	-51	PASS
HVLT	GSM850	190	836.6	5	1000	-73.93	-60	-48.56	-51	PASS
HVLT	GSM850	190	836.6	5	1200	-75	-60	-49.53	-51	PASS
HVLT	GSM850	190	836.6	5	1400	-75.91	-60	-50.36	-51	PASS
HVLT	GSM850	190	836.6	5	1600	-78.9	-60	-53.42	-51	PASS
HVLT	GSM850	190	836.6	5	1800	-79.56	-60	-54.06	-51	PASS
HVLT	GSM850	190	836.6	19	-1800	-67.94	-60	-70.55	-51	PASS
HVLT	GSM850	190	836.6	19	-1600	-66.03	-60	-68.58	-51	PASS
HVLT	GSM850	190	836.6	19	-1400	-62.14	-60	-64.54	-51	PASS
HVLT	GSM850	190	836.6	19	-1200	-64.54	-60	-67.14	-51	PASS
HVLT	GSM850	190	836.6	19	-1000	-61.06	-60	-63.57	-51	PASS
HVLT	GSM850	190	836.6	19	-800	-61.74	-60	-64.27	-51	PASS
HVLT	GSM850	190	836.6	19	-600	-62.34	-60	-64.8	-51	PASS
HVLT	GSM850	190	836.6	19	-400	-54.09	-60	-56.54	-36	PASS
HVLT	GSM850	190	836.6	19	-250	-41.05	-33	-43.55	-36	PASS
HVLT	GSM850	190	836.6	19	-200	-36.32	-30	-38.95	-36	PASS
HVLT	GSM850	190	836.6	19	-100	-8.98	0.5	-11.35	-36	PASS
HVLT	GSM850	190	836.6	19	100	-7.5	0.5	-10.04	-36	PASS

HVLT	GSM850	190	836.6	19	200	-36.96	-30	-39.47	-36	PASS
HVLT	GSM850	190	836.6	19	250	-40.47	-33	-42.86	-36	PASS
HVLT	GSM850	190	836.6	19	400	-54.97	-60	-57.45	-36	PASS
HVLT	GSM850	190	836.6	19	600	-62.44	-60	-64.99	-51	PASS
HVLT	GSM850	190	836.6	19	800	-62.37	-60	-64.89	-51	PASS
HVLT	GSM850	190	836.6	19	1000	-60.69	-60	-63.16	-51	PASS
HVLT	GSM850	190	836.6	19	1200	-65.25	-60	-67.71	-51	PASS
HVLT	GSM850	190	836.6	19	1400	-62.06	-60	-64.55	-51	PASS
HVLT	GSM850	190	836.6	19	1600	-66.13	-60	-68.53	-51	PASS
HVLT	GSM850	190	836.6	19	1800	-66.81	-60	-69.32	-51	PASS
HVLT	GSM850	251	848.8	5	-1800	-79.87	-60	-54.31	-51	PASS
HVLT	GSM850	251	848.8	5	-1600	-78.61	-60	-53.17	-51	PASS
HVLT	GSM850	251	848.8	5	-1400	-77.21	-60	-51.68	-51	PASS
HVLT	GSM850	251	848.8	5	-1200	-75.14	-60	-49.57	-51	PASS
HVLT	GSM850	251	848.8	5	-1000	-75.27	-60	-49.82	-51	PASS
HVLT	GSM850	251	848.8	5	-800	-74.82	-60	-49.27	-51	PASS
HVLT	GSM850	251	848.8	5	-600	-73.28	-60	-47.88	-51	PASS
HVLT	GSM850	251	848.8	5	-400	-65.9	-60	-40.51	-36	PASS
HVLT	GSM850	251	848.8	5	-250	-41.02	-33	-15.5	-36	PASS
HVLT	GSM850	251	848.8	5	-200	-37.52	-30	-12.07	-36	PASS
HVLT	GSM850	251	848.8	5	-100	-8.51	0.5	17.1	-36	PASS
HVLT	GSM850	251	848.8	5	100	-8.58	0.5	16.85	-36	PASS
HVLT	GSM850	251	848.8	5	200	-37.42	-30	-11.82	-36	PASS
HVLT	GSM850	251	848.8	5	250	-40.93	-33	-15.53	-36	PASS
HVLT	GSM850	251	848.8	5	400	-66.42	-60	-41.04	-36	PASS
HVLT	GSM850	251	848.8	5	600	-73.02	-60	-47.44	-51	PASS
HVLT	GSM850	251	848.8	5	800	-73.59	-60	-48.13	-51	PASS
HVLT	GSM850	251	848.8	5	1000	-73.29	-60	-47.94	-51	PASS
HVLT	GSM850	251	848.8	5	1200	-74.4	-60	-48.82	-51	PASS
HVLT	GSM850	251	848.8	5	1400	-75.5	-60	-49.93	-51	PASS
HVLT	GSM850	251	848.8	5	1600	-77.37	-60	-51.97	-51	PASS
HVLT	GSM850	251	848.8	5	1800	-79.98	-60	-54.45	-51	PASS
HVLT	GSM850	251	848.8	19	-1800	-69.7	-60	-70.97	-51	PASS
HVLT	GSM850	251	848.8	19	-1600	-66.98	-60	-68.16	-51	PASS
HVLT	GSM850	251	848.8	19	-1400	-63.15	-60	-64.42	-51	PASS
HVLT	GSM850	251	848.8	19	-1200	-65.52	-60	-66.72	-51	PASS
HVLT	GSM850	251	848.8	19	-1000	-62.44	-60	-63.67	-51	PASS
HVLT	GSM850	251	848.8	19	-800	-62.64	-60	-64.02	-51	PASS
HVLT	GSM850	251	848.8	19	-600	-64.25	-60	-65.52	-51	PASS
HVLT	GSM850	251	848.8	19	-400	-55.7	-60	-56.88	-36	PASS
HVLT	GSM850	251	848.8	19	-250	-42.87	-33	-44.15	-36	PASS
HVLT	GSM850	251	848.8	19	-200	-37.01	-30	-38.31	-36	PASS
HVLT	GSM850	251	848.8	19	-100	-9.46	0.5	-10.62	-36	PASS
HVLT	GSM850	251	848.8	19	100	-9.19	0.5	-10.56	-36	PASS

HVLT	GSM850	251	848.8	19	200	-37.68	-30	-38.88	-36	PASS
HVLT	GSM850	251	848.8	19	250	-41.41	-33	-42.59	-36	PASS
HVLT	GSM850	251	848.8	19	400	-56.47	-60	-57.72	-36	PASS
HVLT	GSM850	251	848.8	19	600	-64.28	-60	-65.55	-51	PASS
HVLT	GSM850	251	848.8	19	800	-62.82	-60	-64.05	-51	PASS
HVLT	GSM850	251	848.8	19	1000	-61.47	-60	-62.79	-51	PASS
HVLT	GSM850	251	848.8	19	1200	-65.98	-60	-67.3	-51	PASS
HVLT	GSM850	251	848.8	19	1400	-63.31	-60	-64.51	-51	PASS
HVLT	GSM850	251	848.8	19	1600	-66.71	-60	-67.93	-51	PASS
HVLT	GSM850	251	848.8	19	1800	-69.58	-60	-70.79	-51	PASS
LVHT	GSM850	128	824.2	5	-1800	-78.66	-60	-53.45	-51	PASS
LVHT	GSM850	128	824.2	5	-1600	-77.57	-60	-52.25	-51	PASS
LVHT	GSM850	128	824.2	5	-1400	-76.54	-60	-51.34	-51	PASS
LVHT	GSM850	128	824.2	5	-1200	-75.11	-60	-49.95	-51	PASS
LVHT	GSM850	128	824.2	5	-1000	-72.8	-60	-47.59	-51	PASS
LVHT	GSM850	128	824.2	5	-800	-72.77	-60	-47.74	-51	PASS
LVHT	GSM850	128	824.2	5	-600	-71.8	-60	-46.71	-51	PASS
LVHT	GSM850	128	824.2	5	-400	-65.44	-60	-40.34	-36	PASS
LVHT	GSM850	128	824.2	5	-250	-40.34	-33	-15.31	-36	PASS
LVHT	GSM850	128	824.2	5	-200	-36.27	-30	-11.06	-36	PASS
LVHT	GSM850	128	824.2	5	-100	-7.84	0.5	17.47	-36	PASS
LVHT	GSM850	128	824.2	5	100	-7.8	0.5	17.35	-36	PASS
LVHT	GSM850	128	824.2	5	200	-35.97	-30	-10.9	-36	PASS
LVHT	GSM850	128	824.2	5	250	-41.94	-33	-16.77	-36	PASS
LVHT	GSM850	128	824.2	5	400	-66.33	-60	-41.22	-36	PASS
LVHT	GSM850	128	824.2	5	600	-71.89	-60	-46.82	-51	PASS
LVHT	GSM850	128	824.2	5	800	-71.83	-60	-46.58	-51	PASS
LVHT	GSM850	128	824.2	5	1000	-72.92	-60	-47.63	-51	PASS
LVHT	GSM850	128	824.2	5	1200	-73.2	-60	-48.08	-51	PASS
LVHT	GSM850	128	824.2	5	1400	-74.91	-60	-49.86	-51	PASS
LVHT	GSM850	128	824.2	5	1600	-77.74	-60	-52.49	-51	PASS
LVHT	GSM850	128	824.2	5	1800	-79.33	-60	-54.01	-51	PASS
LVHT	GSM850	128	824.2	19	-1800	-67.78	-60	-69.84	-51	PASS
LVHT	GSM850	128	824.2	19	-1600	-65.88	-60	-67.71	-51	PASS
LVHT	GSM850	128	824.2	19	-1400	-62.53	-60	-64.42	-51	PASS
LVHT	GSM850	128	824.2	19	-1200	-65.62	-60	-67.51	-51	PASS
LVHT	GSM850	128	824.2	19	-1000	-60.82	-60	-62.89	-51	PASS
LVHT	GSM850	128	824.2	19	-800	-63.06	-60	-64.99	-51	PASS
LVHT	GSM850	128	824.2	19	-600	-63.67	-60	-65.61	-51	PASS
LVHT	GSM850	128	824.2	19	-400	-54.74	-60	-56.59	-36	PASS
LVHT	GSM850	128	824.2	19	-250	-40.58	-33	-42.57	-36	PASS
LVHT	GSM850	128	824.2	19	-200	-37.04	-30	-39.15	-36	PASS
LVHT	GSM850	128	824.2	19	-100	-8.2	0.5	-10.23	-36	PASS
LVHT	GSM850	128	824.2	19	100	-8.11	0.5	-10.09	-36	PASS

LVHT	GSM850	128	824.2	19	200	-37.03	-30	-38.94	-36	PASS
LVHT	GSM850	128	824.2	19	250	-41.85	-33	-43.83	-36	PASS
LVHT	GSM850	128	824.2	19	400	-54.82	-60	-56.86	-36	PASS
LVHT	GSM850	128	824.2	19	600	-63.56	-60	-65.52	-51	PASS
LVHT	GSM850	128	824.2	19	800	-63.02	-60	-65.06	-51	PASS
LVHT	GSM850	128	824.2	19	1000	-60.54	-60	-62.62	-51	PASS
LVHT	GSM850	128	824.2	19	1200	-65.95	-60	-68.04	-51	PASS
LVHT	GSM850	128	824.2	19	1400	-62.21	-60	-64.2	-51	PASS
LVHT	GSM850	128	824.2	19	1600	-65.55	-60	-67.54	-51	PASS
LVHT	GSM850	128	824.2	19	1800	-67.63	-60	-69.67	-51	PASS
LVHT	GSM850	190	836.6	5	-1800	-80.21	-60	-54.71	-51	PASS
LVHT	GSM850	190	836.6	5	-1600	-79.34	-60	-53.75	-51	PASS
LVHT	GSM850	190	836.6	5	-1400	-76.8	-60	-51.2	-51	PASS
LVHT	GSM850	190	836.6	5	-1200	-76.39	-60	-50.86	-51	PASS
LVHT	GSM850	190	836.6	5	-1000	-74.67	-60	-49.23	-51	PASS
LVHT	GSM850	190	836.6	5	-800	-73.58	-60	-47.94	-51	PASS
LVHT	GSM850	190	836.6	5	-600	-72.48	-60	-47.03	-51	PASS
LVHT	GSM850	190	836.6	5	-400	-66.59	-60	-41.15	-36	PASS
LVHT	GSM850	190	836.6	5	-250	-41.33	-33	-15.7	-36	PASS
LVHT	GSM850	190	836.6	5	-200	-36.68	-30	-11.17	-36	PASS
LVHT	GSM850	190	836.6	5	-100	-8.52	0.5	17.02	-36	PASS
LVHT	GSM850	190	836.6	5	100	-8.01	0.5	17.43	-36	PASS
LVHT	GSM850	190	836.6	5	200	-36.88	-30	-11.59	-36	PASS
LVHT	GSM850	190	836.6	5	250	-41.39	-33	-15.78	-36	PASS
LVHT	GSM850	190	836.6	5	400	-67.06	-60	-41.44	-36	PASS
LVHT	GSM850	190	836.6	5	600	-73.52	-60	-48.05	-51	PASS
LVHT	GSM850	190	836.6	5	800	-71.96	-60	-46.39	-51	PASS
LVHT	GSM850	190	836.6	5	1000	-73.92	-60	-48.63	-51	PASS
LVHT	GSM850	190	836.6	5	1200	-75.01	-60	-49.5	-51	PASS
LVHT	GSM850	190	836.6	5	1400	-75.84	-60	-50.35	-51	PASS
LVHT	GSM850	190	836.6	5	1600	-78.73	-60	-53.35	-51	PASS
LVHT	GSM850	190	836.6	5	1800	-79.47	-60	-54.08	-51	PASS
LVHT	GSM850	190	836.6	19	-1800	-68.01	-60	-70.44	-51	PASS
LVHT	GSM850	190	836.6	19	-1600	-66.17	-60	-68.56	-51	PASS
LVHT	GSM850	190	836.6	19	-1400	-62.05	-60	-64.58	-51	PASS
LVHT	GSM850	190	836.6	19	-1200	-64.47	-60	-66.95	-51	PASS
LVHT	GSM850	190	836.6	19	-1000	-60.99	-60	-63.39	-51	PASS
LVHT	GSM850	190	836.6	19	-800	-61.82	-60	-64.23	-51	PASS
LVHT	GSM850	190	836.6	19	-600	-62.33	-60	-64.82	-51	PASS
LVHT	GSM850	190	836.6	19	-400	-53.93	-60	-56.45	-36	PASS
LVHT	GSM850	190	836.6	19	-250	-40.99	-33	-43.58	-36	PASS
LVHT	GSM850	190	836.6	19	-200	-36.42	-30	-38.92	-36	PASS
LVHT	GSM850	190	836.6	19	-100	-9.04	0.5	-11.39	-36	PASS
LVHT	GSM850	190	836.6	19	100	-7.53	0.5	-10.09	-36	PASS

LVHT	GSM850	190	836.6	19	200	-37.02	-30	-39.49	-36	PASS
LVHT	GSM850	190	836.6	19	250	-40.46	-33	-42.91	-36	PASS
LVHT	GSM850	190	836.6	19	400	-55	-60	-57.45	-36	PASS
LVHT	GSM850	190	836.6	19	600	-62.49	-60	-65.02	-51	PASS
LVHT	GSM850	190	836.6	19	800	-62.43	-60	-64.93	-51	PASS
LVHT	GSM850	190	836.6	19	1000	-60.61	-60	-63.22	-51	PASS
LVHT	GSM850	190	836.6	19	1200	-65.35	-60	-67.76	-51	PASS
LVHT	GSM850	190	836.6	19	1400	-62.09	-60	-64.54	-51	PASS
LVHT	GSM850	190	836.6	19	1600	-65.98	-60	-68.64	-51	PASS
LVHT	GSM850	190	836.6	19	1800	-66.82	-60	-69.44	-51	PASS
LVHT	GSM850	251	848.8	5	-1800	-79.73	-60	-54.34	-51	PASS
LVHT	GSM850	251	848.8	5	-1600	-78.48	-60	-53.17	-51	PASS
LVHT	GSM850	251	848.8	5	-1400	-77.15	-60	-51.7	-51	PASS
LVHT	GSM850	251	848.8	5	-1200	-75.19	-60	-49.58	-51	PASS
LVHT	GSM850	251	848.8	5	-1000	-75.3	-60	-49.76	-51	PASS
LVHT	GSM850	251	848.8	5	-800	-74.78	-60	-49.3	-51	PASS
LVHT	GSM850	251	848.8	5	-600	-73.15	-60	-47.78	-51	PASS
LVHT	GSM850	251	848.8	5	-400	-66.02	-60	-40.6	-36	PASS
LVHT	GSM850	251	848.8	5	-250	-41.07	-33	-15.57	-36	PASS
LVHT	GSM850	251	848.8	5	-200	-37.51	-30	-12.01	-36	PASS
LVHT	GSM850	251	848.8	5	-100	-8.47	0.5	17.04	-36	PASS
LVHT	GSM850	251	848.8	5	100	-8.49	0.5	16.89	-36	PASS
LVHT	GSM850	251	848.8	5	200	-37.32	-30	-11.8	-36	PASS
LVHT	GSM850	251	848.8	5	250	-40.94	-33	-15.62	-36	PASS
LVHT	GSM850	251	848.8	5	400	-66.41	-60	-40.96	-36	PASS
LVHT	GSM850	251	848.8	5	600	-72.94	-60	-47.4	-51	PASS
LVHT	GSM850	251	848.8	5	800	-73.42	-60	-48.04	-51	PASS
LVHT	GSM850	251	848.8	5	1000	-73.28	-60	-47.97	-51	PASS
LVHT	GSM850	251	848.8	5	1200	-74.34	-60	-49.01	-51	PASS
LVHT	GSM850	251	848.8	5	1400	-75.42	-60	-49.94	-51	PASS
LVHT	GSM850	251	848.8	5	1600	-77.32	-60	-51.82	-51	PASS
LVHT	GSM850	251	848.8	5	1800	-79.99	-60	-54.57	-51	PASS
LVHT	GSM850	251	848.8	19	-1800	-69.78	-60	-71.06	-51	PASS
LVHT	GSM850	251	848.8	19	-1600	-66.98	-60	-68.16	-51	PASS
LVHT	GSM850	251	848.8	19	-1400	-63.28	-60	-64.56	-51	PASS
LVHT	GSM850	251	848.8	19	-1200	-65.46	-60	-66.69	-51	PASS
LVHT	GSM850	251	848.8	19	-1000	-62.36	-60	-63.74	-51	PASS
LVHT	GSM850	251	848.8	19	-800	-62.59	-60	-64.02	-51	PASS
LVHT	GSM850	251	848.8	19	-600	-64.17	-60	-65.44	-51	PASS
LVHT	GSM850	251	848.8	19	-400	-55.6	-60	-56.83	-36	PASS
LVHT	GSM850	251	848.8	19	-250	-42.88	-33	-44.11	-36	PASS
LVHT	GSM850	251	848.8	19	-200	-37.02	-30	-38.42	-36	PASS
LVHT	GSM850	251	848.8	19	-100	-9.48	0.5	-10.62	-36	PASS
LVHT	GSM850	251	848.8	19	100	-9.19	0.5	-10.51	-36	PASS

LVHT	GSM850	251	848.8	19	200	-37.6	-30	-38.97	-36	PASS
LVHT	GSM850	251	848.8	19	250	-41.37	-33	-42.64	-36	PASS
LVHT	GSM850	251	848.8	19	400	-56.43	-60	-57.69	-36	PASS
LVHT	GSM850	251	848.8	19	600	-64.27	-60	-65.46	-51	PASS
LVHT	GSM850	251	848.8	19	800	-62.87	-60	-64.03	-51	PASS
LVHT	GSM850	251	848.8	19	1000	-61.54	-60	-62.79	-51	PASS
LVHT	GSM850	251	848.8	19	1200	-65.95	-60	-67.31	-51	PASS
LVHT	GSM850	251	848.8	19	1400	-63.27	-60	-64.57	-51	PASS
LVHT	GSM850	251	848.8	19	1600	-66.69	-60	-67.87	-51	PASS
LVHT	GSM850	251	848.8	19	1800	-69.62	-60	-70.74	-51	PASS
LVLТ	GSM850	128	824.2	5	-1800	-78.65	-60	-53.62	-51	PASS
LVLТ	GSM850	128	824.2	5	-1600	-77.56	-60	-52.25	-51	PASS
LVLТ	GSM850	128	824.2	5	-1400	-76.47	-60	-51.31	-51	PASS
LVLТ	GSM850	128	824.2	5	-1200	-75.07	-60	-49.82	-51	PASS
LVLТ	GSM850	128	824.2	5	-1000	-72.67	-60	-47.61	-51	PASS
LVLТ	GSM850	128	824.2	5	-800	-72.73	-60	-47.68	-51	PASS
LVLТ	GSM850	128	824.2	5	-600	-71.83	-60	-46.76	-51	PASS
LVLТ	GSM850	128	824.2	5	-400	-65.51	-60	-40.31	-36	PASS
LVLТ	GSM850	128	824.2	5	-250	-40.45	-33	-15.35	-36	PASS
LVLТ	GSM850	128	824.2	5	-200	-36.32	-30	-11.14	-36	PASS
LVLТ	GSM850	128	824.2	5	-100	-7.79	0.5	17.39	-36	PASS
LVLТ	GSM850	128	824.2	5	100	-7.77	0.5	17.29	-36	PASS
LVLТ	GSM850	128	824.2	5	200	-36.02	-30	-10.89	-36	PASS
LVLТ	GSM850	128	824.2	5	250	-41.8	-33	-16.8	-36	PASS
LVLТ	GSM850	128	824.2	5	400	-66.28	-60	-41.22	-36	PASS
LVLТ	GSM850	128	824.2	5	600	-71.91	-60	-46.77	-51	PASS
LVLТ	GSM850	128	824.2	5	800	-71.72	-60	-46.63	-51	PASS
LVLТ	GSM850	128	824.2	5	1000	-72.78	-60	-47.61	-51	PASS
LVLТ	GSM850	128	824.2	5	1200	-73.24	-60	-48.16	-51	PASS
LVLТ	GSM850	128	824.2	5	1400	-74.9	-60	-49.89	-51	PASS
LVLТ	GSM850	128	824.2	5	1600	-77.82	-60	-52.66	-51	PASS
LVLТ	GSM850	128	824.2	5	1800	-79.34	-60	-54.11	-51	PASS
LVLТ	GSM850	128	824.2	19	-1800	-67.78	-60	-69.71	-51	PASS
LVLТ	GSM850	128	824.2	19	-1600	-65.83	-60	-67.86	-51	PASS
LVLТ	GSM850	128	824.2	19	-1400	-62.39	-60	-64.53	-51	PASS
LVLТ	GSM850	128	824.2	19	-1200	-65.5	-60	-67.47	-51	PASS
LVLТ	GSM850	128	824.2	19	-1000	-60.91	-60	-62.75	-51	PASS
LVLТ	GSM850	128	824.2	19	-800	-63.19	-60	-65.11	-51	PASS
LVLТ	GSM850	128	824.2	19	-600	-63.66	-60	-65.73	-51	PASS
LVLТ	GSM850	128	824.2	19	-400	-54.68	-60	-56.73	-36	PASS
LVLТ	GSM850	128	824.2	19	-250	-40.48	-33	-42.51	-36	PASS
LVLТ	GSM850	128	824.2	19	-200	-37.16	-30	-39.01	-36	PASS
LVLТ	GSM850	128	824.2	19	-100	-8.2	0.5	-10.24	-36	PASS
LVLТ	GSM850	128	824.2	19	100	-8.16	0.5	-10.27	-36	PASS

LVLT	GSM850	128	824.2	19	200	-37.02	-30	-39.02	-36	PASS
LVLT	GSM850	128	824.2	19	250	-41.77	-33	-43.87	-36	PASS
LVLT	GSM850	128	824.2	19	400	-54.87	-60	-56.68	-36	PASS
LVLT	GSM850	128	824.2	19	600	-63.57	-60	-65.49	-51	PASS
LVLT	GSM850	128	824.2	19	800	-63.1	-60	-65.13	-51	PASS
LVLT	GSM850	128	824.2	19	1000	-60.61	-60	-62.6	-51	PASS
LVLT	GSM850	128	824.2	19	1200	-65.98	-60	-67.96	-51	PASS
LVLT	GSM850	128	824.2	19	1400	-62.37	-60	-64.24	-51	PASS
LVLT	GSM850	128	824.2	19	1600	-65.68	-60	-67.6	-51	PASS
LVLT	GSM850	128	824.2	19	1800	-67.69	-60	-69.5	-51	PASS
LVLT	GSM850	190	836.6	5	-1800	-80.13	-60	-54.66	-51	PASS
LVLT	GSM850	190	836.6	5	-1600	-79.32	-60	-53.87	-51	PASS
LVLT	GSM850	190	836.6	5	-1400	-76.73	-60	-51.25	-51	PASS
LVLT	GSM850	190	836.6	5	-1200	-76.31	-60	-50.79	-51	PASS
LVLT	GSM850	190	836.6	5	-1000	-74.71	-60	-49.18	-51	PASS
LVLT	GSM850	190	836.6	5	-800	-73.49	-60	-47.94	-51	PASS
LVLT	GSM850	190	836.6	5	-600	-72.5	-60	-47.01	-51	PASS
LVLT	GSM850	190	836.6	5	-400	-66.56	-60	-41.12	-36	PASS
LVLT	GSM850	190	836.6	5	-250	-41.32	-33	-15.74	-36	PASS
LVLT	GSM850	190	836.6	5	-200	-36.59	-30	-11.24	-36	PASS
LVLT	GSM850	190	836.6	5	-100	-8.37	0.5	17.07	-36	PASS
LVLT	GSM850	190	836.6	5	100	-7.85	0.5	17.5	-36	PASS
LVLT	GSM850	190	836.6	5	200	-36.94	-30	-11.56	-36	PASS
LVLT	GSM850	190	836.6	5	250	-41.29	-33	-15.77	-36	PASS
LVLT	GSM850	190	836.6	5	400	-67.03	-60	-41.52	-36	PASS
LVLT	GSM850	190	836.6	5	600	-73.45	-60	-47.99	-51	PASS
LVLT	GSM850	190	836.6	5	800	-71.9	-60	-46.4	-51	PASS
LVLT	GSM850	190	836.6	5	1000	-73.97	-60	-48.47	-51	PASS
LVLT	GSM850	190	836.6	5	1200	-74.92	-60	-49.5	-51	PASS
LVLT	GSM850	190	836.6	5	1400	-75.76	-60	-50.35	-51	PASS
LVLT	GSM850	190	836.6	5	1600	-78.83	-60	-53.43	-51	PASS
LVLT	GSM850	190	836.6	5	1800	-79.6	-60	-54.02	-51	PASS
LVLT	GSM850	190	836.6	19	-1800	-67.97	-60	-70.51	-51	PASS
LVLT	GSM850	190	836.6	19	-1600	-66.13	-60	-68.62	-51	PASS
LVLT	GSM850	190	836.6	19	-1400	-62	-60	-64.58	-51	PASS
LVLT	GSM850	190	836.6	19	-1200	-64.53	-60	-67.04	-51	PASS
LVLT	GSM850	190	836.6	19	-1000	-60.94	-60	-63.38	-51	PASS
LVLT	GSM850	190	836.6	19	-800	-61.8	-60	-64.2	-51	PASS
LVLT	GSM850	190	836.6	19	-600	-62.25	-60	-64.67	-51	PASS
LVLT	GSM850	190	836.6	19	-400	-53.98	-60	-56.61	-36	PASS
LVLT	GSM850	190	836.6	19	-250	-40.93	-33	-43.51	-36	PASS
LVLT	GSM850	190	836.6	19	-200	-36.37	-30	-38.89	-36	PASS
LVLT	GSM850	190	836.6	19	-100	-8.86	0.5	-11.35	-36	PASS
LVLT	GSM850	190	836.6	19	100	-7.58	0.5	-10.09	-36	PASS

LVLT	GSM850	190	836.6	19	200	-36.94	-30	-39.42	-36	PASS
LVLT	GSM850	190	836.6	19	250	-40.33	-33	-42.9	-36	PASS
LVLT	GSM850	190	836.6	19	400	-54.92	-60	-57.56	-36	PASS
LVLT	GSM850	190	836.6	19	600	-62.47	-60	-64.99	-51	PASS
LVLT	GSM850	190	836.6	19	800	-62.46	-60	-65.04	-51	PASS
LVLT	GSM850	190	836.6	19	1000	-60.57	-60	-63.22	-51	PASS
LVLT	GSM850	190	836.6	19	1200	-65.36	-60	-67.81	-51	PASS
LVLT	GSM850	190	836.6	19	1400	-62.14	-60	-64.52	-51	PASS
LVLT	GSM850	190	836.6	19	1600	-66	-60	-68.48	-51	PASS
LVLT	GSM850	190	836.6	19	1800	-66.81	-60	-69.39	-51	PASS
LVLT	GSM850	251	848.8	5	-1800	-79.77	-60	-54.23	-51	PASS
LVLT	GSM850	251	848.8	5	-1600	-78.61	-60	-53.02	-51	PASS
LVLT	GSM850	251	848.8	5	-1400	-77.1	-60	-51.65	-51	PASS
LVLT	GSM850	251	848.8	5	-1200	-75.05	-60	-49.54	-51	PASS
LVLT	GSM850	251	848.8	5	-1000	-75.22	-60	-49.72	-51	PASS
LVLT	GSM850	251	848.8	5	-800	-74.7	-60	-49.3	-51	PASS
LVLT	GSM850	251	848.8	5	-600	-73.16	-60	-47.73	-51	PASS
LVLT	GSM850	251	848.8	5	-400	-65.96	-60	-40.42	-36	PASS
LVLT	GSM850	251	848.8	5	-250	-40.99	-33	-15.65	-36	PASS
LVLT	GSM850	251	848.8	5	-200	-37.48	-30	-12.04	-36	PASS
LVLT	GSM850	251	848.8	5	-100	-8.49	0.5	17.04	-36	PASS
LVLT	GSM850	251	848.8	5	100	-8.63	0.5	16.89	-36	PASS
LVLT	GSM850	251	848.8	5	200	-37.41	-30	-11.86	-36	PASS
LVLT	GSM850	251	848.8	5	250	-40.9	-33	-15.52	-36	PASS
LVLT	GSM850	251	848.8	5	400	-66.5	-60	-40.93	-36	PASS
LVLT	GSM850	251	848.8	5	600	-72.89	-60	-47.37	-51	PASS
LVLT	GSM850	251	848.8	5	800	-73.59	-60	-48.15	-51	PASS
LVLT	GSM850	251	848.8	5	1000	-73.25	-60	-47.81	-51	PASS
LVLT	GSM850	251	848.8	5	1200	-74.34	-60	-48.84	-51	PASS
LVLT	GSM850	251	848.8	5	1400	-75.45	-60	-50.11	-51	PASS
LVLT	GSM850	251	848.8	5	1600	-77.37	-60	-51.83	-51	PASS
LVLT	GSM850	251	848.8	5	1800	-80.04	-60	-54.44	-51	PASS
LVLT	GSM850	251	848.8	19	-1800	-69.77	-60	-71.02	-51	PASS
LVLT	GSM850	251	848.8	19	-1600	-66.96	-60	-68.21	-51	PASS
LVLT	GSM850	251	848.8	19	-1400	-63.18	-60	-64.58	-51	PASS
LVLT	GSM850	251	848.8	19	-1200	-65.33	-60	-66.64	-51	PASS
LVLT	GSM850	251	848.8	19	-1000	-62.44	-60	-63.7	-51	PASS
LVLT	GSM850	251	848.8	19	-800	-62.72	-60	-63.86	-51	PASS
LVLT	GSM850	251	848.8	19	-600	-64.11	-60	-65.36	-51	PASS
LVLT	GSM850	251	848.8	19	-400	-55.55	-60	-56.92	-36	PASS
LVLT	GSM850	251	848.8	19	-250	-42.87	-33	-44.27	-36	PASS
LVLT	GSM850	251	848.8	19	-200	-37.1	-30	-38.37	-36	PASS
LVLT	GSM850	251	848.8	19	-100	-9.49	0.5	-10.57	-36	PASS
LVLT	GSM850	251	848.8	19	100	-9.22	0.5	-10.42	-36	PASS

LVLT	GSM850	251	848.8	19	200	-37.58	-30	-38.88	-36	PASS
LVLT	GSM850	251	848.8	19	250	-41.38	-33	-42.54	-36	PASS
LVLT	GSM850	251	848.8	19	400	-56.47	-60	-57.69	-36	PASS
LVLT	GSM850	251	848.8	19	600	-64.26	-60	-65.48	-51	PASS
LVLT	GSM850	251	848.8	19	800	-62.81	-60	-64.11	-51	PASS
LVLT	GSM850	251	848.8	19	1000	-61.56	-60	-62.73	-51	PASS
LVLT	GSM850	251	848.8	19	1200	-66.03	-60	-67.21	-51	PASS
LVLT	GSM850	251	848.8	19	1400	-63.27	-60	-64.63	-51	PASS
LVLT	GSM850	251	848.8	19	1600	-66.79	-60	-67.87	-51	PASS
LVLT	GSM850	251	848.8	19	1800	-69.51	-60	-70.76	-51	PASS
HVHT	GSM900	975	880.2	5	-1800	-79.65	-60	-55.13	-51	PASS
HVHT	GSM900	975	880.2	5	-1600	-80.38	-60	-56.16	-51	PASS
HVHT	GSM900	975	880.2	5	-1400	-79.69	-60	-55.36	-51	PASS
HVHT	GSM900	975	880.2	5	-1200	-78.93	-60	-54.44	-51	PASS
HVHT	GSM900	975	880.2	5	-1000	-76.72	-60	-52.24	-51	PASS
HVHT	GSM900	975	880.2	5	-800	-76.25	-60	-51.99	-51	PASS
HVHT	GSM900	975	880.2	5	-600	-72.79	-60	-48.39	-51	PASS
HVHT	GSM900	975	880.2	5	-400	-67.1	-60	-42.57	-36	PASS
HVHT	GSM900	975	880.2	5	-250	-42.85	-33	-18.5	-36	PASS
HVHT	GSM900	975	880.2	5	-200	-36.52	-30	-12.16	-36	PASS
HVHT	GSM900	975	880.2	5	-100	-8.17	0.5	16.16	-36	PASS
HVHT	GSM900	975	880.2	5	100	-8.26	0.5	16.16	-36	PASS
HVHT	GSM900	975	880.2	5	200	-37.34	-30	-13.09	-36	PASS
HVHT	GSM900	975	880.2	5	250	-41.91	-33	-17.66	-36	PASS
HVHT	GSM900	975	880.2	5	400	-66.99	-60	-42.65	-36	PASS
HVHT	GSM900	975	880.2	5	600	-72.76	-60	-48.48	-51	PASS
HVHT	GSM900	975	880.2	5	800	-74.96	-60	-50.71	-51	PASS
HVHT	GSM900	975	880.2	5	1000	-75.44	-60	-51.13	-51	PASS
HVHT	GSM900	975	880.2	5	1200	-78.27	-60	-53.96	-51	PASS
HVHT	GSM900	975	880.2	5	1400	-78.67	-60	-54.26	-51	PASS
HVHT	GSM900	975	880.2	5	1600	-80.02	-60	-55.6	-51	PASS
HVHT	GSM900	975	880.2	5	1800	-80.35	-60	-56.04	-51	PASS
HVHT	GSM900	975	880.2	19	-1800	-73.07	-60	-76.78	-51	PASS
HVHT	GSM900	975	880.2	19	-1600	-70.63	-60	-74.43	-51	PASS
HVHT	GSM900	975	880.2	19	-1400	-69.12	-60	-72.87	-51	PASS
HVHT	GSM900	975	880.2	19	-1200	-69.97	-60	-73.61	-51	PASS
HVHT	GSM900	975	880.2	19	-1000	-65.97	-60	-69.73	-51	PASS
HVHT	GSM900	975	880.2	19	-800	-67.89	-60	-71.45	-51	PASS
HVHT	GSM900	975	880.2	19	-600	-68.76	-60	-72.6	-51	PASS
HVHT	GSM900	975	880.2	19	-400	-65.53	-60	-69.29	-36	PASS
HVHT	GSM900	975	880.2	19	-250	-41.64	-33	-45.33	-36	PASS
HVHT	GSM900	975	880.2	19	-200	-37.39	-30	-41.04	-36	PASS
HVHT	GSM900	975	880.2	19	-100	-8.8	0.5	-12.49	-36	PASS
HVHT	GSM900	975	880.2	19	100	-8.24	0.5	-11.85	-36	PASS

HVHT	GSM900	975	880.2	19	200	-36.75	-30	-40.51	-36	PASS
HVHT	GSM900	975	880.2	19	250	-41.23	-33	-45.02	-36	PASS
HVHT	GSM900	975	880.2	19	400	-65.27	-60	-69.08	-36	PASS
HVHT	GSM900	975	880.2	19	600	-68.88	-60	-72.48	-51	PASS
HVHT	GSM900	975	880.2	19	800	-67.67	-60	-71.38	-51	PASS
HVHT	GSM900	975	880.2	19	1000	-65.02	-60	-68.89	-51	PASS
HVHT	GSM900	975	880.2	19	1200	-69.74	-60	-73.47	-51	PASS
HVHT	GSM900	975	880.2	19	1400	-69.52	-60	-73.3	-51	PASS
HVHT	GSM900	975	880.2	19	1600	-70.12	-60	-73.77	-51	PASS
HVHT	GSM900	975	880.2	19	1800	-72.1	-60	-75.67	-51	PASS
HVHT	GSM900	38	897.6	5	-1800	-80.3	-60	-56.1	-51	PASS
HVHT	GSM900	38	897.6	5	-1600	-79.79	-60	-55.55	-51	PASS
HVHT	GSM900	38	897.6	5	-1400	-78.58	-60	-54.44	-51	PASS
HVHT	GSM900	38	897.6	5	-1200	-77.88	-60	-53.65	-51	PASS
HVHT	GSM900	38	897.6	5	-1000	-77.38	-60	-53.21	-51	PASS
HVHT	GSM900	38	897.6	5	-800	-76.16	-60	-51.95	-51	PASS
HVHT	GSM900	38	897.6	5	-600	-73.53	-60	-49.36	-51	PASS
HVHT	GSM900	38	897.6	5	-400	-67.24	-60	-43.02	-36	PASS
HVHT	GSM900	38	897.6	5	-250	-41.69	-33	-17.42	-36	PASS
HVHT	GSM900	38	897.6	5	-200	-35.68	-30	-11.52	-36	PASS
HVHT	GSM900	38	897.6	5	-100	-8.69	0.5	15.46	-36	PASS
HVHT	GSM900	38	897.6	5	100	-7.04	0.5	17.16	-36	PASS
HVHT	GSM900	38	897.6	5	200	-37.14	-30	-12.95	-36	PASS
HVHT	GSM900	38	897.6	5	250	-40.71	-33	-16.43	-36	PASS
HVHT	GSM900	38	897.6	5	400	-66.25	-60	-42.11	-36	PASS
HVHT	GSM900	38	897.6	5	600	-73.01	-60	-48.88	-51	PASS
HVHT	GSM900	38	897.6	5	800	-75.09	-60	-50.83	-51	PASS
HVHT	GSM900	38	897.6	5	1000	-75.16	-60	-51.05	-51	PASS
HVHT	GSM900	38	897.6	5	1200	-78.22	-60	-53.96	-51	PASS
HVHT	GSM900	38	897.6	5	1400	-78.24	-60	-54.07	-51	PASS
HVHT	GSM900	38	897.6	5	1600	-80.37	-60	-56.25	-51	PASS
HVHT	GSM900	38	897.6	5	1800	-80.49	-60	-56.27	-51	PASS
HVHT	GSM900	38	897.6	19	-1800	-72.99	-60	-76.15	-51	PASS
HVHT	GSM900	38	897.6	19	-1600	-70.54	-60	-73.85	-51	PASS
HVHT	GSM900	38	897.6	19	-1400	-69.27	-60	-72.33	-51	PASS
HVHT	GSM900	38	897.6	19	-1200	-69.94	-60	-73.17	-51	PASS
HVHT	GSM900	38	897.6	19	-1000	-65.6	-60	-68.7	-51	PASS
HVHT	GSM900	38	897.6	19	-800	-68.08	-60	-71.19	-51	PASS
HVHT	GSM900	38	897.6	19	-600	-68.49	-60	-71.71	-51	PASS
HVHT	GSM900	38	897.6	19	-400	-64.91	-60	-68.14	-36	PASS
HVHT	GSM900	38	897.6	19	-250	-41.27	-33	-44.34	-36	PASS
HVHT	GSM900	38	897.6	19	-200	-37.12	-30	-40.42	-36	PASS
HVHT	GSM900	38	897.6	19	-100	-8.5	0.5	-11.66	-36	PASS
HVHT	GSM900	38	897.6	19	100	-9.09	0.5	-12.34	-36	PASS

HVHT	GSM900	38	897.6	19	200	-37.59	-30	-40.67	-36	PASS
HVHT	GSM900	38	897.6	19	250	-41.46	-33	-44.62	-36	PASS
HVHT	GSM900	38	897.6	19	400	-66.03	-60	-69.21	-36	PASS
HVHT	GSM900	38	897.6	19	600	-68.59	-60	-71.88	-51	PASS
HVHT	GSM900	38	897.6	19	800	-67.62	-60	-70.81	-51	PASS
HVHT	GSM900	38	897.6	19	1000	-65.96	-60	-69.15	-51	PASS
HVHT	GSM900	38	897.6	19	1200	-70.26	-60	-73.41	-51	PASS
HVHT	GSM900	38	897.6	19	1400	-69.32	-60	-72.55	-51	PASS
HVHT	GSM900	38	897.6	19	1600	-70.79	-60	-74.08	-51	PASS
HVHT	GSM900	38	897.6	19	1800	-72.43	-60	-75.57	-51	PASS
HVHT	GSM900	124	914.8	5	-1800	-80.23	-60	-54.96	-51	PASS
HVHT	GSM900	124	914.8	5	-1600	-81.27	-60	-55.96	-51	PASS
HVHT	GSM900	124	914.8	5	-1400	-79.88	-60	-54.58	-51	PASS
HVHT	GSM900	124	914.8	5	-1200	-79.37	-60	-53.91	-51	PASS
HVHT	GSM900	124	914.8	5	-1000	-77.88	-60	-52.78	-51	PASS
HVHT	GSM900	124	914.8	5	-800	-77.62	-60	-52.33	-51	PASS
HVHT	GSM900	124	914.8	5	-600	-75.07	-60	-49.9	-51	PASS
HVHT	GSM900	124	914.8	5	-400	-68.21	-60	-42.88	-36	PASS
HVHT	GSM900	124	914.8	5	-250	-41.96	-33	-16.68	-36	PASS
HVHT	GSM900	124	914.8	5	-200	-36.92	-30	-11.56	-36	PASS
HVHT	GSM900	124	914.8	5	-100	-8.07	0.5	17.04	-36	PASS
HVHT	GSM900	124	914.8	5	100	-9.43	0.5	15.84	-36	PASS
HVHT	GSM900	124	914.8	5	200	-37.65	-30	-12.38	-36	PASS
HVHT	GSM900	124	914.8	5	250	-40.63	-33	-15.37	-36	PASS
HVHT	GSM900	124	914.8	5	400	-67.03	-60	-41.79	-36	PASS
HVHT	GSM900	124	914.8	5	600	-74.69	-60	-49.42	-51	PASS
HVHT	GSM900	124	914.8	5	800	-76.51	-60	-51.25	-51	PASS
HVHT	GSM900	124	914.8	5	1000	-76.11	-60	-50.74	-51	PASS
HVHT	GSM900	124	914.8	5	1200	-79.34	-60	-54.07	-51	PASS
HVHT	GSM900	124	914.8	5	1400	-79.67	-60	-54.53	-51	PASS
HVHT	GSM900	124	914.8	5	1600	-80.72	-60	-55.37	-51	PASS
HVHT	GSM900	124	914.8	5	1800	-81.18	-60	-55.88	-51	PASS
HVHT	GSM900	124	914.8	19	-1800	-71.54	-60	-75.15	-51	PASS
HVHT	GSM900	124	914.8	19	-1600	-69.34	-60	-72.84	-51	PASS
HVHT	GSM900	124	914.8	19	-1400	-68.73	-60	-72.39	-51	PASS
HVHT	GSM900	124	914.8	19	-1200	-67.8	-60	-71.22	-51	PASS
HVHT	GSM900	124	914.8	19	-1000	-65.54	-60	-69.13	-51	PASS
HVHT	GSM900	124	914.8	19	-800	-67.98	-60	-71.61	-51	PASS
HVHT	GSM900	124	914.8	19	-600	-67.96	-60	-71.56	-51	PASS
HVHT	GSM900	124	914.8	19	-400	-65.1	-60	-68.55	-36	PASS
HVHT	GSM900	124	914.8	19	-250	-41.06	-33	-44.6	-36	PASS
HVHT	GSM900	124	914.8	19	-200	-36.91	-30	-40.43	-36	PASS
HVHT	GSM900	124	914.8	19	-100	-9.57	0.5	-13.19	-36	PASS
HVHT	GSM900	124	914.8	19	100	-7.98	0.5	-11.49	-36	PASS

HVHT	GSM900	124	914.8	19	200	-37.17	-30	-40.8	-36	PASS
HVHT	GSM900	124	914.8	19	250	-41.02	-33	-44.62	-36	PASS
HVHT	GSM900	124	914.8	19	400	-65.57	-60	-69.07	-36	PASS
HVHT	GSM900	124	914.8	19	600	-68.11	-60	-71.66	-51	PASS
HVHT	GSM900	124	914.8	19	800	-67.79	-60	-71.31	-51	PASS
HVHT	GSM900	124	914.8	19	1000	-64.28	-60	-67.89	-51	PASS
HVHT	GSM900	124	914.8	19	1200	-68.65	-60	-72.18	-51	PASS
HVHT	GSM900	124	914.8	19	1400	-68.62	-60	-72.18	-51	PASS
HVHT	GSM900	124	914.8	19	1600	-69.19	-60	-72.63	-51	PASS
HVHT	GSM900	124	914.8	19	1800	-71.42	-60	-74.86	-51	PASS
HVLT	GSM900	975	880.2	5	-1800	-79.6	-60	-55.31	-51	PASS
HVLT	GSM900	975	880.2	5	-1600	-80.37	-60	-56.16	-51	PASS
HVLT	GSM900	975	880.2	5	-1400	-79.67	-60	-55.25	-51	PASS
HVLT	GSM900	975	880.2	5	-1200	-78.76	-60	-54.47	-51	PASS
HVLT	GSM900	975	880.2	5	-1000	-76.73	-60	-52.29	-51	PASS
HVLT	GSM900	975	880.2	5	-800	-76.34	-60	-52.01	-51	PASS
HVLT	GSM900	975	880.2	5	-600	-72.73	-60	-48.33	-51	PASS
HVLT	GSM900	975	880.2	5	-400	-66.93	-60	-42.65	-36	PASS
HVLT	GSM900	975	880.2	5	-250	-42.76	-33	-18.47	-36	PASS
HVLT	GSM900	975	880.2	5	-200	-36.55	-30	-12.05	-36	PASS
HVLT	GSM900	975	880.2	5	-100	-8.04	0.5	16.28	-36	PASS
HVLT	GSM900	975	880.2	5	100	-8.1	0.5	16.22	-36	PASS
HVLT	GSM900	975	880.2	5	200	-37.3	-30	-13.02	-36	PASS
HVLT	GSM900	975	880.2	5	250	-41.94	-33	-17.6	-36	PASS
HVLT	GSM900	975	880.2	5	400	-67.04	-60	-42.72	-36	PASS
HVLT	GSM900	975	880.2	5	600	-72.74	-60	-48.41	-51	PASS
HVLT	GSM900	975	880.2	5	800	-75.02	-60	-50.7	-51	PASS
HVLT	GSM900	975	880.2	5	1000	-75.62	-60	-51.26	-51	PASS
HVLT	GSM900	975	880.2	5	1200	-78.33	-60	-53.96	-51	PASS
HVLT	GSM900	975	880.2	5	1400	-78.63	-60	-54.38	-51	PASS
HVLT	GSM900	975	880.2	5	1600	-79.95	-60	-55.65	-51	PASS
HVLT	GSM900	975	880.2	5	1800	-80.35	-60	-56.13	-51	PASS
HVLT	GSM900	975	880.2	19	-1800	-73.15	-60	-76.79	-51	PASS
HVLT	GSM900	975	880.2	19	-1600	-70.72	-60	-74.46	-51	PASS
HVLT	GSM900	975	880.2	19	-1400	-69.07	-60	-72.82	-51	PASS
HVLT	GSM900	975	880.2	19	-1200	-69.97	-60	-73.61	-51	PASS
HVLT	GSM900	975	880.2	19	-1000	-65.98	-60	-69.79	-51	PASS
HVLT	GSM900	975	880.2	19	-800	-67.86	-60	-71.52	-51	PASS
HVLT	GSM900	975	880.2	19	-600	-68.91	-60	-72.65	-51	PASS
HVLT	GSM900	975	880.2	19	-400	-65.57	-60	-69.33	-36	PASS
HVLT	GSM900	975	880.2	19	-250	-41.7	-33	-45.42	-36	PASS
HVLT	GSM900	975	880.2	19	-200	-37.37	-30	-40.97	-36	PASS
HVLT	GSM900	975	880.2	19	-100	-8.86	0.5	-12.45	-36	PASS
HVLT	GSM900	975	880.2	19	100	-8.2	0.5	-12.01	-36	PASS

HVLT	GSM900	975	880.2	19	200	-36.71	-30	-40.41	-36	PASS
HVLT	GSM900	975	880.2	19	250	-41.25	-33	-44.94	-36	PASS
HVLT	GSM900	975	880.2	19	400	-65.29	-60	-68.98	-36	PASS
HVLT	GSM900	975	880.2	19	600	-68.84	-60	-72.49	-51	PASS
HVLT	GSM900	975	880.2	19	800	-67.75	-60	-71.32	-51	PASS
HVLT	GSM900	975	880.2	19	1000	-65.08	-60	-68.85	-51	PASS
HVLT	GSM900	975	880.2	19	1200	-69.59	-60	-73.46	-51	PASS
HVLT	GSM900	975	880.2	19	1400	-69.51	-60	-73.2	-51	PASS
HVLT	GSM900	975	880.2	19	1600	-70.19	-60	-73.95	-51	PASS
HVLT	GSM900	975	880.2	19	1800	-72.01	-60	-75.67	-51	PASS
HVLT	GSM900	38	897.6	5	-1800	-80.31	-60	-56	-51	PASS
HVLT	GSM900	38	897.6	5	-1600	-79.77	-60	-55.56	-51	PASS
HVLT	GSM900	38	897.6	5	-1400	-78.54	-60	-54.35	-51	PASS
HVLT	GSM900	38	897.6	5	-1200	-77.94	-60	-53.68	-51	PASS
HVLT	GSM900	38	897.6	5	-1000	-77.45	-60	-53.28	-51	PASS
HVLT	GSM900	38	897.6	5	-800	-76.19	-60	-51.87	-51	PASS
HVLT	GSM900	38	897.6	5	-600	-73.38	-60	-49.3	-51	PASS
HVLT	GSM900	38	897.6	5	-400	-67.12	-60	-42.87	-36	PASS
HVLT	GSM900	38	897.6	5	-250	-41.81	-33	-17.51	-36	PASS
HVLT	GSM900	38	897.6	5	-200	-35.66	-30	-11.63	-36	PASS
HVLT	GSM900	38	897.6	5	-100	-8.8	0.5	15.5	-36	PASS
HVLT	GSM900	38	897.6	5	100	-7.03	0.5	17.16	-36	PASS
HVLT	GSM900	38	897.6	5	200	-37.13	-30	-13.04	-36	PASS
HVLT	GSM900	38	897.6	5	250	-40.7	-33	-16.5	-36	PASS
HVLT	GSM900	38	897.6	5	400	-66.35	-60	-42.19	-36	PASS
HVLT	GSM900	38	897.6	5	600	-73.07	-60	-48.96	-51	PASS
HVLT	GSM900	38	897.6	5	800	-75.13	-60	-50.79	-51	PASS
HVLT	GSM900	38	897.6	5	1000	-75.3	-60	-51.11	-51	PASS
HVLT	GSM900	38	897.6	5	1200	-78.14	-60	-53.98	-51	PASS
HVLT	GSM900	38	897.6	5	1400	-78.2	-60	-53.97	-51	PASS
HVLT	GSM900	38	897.6	5	1600	-80.41	-60	-56.17	-51	PASS
HVLT	GSM900	38	897.6	5	1800	-80.43	-60	-56.28	-51	PASS
HVLT	GSM900	38	897.6	19	-1800	-72.91	-60	-76.09	-51	PASS
HVLT	GSM900	38	897.6	19	-1600	-70.65	-60	-73.77	-51	PASS
HVLT	GSM900	38	897.6	19	-1400	-69.18	-60	-72.27	-51	PASS
HVLT	GSM900	38	897.6	19	-1200	-69.91	-60	-73.15	-51	PASS
HVLT	GSM900	38	897.6	19	-1000	-65.6	-60	-68.7	-51	PASS
HVLT	GSM900	38	897.6	19	-800	-67.98	-60	-71.25	-51	PASS
HVLT	GSM900	38	897.6	19	-600	-68.6	-60	-71.69	-51	PASS
HVLT	GSM900	38	897.6	19	-400	-64.94	-60	-68.01	-36	PASS
HVLT	GSM900	38	897.6	19	-250	-41.2	-33	-44.34	-36	PASS
HVLT	GSM900	38	897.6	19	-200	-37.05	-30	-40.42	-36	PASS
HVLT	GSM900	38	897.6	19	-100	-8.5	0.5	-11.8	-36	PASS
HVLT	GSM900	38	897.6	19	100	-9.17	0.5	-12.42	-36	PASS

HVLT	GSM900	38	897.6	19	200	-37.58	-30	-40.69	-36	PASS
HVLT	GSM900	38	897.6	19	250	-41.6	-33	-44.73	-36	PASS
HVLT	GSM900	38	897.6	19	400	-65.96	-60	-69.09	-36	PASS
HVLT	GSM900	38	897.6	19	600	-68.66	-60	-71.86	-51	PASS
HVLT	GSM900	38	897.6	19	800	-67.64	-60	-70.79	-51	PASS
HVLT	GSM900	38	897.6	19	1000	-66.04	-60	-69.19	-51	PASS
HVLT	GSM900	38	897.6	19	1200	-70.25	-60	-73.49	-51	PASS
HVLT	GSM900	38	897.6	19	1400	-69.27	-60	-72.51	-51	PASS
HVLT	GSM900	38	897.6	19	1600	-70.89	-60	-73.96	-51	PASS
HVLT	GSM900	38	897.6	19	1800	-72.32	-60	-75.61	-51	PASS
HVLT	GSM900	124	914.8	5	-1800	-80.1	-60	-54.85	-51	PASS
HVLT	GSM900	124	914.8	5	-1600	-81.41	-60	-56.09	-51	PASS
HVLT	GSM900	124	914.8	5	-1400	-79.87	-60	-54.47	-51	PASS
HVLT	GSM900	124	914.8	5	-1200	-79.34	-60	-53.95	-51	PASS
HVLT	GSM900	124	914.8	5	-1000	-77.86	-60	-52.73	-51	PASS
HVLT	GSM900	124	914.8	5	-800	-77.63	-60	-52.3	-51	PASS
HVLT	GSM900	124	914.8	5	-600	-75.14	-60	-49.92	-51	PASS
HVLT	GSM900	124	914.8	5	-400	-68.13	-60	-42.77	-36	PASS
HVLT	GSM900	124	914.8	5	-250	-41.96	-33	-16.75	-36	PASS
HVLT	GSM900	124	914.8	5	-200	-36.96	-30	-11.67	-36	PASS
HVLT	GSM900	124	914.8	5	-100	-8.2	0.5	17.13	-36	PASS
HVLT	GSM900	124	914.8	5	100	-9.47	0.5	15.91	-36	PASS
HVLT	GSM900	124	914.8	5	200	-37.55	-30	-12.36	-36	PASS
HVLT	GSM900	124	914.8	5	250	-40.71	-33	-15.42	-36	PASS
HVLT	GSM900	124	914.8	5	400	-67.07	-60	-41.77	-36	PASS
HVLT	GSM900	124	914.8	5	600	-74.58	-60	-49.34	-51	PASS
HVLT	GSM900	124	914.8	5	800	-76.57	-60	-51.28	-51	PASS
HVLT	GSM900	124	914.8	5	1000	-76.13	-60	-50.85	-51	PASS
HVLT	GSM900	124	914.8	5	1200	-79.41	-60	-54.09	-51	PASS
HVLT	GSM900	124	914.8	5	1400	-79.78	-60	-54.38	-51	PASS
HVLT	GSM900	124	914.8	5	1600	-80.63	-60	-55.41	-51	PASS
HVLT	GSM900	124	914.8	5	1800	-81.17	-60	-55.76	-51	PASS
HVLT	GSM900	124	914.8	19	-1800	-71.52	-60	-75.06	-51	PASS
HVLT	GSM900	124	914.8	19	-1600	-69.31	-60	-72.8	-51	PASS
HVLT	GSM900	124	914.8	19	-1400	-68.88	-60	-72.25	-51	PASS
HVLT	GSM900	124	914.8	19	-1200	-67.76	-60	-71.25	-51	PASS
HVLT	GSM900	124	914.8	19	-1000	-65.58	-60	-69.1	-51	PASS
HVLT	GSM900	124	914.8	19	-800	-68.1	-60	-71.56	-51	PASS
HVLT	GSM900	124	914.8	19	-600	-68.02	-60	-71.58	-51	PASS
HVLT	GSM900	124	914.8	19	-400	-65.12	-60	-68.56	-36	PASS
HVLT	GSM900	124	914.8	19	-250	-41.06	-33	-44.53	-36	PASS
HVLT	GSM900	124	914.8	19	-200	-36.92	-30	-40.44	-36	PASS
HVLT	GSM900	124	914.8	19	-100	-9.63	0.5	-13.08	-36	PASS
HVLT	GSM900	124	914.8	19	100	-7.89	0.5	-11.53	-36	PASS

HVLT	GSM900	124	914.8	19	200	-37.17	-30	-40.82	-36	PASS
HVLT	GSM900	124	914.8	19	250	-41.03	-33	-44.6	-36	PASS
HVLT	GSM900	124	914.8	19	400	-65.52	-60	-69.06	-36	PASS
HVLT	GSM900	124	914.8	19	600	-68.11	-60	-71.55	-51	PASS
HVLT	GSM900	124	914.8	19	800	-67.91	-60	-71.46	-51	PASS
HVLT	GSM900	124	914.8	19	1000	-64.23	-60	-67.89	-51	PASS
HVLT	GSM900	124	914.8	19	1200	-68.66	-60	-72.11	-51	PASS
HVLT	GSM900	124	914.8	19	1400	-68.71	-60	-72.16	-51	PASS
HVLT	GSM900	124	914.8	19	1600	-69.01	-60	-72.69	-51	PASS
HVLT	GSM900	124	914.8	19	1800	-71.5	-60	-74.95	-51	PASS
LVHT	GSM900	975	880.2	5	-1800	-79.51	-60	-55.16	-51	PASS
LVHT	GSM900	975	880.2	5	-1600	-80.42	-60	-56.01	-51	PASS
LVHT	GSM900	975	880.2	5	-1400	-79.74	-60	-55.4	-51	PASS
LVHT	GSM900	975	880.2	5	-1200	-78.78	-60	-54.45	-51	PASS
LVHT	GSM900	975	880.2	5	-1000	-76.6	-60	-52.31	-51	PASS
LVHT	GSM900	975	880.2	5	-800	-76.25	-60	-51.87	-51	PASS
LVHT	GSM900	975	880.2	5	-600	-72.74	-60	-48.36	-51	PASS
LVHT	GSM900	975	880.2	5	-400	-66.99	-60	-42.64	-36	PASS
LVHT	GSM900	975	880.2	5	-250	-42.86	-33	-18.5	-36	PASS
LVHT	GSM900	975	880.2	5	-200	-36.5	-30	-12.14	-36	PASS
LVHT	GSM900	975	880.2	5	-100	-8.16	0.5	16.15	-36	PASS
LVHT	GSM900	975	880.2	5	100	-8.18	0.5	16.25	-36	PASS
LVHT	GSM900	975	880.2	5	200	-37.31	-30	-12.97	-36	PASS
LVHT	GSM900	975	880.2	5	250	-41.9	-33	-17.58	-36	PASS
LVHT	GSM900	975	880.2	5	400	-67.03	-60	-42.62	-36	PASS
LVHT	GSM900	975	880.2	5	600	-72.74	-60	-48.44	-51	PASS
LVHT	GSM900	975	880.2	5	800	-75.09	-60	-50.73	-51	PASS
LVHT	GSM900	975	880.2	5	1000	-75.54	-60	-51.1	-51	PASS
LVHT	GSM900	975	880.2	5	1200	-78.33	-60	-53.98	-51	PASS
LVHT	GSM900	975	880.2	5	1400	-78.67	-60	-54.45	-51	PASS
LVHT	GSM900	975	880.2	5	1600	-79.99	-60	-55.67	-51	PASS
LVHT	GSM900	975	880.2	5	1800	-80.31	-60	-56.13	-51	PASS
LVHT	GSM900	975	880.2	19	-1800	-73.13	-60	-76.84	-51	PASS
LVHT	GSM900	975	880.2	19	-1600	-70.79	-60	-74.38	-51	PASS
LVHT	GSM900	975	880.2	19	-1400	-69.17	-60	-72.79	-51	PASS
LVHT	GSM900	975	880.2	19	-1200	-69.92	-60	-73.64	-51	PASS
LVHT	GSM900	975	880.2	19	-1000	-66.11	-60	-69.69	-51	PASS
LVHT	GSM900	975	880.2	19	-800	-67.77	-60	-71.51	-51	PASS
LVHT	GSM900	975	880.2	19	-600	-68.88	-60	-72.52	-51	PASS
LVHT	GSM900	975	880.2	19	-400	-65.62	-60	-69.26	-36	PASS
LVHT	GSM900	975	880.2	19	-250	-41.68	-33	-45.46	-36	PASS
LVHT	GSM900	975	880.2	19	-200	-37.37	-30	-40.95	-36	PASS
LVHT	GSM900	975	880.2	19	-100	-8.69	0.5	-12.53	-36	PASS
LVHT	GSM900	975	880.2	19	100	-8.18	0.5	-11.99	-36	PASS

LVHT	GSM900	975	880.2	19	200	-36.82	-30	-40.44	-36	PASS
LVHT	GSM900	975	880.2	19	250	-41.24	-33	-45.01	-36	PASS
LVHT	GSM900	975	880.2	19	400	-65.28	-60	-69.06	-36	PASS
LVHT	GSM900	975	880.2	19	600	-68.89	-60	-72.6	-51	PASS
LVHT	GSM900	975	880.2	19	800	-67.71	-60	-71.4	-51	PASS
LVHT	GSM900	975	880.2	19	1000	-65.07	-60	-68.8	-51	PASS
LVHT	GSM900	975	880.2	19	1200	-69.66	-60	-73.5	-51	PASS
LVHT	GSM900	975	880.2	19	1400	-69.58	-60	-73.21	-51	PASS
LVHT	GSM900	975	880.2	19	1600	-70.14	-60	-73.92	-51	PASS
LVHT	GSM900	975	880.2	19	1800	-72.12	-60	-75.84	-51	PASS
LVHT	GSM900	38	897.6	5	-1800	-80.24	-60	-55.94	-51	PASS
LVHT	GSM900	38	897.6	5	-1600	-79.84	-60	-55.68	-51	PASS
LVHT	GSM900	38	897.6	5	-1400	-78.72	-60	-54.46	-51	PASS
LVHT	GSM900	38	897.6	5	-1200	-77.83	-60	-53.69	-51	PASS
LVHT	GSM900	38	897.6	5	-1000	-77.47	-60	-53.27	-51	PASS
LVHT	GSM900	38	897.6	5	-800	-76.16	-60	-51.98	-51	PASS
LVHT	GSM900	38	897.6	5	-600	-73.44	-60	-49.19	-51	PASS
LVHT	GSM900	38	897.6	5	-400	-67.13	-60	-42.95	-36	PASS
LVHT	GSM900	38	897.6	5	-250	-41.79	-33	-17.58	-36	PASS
LVHT	GSM900	38	897.6	5	-200	-35.7	-30	-11.47	-36	PASS
LVHT	GSM900	38	897.6	5	-100	-8.64	0.5	15.51	-36	PASS
LVHT	GSM900	38	897.6	5	100	-7.05	0.5	17.27	-36	PASS
LVHT	GSM900	38	897.6	5	200	-37.22	-30	-12.93	-36	PASS
LVHT	GSM900	38	897.6	5	250	-40.57	-33	-16.44	-36	PASS
LVHT	GSM900	38	897.6	5	400	-66.31	-60	-42.17	-36	PASS
LVHT	GSM900	38	897.6	5	600	-73.11	-60	-48.82	-51	PASS
LVHT	GSM900	38	897.6	5	800	-75.1	-60	-50.81	-51	PASS
LVHT	GSM900	38	897.6	5	1000	-75.16	-60	-51.08	-51	PASS
LVHT	GSM900	38	897.6	5	1200	-78.29	-60	-54.04	-51	PASS
LVHT	GSM900	38	897.6	5	1400	-78.3	-60	-54.05	-51	PASS
LVHT	GSM900	38	897.6	5	1600	-80.4	-60	-56.22	-51	PASS
LVHT	GSM900	38	897.6	5	1800	-80.31	-60	-56.26	-51	PASS
LVHT	GSM900	38	897.6	19	-1800	-73.02	-60	-76.18	-51	PASS
LVHT	GSM900	38	897.6	19	-1600	-70.55	-60	-73.75	-51	PASS
LVHT	GSM900	38	897.6	19	-1400	-69.21	-60	-72.27	-51	PASS
LVHT	GSM900	38	897.6	19	-1200	-69.95	-60	-73.22	-51	PASS
LVHT	GSM900	38	897.6	19	-1000	-65.53	-60	-68.77	-51	PASS
LVHT	GSM900	38	897.6	19	-800	-68.1	-60	-71.18	-51	PASS
LVHT	GSM900	38	897.6	19	-600	-68.52	-60	-71.68	-51	PASS
LVHT	GSM900	38	897.6	19	-400	-64.97	-60	-68.09	-36	PASS
LVHT	GSM900	38	897.6	19	-250	-41.24	-33	-44.49	-36	PASS
LVHT	GSM900	38	897.6	19	-200	-37.09	-30	-40.25	-36	PASS
LVHT	GSM900	38	897.6	19	-100	-8.46	0.5	-11.71	-36	PASS
LVHT	GSM900	38	897.6	19	100	-9.1	0.5	-12.47	-36	PASS

LVHT	GSM900	38	897.6	19	200	-37.61	-30	-40.73	-36	PASS
LVHT	GSM900	38	897.6	19	250	-41.52	-33	-44.65	-36	PASS
LVHT	GSM900	38	897.6	19	400	-65.93	-60	-69.24	-36	PASS
LVHT	GSM900	38	897.6	19	600	-68.71	-60	-71.86	-51	PASS
LVHT	GSM900	38	897.6	19	800	-67.55	-60	-70.84	-51	PASS
LVHT	GSM900	38	897.6	19	1000	-66.01	-60	-69.2	-51	PASS
LVHT	GSM900	38	897.6	19	1200	-70.23	-60	-73.57	-51	PASS
LVHT	GSM900	38	897.6	19	1400	-69.38	-60	-72.48	-51	PASS
LVHT	GSM900	38	897.6	19	1600	-70.84	-60	-73.92	-51	PASS
LVHT	GSM900	38	897.6	19	1800	-72.45	-60	-75.52	-51	PASS
LVHT	GSM900	124	914.8	5	-1800	-80.19	-60	-54.98	-51	PASS
LVHT	GSM900	124	914.8	5	-1600	-81.26	-60	-56.06	-51	PASS
LVHT	GSM900	124	914.8	5	-1400	-79.89	-60	-54.48	-51	PASS
LVHT	GSM900	124	914.8	5	-1200	-79.19	-60	-53.99	-51	PASS
LVHT	GSM900	124	914.8	5	-1000	-77.87	-60	-52.78	-51	PASS
LVHT	GSM900	124	914.8	5	-800	-77.64	-60	-52.31	-51	PASS
LVHT	GSM900	124	914.8	5	-600	-75.09	-60	-49.78	-51	PASS
LVHT	GSM900	124	914.8	5	-400	-68.08	-60	-42.76	-36	PASS
LVHT	GSM900	124	914.8	5	-250	-42.03	-33	-16.66	-36	PASS
LVHT	GSM900	124	914.8	5	-200	-36.87	-30	-11.66	-36	PASS
LVHT	GSM900	124	914.8	5	-100	-8.21	0.5	17.21	-36	PASS
LVHT	GSM900	124	914.8	5	100	-9.49	0.5	15.85	-36	PASS
LVHT	GSM900	124	914.8	5	200	-37.56	-30	-12.39	-36	PASS
LVHT	GSM900	124	914.8	5	250	-40.62	-33	-15.38	-36	PASS
LVHT	GSM900	124	914.8	5	400	-67.11	-60	-41.84	-36	PASS
LVHT	GSM900	124	914.8	5	600	-74.66	-60	-49.34	-51	PASS
LVHT	GSM900	124	914.8	5	800	-76.55	-60	-51.31	-51	PASS
LVHT	GSM900	124	914.8	5	1000	-76.08	-60	-50.75	-51	PASS
LVHT	GSM900	124	914.8	5	1200	-79.4	-60	-54.23	-51	PASS
LVHT	GSM900	124	914.8	5	1400	-79.68	-60	-54.53	-51	PASS
LVHT	GSM900	124	914.8	5	1600	-80.74	-60	-55.42	-51	PASS
LVHT	GSM900	124	914.8	5	1800	-81.16	-60	-55.81	-51	PASS
LVHT	GSM900	124	914.8	19	-1800	-71.56	-60	-75.03	-51	PASS
LVHT	GSM900	124	914.8	19	-1600	-69.37	-60	-72.93	-51	PASS
LVHT	GSM900	124	914.8	19	-1400	-68.82	-60	-72.37	-51	PASS
LVHT	GSM900	124	914.8	19	-1200	-67.86	-60	-71.29	-51	PASS
LVHT	GSM900	124	914.8	19	-1000	-65.63	-60	-69.05	-51	PASS
LVHT	GSM900	124	914.8	19	-800	-67.99	-60	-71.53	-51	PASS
LVHT	GSM900	124	914.8	19	-600	-68.13	-60	-71.57	-51	PASS
LVHT	GSM900	124	914.8	19	-400	-65.09	-60	-68.56	-36	PASS
LVHT	GSM900	124	914.8	19	-250	-41.17	-33	-44.61	-36	PASS
LVHT	GSM900	124	914.8	19	-200	-36.92	-30	-40.38	-36	PASS
LVHT	GSM900	124	914.8	19	-100	-9.6	0.5	-13.1	-36	PASS
LVHT	GSM900	124	914.8	19	100	-7.91	0.5	-11.45	-36	PASS

LVHT	GSM900	124	914.8	19	200	-37.28	-30	-40.67	-36	PASS
LVHT	GSM900	124	914.8	19	250	-41.04	-33	-44.53	-36	PASS
LVHT	GSM900	124	914.8	19	400	-65.54	-60	-69.02	-36	PASS
LVHT	GSM900	124	914.8	19	600	-68.19	-60	-71.56	-51	PASS
LVHT	GSM900	124	914.8	19	800	-67.85	-60	-71.43	-51	PASS
LVHT	GSM900	124	914.8	19	1000	-64.26	-60	-67.72	-51	PASS
LVHT	GSM900	124	914.8	19	1200	-68.63	-60	-72.08	-51	PASS
LVHT	GSM900	124	914.8	19	1400	-68.74	-60	-72.28	-51	PASS
LVHT	GSM900	124	914.8	19	1600	-69.18	-60	-72.73	-51	PASS
LVHT	GSM900	124	914.8	19	1800	-71.45	-60	-74.99	-51	PASS
LVLТ	GSM900	975	880.2	5	-1800	-79.48	-60	-55.13	-51	PASS
LVLТ	GSM900	975	880.2	5	-1600	-80.35	-60	-56.18	-51	PASS
LVLТ	GSM900	975	880.2	5	-1400	-79.71	-60	-55.43	-51	PASS
LVLТ	GSM900	975	880.2	5	-1200	-78.74	-60	-54.41	-51	PASS
LVLТ	GSM900	975	880.2	5	-1000	-76.55	-60	-52.33	-51	PASS
LVLТ	GSM900	975	880.2	5	-800	-76.33	-60	-51.83	-51	PASS
LVLТ	GSM900	975	880.2	5	-600	-72.82	-60	-48.41	-51	PASS
LVLТ	GSM900	975	880.2	5	-400	-66.95	-60	-42.72	-36	PASS
LVLТ	GSM900	975	880.2	5	-250	-42.84	-33	-18.55	-36	PASS
LVLТ	GSM900	975	880.2	5	-200	-36.55	-30	-12.17	-36	PASS
LVLТ	GSM900	975	880.2	5	-100	-8.04	0.5	16.19	-36	PASS
LVLТ	GSM900	975	880.2	5	100	-8.26	0.5	16.13	-36	PASS
LVLТ	GSM900	975	880.2	5	200	-37.32	-30	-12.95	-36	PASS
LVLТ	GSM900	975	880.2	5	250	-41.88	-33	-17.64	-36	PASS
LVLТ	GSM900	975	880.2	5	400	-67.08	-60	-42.74	-36	PASS
LVLТ	GSM900	975	880.2	5	600	-72.73	-60	-48.49	-51	PASS
LVLТ	GSM900	975	880.2	5	800	-75.01	-60	-50.72	-51	PASS
LVLТ	GSM900	975	880.2	5	1000	-75.54	-60	-51.13	-51	PASS
LVLТ	GSM900	975	880.2	5	1200	-78.31	-60	-53.85	-51	PASS
LVLТ	GSM900	975	880.2	5	1400	-78.64	-60	-54.35	-51	PASS
LVLТ	GSM900	975	880.2	5	1600	-80.04	-60	-55.56	-51	PASS
LVLТ	GSM900	975	880.2	5	1800	-80.34	-60	-56.06	-51	PASS
LVLТ	GSM900	975	880.2	19	-1800	-73.01	-60	-76.87	-51	PASS
LVLТ	GSM900	975	880.2	19	-1600	-70.81	-60	-74.36	-51	PASS
LVLТ	GSM900	975	880.2	19	-1400	-69.14	-60	-72.83	-51	PASS
LVLТ	GSM900	975	880.2	19	-1200	-69.9	-60	-73.68	-51	PASS
LVLТ	GSM900	975	880.2	19	-1000	-66.12	-60	-69.81	-51	PASS
LVLТ	GSM900	975	880.2	19	-800	-67.72	-60	-71.51	-51	PASS
LVLТ	GSM900	975	880.2	19	-600	-68.76	-60	-72.53	-51	PASS
LVLТ	GSM900	975	880.2	19	-400	-65.58	-60	-69.24	-36	PASS
LVLТ	GSM900	975	880.2	19	-250	-41.74	-33	-45.36	-36	PASS
LVLТ	GSM900	975	880.2	19	-200	-37.28	-30	-40.97	-36	PASS
LVLТ	GSM900	975	880.2	19	-100	-8.71	0.5	-12.55	-36	PASS
LVLТ	GSM900	975	880.2	19	100	-8.22	0.5	-11.88	-36	PASS

LVLT	GSM900	975	880.2	19	200	-36.68	-30	-40.37	-36	PASS
LVLT	GSM900	975	880.2	19	250	-41.35	-33	-44.93	-36	PASS
LVLT	GSM900	975	880.2	19	400	-65.36	-60	-69.01	-36	PASS
LVLT	GSM900	975	880.2	19	600	-68.86	-60	-72.58	-51	PASS
LVLT	GSM900	975	880.2	19	800	-67.65	-60	-71.36	-51	PASS
LVLT	GSM900	975	880.2	19	1000	-65.11	-60	-68.78	-51	PASS
LVLT	GSM900	975	880.2	19	1200	-69.63	-60	-73.31	-51	PASS
LVLT	GSM900	975	880.2	19	1400	-69.68	-60	-73.22	-51	PASS
LVLT	GSM900	975	880.2	19	1600	-70.09	-60	-73.88	-51	PASS
LVLT	GSM900	975	880.2	19	1800	-71.96	-60	-75.84	-51	PASS
LVLT	GSM900	38	897.6	5	-1800	-80.27	-60	-55.94	-51	PASS
LVLT	GSM900	38	897.6	5	-1600	-79.79	-60	-55.65	-51	PASS
LVLT	GSM900	38	897.6	5	-1400	-78.62	-60	-54.45	-51	PASS
LVLT	GSM900	38	897.6	5	-1200	-77.87	-60	-53.64	-51	PASS
LVLT	GSM900	38	897.6	5	-1000	-77.45	-60	-53.27	-51	PASS
LVLT	GSM900	38	897.6	5	-800	-76.06	-60	-51.83	-51	PASS
LVLT	GSM900	38	897.6	5	-600	-73.43	-60	-49.32	-51	PASS
LVLT	GSM900	38	897.6	5	-400	-67.25	-60	-42.99	-36	PASS
LVLT	GSM900	38	897.6	5	-250	-41.73	-33	-17.45	-36	PASS
LVLT	GSM900	38	897.6	5	-200	-35.65	-30	-11.53	-36	PASS
LVLT	GSM900	38	897.6	5	-100	-8.8	0.5	15.54	-36	PASS
LVLT	GSM900	38	897.6	5	100	-7.12	0.5	17.14	-36	PASS
LVLT	GSM900	38	897.6	5	200	-37.19	-30	-12.91	-36	PASS
LVLT	GSM900	38	897.6	5	250	-40.58	-33	-16.5	-36	PASS
LVLT	GSM900	38	897.6	5	400	-66.32	-60	-42.08	-36	PASS
LVLT	GSM900	38	897.6	5	600	-72.98	-60	-48.89	-51	PASS
LVLT	GSM900	38	897.6	5	800	-75.08	-60	-50.85	-51	PASS
LVLT	GSM900	38	897.6	5	1000	-75.21	-60	-51.13	-51	PASS
LVLT	GSM900	38	897.6	5	1200	-78.27	-60	-53.98	-51	PASS
LVLT	GSM900	38	897.6	5	1400	-78.31	-60	-53.95	-51	PASS
LVLT	GSM900	38	897.6	5	1600	-80.52	-60	-56.23	-51	PASS
LVLT	GSM900	38	897.6	5	1800	-80.32	-60	-56.19	-51	PASS
LVLT	GSM900	38	897.6	19	-1800	-72.87	-60	-76.16	-51	PASS
LVLT	GSM900	38	897.6	19	-1600	-70.54	-60	-73.78	-51	PASS
LVLT	GSM900	38	897.6	19	-1400	-69.09	-60	-72.32	-51	PASS
LVLT	GSM900	38	897.6	19	-1200	-70.02	-60	-73.11	-51	PASS
LVLT	GSM900	38	897.6	19	-1000	-65.53	-60	-68.75	-51	PASS
LVLT	GSM900	38	897.6	19	-800	-67.94	-60	-71.25	-51	PASS
LVLT	GSM900	38	897.6	19	-600	-68.46	-60	-71.7	-51	PASS
LVLT	GSM900	38	897.6	19	-400	-64.97	-60	-68.02	-36	PASS
LVLT	GSM900	38	897.6	19	-250	-41.21	-33	-44.46	-36	PASS
LVLT	GSM900	38	897.6	19	-200	-37.24	-30	-40.32	-36	PASS
LVLT	GSM900	38	897.6	19	-100	-8.59	0.5	-11.74	-36	PASS
LVLT	GSM900	38	897.6	19	100	-9.17	0.5	-12.42	-36	PASS

LVLT	GSM900	38	897.6	19	200	-37.49	-30	-40.8	-36	PASS
LVLT	GSM900	38	897.6	19	250	-41.58	-33	-44.64	-36	PASS
LVLT	GSM900	38	897.6	19	400	-65.98	-60	-69.1	-36	PASS
LVLT	GSM900	38	897.6	19	600	-68.66	-60	-71.8	-51	PASS
LVLT	GSM900	38	897.6	19	800	-67.5	-60	-70.77	-51	PASS
LVLT	GSM900	38	897.6	19	1000	-66.09	-60	-69.18	-51	PASS
LVLT	GSM900	38	897.6	19	1200	-70.23	-60	-73.55	-51	PASS
LVLT	GSM900	38	897.6	19	1400	-69.36	-60	-72.43	-51	PASS
LVLT	GSM900	38	897.6	19	1600	-70.88	-60	-74.11	-51	PASS
LVLT	GSM900	38	897.6	19	1800	-72.32	-60	-75.52	-51	PASS
LVLT	GSM900	124	914.8	5	-1800	-80.19	-60	-54.96	-51	PASS
LVLT	GSM900	124	914.8	5	-1600	-81.38	-60	-56.02	-51	PASS
LVLT	GSM900	124	914.8	5	-1400	-79.83	-60	-54.57	-51	PASS
LVLT	GSM900	124	914.8	5	-1200	-79.32	-60	-53.93	-51	PASS
LVLT	GSM900	124	914.8	5	-1000	-77.93	-60	-52.72	-51	PASS
LVLT	GSM900	124	914.8	5	-800	-77.65	-60	-52.32	-51	PASS
LVLT	GSM900	124	914.8	5	-600	-75	-60	-49.81	-51	PASS
LVLT	GSM900	124	914.8	5	-400	-68.03	-60	-42.78	-36	PASS
LVLT	GSM900	124	914.8	5	-250	-42.03	-33	-16.74	-36	PASS
LVLT	GSM900	124	914.8	5	-200	-36.9	-30	-11.59	-36	PASS
LVLT	GSM900	124	914.8	5	-100	-8.25	0.5	17.1	-36	PASS
LVLT	GSM900	124	914.8	5	100	-9.4	0.5	15.83	-36	PASS
LVLT	GSM900	124	914.8	5	200	-37.7	-30	-12.41	-36	PASS
LVLT	GSM900	124	914.8	5	250	-40.55	-33	-15.37	-36	PASS
LVLT	GSM900	124	914.8	5	400	-67.11	-60	-41.84	-36	PASS
LVLT	GSM900	124	914.8	5	600	-74.7	-60	-49.49	-51	PASS
LVLT	GSM900	124	914.8	5	800	-76.51	-60	-51.18	-51	PASS
LVLT	GSM900	124	914.8	5	1000	-76.03	-60	-50.85	-51	PASS
LVLT	GSM900	124	914.8	5	1200	-79.35	-60	-54.13	-51	PASS
LVLT	GSM900	124	914.8	5	1400	-79.74	-60	-54.5	-51	PASS
LVLT	GSM900	124	914.8	5	1600	-80.67	-60	-55.42	-51	PASS
LVLT	GSM900	124	914.8	5	1800	-81.04	-60	-55.83	-51	PASS
LVLT	GSM900	124	914.8	19	-1800	-71.67	-60	-75.09	-51	PASS
LVLT	GSM900	124	914.8	19	-1600	-69.24	-60	-72.89	-51	PASS
LVLT	GSM900	124	914.8	19	-1400	-68.85	-60	-72.33	-51	PASS
LVLT	GSM900	124	914.8	19	-1200	-67.8	-60	-71.26	-51	PASS
LVLT	GSM900	124	914.8	19	-1000	-65.58	-60	-69.18	-51	PASS
LVLT	GSM900	124	914.8	19	-800	-67.95	-60	-71.63	-51	PASS
LVLT	GSM900	124	914.8	19	-600	-67.99	-60	-71.47	-51	PASS
LVLT	GSM900	124	914.8	19	-400	-65.11	-60	-68.68	-36	PASS
LVLT	GSM900	124	914.8	19	-250	-41.13	-33	-44.55	-36	PASS
LVLT	GSM900	124	914.8	19	-200	-36.85	-30	-40.44	-36	PASS
LVLT	GSM900	124	914.8	19	-100	-9.7	0.5	-13.16	-36	PASS
LVLT	GSM900	124	914.8	19	100	-7.97	0.5	-11.49	-36	PASS

LVLT	GSM900	124	914.8	19	200	-37.17	-30	-40.71	-36	PASS
LVLT	GSM900	124	914.8	19	250	-40.9	-33	-44.44	-36	PASS
LVLT	GSM900	124	914.8	19	400	-65.55	-60	-69.08	-36	PASS
LVLT	GSM900	124	914.8	19	600	-68	-60	-71.6	-51	PASS
LVLT	GSM900	124	914.8	19	800	-67.87	-60	-71.32	-51	PASS
LVLT	GSM900	124	914.8	19	1000	-64.36	-60	-67.8	-51	PASS
LVLT	GSM900	124	914.8	19	1200	-68.59	-60	-72.05	-51	PASS
LVLT	GSM900	124	914.8	19	1400	-68.7	-60	-72.12	-51	PASS
LVLT	GSM900	124	914.8	19	1600	-69.04	-60	-72.6	-51	PASS
LVLT	GSM900	124	914.8	19	1800	-71.44	-60	-75.02	-51	PASS

#### Clause 4.2.6 Transmitter-Switching Spectrum

Condition	Band	Channel	Frequency (MHz)	PCL	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GSM1800	512	1710.2	0	Ref Power	30.68		PASS
HVHT	GSM1800	512	1710.2	0	-1800	-45.67	-26.12	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-39.59	-23.12	PASS
HVHT	GSM1800	512	1710.2	0	-600	-35.72	-23.12	PASS
HVHT	GSM1800	512	1710.2	0	-400	-28.69	-21.12	PASS
HVHT	GSM1800	512	1710.2	0	400	-27.59	-21.12	PASS
HVHT	GSM1800	512	1710.2	0	600	-34.94	-23.12	PASS
HVHT	GSM1800	512	1710.2	0	1200	-38.89	-23.12	PASS
HVHT	GSM1800	512	1710.2	0	1800	-42.04	-26.12	PASS
HVHT	GSM1800	512	1710.2	15	Ref Power	1.57		PASS
HVHT	GSM1800	512	1710.2	15	-1800	-62.64	-36	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-60.05	-32	PASS
HVHT	GSM1800	512	1710.2	15	-600	-56.64	-26	PASS
HVHT	GSM1800	512	1710.2	15	-400	-52.14	-23	PASS
HVHT	GSM1800	512	1710.2	15	400	-50.78	-23	PASS
HVHT	GSM1800	512	1710.2	15	600	-55.79	-26	PASS
HVHT	GSM1800	512	1710.2	15	1200	-59.48	-32	PASS
HVHT	GSM1800	512	1710.2	15	1800	-62.72	-36	PASS
HVHT	GSM1800	698	1747.4	0	Ref Power	31.27		PASS
HVHT	GSM1800	698	1747.4	0	-1800	-44.96	-25.66	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-40.34	-22.66	PASS
HVHT	GSM1800	698	1747.4	0	-600	-37.25	-22.66	PASS
HVHT	GSM1800	698	1747.4	0	-400	-27.16	-20.66	PASS
HVHT	GSM1800	698	1747.4	0	400	-28.3	-20.66	PASS
HVHT	GSM1800	698	1747.4	0	600	-37	-22.66	PASS
HVHT	GSM1800	698	1747.4	0	1200	-38.47	-22.66	PASS
HVHT	GSM1800	698	1747.4	0	1800	-43.34	-25.66	PASS
HVHT	GSM1800	698	1747.4	15	Ref Power	1.33		PASS
HVHT	GSM1800	698	1747.4	15	-1800	-62.58	-36	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-61.61	-32	PASS
HVHT	GSM1800	698	1747.4	15	-600	-57.09	-26	PASS

HVHT	GSM1800	698	1747.4	15	-400	-51.84	-23	PASS
HVHT	GSM1800	698	1747.4	15	400	-51.07	-23	PASS
HVHT	GSM1800	698	1747.4	15	600	-55.41	-26	PASS
HVHT	GSM1800	698	1747.4	15	1200	-61.29	-32	PASS
HVHT	GSM1800	698	1747.4	15	1800	-64.38	-36	PASS
HVHT	GSM1800	885	1784.8	0	Ref Power	31.58		PASS
HVHT	GSM1800	885	1784.8	0	-1800	-45	-25.35	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-39.23	-22.35	PASS
HVHT	GSM1800	885	1784.8	0	-600	-35	-22.35	PASS
HVHT	GSM1800	885	1784.8	0	-400	-27.59	-20.35	PASS
HVHT	GSM1800	885	1784.8	0	400	-26.72	-20.35	PASS
HVHT	GSM1800	885	1784.8	0	600	-36.32	-22.35	PASS
HVHT	GSM1800	885	1784.8	0	1200	-39.79	-22.35	PASS
HVHT	GSM1800	885	1784.8	0	1800	-44.36	-25.35	PASS
HVHT	GSM1800	885	1784.8	15	Ref Power	1.55		PASS
HVHT	GSM1800	885	1784.8	15	-1800	-63.1	-36	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-61.29	-32	PASS
HVHT	GSM1800	885	1784.8	15	-600	-57.48	-26	PASS
HVHT	GSM1800	885	1784.8	15	-400	-52.49	-23	PASS
HVHT	GSM1800	885	1784.8	15	400	-50.56	-23	PASS
HVHT	GSM1800	885	1784.8	15	600	-56.24	-26	PASS
HVHT	GSM1800	885	1784.8	15	1200	-60.72	-32	PASS
HVHT	GSM1800	885	1784.8	15	1800	-62.25	-36	PASS
HVLT	GSM1800	512	1710.2	0	Ref Power	30.81		PASS
HVLT	GSM1800	512	1710.2	0	-1800	-45.67	-26.12	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-39.48	-23.12	PASS
HVLT	GSM1800	512	1710.2	0	-600	-35.58	-23.12	PASS
HVLT	GSM1800	512	1710.2	0	-400	-28.79	-21.12	PASS
HVLT	GSM1800	512	1710.2	0	400	-27.62	-21.12	PASS
HVLT	GSM1800	512	1710.2	0	600	-35.01	-23.12	PASS
HVLT	GSM1800	512	1710.2	0	1200	-38.94	-23.12	PASS
HVLT	GSM1800	512	1710.2	0	1800	-42.04	-26.12	PASS
HVLT	GSM1800	512	1710.2	15	Ref Power	1.63		PASS
HVLT	GSM1800	512	1710.2	15	-1800	-62.53	-36	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-60.04	-32	PASS
HVLT	GSM1800	512	1710.2	15	-600	-56.57	-26	PASS
HVLT	GSM1800	512	1710.2	15	-400	-52.21	-23	PASS
HVLT	GSM1800	512	1710.2	15	400	-50.84	-23	PASS
HVLT	GSM1800	512	1710.2	15	600	-55.9	-26	PASS
HVLT	GSM1800	512	1710.2	15	1200	-59.5	-32	PASS
HVLT	GSM1800	512	1710.2	15	1800	-62.76	-36	PASS
HVLT	GSM1800	698	1747.4	0	Ref Power	31.3		PASS
HVLT	GSM1800	698	1747.4	0	-1800	-44.98	-25.66	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-40.4	-22.66	PASS

HVLT	GSM1800	698	1747.4	0	-600	-37.18	-22.66	PASS
HVLT	GSM1800	698	1747.4	0	-400	-27.01	-20.66	PASS
HVLT	GSM1800	698	1747.4	0	400	-28.3	-20.66	PASS
HVLT	GSM1800	698	1747.4	0	600	-37.05	-22.66	PASS
HVLT	GSM1800	698	1747.4	0	1200	-38.65	-22.66	PASS
HVLT	GSM1800	698	1747.4	0	1800	-43.41	-25.66	PASS
HVLT	GSM1800	698	1747.4	15	Ref Power	1.46		PASS
HVLT	GSM1800	698	1747.4	15	-1800	-62.5	-36	PASS
HVLT	GSM1800	698	1747.4	15	-1200	-61.63	-32	PASS
HVLT	GSM1800	698	1747.4	15	-600	-57.07	-26	PASS
HVLT	GSM1800	698	1747.4	15	-400	-51.87	-23	PASS
HVLT	GSM1800	698	1747.4	15	400	-51.17	-23	PASS
HVLT	GSM1800	698	1747.4	15	600	-55.37	-26	PASS
HVLT	GSM1800	698	1747.4	15	1200	-61.3	-32	PASS
HVLT	GSM1800	698	1747.4	15	1800	-64.24	-36	PASS
HVLT	GSM1800	885	1784.8	0	Ref Power	31.54		PASS
HVLT	GSM1800	885	1784.8	0	-1800	-44.95	-25.35	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-39.29	-22.35	PASS
HVLT	GSM1800	885	1784.8	0	-600	-34.92	-22.35	PASS
HVLT	GSM1800	885	1784.8	0	-400	-27.64	-20.35	PASS
HVLT	GSM1800	885	1784.8	0	400	-26.54	-20.35	PASS
HVLT	GSM1800	885	1784.8	0	600	-36.34	-22.35	PASS
HVLT	GSM1800	885	1784.8	0	1200	-39.87	-22.35	PASS
HVLT	GSM1800	885	1784.8	0	1800	-44.39	-25.35	PASS
HVLT	GSM1800	885	1784.8	15	Ref Power	1.49		PASS
HVLT	GSM1800	885	1784.8	15	-1800	-63.22	-36	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-61.38	-32	PASS
HVLT	GSM1800	885	1784.8	15	-600	-57.55	-26	PASS
HVLT	GSM1800	885	1784.8	15	-400	-52.42	-23	PASS
HVLT	GSM1800	885	1784.8	15	400	-50.57	-23	PASS
HVLT	GSM1800	885	1784.8	15	600	-56.19	-26	PASS
HVLT	GSM1800	885	1784.8	15	1200	-60.64	-32	PASS
HVLT	GSM1800	885	1784.8	15	1800	-62.25	-36	PASS
LVHT	GSM1800	512	1710.2	0	Ref Power	30.73		PASS
LVHT	GSM1800	512	1710.2	0	-1800	-45.49	-26.12	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-39.44	-23.12	PASS
LVHT	GSM1800	512	1710.2	0	-600	-35.69	-23.12	PASS
LVHT	GSM1800	512	1710.2	0	-400	-28.66	-21.12	PASS
LVHT	GSM1800	512	1710.2	0	400	-27.49	-21.12	PASS
LVHT	GSM1800	512	1710.2	0	600	-35.02	-23.12	PASS
LVHT	GSM1800	512	1710.2	0	1200	-38.98	-23.12	PASS
LVHT	GSM1800	512	1710.2	0	1800	-41.95	-26.12	PASS
LVHT	GSM1800	512	1710.2	15	Ref Power	1.63		PASS
LVHT	GSM1800	512	1710.2	15	-1800	-62.64	-36	PASS

LVHT	GSM1800	512	1710.2	15	-1200	-60.14	-32	PASS
LVHT	GSM1800	512	1710.2	15	-600	-56.52	-26	PASS
LVHT	GSM1800	512	1710.2	15	-400	-52.14	-23	PASS
LVHT	GSM1800	512	1710.2	15	400	-50.88	-23	PASS
LVHT	GSM1800	512	1710.2	15	600	-55.93	-26	PASS
LVHT	GSM1800	512	1710.2	15	1200	-59.5	-32	PASS
LVHT	GSM1800	512	1710.2	15	1800	-62.68	-36	PASS
LVHT	GSM1800	698	1747.4	0	Ref Power	31.17		PASS
LVHT	GSM1800	698	1747.4	0	-1800	-44.93	-25.66	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-40.35	-22.66	PASS
LVHT	GSM1800	698	1747.4	0	-600	-37.25	-22.66	PASS
LVHT	GSM1800	698	1747.4	0	-400	-27.13	-20.66	PASS
LVHT	GSM1800	698	1747.4	0	400	-28.19	-20.66	PASS
LVHT	GSM1800	698	1747.4	0	600	-37.06	-22.66	PASS
LVHT	GSM1800	698	1747.4	0	1200	-38.49	-22.66	PASS
LVHT	GSM1800	698	1747.4	0	1800	-43.41	-25.66	PASS
LVHT	GSM1800	698	1747.4	15	Ref Power	1.5		PASS
LVHT	GSM1800	698	1747.4	15	-1800	-62.54	-36	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-61.6	-32	PASS
LVHT	GSM1800	698	1747.4	15	-600	-56.98	-26	PASS
LVHT	GSM1800	698	1747.4	15	-400	-51.79	-23	PASS
LVHT	GSM1800	698	1747.4	15	400	-51.15	-23	PASS
LVHT	GSM1800	698	1747.4	15	600	-55.24	-26	PASS
LVHT	GSM1800	698	1747.4	15	1200	-61.17	-32	PASS
LVHT	GSM1800	698	1747.4	15	1800	-64.38	-36	PASS
LVHT	GSM1800	885	1784.8	0	Ref Power	31.52		PASS
LVHT	GSM1800	885	1784.8	0	-1800	-44.91	-25.35	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-39.24	-22.35	PASS
LVHT	GSM1800	885	1784.8	0	-600	-34.84	-22.35	PASS
LVHT	GSM1800	885	1784.8	0	-400	-27.72	-20.35	PASS
LVHT	GSM1800	885	1784.8	0	400	-26.56	-20.35	PASS
LVHT	GSM1800	885	1784.8	0	600	-36.35	-22.35	PASS
LVHT	GSM1800	885	1784.8	0	1200	-39.79	-22.35	PASS
LVHT	GSM1800	885	1784.8	0	1800	-44.24	-25.35	PASS
LVHT	GSM1800	885	1784.8	15	Ref Power	1.65		PASS
LVHT	GSM1800	885	1784.8	15	-1800	-63.18	-36	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-61.31	-32	PASS
LVHT	GSM1800	885	1784.8	15	-600	-57.39	-26	PASS
LVHT	GSM1800	885	1784.8	15	-400	-52.45	-23	PASS
LVHT	GSM1800	885	1784.8	15	400	-50.56	-23	PASS
LVHT	GSM1800	885	1784.8	15	600	-56.28	-26	PASS
LVHT	GSM1800	885	1784.8	15	1200	-60.65	-32	PASS
LVHT	GSM1800	885	1784.8	15	1800	-62.27	-36	PASS
LVLT	GSM1800	512	1710.2	0	Ref Power	30.87		PASS

LVL	GSM1800	512	1710.2	0	-1800	-45.5	-26.12	PASS
LVL	GSM1800	512	1710.2	0	-1200	-39.5	-23.12	PASS
LVL	GSM1800	512	1710.2	0	-600	-35.73	-23.12	PASS
LVL	GSM1800	512	1710.2	0	-400	-28.78	-21.12	PASS
LVL	GSM1800	512	1710.2	0	400	-27.55	-21.12	PASS
LVL	GSM1800	512	1710.2	0	600	-34.95	-23.12	PASS
LVL	GSM1800	512	1710.2	0	1200	-38.87	-23.12	PASS
LVL	GSM1800	512	1710.2	0	1800	-42.08	-26.12	PASS
LVL	GSM1800	512	1710.2	15	Ref Power	1.65		PASS
LVL	GSM1800	512	1710.2	15	-1800	-62.68	-36	PASS
LVL	GSM1800	512	1710.2	15	-1200	-59.99	-32	PASS
LVL	GSM1800	512	1710.2	15	-600	-56.6	-26	PASS
LVL	GSM1800	512	1710.2	15	-400	-52.14	-23	PASS
LVL	GSM1800	512	1710.2	15	400	-50.89	-23	PASS
LVL	GSM1800	512	1710.2	15	600	-55.8	-26	PASS
LVL	GSM1800	512	1710.2	15	1200	-59.45	-32	PASS
LVL	GSM1800	512	1710.2	15	1800	-62.6	-36	PASS
LVL	GSM1800	698	1747.4	0	Ref Power	31.32		PASS
LVL	GSM1800	698	1747.4	0	-1800	-44.93	-25.66	PASS
LVL	GSM1800	698	1747.4	0	-1200	-40.36	-22.66	PASS
LVL	GSM1800	698	1747.4	0	-600	-37.29	-22.66	PASS
LVL	GSM1800	698	1747.4	0	-400	-27.19	-20.66	PASS
LVL	GSM1800	698	1747.4	0	400	-28.34	-20.66	PASS
LVL	GSM1800	698	1747.4	0	600	-37.02	-22.66	PASS
LVL	GSM1800	698	1747.4	0	1200	-38.55	-22.66	PASS
LVL	GSM1800	698	1747.4	0	1800	-43.46	-25.66	PASS
LVL	GSM1800	698	1747.4	15	Ref Power	1.4		PASS
LVL	GSM1800	698	1747.4	15	-1800	-62.51	-36	PASS
LVL	GSM1800	698	1747.4	15	-1200	-61.53	-32	PASS
LVL	GSM1800	698	1747.4	15	-600	-57.05	-26	PASS
LVL	GSM1800	698	1747.4	15	-400	-51.93	-23	PASS
LVL	GSM1800	698	1747.4	15	400	-51.04	-23	PASS
LVL	GSM1800	698	1747.4	15	600	-55.4	-26	PASS
LVL	GSM1800	698	1747.4	15	1200	-61.32	-32	PASS
LVL	GSM1800	698	1747.4	15	1800	-64.35	-36	PASS
LVL	GSM1800	885	1784.8	0	Ref Power	31.45		PASS
LVL	GSM1800	885	1784.8	0	-1800	-44.94	-25.35	PASS
LVL	GSM1800	885	1784.8	0	-1200	-39.23	-22.35	PASS
LVL	GSM1800	885	1784.8	0	-600	-34.94	-22.35	PASS
LVL	GSM1800	885	1784.8	0	-400	-27.77	-20.35	PASS
LVL	GSM1800	885	1784.8	0	400	-26.69	-20.35	PASS
LVL	GSM1800	885	1784.8	0	600	-36.27	-22.35	PASS
LVL	GSM1800	885	1784.8	0	1200	-39.95	-22.35	PASS
LVL	GSM1800	885	1784.8	0	1800	-44.38	-25.35	PASS

LVLT	GSM1800	885	1784.8	15	Ref Power	1.53		PASS
LVLT	GSM1800	885	1784.8	15	-1800	-63.24	-36	PASS
LVLT	GSM1800	885	1784.8	15	-1200	-61.4	-32	PASS
LVLT	GSM1800	885	1784.8	15	-600	-57.44	-26	PASS
LVLT	GSM1800	885	1784.8	15	-400	-52.44	-23	PASS
LVLT	GSM1800	885	1784.8	15	400	-50.57	-23	PASS
LVLT	GSM1800	885	1784.8	15	600	-56.23	-26	PASS
LVLT	GSM1800	885	1784.8	15	1200	-60.62	-32	PASS
LVLT	GSM1800	885	1784.8	15	1800	-62.28	-36	PASS
HVHT	GSM1900	512	1850.2	0	Ref Power	30.51		PASS
HVHT	GSM1900	512	1850.2	0	-1800	-44.36	-26.34	PASS
HVHT	GSM1900	512	1850.2	0	-1200	-41.8	-23.34	PASS
HVHT	GSM1900	512	1850.2	0	-600	-37.56	-23.34	PASS
HVHT	GSM1900	512	1850.2	0	-400	-27.36	-21.34	PASS
HVHT	GSM1900	512	1850.2	0	400	-28.68	-21.34	PASS
HVHT	GSM1900	512	1850.2	0	600	-36.65	-23.34	PASS
HVHT	GSM1900	512	1850.2	0	1200	-40.82	-23.34	PASS
HVHT	GSM1900	512	1850.2	0	1800	-44.65	-26.34	PASS
HVHT	GSM1900	512	1850.2	15	Ref Power	0.46		PASS
HVHT	GSM1900	512	1850.2	15	-1800	-59.4	-36	PASS
HVHT	GSM1900	512	1850.2	15	-1200	-56.83	-32	PASS
HVHT	GSM1900	512	1850.2	15	-600	-52.22	-26	PASS
HVHT	GSM1900	512	1850.2	15	-400	-49.71	-23	PASS
HVHT	GSM1900	512	1850.2	15	400	-46.77	-23	PASS
HVHT	GSM1900	512	1850.2	15	600	-50.45	-26	PASS
HVHT	GSM1900	512	1850.2	15	1200	-56.55	-32	PASS
HVHT	GSM1900	512	1850.2	15	1800	-58.44	-36	PASS
HVHT	GSM1900	661	1880	0	Ref Power	30.45		PASS
HVHT	GSM1900	661	1880	0	-1800	-46.05	-26.39	PASS
HVHT	GSM1900	661	1880	0	-1200	-41.75	-23.39	PASS
HVHT	GSM1900	661	1880	0	-600	-35.53	-23.39	PASS
HVHT	GSM1900	661	1880	0	-400	-29.12	-21.39	PASS
HVHT	GSM1900	661	1880	0	400	-29.44	-21.39	PASS
HVHT	GSM1900	661	1880	0	600	-37.57	-23.39	PASS
HVHT	GSM1900	661	1880	0	1200	-40.18	-23.39	PASS
HVHT	GSM1900	661	1880	0	1800	-43.78	-26.39	PASS
HVHT	GSM1900	661	1880	15	Ref Power	0.62		PASS
HVHT	GSM1900	661	1880	15	-1800	-59.09	-36	PASS
HVHT	GSM1900	661	1880	15	-1200	-56.48	-32	PASS
HVHT	GSM1900	661	1880	15	-600	-51.74	-26	PASS
HVHT	GSM1900	661	1880	15	-400	-49.01	-23	PASS
HVHT	GSM1900	661	1880	15	400	-47.39	-23	PASS
HVHT	GSM1900	661	1880	15	600	-50.53	-26	PASS
HVHT	GSM1900	661	1880	15	1200	-55.36	-32	PASS

HVHT	GSM1900	661	1880	15	1800	-58.89	-36	PASS
HVHT	GSM1900	810	1909.8	0	Ref Power	30.65		PASS
HVHT	GSM1900	810	1909.8	0	-1800	-45.66	-26.33	PASS
HVHT	GSM1900	810	1909.8	0	-1200	-41.28	-23.33	PASS
HVHT	GSM1900	810	1909.8	0	-600	-35.06	-23.33	PASS
HVHT	GSM1900	810	1909.8	0	-400	-28.42	-21.33	PASS
HVHT	GSM1900	810	1909.8	0	400	-28.39	-21.33	PASS
HVHT	GSM1900	810	1909.8	0	600	-35.97	-23.33	PASS
HVHT	GSM1900	810	1909.8	0	1200	-40.96	-23.33	PASS
HVHT	GSM1900	810	1909.8	0	1800	-45.33	-26.33	PASS
HVHT	GSM1900	810	1909.8	15	Ref Power	0.65		PASS
HVHT	GSM1900	810	1909.8	15	-1800	-59.21	-36	PASS
HVHT	GSM1900	810	1909.8	15	-1200	-57.19	-32	PASS
HVHT	GSM1900	810	1909.8	15	-600	-51.96	-26	PASS
HVHT	GSM1900	810	1909.8	15	-400	-49.22	-23	PASS
HVHT	GSM1900	810	1909.8	15	400	-46.92	-23	PASS
HVHT	GSM1900	810	1909.8	15	600	-50.17	-26	PASS
HVHT	GSM1900	810	1909.8	15	1200	-54.4	-32	PASS
HVHT	GSM1900	810	1909.8	15	1800	-57.97	-36	PASS
HVLT	GSM1900	512	1850.2	0	Ref Power	30.46		PASS
HVLT	GSM1900	512	1850.2	0	-1800	-44.24	-26.34	PASS
HVLT	GSM1900	512	1850.2	0	-1200	-41.75	-23.34	PASS
HVLT	GSM1900	512	1850.2	0	-600	-37.42	-23.34	PASS
HVLT	GSM1900	512	1850.2	0	-400	-27.24	-21.34	PASS
HVLT	GSM1900	512	1850.2	0	400	-28.72	-21.34	PASS
HVLT	GSM1900	512	1850.2	0	600	-36.66	-23.34	PASS
HVLT	GSM1900	512	1850.2	0	1200	-40.91	-23.34	PASS
HVLT	GSM1900	512	1850.2	0	1800	-44.64	-26.34	PASS
HVLT	GSM1900	512	1850.2	15	Ref Power	0.47		PASS
HVLT	GSM1900	512	1850.2	15	-1800	-59.41	-36	PASS
HVLT	GSM1900	512	1850.2	15	-1200	-56.87	-32	PASS
HVLT	GSM1900	512	1850.2	15	-600	-52.22	-26	PASS
HVLT	GSM1900	512	1850.2	15	-400	-49.78	-23	PASS
HVLT	GSM1900	512	1850.2	15	400	-46.88	-23	PASS
HVLT	GSM1900	512	1850.2	15	600	-50.56	-26	PASS
HVLT	GSM1900	512	1850.2	15	1200	-56.44	-32	PASS
HVLT	GSM1900	512	1850.2	15	1800	-58.4	-36	PASS
HVLT	GSM1900	661	1880	0	Ref Power	30.59		PASS
HVLT	GSM1900	661	1880	0	-1800	-46	-26.39	PASS
HVLT	GSM1900	661	1880	0	-1200	-41.89	-23.39	PASS
HVLT	GSM1900	661	1880	0	-600	-35.44	-23.39	PASS
HVLT	GSM1900	661	1880	0	-400	-29.09	-21.39	PASS
HVLT	GSM1900	661	1880	0	400	-29.31	-21.39	PASS
HVLT	GSM1900	661	1880	0	600	-37.61	-23.39	PASS

HVLT	GSM1900	661	1880	0	1200	-40.22	-23.39	PASS
HVLT	GSM1900	661	1880	0	1800	-43.79	-26.39	PASS
HVLT	GSM1900	661	1880	15	Ref Power	0.62		PASS
HVLT	GSM1900	661	1880	15	-1800	-59.08	-36	PASS
HVLT	GSM1900	661	1880	15	-1200	-56.61	-32	PASS
HVLT	GSM1900	661	1880	15	-600	-51.89	-26	PASS
HVLT	GSM1900	661	1880	15	-400	-49.06	-23	PASS
HVLT	GSM1900	661	1880	15	400	-47.25	-23	PASS
HVLT	GSM1900	661	1880	15	600	-50.52	-26	PASS
HVLT	GSM1900	661	1880	15	1200	-55.47	-32	PASS
HVLT	GSM1900	661	1880	15	1800	-58.97	-36	PASS
HVLT	GSM1900	810	1909.8	0	Ref Power	30.52		PASS
HVLT	GSM1900	810	1909.8	0	-1800	-45.5	-26.33	PASS
HVLT	GSM1900	810	1909.8	0	-1200	-41.31	-23.33	PASS
HVLT	GSM1900	810	1909.8	0	-600	-35.13	-23.33	PASS
HVLT	GSM1900	810	1909.8	0	-400	-28.36	-21.33	PASS
HVLT	GSM1900	810	1909.8	0	400	-28.38	-21.33	PASS
HVLT	GSM1900	810	1909.8	0	600	-36.02	-23.33	PASS
HVLT	GSM1900	810	1909.8	0	1200	-40.96	-23.33	PASS
HVLT	GSM1900	810	1909.8	0	1800	-45.17	-26.33	PASS
HVLT	GSM1900	810	1909.8	15	Ref Power	0.71		PASS
HVLT	GSM1900	810	1909.8	15	-1800	-59.17	-36	PASS
HVLT	GSM1900	810	1909.8	15	-1200	-57.05	-32	PASS
HVLT	GSM1900	810	1909.8	15	-600	-51.94	-26	PASS
HVLT	GSM1900	810	1909.8	15	-400	-49.1	-23	PASS
HVLT	GSM1900	810	1909.8	15	400	-46.95	-23	PASS
HVLT	GSM1900	810	1909.8	15	600	-50.27	-26	PASS
HVLT	GSM1900	810	1909.8	15	1200	-54.36	-32	PASS
HVLT	GSM1900	810	1909.8	15	1800	-58.05	-36	PASS
LVHT	GSM1900	512	1850.2	0	Ref Power	30.63		PASS
LVHT	GSM1900	512	1850.2	0	-1800	-44.31	-26.34	PASS
LVHT	GSM1900	512	1850.2	0	-1200	-41.84	-23.34	PASS
LVHT	GSM1900	512	1850.2	0	-600	-37.51	-23.34	PASS
LVHT	GSM1900	512	1850.2	0	-400	-27.22	-21.34	PASS
LVHT	GSM1900	512	1850.2	0	400	-28.82	-21.34	PASS
LVHT	GSM1900	512	1850.2	0	600	-36.53	-23.34	PASS
LVHT	GSM1900	512	1850.2	0	1200	-40.75	-23.34	PASS
LVHT	GSM1900	512	1850.2	0	1800	-44.63	-26.34	PASS
LVHT	GSM1900	512	1850.2	15	Ref Power	0.59		PASS
LVHT	GSM1900	512	1850.2	15	-1800	-59.34	-36	PASS
LVHT	GSM1900	512	1850.2	15	-1200	-56.88	-32	PASS
LVHT	GSM1900	512	1850.2	15	-600	-52.25	-26	PASS
LVHT	GSM1900	512	1850.2	15	-400	-49.66	-23	PASS
LVHT	GSM1900	512	1850.2	15	400	-46.87	-23	PASS

LVHT	GSM1900	512	1850.2	15	600	-50.54	-26	PASS
LVHT	GSM1900	512	1850.2	15	1200	-56.52	-32	PASS
LVHT	GSM1900	512	1850.2	15	1800	-58.37	-36	PASS
LVHT	GSM1900	661	1880	0	Ref Power	30.48		PASS
LVHT	GSM1900	661	1880	0	-1800	-46.03	-26.39	PASS
LVHT	GSM1900	661	1880	0	-1200	-41.83	-23.39	PASS
LVHT	GSM1900	661	1880	0	-600	-35.39	-23.39	PASS
LVHT	GSM1900	661	1880	0	-400	-29.01	-21.39	PASS
LVHT	GSM1900	661	1880	0	400	-29.33	-21.39	PASS
LVHT	GSM1900	661	1880	0	600	-37.61	-23.39	PASS
LVHT	GSM1900	661	1880	0	1200	-40.16	-23.39	PASS
LVHT	GSM1900	661	1880	0	1800	-43.68	-26.39	PASS
LVHT	GSM1900	661	1880	15	Ref Power	0.65		PASS
LVHT	GSM1900	661	1880	15	-1800	-59.13	-36	PASS
LVHT	GSM1900	661	1880	15	-1200	-56.62	-32	PASS
LVHT	GSM1900	661	1880	15	-600	-51.76	-26	PASS
LVHT	GSM1900	661	1880	15	-400	-48.95	-23	PASS
LVHT	GSM1900	661	1880	15	400	-47.25	-23	PASS
LVHT	GSM1900	661	1880	15	600	-50.48	-26	PASS
LVHT	GSM1900	661	1880	15	1200	-55.43	-32	PASS
LVHT	GSM1900	661	1880	15	1800	-59.05	-36	PASS
LVHT	GSM1900	810	1909.8	0	Ref Power	30.63		PASS
LVHT	GSM1900	810	1909.8	0	-1800	-45.61	-26.33	PASS
LVHT	GSM1900	810	1909.8	0	-1200	-41.41	-23.33	PASS
LVHT	GSM1900	810	1909.8	0	-600	-35.08	-23.33	PASS
LVHT	GSM1900	810	1909.8	0	-400	-28.44	-21.33	PASS
LVHT	GSM1900	810	1909.8	0	400	-28.21	-21.33	PASS
LVHT	GSM1900	810	1909.8	0	600	-36	-23.33	PASS
LVHT	GSM1900	810	1909.8	0	1200	-41.01	-23.33	PASS
LVHT	GSM1900	810	1909.8	0	1800	-45.16	-26.33	PASS
LVHT	GSM1900	810	1909.8	15	Ref Power	0.74		PASS
LVHT	GSM1900	810	1909.8	15	-1800	-59.31	-36	PASS
LVHT	GSM1900	810	1909.8	15	-1200	-57.15	-32	PASS
LVHT	GSM1900	810	1909.8	15	-600	-52.12	-26	PASS
LVHT	GSM1900	810	1909.8	15	-400	-49.22	-23	PASS
LVHT	GSM1900	810	1909.8	15	400	-47.02	-23	PASS
LVHT	GSM1900	810	1909.8	15	600	-50.3	-26	PASS
LVHT	GSM1900	810	1909.8	15	1200	-54.4	-32	PASS
LVHT	GSM1900	810	1909.8	15	1800	-58.06	-36	PASS
LVLT	GSM1900	512	1850.2	0	Ref Power	30.5		PASS
LVLT	GSM1900	512	1850.2	0	-1800	-44.35	-26.34	PASS
LVLT	GSM1900	512	1850.2	0	-1200	-41.91	-23.34	PASS
LVLT	GSM1900	512	1850.2	0	-600	-37.59	-23.34	PASS
LVLT	GSM1900	512	1850.2	0	-400	-27.39	-21.34	PASS

LVL	GSM1900	512	1850.2	0	400	-28.82	-21.34	PASS
LVL	GSM1900	512	1850.2	0	600	-36.51	-23.34	PASS
LVL	GSM1900	512	1850.2	0	1200	-40.89	-23.34	PASS
LVL	GSM1900	512	1850.2	0	1800	-44.59	-26.34	PASS
LVL	GSM1900	512	1850.2	15	Ref Power	0.43		PASS
LVL	GSM1900	512	1850.2	15	-1800	-59.39	-36	PASS
LVL	GSM1900	512	1850.2	15	-1200	-56.86	-32	PASS
LVL	GSM1900	512	1850.2	15	-600	-52.33	-26	PASS
LVL	GSM1900	512	1850.2	15	-400	-49.8	-23	PASS
LVL	GSM1900	512	1850.2	15	400	-46.83	-23	PASS
LVL	GSM1900	512	1850.2	15	600	-50.42	-26	PASS
LVL	GSM1900	512	1850.2	15	1200	-56.36	-32	PASS
LVL	GSM1900	512	1850.2	15	1800	-58.53	-36	PASS
LVL	GSM1900	661	1880	0	Ref Power	30.51		PASS
LVL	GSM1900	661	1880	0	-1800	-46.04	-26.39	PASS
LVL	GSM1900	661	1880	0	-1200	-41.75	-23.39	PASS
LVL	GSM1900	661	1880	0	-600	-35.44	-23.39	PASS
LVL	GSM1900	661	1880	0	-400	-29.15	-21.39	PASS
LVL	GSM1900	661	1880	0	400	-29.31	-21.39	PASS
LVL	GSM1900	661	1880	0	600	-37.71	-23.39	PASS
LVL	GSM1900	661	1880	0	1200	-40.23	-23.39	PASS
LVL	GSM1900	661	1880	0	1800	-43.82	-26.39	PASS
LVL	GSM1900	661	1880	15	Ref Power	0.7		PASS
LVL	GSM1900	661	1880	15	-1800	-59.08	-36	PASS
LVL	GSM1900	661	1880	15	-1200	-56.5	-32	PASS
LVL	GSM1900	661	1880	15	-600	-51.8	-26	PASS
LVL	GSM1900	661	1880	15	-400	-48.99	-23	PASS
LVL	GSM1900	661	1880	15	400	-47.2	-23	PASS
LVL	GSM1900	661	1880	15	600	-50.48	-26	PASS
LVL	GSM1900	661	1880	15	1200	-55.39	-32	PASS
LVL	GSM1900	661	1880	15	1800	-59.03	-36	PASS
LVL	GSM1900	810	1909.8	0	Ref Power	30.62		PASS
LVL	GSM1900	810	1909.8	0	-1800	-45.68	-26.33	PASS
LVL	GSM1900	810	1909.8	0	-1200	-41.26	-23.33	PASS
LVL	GSM1900	810	1909.8	0	-600	-35.22	-23.33	PASS
LVL	GSM1900	810	1909.8	0	-400	-28.31	-21.33	PASS
LVL	GSM1900	810	1909.8	0	400	-28.38	-21.33	PASS
LVL	GSM1900	810	1909.8	0	600	-35.93	-23.33	PASS
LVL	GSM1900	810	1909.8	0	1200	-40.93	-23.33	PASS
LVL	GSM1900	810	1909.8	0	1800	-45.33	-26.33	PASS
LVL	GSM1900	810	1909.8	15	Ref Power	0.78		PASS
LVL	GSM1900	810	1909.8	15	-1800	-59.28	-36	PASS
LVL	GSM1900	810	1909.8	15	-1200	-57.11	-32	PASS
LVL	GSM1900	810	1909.8	15	-600	-52.02	-26	PASS

LVLT	GSM1900	810	1909.8	15	-400	-49.16	-23	PASS
LVLT	GSM1900	810	1909.8	15	400	-47.02	-23	PASS
LVLT	GSM1900	810	1909.8	15	600	-50.24	-26	PASS
LVLT	GSM1900	810	1909.8	15	1200	-54.43	-32	PASS
LVLT	GSM1900	810	1909.8	15	1800	-58.05	-36	PASS
HVHT	GSM850	128	824.2	5	Ref Power	34.01		PASS
HVHT	GSM850	128	824.2	5	-1800	-44.38	-24	PASS
HVHT	GSM850	128	824.2	5	-1200	-39.46	-21	PASS
HVHT	GSM850	128	824.2	5	-600	-36.49	-21	PASS
HVHT	GSM850	128	824.2	5	-400	-28.68	-17.8	PASS
HVHT	GSM850	128	824.2	5	400	-29.41	-17.8	PASS
HVHT	GSM850	128	824.2	5	600	-35.26	-21	PASS
HVHT	GSM850	128	824.2	5	1200	-37.73	-21	PASS
HVHT	GSM850	128	824.2	5	1800	-42.56	-24	PASS
HVHT	GSM850	128	824.2	19	Ref Power	6.35		PASS
HVHT	GSM850	128	824.2	19	-1800	-46.26	-36	PASS
HVHT	GSM850	128	824.2	19	-1200	-43.98	-32	PASS
HVHT	GSM850	128	824.2	19	-600	-39.42	-26	PASS
HVHT	GSM850	128	824.2	19	-400	-36.47	-23	PASS
HVHT	GSM850	128	824.2	19	400	-33.74	-23	PASS
HVHT	GSM850	128	824.2	19	600	-37.36	-26	PASS
HVHT	GSM850	128	824.2	19	1200	-43.33	-32	PASS
HVHT	GSM850	128	824.2	19	1800	-45.24	-36	PASS
HVHT	GSM850	190	836.6	5	Ref Power	33.67		PASS
HVHT	GSM850	190	836.6	5	-1800	-42.49	-24	PASS
HVHT	GSM850	190	836.6	5	-1200	-39.6	-21	PASS
HVHT	GSM850	190	836.6	5	-600	-36.86	-21	PASS
HVHT	GSM850	190	836.6	5	-400	-28.4	-18.24	PASS
HVHT	GSM850	190	836.6	5	400	-30.55	-18.24	PASS
HVHT	GSM850	190	836.6	5	600	-38.26	-21	PASS
HVHT	GSM850	190	836.6	5	1200	-38.42	-21	PASS
HVHT	GSM850	190	836.6	5	1800	-43.87	-24	PASS
HVHT	GSM850	190	836.6	19	Ref Power	5.93		PASS
HVHT	GSM850	190	836.6	19	-1800	-46.58	-36	PASS
HVHT	GSM850	190	836.6	19	-1200	-44.78	-32	PASS
HVHT	GSM850	190	836.6	19	-600	-39.56	-26	PASS
HVHT	GSM850	190	836.6	19	-400	-36.87	-23	PASS
HVHT	GSM850	190	836.6	19	400	-34.17	-23	PASS
HVHT	GSM850	190	836.6	19	600	-37.74	-26	PASS
HVHT	GSM850	190	836.6	19	1200	-43.19	-32	PASS
HVHT	GSM850	190	836.6	19	1800	-45.84	-36	PASS
HVHT	GSM850	251	848.8	5	Ref Power	33.64		PASS
HVHT	GSM850	251	848.8	5	-1800	-43.38	-24	PASS
HVHT	GSM850	251	848.8	5	-1200	-39.29	-21	PASS

HVHT	GSM850	251	848.8	5	-600	-37.45	-21	PASS
HVHT	GSM850	251	848.8	5	-400	-30.17	-18.26	PASS
HVHT	GSM850	251	848.8	5	400	-29.54	-18.26	PASS
HVHT	GSM850	251	848.8	5	600	-36.35	-21	PASS
HVHT	GSM850	251	848.8	5	1200	-38.83	-21	PASS
HVHT	GSM850	251	848.8	5	1800	-42.96	-24	PASS
HVHT	GSM850	251	848.8	19	Ref Power	6.14		PASS
HVHT	GSM850	251	848.8	19	-1800	-46.6	-36	PASS
HVHT	GSM850	251	848.8	19	-1200	-43.67	-32	PASS
HVHT	GSM850	251	848.8	19	-600	-39.83	-26	PASS
HVHT	GSM850	251	848.8	19	-400	-37.29	-23	PASS
HVHT	GSM850	251	848.8	19	400	-33.91	-23	PASS
HVHT	GSM850	251	848.8	19	600	-37.47	-26	PASS
HVHT	GSM850	251	848.8	19	1200	-42.89	-32	PASS
HVHT	GSM850	251	848.8	19	1800	-45.73	-36	PASS
HVLT	GSM850	128	824.2	5	Ref Power	34.18		PASS
HVLT	GSM850	128	824.2	5	-1800	-44.27	-24	PASS
HVLT	GSM850	128	824.2	5	-1200	-39.43	-21	PASS
HVLT	GSM850	128	824.2	5	-600	-36.49	-21	PASS
HVLT	GSM850	128	824.2	5	-400	-28.76	-17.8	PASS
HVLT	GSM850	128	824.2	5	400	-29.48	-17.8	PASS
HVLT	GSM850	128	824.2	5	600	-35.34	-21	PASS
HVLT	GSM850	128	824.2	5	1200	-37.85	-21	PASS
HVLT	GSM850	128	824.2	5	1800	-42.49	-24	PASS
HVLT	GSM850	128	824.2	19	Ref Power	6.26		PASS
HVLT	GSM850	128	824.2	19	-1800	-46.44	-36	PASS
HVLT	GSM850	128	824.2	19	-1200	-43.94	-32	PASS
HVLT	GSM850	128	824.2	19	-600	-39.45	-26	PASS
HVLT	GSM850	128	824.2	19	-400	-36.53	-23	PASS
HVLT	GSM850	128	824.2	19	400	-33.78	-23	PASS
HVLT	GSM850	128	824.2	19	600	-37.41	-26	PASS
HVLT	GSM850	128	824.2	19	1200	-43.29	-32	PASS
HVLT	GSM850	128	824.2	19	1800	-45.34	-36	PASS
HVLT	GSM850	190	836.6	5	Ref Power	33.61		PASS
HVLT	GSM850	190	836.6	5	-1800	-42.46	-24	PASS
HVLT	GSM850	190	836.6	5	-1200	-39.62	-21	PASS
HVLT	GSM850	190	836.6	5	-600	-36.81	-21	PASS
HVLT	GSM850	190	836.6	5	-400	-28.38	-18.24	PASS
HVLT	GSM850	190	836.6	5	400	-30.6	-18.24	PASS
HVLT	GSM850	190	836.6	5	600	-38.18	-21	PASS
HVLT	GSM850	190	836.6	5	1200	-38.37	-21	PASS
HVLT	GSM850	190	836.6	5	1800	-43.97	-24	PASS
HVLT	GSM850	190	836.6	19	Ref Power	6.02		PASS
HVLT	GSM850	190	836.6	19	-1800	-46.48	-36	PASS

HVLT	GSM850	190	836.6	19	-1200	-44.86	-32	PASS
HVLT	GSM850	190	836.6	19	-600	-39.57	-26	PASS
HVLT	GSM850	190	836.6	19	-400	-36.88	-23	PASS
HVLT	GSM850	190	836.6	19	400	-34.17	-23	PASS
HVLT	GSM850	190	836.6	19	600	-37.76	-26	PASS
HVLT	GSM850	190	836.6	19	1200	-43.17	-32	PASS
HVLT	GSM850	190	836.6	19	1800	-45.88	-36	PASS
HVLT	GSM850	251	848.8	5	Ref Power	33.54		PASS
HVLT	GSM850	251	848.8	5	-1800	-43.44	-24	PASS
HVLT	GSM850	251	848.8	5	-1200	-39.19	-21	PASS
HVLT	GSM850	251	848.8	5	-600	-37.4	-21	PASS
HVLT	GSM850	251	848.8	5	-400	-30.23	-18.26	PASS
HVLT	GSM850	251	848.8	5	400	-29.49	-18.26	PASS
HVLT	GSM850	251	848.8	5	600	-36.34	-21	PASS
HVLT	GSM850	251	848.8	5	1200	-38.92	-21	PASS
HVLT	GSM850	251	848.8	5	1800	-42.98	-24	PASS
HVLT	GSM850	251	848.8	19	Ref Power	6.05		PASS
HVLT	GSM850	251	848.8	19	-1800	-46.59	-36	PASS
HVLT	GSM850	251	848.8	19	-1200	-43.72	-32	PASS
HVLT	GSM850	251	848.8	19	-600	-39.73	-26	PASS
HVLT	GSM850	251	848.8	19	-400	-37.29	-23	PASS
HVLT	GSM850	251	848.8	19	400	-33.93	-23	PASS
HVLT	GSM850	251	848.8	19	600	-37.48	-26	PASS
HVLT	GSM850	251	848.8	19	1200	-42.76	-32	PASS
HVLT	GSM850	251	848.8	19	1800	-45.61	-36	PASS
LVHT	GSM850	128	824.2	5	Ref Power	34.12		PASS
LVHT	GSM850	128	824.2	5	-1800	-44.31	-24	PASS
LVHT	GSM850	128	824.2	5	-1200	-39.41	-21	PASS
LVHT	GSM850	128	824.2	5	-600	-36.33	-21	PASS
LVHT	GSM850	128	824.2	5	-400	-28.64	-17.8	PASS
LVHT	GSM850	128	824.2	5	400	-29.41	-17.8	PASS
LVHT	GSM850	128	824.2	5	600	-35.22	-21	PASS
LVHT	GSM850	128	824.2	5	1200	-37.85	-21	PASS
LVHT	GSM850	128	824.2	5	1800	-42.51	-24	PASS
LVHT	GSM850	128	824.2	19	Ref Power	6.33		PASS
LVHT	GSM850	128	824.2	19	-1800	-46.27	-36	PASS
LVHT	GSM850	128	824.2	19	-1200	-44.01	-32	PASS
LVHT	GSM850	128	824.2	19	-600	-39.32	-26	PASS
LVHT	GSM850	128	824.2	19	-400	-36.5	-23	PASS
LVHT	GSM850	128	824.2	19	400	-33.7	-23	PASS
LVHT	GSM850	128	824.2	19	600	-37.43	-26	PASS
LVHT	GSM850	128	824.2	19	1200	-43.37	-32	PASS
LVHT	GSM850	128	824.2	19	1800	-45.23	-36	PASS
LVHT	GSM850	190	836.6	5	Ref Power	33.69		PASS

LVHT	GSM850	190	836.6	5	-1800	-42.56	-24	PASS
LVHT	GSM850	190	836.6	5	-1200	-39.69	-21	PASS
LVHT	GSM850	190	836.6	5	-600	-36.98	-21	PASS
LVHT	GSM850	190	836.6	5	-400	-28.44	-18.24	PASS
LVHT	GSM850	190	836.6	5	400	-30.58	-18.24	PASS
LVHT	GSM850	190	836.6	5	600	-38.15	-21	PASS
LVHT	GSM850	190	836.6	5	1200	-38.37	-21	PASS
LVHT	GSM850	190	836.6	5	1800	-44.02	-24	PASS
LVHT	GSM850	190	836.6	19	Ref Power	6.07		PASS
LVHT	GSM850	190	836.6	19	-1800	-46.54	-36	PASS
LVHT	GSM850	190	836.6	19	-1200	-44.79	-32	PASS
LVHT	GSM850	190	836.6	19	-600	-39.52	-26	PASS
LVHT	GSM850	190	836.6	19	-400	-36.94	-23	PASS
LVHT	GSM850	190	836.6	19	400	-34.21	-23	PASS
LVHT	GSM850	190	836.6	19	600	-37.77	-26	PASS
LVHT	GSM850	190	836.6	19	1200	-43.3	-32	PASS
LVHT	GSM850	190	836.6	19	1800	-45.95	-36	PASS
LVHT	GSM850	251	848.8	5	Ref Power	33.67		PASS
LVHT	GSM850	251	848.8	5	-1800	-43.41	-24	PASS
LVHT	GSM850	251	848.8	5	-1200	-39.21	-21	PASS
LVHT	GSM850	251	848.8	5	-600	-37.34	-21	PASS
LVHT	GSM850	251	848.8	5	-400	-30.11	-18.26	PASS
LVHT	GSM850	251	848.8	5	400	-29.61	-18.26	PASS
LVHT	GSM850	251	848.8	5	600	-36.32	-21	PASS
LVHT	GSM850	251	848.8	5	1200	-38.92	-21	PASS
LVHT	GSM850	251	848.8	5	1800	-42.83	-24	PASS
LVHT	GSM850	251	848.8	19	Ref Power	6.23		PASS
LVHT	GSM850	251	848.8	19	-1800	-46.7	-36	PASS
LVHT	GSM850	251	848.8	19	-1200	-43.66	-32	PASS
LVHT	GSM850	251	848.8	19	-600	-39.78	-26	PASS
LVHT	GSM850	251	848.8	19	-400	-37.27	-23	PASS
LVHT	GSM850	251	848.8	19	400	-34.05	-23	PASS
LVHT	GSM850	251	848.8	19	600	-37.62	-26	PASS
LVHT	GSM850	251	848.8	19	1200	-42.82	-32	PASS
LVHT	GSM850	251	848.8	19	1800	-45.63	-36	PASS
LVLT	GSM850	128	824.2	5	Ref Power	34.09		PASS
LVLT	GSM850	128	824.2	5	-1800	-44.33	-24	PASS
LVLT	GSM850	128	824.2	5	-1200	-39.31	-21	PASS
LVLT	GSM850	128	824.2	5	-600	-36.41	-21	PASS
LVLT	GSM850	128	824.2	5	-400	-28.73	-17.8	PASS
LVLT	GSM850	128	824.2	5	400	-29.42	-17.8	PASS
LVLT	GSM850	128	824.2	5	600	-35.29	-21	PASS
LVLT	GSM850	128	824.2	5	1200	-37.8	-21	PASS
LVLT	GSM850	128	824.2	5	1800	-42.62	-24	PASS

LVL	GSM850	128	824.2	19	Ref Power	6.28		PASS
LVL	GSM850	128	824.2	19	-1800	-46.3	-36	PASS
LVL	GSM850	128	824.2	19	-1200	-44	-32	PASS
LVL	GSM850	128	824.2	19	-600	-39.27	-26	PASS
LVL	GSM850	128	824.2	19	-400	-36.53	-23	PASS
LVL	GSM850	128	824.2	19	400	-33.77	-23	PASS
LVL	GSM850	128	824.2	19	600	-37.32	-26	PASS
LVL	GSM850	128	824.2	19	1200	-43.36	-32	PASS
LVL	GSM850	128	824.2	19	1800	-45.22	-36	PASS
LVL	GSM850	190	836.6	5	Ref Power	33.63		PASS
LVL	GSM850	190	836.6	5	-1800	-42.54	-24	PASS
LVL	GSM850	190	836.6	5	-1200	-39.65	-21	PASS
LVL	GSM850	190	836.6	5	-600	-36.97	-21	PASS
LVL	GSM850	190	836.6	5	-400	-28.49	-18.24	PASS
LVL	GSM850	190	836.6	5	400	-30.44	-18.24	PASS
LVL	GSM850	190	836.6	5	600	-38.15	-21	PASS
LVL	GSM850	190	836.6	5	1200	-38.33	-21	PASS
LVL	GSM850	190	836.6	5	1800	-43.95	-24	PASS
LVL	GSM850	190	836.6	19	Ref Power	5.99		PASS
LVL	GSM850	190	836.6	19	-1800	-46.47	-36	PASS
LVL	GSM850	190	836.6	19	-1200	-44.77	-32	PASS
LVL	GSM850	190	836.6	19	-600	-39.55	-26	PASS
LVL	GSM850	190	836.6	19	-400	-36.9	-23	PASS
LVL	GSM850	190	836.6	19	400	-34.12	-23	PASS
LVL	GSM850	190	836.6	19	600	-37.76	-26	PASS
LVL	GSM850	190	836.6	19	1200	-43.2	-32	PASS
LVL	GSM850	190	836.6	19	1800	-45.79	-36	PASS
LVL	GSM850	251	848.8	5	Ref Power	33.66		PASS
LVL	GSM850	251	848.8	5	-1800	-43.52	-24	PASS
LVL	GSM850	251	848.8	5	-1200	-39.28	-21	PASS
LVL	GSM850	251	848.8	5	-600	-37.3	-21	PASS
LVL	GSM850	251	848.8	5	-400	-30.22	-18.26	PASS
LVL	GSM850	251	848.8	5	400	-29.61	-18.26	PASS
LVL	GSM850	251	848.8	5	600	-36.26	-21	PASS
LVL	GSM850	251	848.8	5	1200	-38.8	-21	PASS
LVL	GSM850	251	848.8	5	1800	-42.93	-24	PASS
LVL	GSM850	251	848.8	19	Ref Power	6.24		PASS
LVL	GSM850	251	848.8	19	-1800	-46.61	-36	PASS
LVL	GSM850	251	848.8	19	-1200	-43.64	-32	PASS
LVL	GSM850	251	848.8	19	-600	-39.79	-26	PASS
LVL	GSM850	251	848.8	19	-400	-37.27	-23	PASS
LVL	GSM850	251	848.8	19	400	-33.87	-23	PASS
LVL	GSM850	251	848.8	19	600	-37.59	-26	PASS
LVL	GSM850	251	848.8	19	1200	-42.94	-32	PASS

LVLT	GSM850	251	848.8	19	1800	-45.73	-36	PASS
HVHT	GSM900	975	880.2	5	Ref Power	32.93		PASS
HVHT	GSM900	975	880.2	5	-1800	-44.59	-24	PASS
HVHT	GSM900	975	880.2	5	-1200	-42.85	-21	PASS
HVHT	GSM900	975	880.2	5	-600	-37.86	-21	PASS
HVHT	GSM900	975	880.2	5	-400	-31.31	-18.99	PASS
HVHT	GSM900	975	880.2	5	400	-30.31	-18.99	PASS
HVHT	GSM900	975	880.2	5	600	-36.32	-21	PASS
HVHT	GSM900	975	880.2	5	1200	-40.45	-21	PASS
HVHT	GSM900	975	880.2	5	1800	-42.87	-24	PASS
HVHT	GSM900	975	880.2	19	Ref Power	4.69		PASS
HVHT	GSM900	975	880.2	19	-1800	-50.77	-36	PASS
HVHT	GSM900	975	880.2	19	-1200	-48.19	-32	PASS
HVHT	GSM900	975	880.2	19	-600	-43.81	-26	PASS
HVHT	GSM900	975	880.2	19	-400	-40.85	-23	PASS
HVHT	GSM900	975	880.2	19	400	-37.9	-23	PASS
HVHT	GSM900	975	880.2	19	600	-41.29	-26	PASS
HVHT	GSM900	975	880.2	19	1200	-46.85	-32	PASS
HVHT	GSM900	975	880.2	19	1800	-49.43	-36	PASS
HVHT	GSM900	38	897.6	5	Ref Power	33.11		PASS
HVHT	GSM900	38	897.6	5	-1800	-45.12	-24	PASS
HVHT	GSM900	38	897.6	5	-1200	-43.01	-21	PASS
HVHT	GSM900	38	897.6	5	-600	-37.9	-21	PASS
HVHT	GSM900	38	897.6	5	-400	-31.62	-18.84	PASS
HVHT	GSM900	38	897.6	5	400	-31.08	-18.84	PASS
HVHT	GSM900	38	897.6	5	600	-36.62	-21	PASS
HVHT	GSM900	38	897.6	5	1200	-40.74	-21	PASS
HVHT	GSM900	38	897.6	5	1800	-42.06	-24	PASS
HVHT	GSM900	38	897.6	19	Ref Power	4.91		PASS
HVHT	GSM900	38	897.6	19	-1800	-50.05	-36	PASS
HVHT	GSM900	38	897.6	19	-1200	-47.8	-32	PASS
HVHT	GSM900	38	897.6	19	-600	-43.5	-26	PASS
HVHT	GSM900	38	897.6	19	-400	-40.67	-23	PASS
HVHT	GSM900	38	897.6	19	400	-37.67	-23	PASS
HVHT	GSM900	38	897.6	19	600	-40.9	-26	PASS
HVHT	GSM900	38	897.6	19	1200	-46.43	-32	PASS
HVHT	GSM900	38	897.6	19	1800	-49.48	-36	PASS
HVHT	GSM900	124	914.8	5	Ref Power	33.28		PASS
HVHT	GSM900	124	914.8	5	-1800	-44	-24	PASS
HVHT	GSM900	124	914.8	5	-1200	-42.46	-21	PASS
HVHT	GSM900	124	914.8	5	-600	-37.17	-21	PASS
HVHT	GSM900	124	914.8	5	-400	-31.3	-18.68	PASS
HVHT	GSM900	124	914.8	5	400	-31.33	-18.68	PASS
HVHT	GSM900	124	914.8	5	600	-36.14	-21	PASS

HVHT	GSM900	124	914.8	5	1200	-39.87	-21	PASS
HVHT	GSM900	124	914.8	5	1800	-42.66	-24	PASS
HVHT	GSM900	124	914.8	19	Ref Power	4.58		PASS
HVHT	GSM900	124	914.8	19	-1800	-50.88	-36	PASS
HVHT	GSM900	124	914.8	19	-1200	-48.53	-32	PASS
HVHT	GSM900	124	914.8	19	-600	-43.77	-26	PASS
HVHT	GSM900	124	914.8	19	-400	-40.88	-23	PASS
HVHT	GSM900	124	914.8	19	400	-37.9	-23	PASS
HVHT	GSM900	124	914.8	19	600	-41.26	-26	PASS
HVHT	GSM900	124	914.8	19	1200	-46.77	-32	PASS
HVHT	GSM900	124	914.8	19	1800	-49.28	-36	PASS
HVLT	GSM900	975	880.2	5	Ref Power	32.83		PASS
HVLT	GSM900	975	880.2	5	-1800	-44.71	-24	PASS
HVLT	GSM900	975	880.2	5	-1200	-42.97	-21	PASS
HVLT	GSM900	975	880.2	5	-600	-37.94	-21	PASS
HVLT	GSM900	975	880.2	5	-400	-31.39	-18.99	PASS
HVLT	GSM900	975	880.2	5	400	-30.38	-18.99	PASS
HVLT	GSM900	975	880.2	5	600	-36.24	-21	PASS
HVLT	GSM900	975	880.2	5	1200	-40.47	-21	PASS
HVLT	GSM900	975	880.2	5	1800	-42.89	-24	PASS
HVLT	GSM900	975	880.2	19	Ref Power	4.73		PASS
HVLT	GSM900	975	880.2	19	-1800	-50.84	-36	PASS
HVLT	GSM900	975	880.2	19	-1200	-48.1	-32	PASS
HVLT	GSM900	975	880.2	19	-600	-43.78	-26	PASS
HVLT	GSM900	975	880.2	19	-400	-40.71	-23	PASS
HVLT	GSM900	975	880.2	19	400	-37.87	-23	PASS
HVLT	GSM900	975	880.2	19	600	-41.42	-26	PASS
HVLT	GSM900	975	880.2	19	1200	-47	-32	PASS
HVLT	GSM900	975	880.2	19	1800	-49.54	-36	PASS
HVLT	GSM900	38	897.6	5	Ref Power	32.99		PASS
HVLT	GSM900	38	897.6	5	-1800	-45.24	-24	PASS
HVLT	GSM900	38	897.6	5	-1200	-43.02	-21	PASS
HVLT	GSM900	38	897.6	5	-600	-37.86	-21	PASS
HVLT	GSM900	38	897.6	5	-400	-31.57	-18.84	PASS
HVLT	GSM900	38	897.6	5	400	-31.08	-18.84	PASS
HVLT	GSM900	38	897.6	5	600	-36.6	-21	PASS
HVLT	GSM900	38	897.6	5	1200	-40.6	-21	PASS
HVLT	GSM900	38	897.6	5	1800	-41.94	-24	PASS
HVLT	GSM900	38	897.6	19	Ref Power	4.84		PASS
HVLT	GSM900	38	897.6	19	-1800	-50.09	-36	PASS
HVLT	GSM900	38	897.6	19	-1200	-47.83	-32	PASS
HVLT	GSM900	38	897.6	19	-600	-43.61	-26	PASS
HVLT	GSM900	38	897.6	19	-400	-40.48	-23	PASS
HVLT	GSM900	38	897.6	19	400	-37.56	-23	PASS

HVLT	GSM900	38	897.6	19	600	-41.07	-26	PASS
HVLT	GSM900	38	897.6	19	1200	-46.36	-32	PASS
HVLT	GSM900	38	897.6	19	1800	-49.4	-36	PASS
HVLT	GSM900	124	914.8	5	Ref Power	33.17		PASS
HVLT	GSM900	124	914.8	5	-1800	-44.13	-24	PASS
HVLT	GSM900	124	914.8	5	-1200	-42.4	-21	PASS
HVLT	GSM900	124	914.8	5	-600	-37.31	-21	PASS
HVLT	GSM900	124	914.8	5	-400	-31.34	-18.68	PASS
HVLT	GSM900	124	914.8	5	400	-31.25	-18.68	PASS
HVLT	GSM900	124	914.8	5	600	-36.14	-21	PASS
HVLT	GSM900	124	914.8	5	1200	-39.92	-21	PASS
HVLT	GSM900	124	914.8	5	1800	-42.65	-24	PASS
HVLT	GSM900	124	914.8	19	Ref Power	4.57		PASS
HVLT	GSM900	124	914.8	19	-1800	-50.77	-36	PASS
HVLT	GSM900	124	914.8	19	-1200	-48.54	-32	PASS
HVLT	GSM900	124	914.8	19	-600	-43.63	-26	PASS
HVLT	GSM900	124	914.8	19	-400	-40.82	-23	PASS
HVLT	GSM900	124	914.8	19	400	-37.87	-23	PASS
HVLT	GSM900	124	914.8	19	600	-41.37	-26	PASS
HVLT	GSM900	124	914.8	19	1200	-46.68	-32	PASS
HVLT	GSM900	124	914.8	19	1800	-49.14	-36	PASS
LVHT	GSM900	975	880.2	5	Ref Power	32.94		PASS
LVHT	GSM900	975	880.2	5	-1800	-44.68	-24	PASS
LVHT	GSM900	975	880.2	5	-1200	-42.95	-21	PASS
LVHT	GSM900	975	880.2	5	-600	-37.94	-21	PASS
LVHT	GSM900	975	880.2	5	-400	-31.41	-18.99	PASS
LVHT	GSM900	975	880.2	5	400	-30.41	-18.99	PASS
LVHT	GSM900	975	880.2	5	600	-36.36	-21	PASS
LVHT	GSM900	975	880.2	5	1200	-40.44	-21	PASS
LVHT	GSM900	975	880.2	5	1800	-42.79	-24	PASS
LVHT	GSM900	975	880.2	19	Ref Power	4.62		PASS
LVHT	GSM900	975	880.2	19	-1800	-50.82	-36	PASS
LVHT	GSM900	975	880.2	19	-1200	-48.14	-32	PASS
LVHT	GSM900	975	880.2	19	-600	-43.67	-26	PASS
LVHT	GSM900	975	880.2	19	-400	-40.72	-23	PASS
LVHT	GSM900	975	880.2	19	400	-37.83	-23	PASS
LVHT	GSM900	975	880.2	19	600	-41.36	-26	PASS
LVHT	GSM900	975	880.2	19	1200	-46.93	-32	PASS
LVHT	GSM900	975	880.2	19	1800	-49.47	-36	PASS
LVHT	GSM900	38	897.6	5	Ref Power	33.1		PASS
LVHT	GSM900	38	897.6	5	-1800	-45.19	-24	PASS
LVHT	GSM900	38	897.6	5	-1200	-43.01	-21	PASS
LVHT	GSM900	38	897.6	5	-600	-37.84	-21	PASS
LVHT	GSM900	38	897.6	5	-400	-31.63	-18.84	PASS

LVHT	GSM900	38	897.6	5	400	-31.19	-18.84	PASS
LVHT	GSM900	38	897.6	5	600	-36.53	-21	PASS
LVHT	GSM900	38	897.6	5	1200	-40.75	-21	PASS
LVHT	GSM900	38	897.6	5	1800	-42.05	-24	PASS
LVHT	GSM900	38	897.6	19	Ref Power	4.94		PASS
LVHT	GSM900	38	897.6	19	-1800	-50.04	-36	PASS
LVHT	GSM900	38	897.6	19	-1200	-47.76	-32	PASS
LVHT	GSM900	38	897.6	19	-600	-43.65	-26	PASS
LVHT	GSM900	38	897.6	19	-400	-40.55	-23	PASS
LVHT	GSM900	38	897.6	19	400	-37.62	-23	PASS
LVHT	GSM900	38	897.6	19	600	-40.9	-26	PASS
LVHT	GSM900	38	897.6	19	1200	-46.39	-32	PASS
LVHT	GSM900	38	897.6	19	1800	-49.42	-36	PASS
LVHT	GSM900	124	914.8	5	Ref Power	33.17		PASS
LVHT	GSM900	124	914.8	5	-1800	-44.15	-24	PASS
LVHT	GSM900	124	914.8	5	-1200	-42.41	-21	PASS
LVHT	GSM900	124	914.8	5	-600	-37.27	-21	PASS
LVHT	GSM900	124	914.8	5	-400	-31.28	-18.68	PASS
LVHT	GSM900	124	914.8	5	400	-31.27	-18.68	PASS
LVHT	GSM900	124	914.8	5	600	-35.96	-21	PASS
LVHT	GSM900	124	914.8	5	1200	-39.78	-21	PASS
LVHT	GSM900	124	914.8	5	1800	-42.57	-24	PASS
LVHT	GSM900	124	914.8	19	Ref Power	4.7		PASS
LVHT	GSM900	124	914.8	19	-1800	-50.85	-36	PASS
LVHT	GSM900	124	914.8	19	-1200	-48.58	-32	PASS
LVHT	GSM900	124	914.8	19	-600	-43.7	-26	PASS
LVHT	GSM900	124	914.8	19	-400	-40.74	-23	PASS
LVHT	GSM900	124	914.8	19	400	-37.89	-23	PASS
LVHT	GSM900	124	914.8	19	600	-41.4	-26	PASS
LVHT	GSM900	124	914.8	19	1200	-46.86	-32	PASS
LVHT	GSM900	124	914.8	19	1800	-49.24	-36	PASS
LVLT	GSM900	975	880.2	5	Ref Power	32.94		PASS
LVLT	GSM900	975	880.2	5	-1800	-44.68	-24	PASS
LVLT	GSM900	975	880.2	5	-1200	-42.78	-21	PASS
LVLT	GSM900	975	880.2	5	-600	-37.87	-21	PASS
LVLT	GSM900	975	880.2	5	-400	-31.4	-18.99	PASS
LVLT	GSM900	975	880.2	5	400	-30.26	-18.99	PASS
LVLT	GSM900	975	880.2	5	600	-36.34	-21	PASS
LVLT	GSM900	975	880.2	5	1200	-40.43	-21	PASS
LVLT	GSM900	975	880.2	5	1800	-42.9	-24	PASS
LVLT	GSM900	975	880.2	19	Ref Power	4.7		PASS
LVLT	GSM900	975	880.2	19	-1800	-50.76	-36	PASS
LVLT	GSM900	975	880.2	19	-1200	-48.13	-32	PASS
LVLT	GSM900	975	880.2	19	-600	-43.79	-26	PASS

LVLT	GSM900	975	880.2	19	-400	-40.87	-23	PASS
LVLT	GSM900	975	880.2	19	400	-37.75	-23	PASS
LVLT	GSM900	975	880.2	19	600	-41.32	-26	PASS
LVLT	GSM900	975	880.2	19	1200	-46.89	-32	PASS
LVLT	GSM900	975	880.2	19	1800	-49.55	-36	PASS
LVLT	GSM900	38	897.6	5	Ref Power	33.1		PASS
LVLT	GSM900	38	897.6	5	-1800	-45.18	-24	PASS
LVLT	GSM900	38	897.6	5	-1200	-43.11	-21	PASS
LVLT	GSM900	38	897.6	5	-600	-37.86	-21	PASS
LVLT	GSM900	38	897.6	5	-400	-31.65	-18.84	PASS
LVLT	GSM900	38	897.6	5	400	-31.01	-18.84	PASS
LVLT	GSM900	38	897.6	5	600	-36.64	-21	PASS
LVLT	GSM900	38	897.6	5	1200	-40.71	-21	PASS
LVLT	GSM900	38	897.6	5	1800	-41.97	-24	PASS
LVLT	GSM900	38	897.6	19	Ref Power	4.92		PASS
LVLT	GSM900	38	897.6	19	-1800	-49.93	-36	PASS
LVLT	GSM900	38	897.6	19	-1200	-47.76	-32	PASS
LVLT	GSM900	38	897.6	19	-600	-43.59	-26	PASS
LVLT	GSM900	38	897.6	19	-400	-40.65	-23	PASS
LVLT	GSM900	38	897.6	19	400	-37.53	-23	PASS
LVLT	GSM900	38	897.6	19	600	-41.02	-26	PASS
LVLT	GSM900	38	897.6	19	1200	-46.39	-32	PASS
LVLT	GSM900	38	897.6	19	1800	-49.41	-36	PASS
LVLT	GSM900	124	914.8	5	Ref Power	33.15		PASS
LVLT	GSM900	124	914.8	5	-1800	-43.97	-24	PASS
LVLT	GSM900	124	914.8	5	-1200	-42.41	-21	PASS
LVLT	GSM900	124	914.8	5	-600	-37.32	-21	PASS
LVLT	GSM900	124	914.8	5	-400	-31.27	-18.68	PASS
LVLT	GSM900	124	914.8	5	400	-31.2	-18.68	PASS
LVLT	GSM900	124	914.8	5	600	-36.13	-21	PASS
LVLT	GSM900	124	914.8	5	1200	-39.89	-21	PASS
LVLT	GSM900	124	914.8	5	1800	-42.67	-24	PASS
LVLT	GSM900	124	914.8	19	Ref Power	4.74		PASS
LVLT	GSM900	124	914.8	19	-1800	-50.69	-36	PASS
LVLT	GSM900	124	914.8	19	-1200	-48.6	-32	PASS
LVLT	GSM900	124	914.8	19	-600	-43.76	-26	PASS
LVLT	GSM900	124	914.8	19	-400	-40.89	-23	PASS
LVLT	GSM900	124	914.8	19	400	-37.85	-23	PASS
LVLT	GSM900	124	914.8	19	600	-41.26	-26	PASS
LVLT	GSM900	124	914.8	19	1200	-46.7	-32	PASS
LVLT	GSM900	124	914.8	19	1800	-49.12	-36	PASS